



TDS 9Q10-3/2021

INTERIORS ONLY

9Q10 PERSIA

9Q10 PERSIA IS A WATER-BASED, ECOLOGICAL, SUPER WHITE DECORATIVE FINISH WITH A SILKY EFFECT.



L 2,5



L 1

STABILITY: 2 YEARS
PH: 6 - 8°C
VOC: 30 GR/L
NOTE *

FEATURES: BREATHABLE AND WASHABLE
TOOL: ROLLER AND BLACK & WHITE CR7 TOOL
DRYING TIME: 8 - 12 HOURS DEPENDING ON THE TEMPERATURE.
STORAGE = MAX TEMP. + 30 ° - MIN. TEMP. + 5 °

PHASE 1

APPLY 9Q10 DECOR FONDO SHINY WHITE WITH A ROLLER, DILUTED WITH 5-10% OF WATER.
LEAVE TO DRY COMPLETELY

(CLOUDY EFFECT)

PHASE 2

APPLY THE 1ST COAT OF 9Q10 PERSIA WITH A SHORT-HAIRED ROLLER LEAVING A THICKNESS OF ABOUT 2 MM.
IMMEDIATELY AFTER, WORK THE FRESHLY APPLIED PRODUCT BY STROKING IT WITH A BLACK & WHITE CR7 TOOL, APPLYING A LIGHT PRESSURE, MAKING CIRCULAR MOVEMENTS.
LEAVE TO DRY COMPLETELY.

PHASE 3

APPLY THE 2ND COAT OF 9Q10 PERSIA WITH A SHORT-HAIRED ROLLER, LEAVING A THICKNESS OF ABOUT 2 MM.
IMMEDIATELY AFTER, WORK THE FRESHLY APPLIED SECOND COAT BY STROKING IT WITH A BLACK & WHITE CR7 TOOL, APPLYING A LIGHT PRESSURE, MAKING CIRCULAR MOVEMENTS.

PACKAGE	PACKAGE PERFORMANCE	REFERRING PERFORMANCE
L 2,5	17 - 18 MQ	2 COATS
L 1	6 - 7 MQ	2 COATS

TO GET A MORE FILLING PRODUCT, MIX 50% 9Q10 PERSIA + 50% 9Q10 SINFONIA

HAZARDS IDENTIFICATION
THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS PURSUANT TO THE PROVISIONS OF REGULATION (EC) 1272/2008 (CLP) (AND SUBSEQUENT AMENDMENTS AND ADJUSTMENTS).



*** NOTE**

THE STABILITY PERIOD IS PURELY INDICATIVE, IT REFERS TO THE MINIMUM STABILITY TIME OF THE PRODUCT IF STORED IN GOOD CONDITIONS ACCORDING TO THE INSTRUCTIONS PROVIDED, IN THE ORIGINAL UNOPENED CONTAINERS AND IN SUITABLE TEMPERATURE CONDITIONS. IF STORED PROPERLY, THE PRODUCT MAY HAVE GREATER STABILITY THAN THE MINIMUM RECOMMENDED PERIOD.