

## TECHNICAL DATA E-PRO COLD UNITS

### Refrigerated cold well

The E-Pro range of cold units includes various types of refrigerated units and worktops. Thanks to the flexible modular construction, they are easy to combine to create a customised food service system that best suits personal requirements. All units are made of stainless steel and comply with the hygiene standards for professional kitchens.



#### GENERAL

- Products are designed for the short-term storage and serving of cold food
- All surfaces are made of stainless steel
- Ø63.5mm adjustable feet, with a height adjustment range of -40/+20mm
- GN-sized cupboards and drawers
- Removable slide rails and PVC plastic magnetic gaskets
- The refrigerated wells have hygienic rounded corners and GN1/1 dividers as standard option

#### PERFORMANCE

- The technical features of products are designed to meet the requirements of cold storage in +30°C ambient temperature. The capacity is verified by laboratory experiments
- The temperature can be adjusted between +4 and +6°C. Temperature is +4 to +12°C in cold well
- The thermostat control includes a digital temperature display
- The ventilated refrigeration module guarantees even temperature distribution
- Two refrigeration machine options


#### TECHNICAL FEATURES

- The units have 42mm thick walls, insulating material polyurethane
- CFC and HCFC free
- The refrigerant is R134a
- The refrigeration module is removable without tools and comes with automatic defrost and evaporation of defrost water
- The refrigeration module features an automatic alarm of air-intake filters dirtiness option
- HACCP option is available for all models
- All E-Pro cold units are CE marked



# Refrigerated cold well, CDGNS serie

- Temperature range: **+4...+6°C** (maximum ambient temperature of +30 °C in cold storage)
- Refrigerator modules 460mm wide model: **C1**
- Refrigerator modules 860mm wide model: **C1, CH1**
- Refrigerator modules 1260mm wide model: **CH1**
- Unit modules: **1**



TECHNICAL DATA			
Model	CDGNS-C1	CDGNS-1-C1	CDGNS-1-CH1-1
External dimensions w x d x h mm	460x650x900	860x650x900	1260x650x900
Temperature range °C	+4...+6	+4...+6	+4...+6
Internal volume dm <sup>3</sup>	92	182	292
Type of refrigerant, g	R134a, 300	R134a, 300	R134a, 300
Electrical connection V, Hz	230 1N, 50	230 1N, 50	230 1N, 50
Connected load W	350	350	750
Enclosure class	IP44	IP44	IP44
Net weight kg	62	94	131
HACCP option	included	included	included
Unit volume m <sup>3</sup>	0,4	0,7	1,0
Unit dimensions mm			
height	1050	1050	1050
depth	750	750	750
width	500	900	1300

Due to continuous product development we reserve the right to technical changes without notice.




# MODULES


## Refrigerator modules

**C1** Refrigerator module 350W without drawer, temperature range +4...+6°C

**CH1** Refrigerator module 750W without drawer, temperature range +4...+6°C




**C1**



**CH1**

## Unit modules

**1** Cupboard with a closed door, two removable shelves and five pairs of removable shelf brackets



**1**