

TABLE OF CONTENTS

Log cabins

Garages & Accessories

ABOUT US

We are pleased to present our 2018 collection of our essential models. For approximately 20 years, we have had the pleasure of offering you a selection of garden buildings and cabins for your holidays.

We constantly pay attention to changing market needs and expectations so that we can bring you an increasing choice of cabins to suit the purpose you need them for. Each request is unique and requires its own original solution. Lasita Maja is seeking to develop cabins that suit your outside space and life.

You can use your new space for taking it easy while the kids play, or simply as an extra living area added onto your home. To satisfy you, the customer, we have set up a total quality control including production, delivery and customer service. Discover the compact essential range of Lasita Maja. We provide a solution for all your needs - varying from sheds up to leisure cabins and garages.

Thank you for choosing one of our garden buildings and we wish you many years of pleasure from your Lasita Maja log cabin!

DESCRIPTION OF SYMBOLS

Nº

Article number



Ridge height cm



Floor m²



Wall thickness mm



Front overhang cm



Roofing felt



Foundation dimensions cm



Roof canopy cm



Roofing shingles



Area m²



Roof area m²



Terrace cm



Volume m³



Door size cm



Storage unit



Side wall height cm



Window size cm



Included Not included



produced in Estonia



produced in Hungary

Optional

OUR QUALITY DETAILS



Our wall log angle profile are made with wind-tight connection, to ensure a better wind resistance.



High quality windows and doors with real or plexi glazing.



Impregnated foundation beams to preserve your cabin from rises of humidity and give it longer life (available only in optional floor packages).



Doors with cylinder lock for security of your valuable garden tool.



Wooden storm protection slats to protect your house from strong winds. (in some kits not included)



Entry doors with low sill (selected models with Aluminium cover), to provide easier access to store your heavy garden tools and machines in your log cabin.



15 mm or 18 mm solid wood roof boards with tongue and groove joints.



Our houses are packed carefully.
UV protection folio preserves them
from bad weather conditions,
also with a stable pallete which is
fastened with belts to mitigate
transport damages.



Fixings and assembly instruction come with every building - no additional hardware required.



Delivery to your yard will be easily handled by our experienced dealers and logistic partners.










- from untreated Nordic Spruce
- sectional walls
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt and floor included



Νº







Α	TYGO
В	MILAN
























Α	TYGO	59651600	13,5	170 x 120	2,04	3,95	182	218	10	2,88	120 x 175	✓	✓	2
В	MILAN	59651642	13,5	243 x 176	4,3	8,7	182	220	11	5,88	120 x 175	✓	✓	• 3
С	SVEN	59651645	13,5	290 x 176	5,1	10,3	182	220	11	6,7	120 x 175	✓	✓	3

WIEN

Product highlights

- from untreated Nordic Spruce
- sectional walls
- wide double door
- assembly kit included
- 15 mm solid roof boards
- floor included
- roofing felt for additional costs





























180 ₽

2200

Α	WIEN 1
В	WIEN 2


1	59651620	14	170 x 180	2,8	5,5	184	218	10	120 x 170	✓	● 2 x 10	2
2	59651690	14	220 x 220	5,08	9,86	184	218	11	120 x 175	✓	● 2 x 10	3

JULIAN



Product highlights

- from untreated Nordic Spruce
- sectional walls
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt and floor included



























59651643

243 x 176

4,22

8,32


120 x 175





Product highlights

- from untreated Nordic Spruce
- sectional walls
- wide double door
- assembly kit included
- with side roof width 150 cm
- 15 mm solid roof boards floor included
- roofing felt for additional costs





























59651647

13,5

320/176 x 176

5,5

10,9

182

212

120 x 175

● 1 x 10



- from untreated Nordic Spruce
- sectional walls
- wide double door
- assembly kit included
- 15 mm solid roof boards
- optional roof extension
- roofing felt and floor included





Nº

456792

456785

Product highlights

- from untreated Nordic Spruce
- sectional walls

205

205

- wide double door
- assembly kit included

 \square_{x2}

93 x 43

93 x 43

139 x 175

139 x 175

258 x 198


- 15 mm solid roof boards
- optional roof extension
- roofing felt and floor included



505 x 198

10,1

19,6



		Nº			m ²	m³			秤			x2		
А	VIOLET	4568080	19	304 x 246	7,5	16	188	205	20	-	139 x 175	93 x 43	~	~
В	VIOLET + ROOF EXTENSION	456822	19	603 x 246	14,7	32	188	205	20	300 x 246	139 x 175	93 x 43	✓	✓






FRODO 1

Product highlights

- from untreated Nordic Spruce
- wall thickness 18 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs





























59104310

200 x 200



• 1 x 3.0 / 1 x 1.5


FRODO 2

Roof extension can be installed to the left or right side



Product highlights

- from untreated Nordic Spruce
- wall thickness 18 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs

































59104315

298/200 x 200

5,96

12,12

193

210

98 x 200


128 x 170


• 1 x 3.0 / 1 x 1.5



- from untreated Nordic Spruce
- wall thickness 18 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- floor and roofing felt included



















190











А	SALZBURG 1
В	SALZBURG 2

1		
2		

1	
2	






















59197690






































205













5,42
















- wall thickness 18 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs

































591058661

230 x 200

9,45

198

214

128 x 170









HELSINKI

Product highlights

- from untreated Nordic Spruce
- wall thickness 18 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt and floor included































盘	

A	HELSINKI 3
В	HELSINKI 4

<u> </u>			
4			

591058630 591058620

18

200 x 200 230 x 230

10,9

8,3

184




















LINZ 1



Product highlights

- from untreated Nordic Spruce
- wall thickness 18 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- floor and roofing felt included

































59197670

18

260 x 260

6,76

13,88

185

226


9,33

128 x 170



- from untreated Nordic Spruce
- wall thickness 18 mm
- Single door and fixed single window
- assembly kit included
- 15 mm solid roof boards
- floor and roofing felt included





Nο

























optional mirroring

59197675

6,76


13,88

NINA

Product highlights


- from untreated Nordic Spruce
- wall thickness 28 mm
- large single door and window
- assembly kit included
- 15 mm solid roof boards roofing felt included
- optional floor for additional costs
































Α	NINA 175	2834450	28	275 x 175	4,56	9,75	194	234	10	6,24	77 x 185	68 x 88	● 2 x 3.0	✓	• 3
В	NINA 230	2834550	28	275 x 230	6,05	12,92	194	234	10	8	77 x 185	68 x 88	• 2 x 3.0 / 1 x 1.5	~	• 4
С	NINA 275	2834650	28	275 x 275	7,26	15,51	194	234	10	9,44	77 x 185	68 x 88	• 2 x 3.0 / 1 x 1.5	✓	• 4

MORAVA B

Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- double door
- front overhang 16 cm
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs































2810650

190 x 190

125 x 185

• 1 x 3.0 / 1 x 1.5

MORAVA A




Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- wide double door
- front overhang 16 cm
- assembly kit included

15 mm solid roof boards

- roofing felt included
- optional floor for additional costs

































2810550

230 x 230

5,04

10,19

182

222

6,97

149 x 185

WELS 1 / 2 / 3 LOG CABINS

Product highlights


- from untreated Nordic Spruce
- wall thickness 28 mm
- single door

- single window
- assembly kit included
- 15 mm solid roof boards
- floor included









	,	<u>n</u>
Nº		0
		4



200 x 200

230 x 230

300 x 300



3,78

5,04

8,67



8,29

11,05

19,02



194

194



234

234



10



5,5



77 x 185

77 x 185



68 x 88

68 x 88





3

3



• 1 x 10

• 1 x 15

• 2 x 10

Α	WELS 1
В	WELS 2
С	WELS 3

:	
:	

28.
283
283































37600



WELS 4 / 5





Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- single or double door
- 2 x single window
- assembly kit included
- 15 mm solid roof boards
- floor included



























18,04

23,52















Α	WELS 4 ET
В	WELS 4 DT
С	WELS 5

























245

245











149 x 185





68 x 88







• 7

• 9




• 4 x 10


LOS ANGELES, CHICAGO, BALTIMORE, HOUSTON


Product highlights


- from untreated Nordic Spruce
- wall thickness 28 mm
- wide double door
- front overhang 50 cm (Baltimore)
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs































Α	LOS ANGELES
В	CHICAGO
С	BALTIMORE
D	HOUSTON

ES.	2
)	2
E	
١	:

ES	- 2
	2
E	
	i

S	2
	2
	2
	2

S	2
	2
	2
	2







































6,43

8,2






















































8,14	194	222	10	5,4	149 x 185	● 1 X 3.0 / 1 X 1.5	•	© 3	
10,48	194	222	10	6,75	149 x 185	● 2 x 3.0	✓	• 3	
13,37	194	222	50	9,57	149 x 185	• 2 x 3.0 / 1 x 1.5	✓	3	
17,07	194	222	10	10,3	149 x 185	● 3 x 3.0	1	5	

DALLAS

Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm wide double door
- assembly kit included
- 15 mm solid roof boards
- · roofing felt included
- · optional floor for additional costs







































2825350

376 x 292

10,61

22,63


149 x 185

68 x 88

• 4 x 3.0

- from untreated Nordic Spruce
- wall thickness 28 mm
- wide double door
- with top-hung window
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs



























82





Α	EBRO B
В	EBRO C

2810250 2814050

360 x 300 390 x 390

10,4 14,8

22,9

194

245

20

13,2

149 x 185 149 x 185

77 x 77

• 3 x 3.0 / 1 x 1.5 • 5 x 3.0



BOSTON, WASHINGTON


Product highlights


- from untreated Nordic Spruce
- wall thickness 28 mm wide double door
- 15 mm solid roof boards roofing felt included
- optional floor for additional costs

with top-hung window

assembly kit included



























20,99



149 x 185



82 x 54



• 6 x 3.0





Α	BOSTON	
В	WASHINGTON	

2825450 2825550

28

480 x 376

13,59

29,82 38,56

245

245












ROBIN 280



Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- wide fully glazed double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt and floor included
- plexi-glazed





























2840901

330 x 280

56 x 122



MONTANA



Product highlights

- from untreated Nordic Spruce
- wall thickness 34 mm
- extra wide double door
- assembly kit included



WILLIAM


Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- extra wide double door and solid single door
- 2 vertical skylights
- assembly kit included
- 15 mm solid roof boards

· roofing felt and floor included

• separate storage room



























90 x 32







2841701

28 380 x 250

9,15

20,08


13,02 149 x 185 | 77 x 185



IVANA

Product highlights

- · from untreated Nordic Spruce
- wall thickness 28 mm
- wide double door
- · assembly kit included
- 15 mm solid roof boards
- roofing felt included
- · optional floor for additional costs
- spacious roof extension



































2838550

570/230 x 275

15,2

32,5

200

228

3,4 x 2,75


18,88

149 x 185

• 3 x 3.0 / 1 x 1.5

- from untreated Nordic Spruce
- wall thickness 28 mm
- garden house with 2 rooms
- extra wide double door
- additional service door
- provides plenty of natural light
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs































2813550

456 x 360

210 262 22 20,83 159 x 196 | 83 x 196 46 x 178

15,96 37,76

• 5 x 3.0 / 1 x 1.5

TUVALU



Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- extra wide double door and additional service door
- garden house with 2 rooms
- assembly kit included
- 18 mm solid roof boards
- roofing felt for additional costs
- floor included










- from untreated Nordic Spruce
- wall thickness 28 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs





Α	INDI 175	2834050	28	230 x 175	3,8	7,58	188	211	20	4,19	149 x 185	• 1 x 3.0 / 1 x 1.5	~
В	INDI 230	2834150	28	230 x 230	5,04	10,05	188	211	20	6,75	149 x 185	● 2 x 3.0	✓

- from untreated Nordic Spruce
- wall thickness 28 mm
- extra wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs



SACRAMENTO



292 x 292

2822850


Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- modern pent roof
- wide double door with plexi-glazing

• 3 x 3.0

- assembly kit included
- 15 mm solid roof boards
- roofing felt included





AMIRA -

Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- extra wide double door
- single window
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs



BELMONT

2836850

2836950

28

380 x 230

380 x 275

8,4

10,09

16,76

Product highlights

188

• from untreated Nordic Spruce

211

- wall thickness 28 mm or 34 mm
- fully glazed double and solid single door
- assembly kit included
- 15 mm solid roof boards
- roofing felt and floor included

• 3 x 3.0 / 1 x 1.5

plexi-glazed

68 x 88

68 x 88

149 x 185

10,8




JELLE PLUS '

Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs
- spacious roof extension





Νº























2839150


370/175 x 175

12,32

188

2 x 3.0 / 1 x 1.5

NOVIA PLUS



Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs
- spacious roof extension





























19,22

149 x 185

23

- from untreated Nordic Spruce
- wall thickness 28 mm
- · wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs
- spacious roof extension



ST. LOUIS


Nο

2825050

Product highlights

• from untreated Nordic Spruce

- wall thickness 28 mm
- wide double door
- assembly kit included
- 15 mm solid roof boards
- roofing felt included
- optional floor for additional costs
- spacious roof extension



149 x 185









481/292 x 292















22,43







2824650

681/292 x 292

8,2

16,36


188

211

386

149 x 185

KENZO



Product highlights

- from untreated Nordic Spruce
- wall thickness 34 mm
- wide solid double door
- spacious roof extension
- assembly kit included
- 15 mm solid roof boards floor included
- roofing felt for additional costs































3415500

540/197 x 300

40,55

149x185

WIBO

150

Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- wide solid double door
- spacious roof extension
- assembly kit included
- 15 mm solid roof boards
- floor included
- roofing felt for additional costs
- plexi-glazed





























2833400

425/144 x 300

12,35

27,8

205

245

16,28

77 x 185

• 2 x 10



FLOORS

Optional floor

Extend your log cabin with our optional floor, available as 1.5 or 3 m2 packages. Floor package includes 18 mm thickness solid floorboards, impregnated foundation beams and hardware set.








А	FLOOR 1.5	2827900	1,5
В	FLOOR 3.0	2828000	3

MAURITIUS

Product highlights

- from untreated Nordic Spruce
- wall thickness 28 mm
- wide solid double door
- assembly kit included
- 18 mm solid roof boards
- roofing felt included
- without floor



























MAURITIUS

287450

330 x 510

16,4

38,71

239 x 202

Product highlights


from untreated Nordic Spruce wall thickness 34 mm (Dillon) wall thickness 40 mm (Yarik) wide solid double door assembly kit included 15 mm solid roof boards roofing felt included without floor plexi-glazed


GARAGES































29



239 x 202 / 77 x 185



99 x 88

99 x 88





Α	DILLON
	YARIK

3415450	
4015850	





















20















Please scan this QR Code to watch our assembly video