



Certificate of constancy of performance
No. 1325-CPR-3363B

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product(s)

**Wood wool (WW) thermal insulation products:
boards CEWOOD CW-W, CEWOOD CW-G, CEWOOD CW-A2,
CEWOOD CW-BARCODE
and composite board CEWOOD PLUS and CEWOOD CW-PLUS
according to the Annex,**

PLACED ON THE MARKET UNDER THE NAME OF:

SIA „CEWOOD”

Galdusalas-1, Jaunlaicene, Alūksne, LV - 4336, Latvia; reg. No. 45403042702

AND PRODUCED IN THE MANUFACTURING PLANT(S):
SIA „CEWOOD” “Galdusalas-1”, Jaunlaicenes pagasts, Alūksnes novads, LV - 4336, Latvia

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 13168:2012+A1:2015

Under system 1 for the performance set out in this certificate are applied and that **the performance of the construction product is assessed to remain constant.**

This certificate was first issued on 8 September 2016 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by notified factory production control certification body.

31 January 2024

Mārtiņš Maskavs
Certification Manager



Certificate issued on 1 (one) page with Annex on 1 (one) page



EN ISO/IEC 17065
S1-182

AS Inspecta Latvia
Skanstes iela 54A, Rīga
LV-1013, Latvija

T. +371 67 607 900
F. +371 67 607 901
latvia@kiwa.com

www.kiwa.com/lv

CERTIFICATE

Inspecta Latvia
Trust, Quality & Progress



Product: Wood wool (WW) thermal insulation products; boards *CEWOOD CW-W*, *CEWOOD CW-G*, *CEWOOD CW-A2*, *CEWOOD CW-BARCODE* and composite board *CEWOOD PLUS* and *CEWOOD CW-PLUS*.

Manufacturer: SIA „CEWOOD” “Galdusalas-1”, Jaunlaicenes pagasts, Alūksnes novads, LV-4336, Latvia

CEWOOD CW-W	
Shavings of wood	0,7 - 1,0 - 1,5 - 3,0 mm
Binder	cement, limestone dust
Thickness of board	15 - 50 mm
Density of board	370 - 550 kg/m ³
Reaction to Fire	B-s1,d0
CEWOOD CW-G	
Shavings of wood	1,0 - 1,5 - 3,0 mm
Binder	cement
Thickness of board	25 - 100 mm
Density of board	324 - 506 kg/m ³
Reaction to Fire	B-s1,d0
CEWOOD CW-A2	
Shavings of wood	1 - 1,5 mm
Binder	cement, limestone dust
Thickness of board	15 mm / 25 mm
Density of board	830 kg/m ³ / 580 kg/m ³
Reaction to Fire	A2-s1,d0
CEWOOD CW-BARCODE	
Shavings of wood	1 mm
Binder	cement, limestone dust
Thickness of board	25 mm / 35 mm
Density of board	477 - 583 kg/m ³
Reaction to Fire	B-s1,d0
Composite board CEWOOD CW-PLUS/ / CEWOOD PLUS (painted)	
Overall thickness of board	45 - 125 mm / 45 - 75 mm
Overall density of board	370 - 550 kg/m ³
Reaction to Fire	B-s1,d0
WW board	
Shavings of wood	1 - 1,5 mm / 1 mm
Binder	cement, limestone dust
Density of board	420 kg/m ³ / 420 kg/m ³
Thickness of board	25 mm
MW board	
Density of board	70 kg/m ³
Thickness of board	20 -100 mm / 20 - 50 mm
paint	
MasqueTop W650 (white)	/ 300 g/m ²

31 January 2024

Mārtiņš Maskavs
Certification Manager



EN ISO/IEC 17065
S1-182
AS Inspecta Latvia
Skanstes iela 54A, Rīga
LV-1013, Latvija

T. +371 67 607 900
F. +371 67 607 901
latvia@kiwa.com

www.kiwa.com/lv