

Natural – Premium Nordic softwood

AS Natural is a leading Estonian producer of timber and timber products since 1990.

We are proud to ship our products to more than 30 countries worldwide and to operate on all continents, from North America to Australia and Oceania.

Our raw material is sourced only from regulated sawmills and certificated forests from the best Nordic growing areas of Estonia, Finland, Sweden and Latvia.

Natural is FSC® (C149652) and PEFC certified.

OUR PLANTS

Planing factory




since 2002

Truss factory



since 2016

Finishing plant




since 2020

OUR TIMBER

We value Nordic softwood (pine & spruce), which we get mainly from Scandinavian or Estonian sawmills.

WhiteWood (WW) / Spruce



RedWood (RW) / Pine



Production and warehouse:

Address: Jaani tee 22 73001 Koeru

e-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Project sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: myyk@natural.ee

E-shop: naturalprofessional.ee

PRODUCT PORTFOLIO

In our modern and rapidly developing production complex, we produce the most common construction timber, from strength-graded structural timber to calibrated and profiled planed material. Among them, both terrace material and a wide selection of indoor and outdoor cladding boards with different profiles.

In our product range, you can find more and more finished products that are ready for immediate installation on the construction site and are available as a stock product or in the color of the customer's liking. We cooperate with dozens of manufacturers of finishing products to offer our customers all the most common and in-demand solutions on the market. In cooperation with paint manufacturers, we have chosen the best finishing solutions for the Nordic climate.

We have our own design team that prepares the necessary drawings for the production of roof trusses for customers. And all trusses are made of structural wood produced by us. We use special lasers on our workbenches when assembling the trusses, which ensure the most accurate possible quality of the truss assemblies.

OUR PRODUCTS

Strength-graded construction wood



Calibrated material




Terrace & decking material



Interior cladding boards



Exterior cladding boards



Roof trusses



Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

PLANED TIMBER

Our modern planing industry produces nearly 200 meters of planed material per minute. For larger projects, we also produce a special profile requested by the customer.

Strength-graded construction wood



TYPE OF WOOD: pine/spruce

THICKNESS: 35mm 45 mm 60 mm 70 mm 95 mm

WIDTH: 45 mm - 245 mm **LENGTH:** 3000 - 6000 mm

STRENGTH CLASS: According to

European standard: C14 to C30 and TR26

Australian and New Zealand standard: M10 / M12

QUALITY: AB


ABSORPTION: class 3 - green & brown

class 4 (only pine) - green & brown

PROFILE: S4S – Planed on four sides

CORNERS: R3,5

Four sides planed timber



TYPE OF WOOD: pine/spruce

THICKNESS: 10 mm - 34 mm

WIDTH: 45 mm - 245 mm

LENGTH: 3000 - 6000 mm

QUALITY: AB & ABC

ABSORPTION: class 3 - green & brown

class 4 (only pine) - green & brown

PROFILE: S4S – Planed on four sides

S4S/S – One side band sawn

S4S/2S – Two sides band sawn

CORNERS: R3,5 | R0

NB! We also offer project sales customers the service of cutting to size and making end studs to save time during construction.

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

TERRACE MATERIAL

We offer both thermo treated, deep-impregnated, and finished terrace boards. By choosing between different glazed tones, you can create a unique design solution.

Terrace boards



DRS 28x120
Glaze brown, oil



TYPE OF WOOD: pine/spruce
THICKNESS: 28 mm
WIDTH: 95 mm / 120 mm / 145 mm
LENGTH: 3000 - 6000 mm
QUALITY: AB
ABSORPTION: class 3 - green & brown
class 4 (only pine) - green & brown
NTR A & NTR AB

DRR 28x120
Glaze orange, oil



NB! All terrace boards need at least 1x cleaning and maintenance finishing during the season.

Thermo terrace



- 100% natural, chemical-free treatment
- Does not contain resin
- Suitable for different climatic conditions
- Better biological resistance of wood
- Smaller internal stresses in the wood
- Low water absorption

TYPE OF WOOD: pine **QUALITY:** AB
THICKNESS: 27 mm **WIDTH:** 117 mm **LENGTH:** 3000 - 5400 mm

Production and warehouse:

Address: Jaani tee 22 73001 Koeru
E-mail: natural@natural.ee
Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn
E-mail: sales@natural.ee
E-shop: naturalprofessional.ee
(for local market only)

INDOOR PRODUCTS

Wood is a warm and natural material that helps create a cozy and comfortable interior. With different surface treatment solutions, it is possible to turn wood into an eye-catching and unique design element.

Indoor cladding boards



TYPE OF WOOD: pine/spruce

THICKNESS: 12 mm - 14 mm

WIDTH: 95 mm - 145 mm

LENGTH: 3000 - 6000 mm


QUALITY: AB

TREATMENT: Planed

Brushed (aging)

PROFILE: STV & STP

STV




STP



NB! Find out about the different profiles from the project sales team. Dozens of alternatives can be found among the products of our export customers.

Brushed or aged boards

Pine



In the process of brushing or aging the wood, the softer parts are removed from the surface of the wood, which brings out the beautiful grain of the

Spruce



Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

INDOOR PRODUCTS

Waxed indoor products



- With a silky matte sheen
- Water and dirt repellant
- They are also suitable for damp indoor spaces
- Special waxes can also be used in saunas.

It is possible to choose between different glazed

Lacquered interior products



- Lacquers create a strong and durable layer
- Different gloss levels
- Easy to clean

It is possible to choose between different glazed

Covering interior products



- They completely cover the texture of the wood
- Easy to clean
- A pre-brushed surface is recommended, as covering products tend to enhance various features characteristic of wood (knots, cracks, etc.)

It is possible to choose between different glazed interior tones - RAL / NCS

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

INDOOR PRODUCTS

Vintage indoor products

Vintage black




Vintage white



The Natural Vintage product imitates naturally aged wood, bringing out the uniqueness and relief, and beauty of the wood.

Design products



The ability to create various finished design solutions where imagination has no limits.

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

INDOOR PRODUCTS

Printed boards



- We offer solutions for various wall elements by creating a special effect through a printed effect.
- Possibility to print pictures, patterns, shapes, etc.



Sales through customer manager.

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

OUTDOOR PRODUCTS

Wood is a warm, climate-friendly, and renewable building material. If you use the right finishing products and ensure adequate maintenance, the wood will last for several generations in outdoor conditions.

Exterior cladding boards



TYPE OF WOOD: pine/spruce

THICKNESS: 18 mm - 23 mm

WIDTH: 95 mm - 195 mm

LENGTH: 3000 - 6000 mm


QUALITY: AB

TREATMENT: Bandsawn


Planed

Brushed (aging)


UYV




UYS




UYW




UTS



UYL



UTP



NB! Find out about the different profiles from the project sales team. Dozens of alternatives can be found among the products of our export customers.

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

OUTDOOR PRODUCTS

Surfaces to be finished

**Band-sawn
(fine-sawn)**



**Brushed
(aged)**



Planed



Depending on the surface treatment, their subsequent maintenance interval may differ. For example, the maintenance interval for a board with a planed surface in outdoor conditions is about 1/3 shorter compared to a band sawn or brushed surface. However, each treatment has its own advantages and we always recommend consulting and/or ordering product samples before making a decision.

Horizontally or vertically?

Among our cladding board profiles, you can find solutions for both horizontal and vertical installation. UYL, UYW, UYL are suitable for horizontal installation. UYS, UTS and also UTP are suitable for both vertical and horizontal installation.

When installing some profiles (for example, UTS), it is possible to hide the fastening points. Before making a decision, we always recommend consulting with the builder or our project sales customer manager.

Instructions with pictures can be found on the www.naturalprofessional.ee service description page and blog. You will definitely find the instructions for installing the cladding board in different languages, both in video and images, by googling the relevant keywords.

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

OUTDOOR PRODUCTS

Covered outdoor products



Natural Classic

Maintenance interval 7-10 years

Natural Premium

Maintenance interval 10-15 years


Recommended profiles: bottom

Recommended surface treatment: band sawn / brushed

NATURALI 10 tones


We have developed 10 Natural Premium outdoor shades that are well suited to the conditions of the Nordic climate. Always check the selected shades on a paper card or painted samples, as the screen/image resolution can significantly distort the shades.

Beige




RAL 1013
RGB: 227 217 199

Light gray



RAL 7047
RGB: 200 200 199

Yellow



Q116
RGB: 241 192 121

Light green




602X
RGB: 174 183 177

Light blue



T7026
RGB: 117 151 166

Black



RAL 9005
RGB: 14 14 16

Red



NCS S5040-Y80R
RGB: 108 19 17

Dark gray




RR23
RGB: 72 75 80

Dark brown



RR32
RGB: 47 35 23

White



RAL 9010
RGB: 241 237 225

NB! We cooperate with dozens of manufacturers of finishing products. If you can't find a suitable shade or you prefer a specific manufacturer, contact the project sales team. Shades can also be selected from RAL, NCS, or, for example, the Teknos color card.

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:


Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)

OUTDOOR PRODUCTS

Semi-covered outdoor products



- Partially covers the wood texture
- (light tones less / dark tones more)
- Maintenance interval 5-7 years

It is possible to choose between different glaze tones.


Glazed outdoor products



- The texture of the wood is visible.
- (light tones more / dark tones less)
- Maintenance interval 3-5 years

It is possible to choose between different glaze tones.

Fireproof indoor & outdoor products



Outdoor products: band-saw surface / brushed

Indoor products: band-saw surface / brushed / smooth

Solutions:

Covering (Teknos) / glazed (NordTreat)

Fire protection class: Bs1D0

Production and warehouse:

Address: Jaani tee 22 73001 Koeru

E-mail: natural@natural.ee

Homepage: natural.ee



NATURAL

Sales and e-shop:

Address: Sõpruse pst 155 13418 Tallinn

E-mail: sales@natural.ee

E-shop: naturalprofessional.ee
(for local market only)