

## CEWOOD Panels / CEWOOD Design

## **AFTER INSTALLATION**

Instructions for care and maintenance of CEWOOD Panels after installing. For more detailed information, see **cewood.com** or contact our technical department.

A few weeks after finishing installation of the panels, small dust particles may be present, due to the mounting process. To get rid of the dust use a vacuum cleaner with a brush nozzle. (1.)

If the panels are dirty or abraded during the installation, clean the surface with a damp cloth. If the mounting works have caused surface defects, process the panel with a fine sandpaper. (2)(3)

If necessary, the colouring of the panels can be restored with a brush or a long-haired paint roller. It is recommended to use a water-based paint for painting the panels. 4.

- (1) 1) Substantial filling of the panel structure with paint can reduce the sound-absorbing properties.
  - 2) When repainting, use the exact color tone; if in doubt, contact the manufacturer or distributor.









## Operation and maintenance

Once installed, the CEWOOD Panels do not require any additional maintenance. Surface cleaning can be done at the same time as the general cleaning of the premises.

General cleaning is easy and can be carried out with a vacuum cleaner with a brush nozzle. If additional cleaning is needed, use a damp cloth. (5) (6)

The colouring can be refreshed using a brush or a long-haired paint roller. It is recommended to use a water-based paint for painting the panels. (7)

- Substantial filling of the panel structure with paint can reduce the sound-absorbing properties.
  When repainting, use the exact color tone; if necessary contact the manufacturer or distributor.
  - CEWOOD Panels for indoor use are made from high-quality wood wool and cement. The fireproof material has great acoustic and thermal insulation capacities, and is perfectly suitable for the widest range of interior solutions.

The CEWOOD Panels have a long lifetime, up to 50 years. The robust and durable material does not change when exposed to humidity, the panels are mold-safe and pest-free.





