

Certificate of constancy of performance  
No. 1325-CPR-3363F

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product(s)

**Wood wool (WW) thermal insulation products**

**Boards:**

**CW-W, CW-A2-W, CW-G, CW-AP-W, CW-AP-G, CW-BARCODE,  
CW-A2-BARCODE, CW-W-FR-TYPE and**

**Composite boards: CW-PLUS and CW-A2-PLUS,  
according to the Annex,**

PLACED ON THE MARKET UNDER THE NAME OF:

**SIA „CEWOOD”**

Galdusalas-1, Jaunlaicene, Alūksne, LV - 4336, Latvia; reg. No. 45403042702

AND PRODUCED IN THE MANUFACTURING PLANT(S):

SIA „CEWOOD” plant “Galdusalas-1”, Jaunlaicenes pagasts, Alūksnes novads, LV - 4336, Latvia

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 13168:2012+A1:2015**

Under system 1 for the performance set out in this certificate are applied and that **the performance of the construction product is assessed to remain constant.**

This certificate was first issued on 8 September 2016 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by notified factory production control certification body.

6 June 2025

**Mārtiņš Maskavs**  
Certification Manager



Certificate issued on 1 (one) page with Annex on 2 (two) pages



EN ISO/IEC 17065  
S1-182  
**AS Kiwa Latvia**  
Skanstes iela 54, Rīga  
LV-1013, Latvija

T. +371 67 607 900  
[latvia@kiwa.com](mailto:latvia@kiwa.com)

[www.kiwa.com/lv](http://www.kiwa.com/lv)

**Product:** Wood wool (WW) thermal insulation products: boards *CW-W*, *CW-A2-W*, *CW-G*, *CW-AP-W*, *CW-AP-G*, *CW-BARCODE*, *CW-A2-BARCODE*, *CW-W-FR-TYPE* and composite boards *CW-PLUS* and *CW-A2-PLUS*.

**Manufacturer:** SIA „CEWOOD” plant “Galdusalas-1”, Jaunlaicenes pagasts, Alūksnes novads, LV-4336, Latvia.

<b>CW-W</b>		
Thickness of board	15 – 50 mm	
Shavings of wood	0,5 – 1 – 1,5 – 3,0 mm	
Binder	White cement, limestone dust	
Density	370 – 470 kg/m <sup>3</sup>	
Reaction to Fire	B-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	
<b>CW-A2-W</b>		
Thickness of board	15 – 35 mm	15 – 25 mm
Shavings of wood	1 mm	1,5 mm
Binder	White cement, limestone dust	
Density	580 – 830 kg/m <sup>3</sup>	
Reaction to Fire	A2-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	
<b>CW-G</b>		
Thickness of board	15 –100 mm	
Shavings of wood	1 – 1,5 – 3,0 mm	
Binder	Grey cement	
Density	360 – 470 kg/m <sup>3</sup>	
Reaction to Fire	B-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	
<b>CW-AP-W un CW-AP-G</b>		
Thickness of board	15 – 50 mm	
Shavings of wood	0,5 – 1 – 1,5 – 3,0 mm	
Binder	Grey or white cement, limestone dust	
Density	370 – 470 kg/m <sup>3</sup>	
Reaction to Fire	B-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	
<b>CW-BARCODE</b>		
Thickness of board	25 – 35 mm	
Shavings of wood	1 mm	
Binder	White cement, limestone dust	
Density	477 – 583 kg/m <sup>3</sup>	
Reaction to Fire	B-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	
<b>CW-A2-W-BARCODE</b>		
Thickness of board	25 – 35 mm	
Shavings of wood	1 mm	
Binder	White cement, limestone dust	
Density	477 – 583 kg/m <sup>3</sup>	
Reaction to Fire	A2-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	
<b>CW-W-FR-TYPE</b>		
Thickness of board	25 – 35 mm	25 – 35 mm
Shavings of wood	1 mm	1,5 mm
Binder	White cement, limestone dust	
Density	557 – 584 kg/m <sup>3</sup>	557 – 577 kg/m <sup>3</sup>
Reaction to Fire	B-s1,d0	
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>	



EN ISO/IEC 17065  
S1-182

**AS Kiwa Latvia**  
Skanstes iela 54, Rīga  
LV-1013, Latvija

T. +371 67 607 900  
[latvia@kiwa.com](mailto:latvia@kiwa.com)

[www.kiwa.com/lv](http://www.kiwa.com/lv)

<b>Composite board CW-PLUS</b>	
Overall thickness of board	45 – 125 mm
Overall density of board	95 – 275 kg/m <sup>3</sup>
Reaction to Fire	B-s1,d0
Paint (if used) MasqueTop W650	300 g/m <sup>2</sup>
WW board	
Thickness of board	25 mm
Shavings of wood	0,5 – 1,5 mm
Binder	White cement, limestone dust
Density	420 kg/m <sup>3</sup>
MW board	
Density of board	85 kg/m <sup>3</sup>
Thickness of board	20 – 100 mm
<b>Composite board CW-A2-PLUS</b>	
Overall thickness of board	35 – 85 mm
Overall density of board	282 – 406 kg/m <sup>3</sup>
Reaction to Fire	A2-s1,d0
Paint (if used) Kraso Panelfārg Pro	300 g/m <sup>2</sup>
WW board	
Thickness of board	15 – 35 mm
Shavings of wood	1 mm
Binder	White cement, limestone dust
Density	580 – 830 kg/m <sup>3</sup>
MW board	
Density of board	85 kg/m <sup>3</sup>
Thickness of board	20 – 50 mm

Key.

The following marking is used:

*CW* – manufacturer CEWOOD;

*W* – white cement as a binder;

*G* – grey cement as a binder;

*AP* – acoustic board with fabric;

*FR* – board milled as “FR TYPE”;

*BARCODE* – board milled as “BARCODE”.

6 June 2025

  
**Mārtiņš Maskavs**  
 Certification Manager



EN ISO/IEC 17065  
 S1-182

**AS Kiwa Latvia**  
 Skanstes iela 54, RTga  
 LV-1013, Latvija

T. +371 67 607 900  
[latvia@kiwa.com](mailto:latvia@kiwa.com)

[www.kiwa.com/lv](http://www.kiwa.com/lv)