



Certificate of constancy of performance  
No. 1325-CPR-3363A

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product(s)

**Wood wool (WW) thermal insulation products:  
boards CEWOOD CW-W and CEWOOD CW-G  
according to the Annex,**

PLACED ON THE MARKET UNDER THE NAME OF:

**SIA „CEWOOD”**

Galdusalas-1, Jaunlaicene, Alūksne, LV-4336, Latvija; reg. No. 45403042702

AND PRODUCED IN THE MANUFACTURING PLANT(S):  
SIA „CEWOOD” “Galdusalas-1”, Jaunlaicenes pagasts, Alūksnes novads, LV-4336, Latvia

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 13168:2012+A1:2015**

Under system 1 for the performance set out in this certificate are applied and that  
**the performance of the construction product is assessed to remain constant.**

This certificate was first issued on 8 September 2018 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by notified factory production control certification body.

20 July 2018

**Mārtiņš Maskavs**  
Certification Manager



Certificate issued on 1 (one) page with Annex on 1 (one) page



**AS Inspecta Latvia**  
Skanstes iela 54A, Rīga  
LV-1013, Latvija

T. +371 67 607 900  
F. +371 67 607 901  
[latvia@inspecta.com](mailto:latvia@inspecta.com)

[www.inspecta.com/lv](http://www.inspecta.com/lv)

**Inspecta Latvia**  
Trust, Quality & Progress

SERTIFIKĀTS



**Product:** Wood wool (WW) thermal insulation products; boards CEWOOD CW-W and CEWOOD CW-G  
**Ražotājs:** SIA „CEWOOD” “Galdusalas-1”, Jaunlaicenes pagasts, Alūksnes novads, LV-4336, Latvia

CEWOOD CW-W	
Shavings of wood	0,7 - 1,0 - 1,5 mm
Binder	cement
Thickness of board	15 – 50 mm
Density of board	370 - 550 kg/m <sup>3</sup>
Reaction to Fire	B-s1,d0

CEWOOD CW-G	
Shavings of wood	3,0 mm
Binder	cement
Thickness of board	25 - 100 mm
Density of board	324 – 506 kg/m <sup>3</sup>
Reaction to Fire	B-s1,d0

  
**Mārtiņš Maskavs**  
Certification Manager



AS Inspecta Latvia  
Skanstes iela 54A, Rīga  
LV-1013, Latvija

T. +371 67 607 900  
F. +371 67 607 901  
[latvia@inspecta.com](mailto:latvia@inspecta.com)

[www.inspecta.com/lv](http://www.inspecta.com/lv)