



Catalogue 2021

Flow rate classes

Z	≤	9,0 l/min
A	≤	15,0 l/min
S	≤	20,0 l/min
B	≤	25,0 l/min
C	≤	30,0 l/min
D	≤	38,0 l/min

max. flow rate at flow pressure of 3 bar

Certifications



DIN EN ISO
9001: 2008



DIN EN 274



DVGW



SABS



SVGW



WaterMark



kiwa

Pictograms



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



Eco

Saves at least 40 % water.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



Push-fit connector

It just takes one click to fit the end of the hose to thetheadapter on the mixer body with the push-fit connector.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Low pressure

Fitting suitable for under-counter water heaters.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Mains operated

Electronic fitting for 230 V AC connection.



HotStop

Fitting with anti-scald limiter.



Showering hygiene

Quick and easy to drain remaining water from the hand spray. No dripping.



Scald protection

Thermostatic body independent of temperature.



Cool-Start

The middle position of the handle allows cold water to flow. The hot water is turned on by moving the lever to the left.



Almost 100 years ago

KLUDI began manufacturing bathroom fittings using traditional methods of craftsmanship. Followed by high-quality, reliable fixtures of timeless design, this expertise formed the foundation of KLUDI. From the tradition as a faucet specialist, the goal was created to combine the highest quality of use and perfect design in a unique way. Thus the claim Water in Perfection finds unmistakable expression in our products as well as in all services we provide for our customers.

It inspires and drives

our future activities.





BATHROOM RANGES

Technology navigator	6
Surfaces	10
List of article numbers	13
General terms and conditions of sale	272

Fittings

KLUDI 1926	22
KLUDI NOVA FONTE	31
KLUDI AMBA	37
KLUDI E2	45
KLUDI BALANCE	51
KLUDI AMEO	59
KLUDI BINGO STAR	68
KLUDI BOZZ	69
KLUDI ZENTA SL	76
KLUDI ZENTA	84
KLUDI OBJEKTA	97
KLUDI PURE&STYLE	103
KLUDI PURE&SOLID	107
KLUDI PURE&EASY	112
KLUDI STANDARD	117
Pre-installation sets	123

Electronic Fittings

KLUDI BALANCE E	51-53
KLUDI ZENTA E	85-92

Thermostat

Thermostat surface-mounted	134
Thermostat concealed	137

Bathroom accessories

KLUDI AMBA	142
KLUDI E2	145

Showers

KLUDI 1926	150
KLUDI NOVA FONTE	152
KLUDI FIZZ	155
KLUDI FRESHLINE	160
KLUDI A-QA	165
KLUDI ZENTA	177
KLUDI LOGO	181
KLUDI COCKPIT	191
Shower systems	192
Special showers	202
Shower hoses	205
Accessories for all shower ranges	206

Wastes

Washbasin- and bidet wastes	210
Bath- and shower wastes	215

HOSPITAL AND CARE

KLUDI PURE&EASY CARE	112
KLUDI MEDI CARE	220

KITCHEN RANGES

Fittings

KLUDI E-GO	226
KLUDI STEEL	228
KLUDI L STEEL	229
KLUDI MX	230
KLUDI L-INE	233
KLUDI L-INE S	235
KLUDI BINGO STAR	236
KLUDI BINGO STAR XS	238
KLUDI BOZZ	239
KLUDI ZENTA	240
KLUDI OBJEKTA	241
KLUDI TREND0	243
KLUDI SCOPE	245
KLUDI LOGO NEO	247
KLUDI STANDARD	249

SPARE PARTS
AND ACCESSORIES

Cartridge navigator	256
Gasket kit navigator	258
Spare parts and accessories	260




Technology navigator bathroom

Are you looking for a KLUDI bathroom fitting to meet specific technical requirements?

Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance. And this is how it works: for example, to find a bathroom fitting with s-pointer that will save water, watch out for the dot in the columns below both the relevant pictograms.

This indicates: the KLUDI AMBA line has this fitting in its range.



KLUDI 1926									
KLUDI AMBA							•	•	
KLUDI AMEO	•						•		
KLUDI A-QA							•		
KLUDI BALANCE		•	•	•	•				
KLUDI BINGO STAR							•		
KLUDI BOZZ	•						•		
KLUDI COCKPIT								•	•
KLUDI E2							•		
KLUDI FIZZ									
KLUDI FRESHLINE									
KLUDI LOGO									
KLUDI MEDI CARE							•		
KLUDI NOVA FONTE							•		
KLUDI OBJEKTA	•						•		
KLUDI PURE&EASY	•						•		
KLUDI PURE&SOLID	•						•		
KLUDI PURE&STYLE	•						•		
KLUDI STANDARD									
KLUDI ZENTA				•	•	•	•		
KLUDI ZENTA SL	•						•		



Angle of water flow
can be adjusted to fit
different shaped basins.



Quick and easy to drain remaining water from the hand spray. No dripping.



Fitting suitable for under-counter water heaters.



Fitting with non-contact operation.



Electronic fitting for
230 V AC connection.



The middle position of the handle allows cold water to flow.
The hot water is turned on by moving the lever to the left.




Saves at least 40 % water.



Thermostatic body
independent of temperature.



Fitting with anti-scald limiter.

7



Low pressure

Fitting suitable for under-counter water heaters.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Eco

Saves at least 40 % water




Mains operated

Electronic fitting for 230 V AC connection.



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



	Low pressure	Sensor	Battery operation	Push-fit connector	Multi-connector	Bayonet connection	Hand spray	Pull-out spout	Eco	Mains operated	s-pointer
KLUDI BINGO STAR	•	•		•						•	•
KLUDI BINGO STAR XS									•		
KLUDI BOZZ				•							
KLUDI E-GO											
KLUDI L-INE	•	•		•							
KLUDI L-INE S									•		
KLUDI LOGO NEO											
KLUDI MX					•		•	•	•		
KLUDI OBJEKTA					•	•	•		•		•
KLUDI SCOPE					•					•	
KLUDI STANDARD						•					
KLUDI STEEL			•								
KLUDI L STEEL									•		
KLUDI TREND			•	•	•	•					
KLUDI ZENTA									•		



Surfaces

Bathroom	chrome	black*/ chrome *≈ RAL 9005	black matt* *RAL 9011	black matt*/ chrome *RAL 9011	white*/ chrome *≈ RAL 9003	gold plated 23 carat
	05	86	39	87	91	45
KLUDI 1926	•					•
KLUDI AMBA	•					
KLUDI AMEO	•					
KLUDI A-QA	•					
KLUDI BALANCE	•			•	•	
KLUDI BINGO STAR	•					
KLUDI BOZZ	•		•			
KLUDI COCKPIT	•				•	
KLUDI E2	•					
KLUDI FIZZ	•			•	•	
KLUDI FRESHLINE	•					
KLUDI LOGO	•					
KLUDI MEDI CARE	•					
KLUDI NOVA FONTE	•					
KLUDI OBJEKTA	•					
KLUDI PURE&EASY	•				•	
KLUDI PURE&SOLID	•					
KLUDI PURE&STYLE	•					
KLUDI PUSH	•					
KLUDI STANDARD	•					
KLUDI ZENTA	•	•			•	
KLUDI ZENTA SL	•					



Kitchen

	chrome 05	black*/ chrome *≈ RAL 9005 86	black matt*/ chrome *RAL 9011 87	mocca*/ chrome *RAL 8017 82	white*/ chrome *≈ RAL 9010 92	white*/ chrome *≈ RAL 9003 91	white matt*/ zchrome *≈ RAL 9010 93	stainless steel brushed F6/F8	stainless steel look 96
KLUDI BINGO STAR	•								•
KLUDI BINGO STAR XS	•		•				•		
KLUDI BOZZ	•								
KLUDI E-GO	•								
KLUDI L-INE	•								
KLUDI L-INE S	•		•				•		
KLUDI LOGO NEO	•								
KLUDI MX	•			•	•				
KLUDI OBJEKTA	•								
KLUDI SCOPE	•								
KLUDI STANDARD	•								
KLUDI STEEL								•	
KLUDI L STEEL								•	
KLUDI TREND0	•								
KLUDI ZENTA	•	•				•			



LIST OF ARTICLE NUMBERS

art. no	page
10 020 05-00	211
10 105 05-00	211
10 111 05-00	211
10 250 05-00	211
10 255 05-00	212, 223
10 265 05-00	211
10 311 05-00	212
10 361 05-00	212
10 411 35-00	210
10 424 05-00	210
10 427 05-00	210
10 428 05-00	210
10 432 05-00	212
10 462 05-00	212
10 499 05-00	213
10 772 00-00	215
11	
11 001 05 15	261
11 002 05 15	261
11 003 05 08	261
11 004 05 08	262
11 103 05 15	261
11 402 35-00	210
12	
12 003 05	122
12 101 05-00	151
12 101 45-00	151
13	
13 500 05	94
13 501 05	94
13 502 05	120
14	
14 203 05 19	121
14 303 05 08	121
14 303 05 15	121
16	
16 021 05	132
16 021 45	132
16 024 05	132
16 203 05-00	30
16 203 45-00	30
20	
20 013 05 08	118
20 013 05 15	118
20 118 05 15	31
20 118 05 20	33
20 118 05 39	35

art. no	page
20 118 39 15	31
20 143 05 15	31
20 143 05 20	33
20 143 05 39	35
20 143 39 15	31
20 144 05 15	31
20 144 05 20	33
20 144 05 39	35
20 144 39 15	31
20 146 05 15	31
20 146 05 20	33
20 146 05 39	35
20 146 39 15	31
20 407 05 08	118
20 407 05 15	118
20 540 05 15	32
20 540 05 20	34
20 540 05 39	36
20 540 39 15	32
20 710 05 15	32
20 710 05 20	34
20 710 05 39	36
20 710 39 15	32
20 840 05-15	152
20 840 05-25	152
20 840 05-35	153
20 840 39-15	152
20 850 05-15	153
20 850 05-25	154
20 850 05-35	154
20 850 39-15	153
21	
21 035 05 15	117
21 037 05 15	117
21 058 05 15	117
21 060 05 15	117
21 062 05 15	117
21 080 00-00	217
21 091 00-00	217
21 300 05 N-00	216
21 315 00-00	215
21 406 05-00	216
21 407 05-00	216
21 408 05-00	216
21 409 05-00	216
21 520 00-00	218

art. no	page
25	
25 001 05 08	118
25 001 05 15	118
25 007 05 15	119
25 101 05 15	119
25 111 05 15	119
25 125 05 08	118
25 125 05 15	118
25 411 05 15	119
25 413 05 15	120
26	
26 101 05 08	120
26 202 05 08	120
26 202 05 15	120
26 209 05 08	119
27	
27 051 05	150
27 051 45	150
27 103 05	150
27 103 45	150
27 105 05	150
27 105 45	150
27 510 05	150
27 510 45	150
27 514 05	150
27 514 45	150
27 652 05	180
29	
29 209	128
29 211	128
29 213	129
29 215	129
29 509	130
29 511	130
29 513	130
29 527	130
29 747	128
29 751 00	128
29 757	127
29 759 00	128
29 809	129
29 811	129
29 911	130
30	
30 015 05 15	251
30 025 05 08	251
30 405 05 15	251



LIST OF ARTICLE NUMBERS

art. no	page
31	
31 052 05 08	250
31 052 05 15	250
31 053 05 08	250
31 053 05 15	250
31 055 05 08	251
31 453 05 15	251
31 623 05 15	249
31 656 05 15	250
31 658 05 15	249
31 710 05 15	249
31 711 05 15	249
31 730 05 15	249
31 920 05 15	250
31 921 05 15	250
32	
32 004 05 08	118, 222
32 023 05 75	97
32 024 05 75	98
32 126 05 75	97
32 233 05 75	97
32 234 05 75	97
32 260 05 75	97
32 393 05 75	98
32 416 05 75	98
32 425 05 75	99
32 491 05 75	99
32 574 05 75	241
32 575 05 75	241
32 576 05 75	241
32 577 05 75	241
32 578 05 75	241
32 581 05 75	242
32 615 05 75	100
32 650 05 75	100
32 653 05 75	98
32 655 05 75	101
32 657 05 75	100
32 685 05 75	100
32 764 05 75	101
32 818 05 75	102
32 881 05 75	242
32 882 05 75	242
33	
33 434	124
33 574 05 75	243
33 575 05 75	243

art. no	page
33 576 05 75	243
33 577 05 75	243
33 578 05 75	243
33 579 05 75	244
33 581 05 75	244
33 930 05 75	245
33 931 05 75	245
33 932 05 75	246
33 933 05 75	245
33 938 05 75	245
33 939 05 75	245
34	
34 024 05 75	108
34 025 05 75	108
34 028 05 75	107
34 112 05 24	220
34 112 05 34	221
34 113 05 24	220
34 113 05 34	221
34 115 05 24	220
34 216 05 75	109
34 217 05 75	109
34 276 05 75	107
34 290 05 75	107
34 292 05 75	108
34 382 05 75	107
34 385 05 75	107
34 394 05 75	108
34 423 05 75	109
34 650 05 75	110
34 655 05 75	110
34 657 05 75	110
34 681 05 75	109
34 841 05 75	110
34 908 05 24	220
34 908 05 34	220
34 920 05 24	221
34 921 05 24	221
34 922 05 24	221
35	
35 002 05 38	136
35 085 05 64	222
35 093	127
35 100 05 38	95, 135
35 100 91 38	95, 135
35 101 05 38	93, 135
35 101 91 38	93, 135

art. no	page
35 156	126
35 158	127
35 200 05 38	101, 136
35 201 05 38	99, 135
35 203 05 38	74, 134
35 203 39 38	74, 134
35 250 05 75	56, 134
35 330 05 38	222
35 730 05 38	102
35 830 05 38	101, 139
35 835 05 38	102, 139
36	
36 489 05 75	100
36 651 05 75	101
37	
37 023 05 65	114
37 024 05 65	114
37 028 05 65	112
37 028 91 65	112
37 190 05 65	113
37 259 05 65	113
37 275 05 65	113
37 276 05 65	112
37 282 05 65	111
37 284 05 65	112
37 285 05 65	111
37 287 05 65	112
37 289 05 65	112
37 290 05 65	113
37 290 91 65	113
37 292 05 65	113
37 292 91 65	113
37 382 05 65	111
37 382 91 65	111
37 385 05 65	111
37 387 05 65	111
37 419 05 65	115
37 420 05 65	116
37 533 05 65	114
37 533 91 65	114
37 591 05 65	115
37 592 05 65	115
37 650 05 65	115
37 655 05 65	116
37 681 05 65	114
37 681 91 65	114
37 841 05 65	116



LIST OF ARTICLE NUMBERS

art. no	page	art. no	page	art. no	page
37 841 91 65	116	38 266 39 76	69	38 828	125
37 913 05 75	247	38 270 05 76	69	38 830 05 45	94, 140
37 914 05 75	247	38 272 05 76	69	38 831 05 76	74
37 919 05 75	247	38 272 39 76	69	38 831 39 76	74
37 924 05 75	247	38 277 05 76	69	38 835 05 45	95, 140
38		38 280 05 76	70	38 870 05 75	94
38 001	95	38 282 05 76	70	38 870 91 75	94
38 002	95	38 282 39 76	70	38 973 05 75	240
38 003	96	38 286 05 76	71	38 973 86 75	240
38 004	96	38 286 39 76	71	38 973 91 75	240
38 016 05 30	73	38 288 05 76	70	38 979 05 75	240
38 017 05 30	72	38 288 39 76	70	39	
38 018 05 30	72	38 294 05 75	86	39 100 05-00	174
38 100 05	85	38 294 05 76	70	39 120 05-00	153
38 102 05	85	38 393 05 20	71	39 120 39-00	153
38 105 05	86	38 393 05 75	88	39 904 05 62	230
38 106 05	86	38 393 05 76	70	39 904 82 62	230
38 116 05 30	73, 93	38 400 05	89	39 904 92 62	230
38 145 05 20	72	38 401 05	91	39 905 05 62	230
38 145 05 76	71	38 402 05	90	39 906 05 62	230
38 146 05 20	71	38 403 05	92	39 906 82 62	230
38 146 05 76	71	38 500 05	89	39 906 92 62	230
38 200 05	85	38 501 05	91	39 907 05 62	230
38 202 05	85	38 502 05	90	39 934 05 62	230
38 205 05	86	38 503 05	92	39 941 05 62	231
38 242	123	38 505 05	74	39 941 82 62	231
38 243	123	38 505 39	74	39 941 92 62	231
38 244 05 75	88	38 530 05 75	93	39 942 05 62	231
38 244 05 76	72	38 530 91 75	93	39 945 05 62	231
38 244 39 76	72	38 533 05 76	73	39 945 82 62	231
38 245 05 75	88	38 533 39 76	73	39 945 92 62	231
38 245 05 76	72	38 625	125	40	
38 245 39 76	72	38 636	125	40 024 05 75	104
38 250 05 75	84	38 650 05 75	93	40 025 05 75	104
38 250 91 75	84	38 650 05 76	73	40 028 05 75	103
38 251 05 75	84	38 650 39 76	73	40 216 05 75	104
38 251 91 75	84	38 655 05 75	95	40 290 05 75	103
38 255 05 75	87	38 655 05 76	75	40 292 05 75	103
38 256 05 75	87	38 655 39 76	75	40 296 05 75	104
38 257 05 75	87	38 657 05 75	94	40 382 05 75	103
38 260 05 75	84	38 657 05 76	74	40 385 05 75	103
38 260 91 75	84	38 657 39 76	74	40 419 05 75	105
38 262 05 75	84	38 660 05 76	74	40 420 05 75	106
38 263 05 76	69	38 670 05 75	93	40 650 05 75	105
38 264 05 75	84	38 670 91 75	93	40 655 05 75	106
38 265 05 75	85	38 691 05 76	73	40 657 05 75	105
38 266 05 76	69	38 691 39 76	73	40 681 05 75	104



LIST OF ARTICLE NUMBERS

art. no	page
40 803 05 75	235
40 841 05 75	105
40 851 05 75	235
40 851 87 75	235
40 851 93 75	235
41	
41 023 05 75	59
41 024 05 75	60
41 025 05 75	60
41 026 05 75	59
41 028 05 75	59
41 029 05 75	59
41 216 05 75	63
41 244 05 75	61
41 245 05 75	61
41 276 05 75	59
41 296 05 75	60
41 298 05 75	60
41 393 05 30	62
41 393 05 75	62
41 424 05 30	65
41 424 05 75	64
41 445 05 75	63
41 447 05 75	63
41 448 05 75	64
41 505 05	66
41 515 05 75	65
41 650 05 75	65
41 655 05 75	66
41 657 05 75	65
41 671 05 75	63
41 675 05 75	66
41 710 05 75	66
41 718 05 75	67
41 830 05 75	66, 139
41 835 05 75	67, 140
42	
42 023 05 78	68
42 025 05 75	86
42 026 05 75	87
42 030 05 78	68
42 200 05 75	226
42 205 05 75	227
42 210 05 75	226
42 215 05 75	227
42 803 05 76	239
42 803 05 78	236

art. no	page
42 803 96 78	236
42 809 05 78	236
42 809 96 78	236
42 814 05 77	233
42 816 05 77	233
42 817 05 77	233
42 819 05 77	233
42 821 05 77	233
42 836 05 78	236
42 851 05 76	239
42 851 05 78	236
42 851 96 78	236
42 852 05 78	237
42 854 05 77	234
42 855 05 78	237
42 857 05 78	236
42 857 96 78	236
42 859 05 78	237
44	
44 850 F8 60	228
44 851 F8 60	228
45	
45 803 F8 77	229
45 851 F8 77	229
46	
46 803 05 78	238
46 851 05 78	238
46 851 87 78	238
46 851 93 78	238
48	
48 027 05 65	77
48 028 05 65	77
48 244 05 65	79
48 245 05 65	79
48 247 05 65	78
48 248 05 65	78
48 256 05 65	78
48 260 05 65	76
48 262 05 65	76
48 263 05 65	76
48 266 05 65	76
48 277 05 65	76
48 290 05 65	77
48 292 05 65	77
48 298 05 65	77
48 393 05 65	80
48 424 05 65	82

art. no	page
48 448 05 65	81
48 530 05 65	80
48 590 05 65	81
48 600 05	82
48 650 05 65	82
48 655 05 65	83
48 657 05 65	82
48 670 05 65	80
48 870 05 65	83
49	
49 023 05 75	45
49 095 05-00	165, 192
49 191 05-00	165, 197
49 216 05 75	46
49 244 05 75	46
49 245 05 75	46
49 295 05 75	45
49 296 05 75	45
49 297 05 75	45
49 298 05 75	45
49 402 05-00	171
49 426 05 75	48
49 445 05 75	46
49 447 05 75	47
49 503 05	49
49 515 05 75	48
49 590 05 75	47
49 650 05 75	48
49 655 05 75	49
49 657 05 75	48
49 714 05 75	49
49 718 05 75	49
49 729 05 75	50, 138
49 815 05 75	50
49 830 05 75	49, 138
49 835 05 75	50, 138
49 846 05 75	50
49 847 05 75	50
49 971 05	147
49 972 05	147
49 974 05	147
49 975 05	145
49 976 05	145
49 977 05	146
49 979 05	146
49 980 05	147
49 981 05	147



LIST OF ARTICLE NUMBERS

art. no	page
49 982 05	145
49 983 05	146
49 984 05	146
49 985 05	145
49 987 05	145
49 990 05	146
51	
51 010 05 20	22
51 010 05 G5	22
51 010 45 20	22
51 010 45 G4	22
51 012 05 20	22
51 012 45 20	22
51 014 05 20	24
51 043 05 20	23
51 043 05 G5	24
51 043 45 20	23
51 043 45 G4	24
51 046 05 20	22
51 046 05 G5	23
51 046 45 20	22
51 046 45 G4	23
51 211 05 20	24
51 211 45 20	24
51 407 05	27
51 441 05 20	24
51 441 45 20	24
51 524 05 20	25
51 524 05 G5	26
51 524 45 20	25
51 524 45 G4	26
51 525 05 20	25
51 525 45 20	25
51 610 05 20	27
51 610 05 G5	27
51 610 45 20	27
51 610 45 G4	27
51 719 05 20	27, 137
51 719 45 20	27, 137
51 720 05 20	27, 137
51 720 05 G5	28, 137
51 720 45 20	27, 137
51 720 45 G4	28, 137
51 803 05 20	29
51 803 45 20	29
51 815 05 20	28
51 815 45 20	28

art. no	page
51 816 05 20	28
51 816 45 20	28
51 817 05 20	26
51 817 45 20	26
51 818 05 20	26
51 818 45 20	26
51 843 05 20	29
51 843 45 20	29
51 845 05 20	29
51 845 45 20	29
51 848 05 20	26
51 848 45 20	26
51 849 05 20	29
51 849 45 20	29
52	
52 023 05 75	51
52 023 87 75	51
52 023 91 75	51
52 026 05 75	51
52 026 87 75	51
52 026 91 75	51
52 100 05	52
52 100 91	52
52 105 05	53
52 200 05	51
52 200 91	51
52 202 05	52
52 216 05 75	54
52 216 87 75	54
52 216 91 75	54
52 246 05 75	54
52 246 87 75	54
52 246 91 75	54
52 247 05 75	53
52 247 87 75	53
52 296 05 75	53
52 296 87 75	53
52 296 91 75	53
52 298 05 75	53
52 298 87 75	53
52 298 91 75	53
52 445 05 75	54
52 445 87 75	54
52 445 91 75	54
52 447 05 75	55
52 447 87 75	55
52 447 91 75	55

art. no	page
52 448 05 75	55
52 503 05	56
52 503 87	56
52 503 91	56
52 590 05 75	54
52 590 87 75	54
52 590 91 75	54
52 650 05 75	55
52 650 87 75	55
52 650 91 75	55
52 655 05 75	57
52 655 87 75	57
52 655 91 75	57
52 657 05 75	56
52 710 05 75	56
52 710 87 75	56
52 710 91 75	56
52 729 05 75	57, 139
52 729 87 75	57, 139
52 729 91 75	57, 139
52 815 05 75	58
52 815 87 75	58
52 815 91 75	58
52 830 05 75	56, 138
52 830 87 75	56, 138
52 830 91 75	56, 138
52 835 05 75	57, 139
52 835 87 75	57, 139
52 846 05 75	57
52 846 87 75	57
52 846 91 75	57
52 847 05 75	57
52 847 87 75	57
52 847 91 75	57
53	
53 023 05 75	37
53 026 05 75	37
53 028 05 75	37
53 029 05 75	37
53 216 05 75	39
53 244 05 75	38
53 245 05 75	38
53 296 05 75	38
53 298 05 75	37
53 401 05 38	39, 134
53 445 05 75	39
53 447 05 75	40



LIST OF ARTICLE NUMBERS

art. no	page
53 448 05 75	41
53 515 05 75	41
53 590 05 75	40
53 650 05 75	41
53 655 05 75	42
53 657 05 75	42
53 710 05 75	42
53 718 05 75	43
53 729 05 75	43, 138
53 811	129
53 815 05 75	43
53 830 05 75	42, 137
53 835 05 75	137
53 846 05 75	43
53 847 05 75	43
53 971 05	143
53 972 05	144
53 974 05	143
53 975 05	142
53 976 05	142
53 977 05	142
53 979 05	143
53 980 05	143
53 981 05	143
53 984 05	142
53 985 05	142
60	
60 480 05-00	202
60 531 05-00	202
60 537 05-00	202
60 539 05-00	202
60 540 05-00	203
60 577 05-00	178
60 600 05-00	179
60 630 05-00	179
60 650 05-00	180
60 660 91-00	180
60 700 05-00	179
60 730 05-00	179
60 750 05-00	180
60 800 05-00	179
60 830 05-00	178
60 840 05-00	178
60 840 86-00	178
60 840 91-00	178
60 850 91-00	178

art. no	page
61	
61 055 05-00	205
61 056 05-00	205
61 057 05-00	205
61 071 05-00	205
61 071 39-00	205
61 071 91-00	205
61 072 05-00	205
61 072 39-00	205
61 072 91-00	205
61 101 21-00	203
61 150 00-00	215
61 502 05-00	222
61 503 05-00	223
61 505 05-00	223
61 506 05-00	223
61 677 05-00	177
62	
62 095 05-00	173
62 119 05-00	203
62 191 05-00	172
62 353 05-00	207
62 391 05-00	171
62 535 05-00	204
63	
63 050 05-00	202
63 050 43-00	202
63 060 05-00	203
63 060 39-00	203
63 060 43-00	203
63 061 05-00	203
63 061 39-00	203
63 061 43-00	203
64	
64 101 10-00	191
64 320 05-00	168
64 325 05-00	168
64 325 87-00	168
64 325 91-00	168
64 330 05-00	168
64 330 87-00	168
64 330 91-00	168
64 340 05-00	169
64 340 87-00	169
64 340 91-00	169
64 400 05-00	160
64 420 05-00	169

art. no	page
64 425 05-00	169
64 425 91-00	169
64 430 05-00	169
64 430 91-00	169
64 440 05-00	169
64 440 91-00	169
64 450 05-00	161
64 500 05-00	163
64 520 05-00	170
64 530 05-00	170
64 530 91-00	170
64 552 05-00	164
64 870 05-00	168
64 880 05-00	168
64 880 87-00	168
64 880 91-00	168
65	
65 540 05-00	208
65 540 43-00	208
65 543 05-00	208
65 543 43-00	208
65 544 05-00	175
65 545 05-00	175
65 551 05-00	208
65 551 43-00	208
65 560 05-00	175
65 561 05-00	175
65 562 05-00	175
65 600 05-00	174
65 630 05-00	172
65 641 05-00	173
65 650 05-00	173
65 670 05-00	174
65 700 05-00	174
65 730 05-00	172
65 740 05-00	172
65 750 05-00	173
66	
66 081 05-00	167, 197
66 090 05-00	177, 201
66 091 05-00	167, 197
66 095 05-00	166, 192
66 140 05-00	172
66 192 05-00	167
66 195 05-00	166, 193
66 510 05-00	170
66 511 05-00	170



LIST OF ARTICLE NUMBERS

art. no	page	art. no	page	art. no	page
66 513 05-00	206	67 750 87-00	158	70	
66 514 05-00	206	67 750 91-00	158	70 345 05-00	214
66 514 39-00	206	67 800 05-00	163	70 346 05-00	214
66 514 87-00	206	67 800 43-00	163	70 420 05-00	176
66 514 91-00	206	67 830 05-00	163	70 430 05-00	176
66 515 05-00	207	67 840 05-00	162	71	
66 515 39-00	207	67 840 91-00	162	71 080 05-00	217
66 515 87-00	207	67 850 05-00	164	71 337 05-00	204
66 515 91-00	207	67 850 91-00	164	71 370 05-00	217
66 521 05-00	170	67 870 05-00	164	71 520 05-00	217
66 530 05-00	171	67 870 91-00	164	71 826 05-00	215
66 531 05-00	171	67 900 05-00	163	73	
66 533 05-00	207	67 900 43-00	163	73 006 00-00	123
66 534 05-00	207	67 930 05-00	162	73 018 05-00	244
66 534 91-00	207	67 940 05-00	161	73 018 96-00	244
66 535 05-00	207	67 940 91-00	161	73 038 05-00	237
66 535 91-00	207	67 950 05-00	164	73 038 96-00	237
66 541 05-00	171	67 950 91-00	164	73 073 05-00	44
66 543 05-00	206	68		73 074 05-00	44
66 544 05-00	206	68 010 05-00	190	73 076 05-00	44
66 545 05-00	206	68 030 05-00	190	73 390 05-00	269
67		68 060 05-00	190	73 575 00-00	126
67 090 05-00	160, 198	68 083 05-00	184, 196	74	
67 091 05-00	156, 200	68 085 05-00	183, 196	74 001 00-00	124
67 092 05-00	160, 198	68 090 05-00	190	74 030 05-00	231
67 093 05-00	156, 200	68 091 05-00	181, 195	74 030 19-00	231
67 095 05-00	155, 199	68 092 05-00	181, 193	74 030 36-00	231
67 096 05-00	155, 199	68 093 05-00	183, 195	74 129 00-00	264
67 575 05-00	157	68 094 05-00	182, 194	74 233 05-00	124
67 578 05-00	156	68 095 05-00	182, 194	74 266 00-00	271
67 600 05-00	158	68 096 05-00	188	74 329 00-00	260
67 600 39-00	158	68 097 05-00	184	74 366 00-00	266
67 640 05-00	157	68 100 05-00	187	74 370 05-00	268
67 640 87-00	157	68 160 05-00	189	74 440 00-00	262
67 640 91-00	157	68 190 05-00	189	74 441 00-00	263
67 650 05-00	159	68 300 05-00	186	74 470 00-00	267
67 650 87-00	159	68 360 05-00	188	74 518 05-00	244
67 650 91-00	159	68 363 05-00	188	74 518 96-00	244
67 670 05-00	159	68 390 05-00	187	74 580 00-00	123
67 670 91-00	159	68 393 05-00	187	74 598 00-00	264
67 700 05-00	158	68 575 05-00	186	74 669 05-00	96
67 700 39-00	158	68 576 05-00	185	74 669 86-00	96
67 700 43-00	158	68 577 05-00	185	74 669 91-00	96
67 740 05-00	157	68 578 05-00	186	74 700 05-00	96
67 740 87-00	157	68 642 05-00	189	74 700 86-00	96
67 740 91-00	157	68 670 05-00	190	74 700 91-00	96
67 750 05-00	158			74 750 00-00	266



LIST OF ARTICLE NUMBERS

art. no	page
74 805 00-00	265
74 809 00-00	267
74 839 05-00	268
74 868 00-00	265
74 869 05-00	208
74 872 05-00	240
74 872 86-00	240
74 872 91-00	240
74 872 96-00	240
74 883 00-00	271
74 884 05-00	232
74 884 19-00	232
74 884 36-00	232
74 892 05-00	234, 239
74 895 05-00	227
74 927 00-00	267
74 947 00-00	266
74 950 05-00	248
74 989 05-00	58
74 989 39-00	58
74 989 43-00	58
75	
75 010 05-00	246
75 025 00-00	263
75 047 05-00	102
75 048 05-00	102
75 054 00-00	262
75 055 00-00	262
75 068 05-00	268
75 079 05-00	131
75 201 00-00	264
75 205 05-00	268
75 218 00-00	262
75 260 05-00	269
75 263 00-00	267
75 300 05-00	30
75 300 45-00	30
75 301 05-00	30
75 301 45-00	30
75 312 00-00	260
75 336 05-00	30
75 336 45-00	30
75 375 05-00	269
75 404 05-00	253
75 406 05-00	253
75 407 05-00	252
75 408 05-00	253

art. no	page
75 409 05-00	253
75 410 05-00	254
75 413 05-00	254
75 418 05-00	122, 252
75 421 05-00	122, 252
75 422 05-00	260
75 484 00-00	263
75 526 00-00	254
75 567 05-00	263
75 570 00-00	263
75 571 00-00	265
75 605 00-00	265
75 607 00-00	224
75 638 05-00	268
75 667 05-00	127
75 727 05-00	127
75 730 05-00	126
75 731 05-00	265
75 810 00-00	269
75 895 05-00	125
75 980 05-00	126
75 981 05-00	121
75 982 05-00	260
75 997 00-00	262
76	
76 071 05-00	96
76 148 46-00	132
76 149 46-00	132
76 156 05-00	132
76 156 45-00	132
76 360 05-00	122, 252
76 361 05-00	122, 252
76 390 00-00	267
76 400 00-00	264
76 416 05-00	269
76 424 00-00	125
76 539 00-00	124
76 552 04-00	270
76 619 00-00	266
76 661 00-00	126
76 729 00-00	266
76 760 05-00	247
76 790 00-00	92
76 837 00-00	260
76 856 00-00	264
76 942 05-00	224
76 943 05-00	224

art. no	page
78	
78 119 05-00	232
78 122 00-00	261
78 333 05-00	208
78 421 05-00	246
78 782 05-00	131
78 794 05-00	131
78 802 05-00	131
78 812 05-00	131
80	
80 050 05-00	191
80 200 91-00	191
82	
820 272 35-00	214
823 085 05-00	215
83	
830 126 05-00	204
830 274 00-00	271
830 288 00-00	271
830 313 05-00	204
84	
845 008 05-00	214
845 016 05-00	213
845 025 05-00	213
845 066 05-00	213
845 146 05-00	213
88	
88 011	123
88 088	124
92	
920 699 05-00	240
929 032 00-00	270
929 073 00-00	270
929 077 00-00	270
929 128 00-00	270
93	
930 989 05-00	176
930 990 05-00	176





Bathroom fittings



KLUDI 1926
22



KLUDI NOVA FONTE
31



KLUDI AMBA
37



KLUDI E2
45



KLUDI BALANCE
51



KLUDI AMEO
59



KLUDI BINGO STAR
68



KLUDI BOZZ
69



KLUDI ZENTA SL
76



KLUDI ZENTA
84



KLUDI OBJEKTA
97



KLUDI PURE&STYLE
103



KLUDI PURE&SOLID
107



KLUDI PURE&EASY
111



KLUDI STANDARD
117



Pre-installation sets
123

Electronic fittings











KLUDI BALANCE E
51 – 53







KLUDI ZENTA E
85 – 92



KLUDI 1926









product		product description	surface	art. no
Basin		 <p>KLUDI 1926 basin mixer DN 15 cross handles single hole mounted flow rate 14 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	510120520 510124520
		 <p>KLUDI 1926 basin mixer DN 15 cross handles single hole mounted flow rate 13,5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	510100520 510104520
		 <p>KLUDI 1926 basin mixer DN 15 crystal handles "Made with Swarovski® Elements" single hole mounted flow rate 13,5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	5101005G5 5101045G4
		 <p>KLUDI 1926 basin mixer DN 15 cross handles three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm pop-up waste G 1 1/4 projection 140 mm</p>	chrome gold plated 23 carat	510460520 510464520

**KLUDI 1926**

product	product description	surface	art. no
	 <p>KLUDI 1926 basin mixer DN 15 crystal handles "Made with Swarovski® Elements" three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm pop-up waste G 1 1/4 projection 140 mm</p>	chrome gold plated 23 carat	5104605G5 5104645G4
	 <p>KLUDI 1926 basin mixer DN 15 cross handles three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm pop-up waste G 1 1/4 projection 145 mm</p>	chrome gold plated 23 carat	510430520 510434520







KLUDI 1926

product	product description	surface	art. no
	 <p>KLUDI 1926 basin mixer DN 15 crystal handles "Made with Swarovski® Elements" three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm pop-up waste G 1 1/4 projection 145 mm</p>	chrome gold plated 23 carat	5104305G5 5104345G4
	 <p>KLUDI 1926 pillar valve DN 15 cross handle single hole mounted ceramic headpart 180° flow rate 15 l/min at 3 bar marking: COLD</p>	chrome	510140520
Bidet 	 <p>KLUDI 1926 bidet mixer DN 15 cross handles single hole mounted flow rate 15 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	512110520 512114520
Bath 	 <p>KLUDI 1926 bath- and shower mixer DN 15 cross handles wall fastening flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° manual diverter shower/bathtub s-connections with shower set</p>	chrome gold plated 23 carat	514410520 514414520











KLUDI 1926

product	product description	surface	art. no
	 <p>KLUDI 1926 bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow</p> <p>required accessories: mounting plate pre-installation set for four hole mixer</p> <p>KLUDI ROTEXA bath rim assembly kit</p>	chrome gold plated 23 carat	515250520 515254520
		chrome	7614846-00 7878205-00
	 <p>KLUDI 1926 bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower shower hose G 1/2 x G 1/2 x 1500 mm flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm protected against back flow</p> <p>required accessories: mounting plate pre-installation set for four hole mixer</p> <p>KLUDI ROTEXA bath rim assembly kit</p>	chrome gold plated 23 carat	515240520 515244520
		chrome	7614846-00 7878205-00














KLUDI 1926

product	product description	surface	art. no
	 <p>KLUDI 1926 bath- and shower mixer DN 15 crystal handles "Made with Swarovski® Elements" stand assembly four hole tiles deck mounted installation flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower shower hose G 1/2 x G 1/2 x 1500 mm flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm protected against back flow</p> <p>required accessories: mounting plate pre-installation set for four hole mixer</p> <p>KLUDI ROTEXA bath rim assembly kit</p>	chrome gold plated 23 carat	5152405G5 5152445G4
	 <p>KLUDI 1926 angle valve DN 15 cross handle stand assembly ceramic headpart 180° flow class B marking: COLD</p>	chrome gold plated 23 carat	518170520 518174520
	 <p>KLUDI 1926 angle valve DN 15 cross handle stand assembly ceramic headpart 180° flow class B marking: HOT</p>	chrome gold plated 23 carat	518180520 518184520
	 <p>KLUDI 1926 two-way diverter DN 15 cross handle stand assembly head part 360° flow class C/B marking: neutral tub spout G 3/4 shower outlet G 1/2 2 connections G 1/2</p>	chrome gold plated 23 carat	518480520 518484520










KLUDI 1926

product	product description		surface	art. no
		KLUDI 1926 bath filler DN 20 wall fastening flow class B cascade aerator M 28 x 1 seperate DN 20 connector for pre-installation	chrome	5140705
Shower		KLUDI 1926 shower mixer DN 15 cross handles wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2	chrome gold plated 23 carat	516100520 516104520
		KLUDI 1926 shower mixer DN 15 crystal handles "Made with Swarovski® Elements" wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2	chrome gold plated 23 carat	5161005G5 5161045G4
		KLUDI 1926 concealed thermostatic mixer cross handle concealed trim-set hot water safety device 40 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	517190520 517194520 35158
		KLUDI 1926 concealed thermostatic mixer cross handle concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	517200520 517204520 35156











KLUDI 1926

product	product description	surface	art. no
 	KLUDI 1926 concealed thermostatic mixer crystal handle "Made with Swarovski® Elements" concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	5172005G5 5172045G4 35156
 	KLUDI 1926 concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: COLD required accessories: concealed valve DN 15 connection G 1/2 concealed valve DN 20 connection G 3/4 concealed valve DN 20 soldered connection 22 mm	chrome gold plated 23 carat	518150520 518154520 29809 29811 29911
 	KLUDI 1926 concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: HOT required accessories: concealed valve DN 15 connection G 1/2 concealed valve DN 20 connection G 3/4 concealed valve DN 20 soldered connection 22 mm	chrome gold plated 23 carat	518160520 518164520 29809 29811 29911










KLUDI 1926

product	product description		surface	art. no
		KLUDI 1926 concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: neutral	chrome gold plated 23 carat	518030520 518034520
		required accessories: concealed valve DN 15 connection G 1/2		29809
		concealed valve DN 20 connection G 3/4		29811
		concealed valve DN 20 soldered connection 22 mm		29911
		KLUDI 1926 two-way diverter set 2 – trim set cross handle consisting of: handle, sleeve, rosette	chrome gold plated 23 carat	518450520 518454520
		required accessories: two-way diverter DN 15 set 1 – pre-installation	neutral	2975100
		KLUDI 1926 two-way diverter as a rotary valve 180 ° set 2 – trim set cross handle consisting of: handle, sleeve, rosette	chrome gold plated 23 carat	518490520 518494520
		required accessories: two-way diverter DN 15 set 1 – pre-installation	neutral	2975900
Accessories			chrome gold plated 23 carat	518430520 518434520











KLUDI 1926

product	product description	surface	art. no
	KLUDI copper tube 10 x 500 mm with doubled flanging for G 1/2 or G 3/8	chrome gold plated 23 carat	1620305-00 1620345-00
Spare parts	KLUDI 1926 handle with cowling „COLD“	chrome gold plated 23 carat	7530005-00 7530045-00
 	KLUDI 1926 handle with cowling „HOT“	chrome gold plated 23 carat	7530105-00 7530145-00
 	KLUDI 1926 handle with insert „neutral“	chrome gold plated 23 carat	7533605-00 7533645-00
 			






KLUDI NOVA FONTE

product	product description	surface	art. no
Basin 	KLUDI NOVA FONTE Puristic three-hole basin mixer DN 15 wing handles, metal three hole assembling Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar swivelling (150° / 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening metal pop-up waste G 1 1/4 spout height lower edge 185 mm	chrome matt black 	201430515 201433915
	KLUDI NOVA FONTE Puristic basin mixer DN 15 wing handles, metal single hole mounted Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar swivelling (150° / 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening spout height lower edge 185 mm metal pop-up waste G 1 1/4	chrome matt black 	201180515 201183915
	KLUDI NOVA FONTE Puristic wall mounted basin mixer DN 15 for concealed installation projection wall spout 180 mm wing handles, metal Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar pre-installation set and trim set	chrome matt black 	201440515 201443915
	KLUDI NOVA FONTE Puristic wall mounted basin mixer DN 15 for concealed installation projection wall spout 240 mm wing handles, metal Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar pre-installation set and trim set	chrome matt black 	201460515 201463915











KLUDI NOVA FONTE

product	product description	surface	art. no
Bath 	KLUDI NOVA FONTE Puristic bath- and shower mixer DN 15 wing handles, metal Soft-Start ceramic headpart 90° wall fastening autom. diverter shower/bathtub protected against back flow flow regulator s-pointer M 24 x 1 flow rate 23 l/min at 3 bar shower outlet G 1/2 s-connections	chrome matt black 	205400515 205403915
Shower 	KLUDI NOVA FONTE Puristic shower mixer DN 15 wing handles, metal Soft-Start ceramic headpart 90° wall fastening protected against back flow flow rate 21 l/min at 3 bar s-connections	chrome matt black	207100515 207103915











KLUDI NOVA FONTE

product	product description	surface	art. no
Basin 	KLUDI NOVA FONTE Classic three-hole basin mixer DN 15 cross handles, metal three hole assembling Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar swivelling (150° / 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening metal pop-up waste G 1 1/4 spout height lower edge 185 mm	chrome 	201430520
	KLUDI NOVA FONTE Classic basin mixer DN 15 cross handles, metal single hole mounted Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar swivelling (150° / 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening spout height lower edge 185 mm metal pop-up waste G 1 1/4	chrome 	201180520
	KLUDI NOVA FONTE Classic wall mounted basin mixer DN 15 for concealed installation projection wall spout 180 mm cross handles, metal Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar pre-installation set and trim set	chrome 	201440520
	KLUDI NOVA FONTE Classic wall mounted basin mixer DN 15 for concealed installation projection wall spout 240 mm cross handles, metal Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar pre-installation set and trim set	chrome 	201460520

34








KLUDI NOVA FONTE

product	product description	surface	art. no
Basin 	KLUDI NOVA FONTE Déco three-hole basin mixer DN 15 star handles, metal three hole assembling Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar swivelling (150° / 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening metal pop-up waste G 1 1/4 spout height lower edge 185 mm	chrome 	201430539
	KLUDI NOVA FONTE Déco basin mixer DN 15 star handles, metal single hole mounted Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar swivelling (150° / 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening spout height lower edge 185 mm metal pop-up waste G 1 1/4	chrome 	201180539
	KLUDI NOVA FONTE Déco wall mounted basin mixer DN 15 for concealed installation projection wall spout 180 mm star handles, metal Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar pre-installation set and trim set	chrome 	201440539
	KLUDI NOVA FONTE Déco wall mounted basin mixer DN 15 for concealed installation projection wall spout 240 mm star handles, metal Aerator M18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5,6 l / min at 3 bar pre-installation set and trim set	chrome 	201460539















KLUDI NOVA FONTE

product	product description		surface	art. no	
Bath			KLUDI NOVA FONTE Déco bath- and shower mixer DN 15 star handles, metal Soft-Start ceramic headpart 90° wall fastening autom. diverter shower/bathtub protected against back flow flow regulator s-pointer M 24 x 1 flow rate 23 l/min at 3 bar shower outlet G 1/2 s-connections	chrome 	205400539
Shower			KLUDI NOVA FONTE Déco shower mixer DN 15 star handles, metal Soft-Start ceramic headpart 90° wall fastening protected against back flow flow rate 21 l/min at 3 bar s-connections	chrome	207100539

Bathroom fittings









KLUDI AMBA

product	product description	surface	art. no
	 <p>KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 215 mm</p>	chrome  	532960575
	 <p>KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	532450575 38243 38242
	 <p>KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 projection wall spout 190 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	532440575 38243 38242












KLUDI AMBA

product	product description	surface	art. no
	 <p>KLUDI AMBA single lever bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation flow class B/B caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S 6760005-00</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome 	535900575
	 <p>KLUDI AMBA single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow rate bath 28 l/min at 3 bar, flow rate handshower 13,5 l/min bei 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow projection 223 mm pull-out hand shower flexible high pressure supply hoses 500 mm</p> <p>required accessories: mounting plate pre-installation set for three hole mixer</p> <p>KLUDI ROTEXA MULTI bath rim assembly kit</p>	chrome 	534470575
		chrome	7614946-00
		chrome	7881205-00














KLUDI AMBA

product	product description		surface	art. no
		KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 28134/IIDB	chrome	536570575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve cylindrical handle, metal hot water safety device 38 °C flow class B	chrome 	538300575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
Shower 		KLUDI AMBA single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow covered eccentric-wall connections	chrome	537100575
		KLUDI AMBA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC	chrome	536550575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011



KLUDI AMBA

product	product description	surface	art. no
	 <p>KLUDI AMBA concealed single lever shower mixer trim set solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: concealed mixer DN 15 pre-installation set</p>	chrome	537180575
	 <p>KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome 	537290575 88011
	 <p>KLUDI AMBA three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: three-way diverter DN 15 set 1 – pre-installation</p>	chrome	538460575 29757
	 <p>KLUDI AMBA two-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: two-way diverter DN 15 set 1 – pre-installation</p>	chrome	538470575 29747
	 <p>KLUDI AMBA concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension</p> <p>required accessories: concealed valve DN 20 connection G 3/4</p>	chrome	538150575 53811









KLUDI AMBA

product	product description	surface	art. no
Spare parts 	KLUDI AMBA lever for 53023., 53026., 53029., 53028., 53296., 53298., 53216.	chrome	7307605-00
	KLUDI AMBA lever for 53590., 53447.	chrome	7307405-00
	KLUDI AMBA lever for 53445., 53650., 53657., 53710., 53655.	chrome	7307305-00

46















KLUDI E2

product	product description	surface	art. no
	 <p>KLUDI E2 single lever bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 flow class D/B autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm hand shower KLUDI A-QA 3910005-00</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome 	495900575
	 <p>KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation high pressure supply hose G 1/2 x G 1/2 x 600 mm flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow retractable hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm shower outlet G 1/2</p> <p>required accessories: mounting plate pre-installation set for three hole mixer</p> <p>KLUDI ROTEXA MULTI bath rim assembly kit</p>	chrome 	494470575
		chrome	7614946-00
		chrome	7881205-00

48















KLUDI E2














product	product description	surface	art. no
	 <p>KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome 	498300575
	 <p>KLUDI E2 bath filler DN 20 wall fastening projection 175 mm flow class D s-pointer aerator M 24 x 1 separate connector G 3/4 for pre-installation</p>	chrome 	4950305
Shower 	 <p>KLUDI E2 single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections without shower set</p>	chrome	497140575
	 <p>KLUDI E2 concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome	496550575
	 <p>KLUDI E2 concealed single lever shower mixer trim set wall fastening solid lever without pre-installation set</p> <p>required accessories: concealed mixer DN 15 pre-installation set</p>	chrome	497180575



KLUDI E2













product	product description		surface	art. no
		KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C	chrome 	498350575
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar	chrome 	497290575
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI E2 three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette	chrome	498460575
		required accessories: three-way diverter DN 15 set 1 – pre-installation		29757
		KLUDI E2 two-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette	chrome	498470575
		required accessories: two-way diverter DN 15 set 1 – pre-installation		29747
		KLUDI E2 concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension	chrome	498150575
		required accessories: concealed valve DN 20 connection G 3/4		53811

**KLUDI BALANCE**

product		product description	surface	art. no
Basin		 <p>KLUDI BALANCE single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 100 mm</p>	chrome white/chrome matt black/ chrome  	520230575 520239175 520238775
		 <p>KLUDI BALANCE single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I water flow regulator 8 l/min spout height lower edge 100 mm</p>	chrome white/chrome matt black/ chrome  	520260575 520269175 520268775
		 <p>KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection with optional hygienic flushing every 12 or 24 hours electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism spout height lower edge 105 mm</p>	chrome white/chrome   	5220005 5220091




















KLUDI BALANCE

product	product description	surface	art. no
 	KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection with optional hygienic flushing every 12 or 24 hours electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism spout height lower edge 105 mm	chrome white/chrome   	5210005 5210091
 	KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 5 l/min at 3 bar thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection with optional hygienic flushing every 12 or 24 hours electronic unit with control device electric power supply via 230 V main adapter without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters spout height lower edge 105 mm	chrome     	5220205

















KLUDI BALANCE

product	product description	surface	art. no
 	KLUDI BALANCE E electronic controlled pillar tap DN 15 single hole mounted flow rate 7,6 l/min at 3 bar thief-proof Cascade-aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism spout height lower edge 105 mm	chrome   	5210505
 	KLUDI BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 270 mm	chrome white/chrome matt black/ chrome  	522980575 522989175 522988775
 	KLUDI BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 210 mm	chrome white/chrome matt black/ chrome  	522960575 522969175 522968775
 	KLUDI BALANCE concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome matt black/ chrome  	522470575 522478775 38243







KLUDI BALANCE

product	product description	surface	art. no
 	KLUDI BALANCE concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome white/chrome matt black/chrome  	522460575 522469175 522468775 38243
Bidet  	KLUDI BALANCE single lever bidet mixer DN 15 single hole mounted solid lever flow class Z without ball joint Eco s-pointer aerator M 24 x 1Z ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 100 mm	chrome white/chrome matt black/chrome  	522160575 522169175 522168775
Bath  	KLUDI BALANCE single lever bath- and shower mixer DN 15 solid lever wall fastening flow class D/B s-pointer aerator M 24 x 1D ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections noise level I	chrome white/chrome matt black/chrome 	524450575 524459175 524458775
 	KLUDI BALANCE single lever bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 flow class B/B autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S required accessories: KLUDI FLEXX.BOX concealed unit DN 20	chrome white/chrome matt black/chrome 	525900575 525909175 525908775 88088
















KLUDI BALANCE

product	product description	surface	art. no
	KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow class D/B flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow retractable hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm noise level I P-IX 7505/IDB	chrome white/chrome matt black/ chrome 	524470575 524479175 524478775
	required accessories: mounting plate pre-installation set for three hole mixer		7614946-00
	KLUDI ROTEXA MULTI bath rim assembly kit	chrome	7881205-00
	KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm high pressure supply hose 500 mm without bath filler	chrome	524480575
	required accessories: mounting plate pre-installation set for three hole mixer		7614946-00
	KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2	neutral	2131500-00
	KLUDI ROTEXA MULTI filling, waste and overflow	chrome	7182605-00
	KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC	chrome white/chrome matt black/ chrome	526500575 526509175 526508775
	required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011















KLUDI BALANCE

product		product description	surface	art. no
 		KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit wall fastening solid lever ceramic cartridge with hot water limitation flow class C/B autom. diverter shower/bathtub protected against back flow required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	526570575
				88011
 		KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve cylindrical handle, metal hot water safety device 38 °C flow class B P-IX 18444/IIIC	chrome white/chrome matt black/ chrome	528300575 528309175 528308775
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
 		KLUDI BALANCE bath filler DN 20 wall fastening projection 170 mm flow class C s-pointer aerator M 24 x 1C separate connector G 3/4 for pre-installation	chrome white/chrome matt black/ chrome	5250305 5250391 5250387
				
Shower	 	KLUDI BALANCE single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections noise level I	chrome white/chrome matt black/ chrome	527100575 527109175 527108775
	 	KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow pre-installed dirt cleaner sieve shower outlet G 1/2 s-connections handle metal	chrome 	352500575






KLUDI BALANCE

product		product description	surface	art. no
		KLUDI BALANCE concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome white/chrome matt black/ chrome	526550575 526559175 526558775 88011
		KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve cylindrical handle, metal hot water safety device 38 °C P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome matt black/ chrome 	528350575 528358775 88011
		KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome white/chrome matt black/ chrome 	527290575 527299175 527298775 88011
		KLUDI BALANCE three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette cylindrical handle required accessories: three-way diverter DN 15 set 1 – pre-installation	chrome white/chrome matt black/ chrome	528460575 528469175 528468775 29757
		KLUDI BALANCE two-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette cylindrical handle required accessories: two-way diverter DN 15 set 1 – pre-installation	chrome white/chrome matt black/ chrome	528470575 528479175 528478775 29747























KLUDI BALANCE

product	product description		surface	art. no
 	KLUDI BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension		chrome white/chrome matt black/ chrome	528150575 528159175 528158775
	required accessories: concealed valve DN 20 connection G 3/4			53811
Spare parts	KLUDI BALANCE lever for single lever mixer 52023, 52026, 52216, 52296, 52298, 52445, 52710		chrome white matt black	7498905-00 7498943-00 7498939-00
				



















KLUDI AMEO

product		product description	surface	art. no
Basin		 <p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 75 mm</p>	chrome  	410290575
		 <p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 75 mm</p>	chrome  	410280575
		 <p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters spout height lower edge 75 mm</p>	chrome  	412760575
		 <p>KLUDI AMEO single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 95 mm</p>	chrome  	410230575
		 <p>KLUDI AMEO single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 95 mm</p>	chrome  	410260575











KLUDI AMEO

product		product description	surface	art. no
 		KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 195 mm	chrome  	410250575
 		KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 195 mm	chrome  	410240575
 		KLUDI AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 270 mm	chrome  	412980575
 		KLUDI AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 205 mm	chrome  	412960575



KLUDI AMEO

product	product description	surface	art. no
	 <p>KLUDI AMEO concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome	412450575
		 	38243
			38242
	 <p>KLUDI AMEO concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome	412440575
		 	38243
			38242




KLUDI AMEO

product

product description

surface


art. no



KLUDI AMEO
three-hole basin mixer DN 15
solid lever
three hole assembling
flow rate 6 l/min at 3 bar
PCA s-pointer aerator M 24 x 1
fixed spout
ceramic headpart 90°
rapid installation set
flexible hoses G 3/8
pop-up waste G 1 1/4
spout height lower edge 135 mm

chrome

413930575



KLUDI AMEO
three-hole basin mixer DN 15
cylindric handles
three hole assembling
flow rate 6 l/min at 3 bar
PCA s-pointer aerator M 24 x 1
fixed spout
ceramic headpart 90°
rapid installation set
flexible hoses G 3/8
pop-up waste G 1 1/4
spout height lower edge 135 mm














chrome

413930530










KLUDI AMEO

product	product description	surface	art. no
Bidet 	 KLUDI AMEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 85 mm	chrome  	412160575
Bath 	 KLUDI AMEO single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow regulator s-pointer M 24 x 1 flow rate bath 20 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections	chrome 	414450575
	 KLUDI AMEO single lever bath- and shower mixer DN 15 solid lever vertically and horizontally adjustable wall fastening flow regulator s-pointer M 24 x 1 flow rate bath 20 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections	chrome 	416710575
	 KLUDI AMEO single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow regulator s-pointer M 24 x 1 flow rate bath 24 l/min at 3 bar, flow rate handshower 13 l/min at 3 bar ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm required accessories: mounting plate pre-installation set for three hole mixer KLUDI ROTEXA MULTI bath rim assembly kit	chrome  chrome	414470575 7614946-00 7881205-00












KLUDI AMEO

product	product description	surface	art. no
	 <p>KLUDI AMEO single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow rate bath 24 l/min at 3 bar, flow rate handshower 13 l/min at 3 bar ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm high pressure supply hose 500 mm flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler</p> <p>required accessories: mounting plate pre-installation set for three hole mixer</p> <p>KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2</p> <p>KLUDI ROTEXA MULTI filling, waste and overflow</p> <p>KLUDI ROTEXA MULTI bath rim assembly kit</p>	chrome	414480575
	 <p>KLUDI AMEO bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm solid lever ceramic headpart 90° flow regulator s-pointer M 24 x 1 flow rate bath 27 l/min at 3 bar, flow rate handshower 13 l/min at 3 bar autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm</p> <p>required accessories: mounting plate pre-installation set for four hole mixer</p> <p>KLUDI ROTEXA bath rim assembly kit</p>	chrome 	414240575 7614846-00 7878205-00














KLUDI AMEO

product	product description	surface	art. no
	 <p>KLUDI AMEO bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm cylindric handles ceramic headpart 90° flow regulator s-pointer M 24 x 1 flow rate bath 27 l/min at 3 bar, flow rate handshower 13 l/min at 3 bar autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm</p> <p>required accessories: mounting plate pre-installation set for four hole mixer</p> <p>KLUDI ROTEXA bath rim assembly kit</p>	chrome 	414240530
	 <p>KLUDI AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome	416500575
	 <p>KLUDI AMEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre-installation set</p>	chrome	415150575
	 <p>KLUDI AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome	416570575








KLUDI AMEO

product	product description	surface	art. no
 	KLUDI AMEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	418300575 88011
 	KLUDI AMEO bath filler DN 20 wall fastening projection 170 mm s-pointer aerator M 24 x 1C flow rate 28 l/min at 3 bar separate connector G 3/4 for pre-installation	chrome	4150505
Shower  	KLUDI AMEO single lever shower mixer DN 15 solid lever flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections	chrome	417100575
 	KLUDI AMEO single lever shower mixer DN 15 solid lever vertically and horizontally adjustable flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections	chrome	416750575
 	KLUDI AMEO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	416550575 88011









KLUDI AMEO

product	product description	surface	art. no
 	KLUDI AMEO concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre-installation set	chrome	417180575 33434
 	KLUDI AMEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	418350575 88011

























KLUDI BINGO STAR

product	product description	surface	art. no
Basin 	 KLUDI BINGO STAR single lever basin mixer DN 15 solid lever single hole mounted flow rate 7,5 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18635/IA spout height lower edge 190 mm	chrome 	420230578
	 KLUDI BINGO STAR single lever basin mixer DN 15 solid lever single hole mounted flow rate 7,5 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout with stop device 30°/30° pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 190 mm	chrome 	420300578




















KLUDI BOZZ

product		product description	surface	art. no
Basin		 <p>KLUDI BOZZ single lever basin mixer 75 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm</p>	chrome  	382700576
		 <p>KLUDI BOZZ single lever basin mixer 75 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set PUSH-OPEN waste G 1 1/4 spout height lower edge 75 mm</p>	chrome matt black  	382660576 382663976
		 <p>KLUDI BOZZ single lever basin mixer 75 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 75 mm</p>	chrome matt black  	382720576 382723976
		 <p>KLUDI BOZZ single lever basin mixer 75 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 for use with displacement heaters spout height lower edge 75 mm</p>	chrome   	382770576
		 <p>KLUDI BOZZ single lever basin mixer 75 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation centre position cold water flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 75 mm</p>	chrome   	382630576





















KLUDI BOZZ

product	product description	surface	art. no
 	KLUDI BOZZ single lever basin mixer 100 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 100 mm	chrome  	382800576
 	KLUDI BOZZ single lever basin mixer 100 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set PUSH-OPEN waste G 1 1/4 spout height lower edge 100 mm	chrome matt black  	382880576 382883976
 	KLUDI BOZZ single lever basin mixer 100 DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 100 mm	chrome matt black  	382820576 382823976
 	KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I spout height lower edge 235 mm	chrome 	382940576
 	KLUDI BOZZ basin mixer DN 15 solid lever three hole assembling pop-up waste G 1 1/4 flow rate 12 l/min at 3 bar caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I	chrome	383930576



















KLUDI BOZZ

product	product description	surface	art. no
	 <p>KLUDI BOZZ basin mixer DN 15 cross handles three hole assembling pop-up waste G 1 1/4 flow rate 12 l/min at 3 bar caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>	chrome	383930520
	 <p>KLUDI BOZZ single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8 rapid installation set spout height lower edge 240 mm</p>	chrome matt black  	382860576 382863976
	 <p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 230 mm</p>	chrome  	381460576
	 <p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 180 mm</p>	chrome  	381450576
	 <p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation cross handles flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 230 mm</p>	chrome  	381460520
















KLUDI BOZZ

product	product description	surface	art. no
 	KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation cross handles flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 180 mm	chrome  	381450520
 	KLUDI BOZZ concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome matt black  	382450576 382453976 38243
 	KLUDI BOZZ concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome matt black  	382440576 382443976 38243
 	KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 185 mm	chrome	380180530
 	KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 110 mm	chrome	380170530















KLUDI BOZZ



product		product description	surface	art. no
		KLUDI BOZZ pillar tap with head part control unit DN 15 single hole mounted actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar shank fastening G 1/2	chrome	380160530
		KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow rate 8 l/min at 3 bar caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste	chrome  	381160530
Bidet 		KLUDI BOZZ single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar ball joint-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome matt black 	385330576 385333976
Bath 		KLUDI BOZZ single lever bath- and shower mixer DN 15 solid lever wall fastening aerator M 24 x 1 flow rate 22 l/min at 3 bar ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	chrome matt black	386910576 386913976
		KLUDI BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow rate 31 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome matt black	386500576 386503976 88011



KLUDI BOZZ


















product		product description	surface	art. no
 		KLUDI BOZZ concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub	chrome	386600576
		required accessories: concealed mixer DN 15 pre-installation set		33434
 		KLUDI BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow rate 23 l/min at 3 bar protected against back flow according to DIN EN 1717	chrome matt black	386570576 386573976
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
 		KLUDI BOZZ bath filler DN 20 wall fastening projection 160 mm s-pointer aerator M 24 x 1 with push-on rosette	chrome matt black 	3850505 3850539
Shower  		KLUDI BOZZ single lever shower mixer DN 15 solid lever wall fastening flow rate 28 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	chrome matt black	388310576 388313976
 		KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB	chrome matt black 	352030538 352033938

**KLUDI BOZZ**

product	product description	surface	art. no
 	KLUDI BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	386550576
		matt black	386553976
			88011


















KLUDI ZENTA SL

product	product description	surface	art. no
Basin 	 KLUDI ZENTA SL single lever basin mixer 75 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	chrome 	482600565
	 KLUDI ZENTA SL single lever basin mixer 75 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	chrome 	482620565
	 KLUDI ZENTA SL single lever basin mixer 75 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 for use with displacement heaters spout height lower edge 75 mm	chrome  	482770565
	 KLUDI ZENTA SL single lever basin mixer 75 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	chrome 	482660565
	 KLUDI ZENTA SL single lever basin mixer 75 DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation centre position cold water metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 75 mm	chrome  	482630565












KLUDI ZENTA SL

product	product description	surface	art. no
	 <p>KLUDI ZENTA SL single lever basin mixer 100 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm</p>	chrome 	482900565
	 <p>KLUDI ZENTA SL single lever basin mixer 100 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm</p>	chrome 	482920565
	 <p>KLUDI ZENTA SL single lever basin mixer 100 DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm</p>	chrome 	482980565
	 <p>KLUDI ZENTA SL single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar swivelling spout (360°) metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm</p>	chrome 	480270565
	 <p>KLUDI ZENTA SL single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar swivelling spout (360°) without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm</p>	chrome 	480280565









KLUDI ZENTA SL

product	product description	surface	art. no
 	KLUDI ZENTA SL single lever washbowl mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 240 mm	chrome 	482560565
 	KLUDI ZENTA SL concealed two hole wall mounted basin mixer trim set One-piece rosette solid lever flow regulator M 24 x 1 flow rate 7 l/min at 3 bar projection wall spout 180 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer installation set DN 15 for concealed two hole wall mounted basin mixer	chrome 	482470565 38243 38242
 	KLUDI ZENTA SL concealed two hole wall mounted basin mixer trim set One-piece rosette solid lever flow regulator M 24 x 1 flow rate 7 l/min at 3 bar projection wall spout 230 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer installation set DN 15 for concealed two hole wall mounted basin mixer	chrome 	482480565 38243 38242












KLUDI ZENTA SL





product	product description	surface	art. no
	 <p>KLUDI ZENTA SL concealed two hole wall mounted basin mixer trim set Two-part rosette solid lever flow regulator M 24 x 1 flow rate 7 l/min at 3 bar projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome 	482440565 38243 38242
	 <p>KLUDI ZENTA SL concealed two hole wall mounted basin mixer trim set Two-part rosette solid lever flow regulator M 24 x 1 flow rate 7 l/min at 3 bar projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome 	482450565 38243 38242



KLUDI ZENTA SL









product	product description	surface	art. no
	 <p>KLUDI ZENTA SL basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 spout height lower edge 155 mm</p>	chrome  	483930565
Bidet 	 <p>KLUDI ZENTA SL single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm</p>	chrome 	485300565
Bath 	 <p>KLUDI ZENTA SL single lever bath- and shower mixer DN 15 solid lever wall fastening flow regulator M 24 x 1 flow rate 21 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub s-connections G 1/2 x G 3/4</p>	chrome	486700565

KLUDI ZENTA SL





product	product description	surface	art. no
	<p>KLUDI ZENTA SL bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation flow regulator s-pointer M 24 x 1 flow rate 22 l/min at 3 bar autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm hand shower KLUDI A-QA 3910005-00</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome 	485900565
	<p>KLUDI ZENTA SL single lever bath- and shower mixer DN 15 stand assembly three hole tiles deck mounted installation solid lever flow rate 24 l/min at 3 bar s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm</p> <p>required accessories: mounting plate pre-installation set for three hole mixer</p> <p>KLUDI ROTEXA MULTI bath rim assembly kit</p>	chrome 	484480565 7614946-00 7881205-00



KLUDI ZENTA SL





















product	product description	surface	art. no
 	KLUDI ZENTA SL bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow rate 27 l/min at 3 bar s-pointer aerator M 24 x 1 ceramic headpart 90° automatic diverter: shower/spray retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm	chrome	484240565
	required accessories: mounting plate pre-installation set for four hole mixer		7614846-00
	KLUDI ROTEXA bath rim assembly kit	chrome	7878205-00
 	KLUDI ZENTA SL concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow rate 31 l/min at 3 bar	chrome	486500565
	required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
 	KLUDI ZENTA SL concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow rate 21 l/min at 3 bar protected against back flow according to DIN EN 1717	chrome	486570565
	required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
 	KLUDI ZENTA SL bath filler DN 15 projection 170 mm wall fastening flow regulator M 24 x 1 flow rate 28 l/min at 3 bar fixed spout connection G 1/2 with wall flange (escutcheon)	chrome	4860005

**KLUDI ZENTA SL**

product	product description	surface	art. no
Shower 	 <p>KLUDI ZENTA SL single lever shower mixer DN 15 solid lever wall fastening flow rate 28 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4</p>	chrome	488700565
	 <p>KLUDI ZENTA SL concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome	486550565 88011



























KLUDI ZENTA

product	product description	surface	art. no
Basin  	KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/1A spout height lower edge 65 mm	chrome white/chrome  	382500575 382509175
 	KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/1A spout height lower edge 65 mm	chrome white/chrome  	382510575 382519175
 	KLUDI ZENTA single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/1A spout height lower edge 75 mm	chrome white/chrome  	382600575 382609175
 	KLUDI ZENTA XL single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/1A spout height lower edge 75 mm	chrome  	382620575
 	KLUDI ZENTA single lever basin mixer XXL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 120 mm	chrome  	382640575

























KLUDI ZENTA

product	product description	surface	art. no
 	KLUDI ZENTA single lever basin mixer XXL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 120 mm	chrome  	382650575
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 6 l/min at 3 bar PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 75 mm	chrome   	3820205
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit 6 V lithium battery CR-P2 backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 75 mm	chrome   	3810205
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit powered by 230 V mains supply backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 75 mm	chrome   	3820005
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit 6 V lithium battery CR-P2 backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 75 mm	chrome   	3810005


















KLUDI ZENTA

product		product description	surface	art. no
		KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 75 mm	chrome   	3820505
		KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit 6 V lithium battery CR-P2 backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 75 mm	chrome   	3810505
		KLUDI ZENTA E electronic controlled washbowl mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit 6 V lithium battery CR-P2 backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves spout height lower edge 230 mm	chrome   	3810605
		KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set metal pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I spout height lower edge 235 mm	chrome 	382940575
		KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 220 mm	chrome  	420250575















KLUDI ZENTA

product	product description	surface	art. no
 	KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8 spout height lower edge 220 mm	chrome  	420260575
 	KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18635/IA spout height lower edge 190 mm	chrome 	382550575
 	KLUDI ZENTA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 260 mm	chrome  	382570575
 	KLUDI ZENTA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 225 mm	chrome  	382560575







KLUDI ZENTA

product	product description	surface	art. no
	 <p>KLUDI ZENTA basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 135 mm</p>	chrome  	383930575
	 <p>KLUDI ZENTA concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	382450575 38243
	 <p>KLUDI ZENTA concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	382440575 38243







KLUDI ZENTA

product	product description	surface	art. no
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm	chrome	3840005
	required accessories: concealed electronic body DN 15 pre-installation set		38001
	concealed electronic body DN 15 pre-installation set		38002
	Service remote control for electronic mixer	neutral	7679000-00
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm	chrome	3850005
	required accessories: concealed electronic body DN 15 pre-installation set		38001
	concealed electronic body DN 15 pre-installation set		38002
	Service remote control for electronic mixer	neutral	7679000-00















KLUDI ZENTA

product	product description	surface	art. no
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm	chrome	3840205
	required accessories: concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38003
	concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38004
	Service remote control for electronic mixer	neutral	7679000-00
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm	chrome	3850205
	required accessories: concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38003
	concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38004
	Service remote control for electronic mixer	neutral	7679000-00








KLUDI ZENTA

product	product description		surface	art. no
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm		chrome	3840105
	required accessories: concealed electronic body DN 15 pre-installation set		   	38001
	concealed electronic body DN 15 pre-installation set			38002
	Service remote control for electronic mixer		neutral	7679000-00
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm		chrome	3850105
	required accessories: concealed electronic body DN 15 pre-installation set		   	38001
	concealed electronic body DN 15 pre-installation set			38002
	Service remote control for electronic mixer		neutral	7679000-00





KLUDI ZENTA

product		product description	surface	art. no
 		KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm	chrome	3840305
		required accessories: concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38003
		concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38004
		Service remote control for electronic mixer	neutral	7679000-00
 		KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm	chrome	3850305
		required accessories: concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38003
		concealed electronic body DN 15 pre-installation set for cold or premixed water connection		38004
		Service remote control for electronic mixer	neutral	7679000-00
		Service remote control for electronic mixer KLUDI ZENTA 3840005, 3850005, 3840205, 3850205, 3840105, 3850105, 3840305, 3850305 features: adjustable range of the sensor (100 - 350 mm) Regulation of water drainage time after taking objects out of the working range of the sensor (0 - 10 s) Turn off the battery, for example, during washing of the basin Test of the mixer settings Reset mixer settings	neutral	7679000-00

Bathroom fittings

















KLUDI ZENTA

product		product description	surface	art. no
		KLUDI ZENTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 19310/ICB	chrome	386570575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop at 43 °C flow class B P-IX 18444/IICC	chrome 	388300545
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI bath filler DN 20 wall fastening flow class B aerator M 28 x 1 with push-on rosette projection 170 mm	chrome	1350005
		KLUDI bath filler with diverter DN 20 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm	chrome	1350105
Shower 		KLUDI ZENTA single lever shower mixer DN 15 solid lever wall fastening flow rate 9 l/min at 3 bar s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18637/IA	chrome white/chrome	388700575 388709175












KLUDI ZENTA

product	product description	surface	art. no
	 <p>KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow shower outlet G 1/2 s-connections dirt catcher sieves PA-IX 18064/1B</p>	chrome white/chrome 	351000538 351009138
	 <p>KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome	386550575 88011
	 <p>KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C With optional temperature limit stop at 43 ° C P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	388350545 88011
Accessories			
	 <p>concealed electronic body DN 15 pre-installation set without trim set in-wall installation ceramic cartridge powered by 230 V mains supply dirt catcher sieves backflow preventer</p>		38001
	 <p>concealed electronic body DN 15 pre-installation set without trim set in-wall installation ceramic cartridge powered by 6 V battery dirt catcher sieves backflow preventer</p>		38002






















KLUDI ZENTA

product		product description	surface	art. no
 		concealed electronic body DN 15 pre-installation set without trim set in-wall installation for cold or premixed water connection powered by 230 V mains supply		38003
 		concealed electronic body DN 15 pre-installation set without trim set in-wall installation for cold or premixed water connection powered by 6 V battery		38004
		KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38250, 38251, 38253, 38256, 38260, 38262, 38530, 38100, 38102, 38105, 38200, 38202, 38205	chrome	7607105-00
Spare parts 		KLUDI ZENTA lever for single lever mixer for 38244, 38245, 38250, 38251, 38256, 38260, 38262, 38530, 38670, 38870	chrome black/chrome white/chrome	7466905-00 7466986-00 7466991-00
		KLUDI ZENTA lever for single lever mixer for 38446, 38447, 38650, 38655, 38657, 38660, 38667, 38860	chrome black/chrome white/chrome	7470005-00 7470086-00 7470091-00















KLUDI OBJEKTA










product	product description	surface	art. no
Basin  	KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 80 mm	chrome  	322330575
 	KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters spout height lower edge 80 mm	chrome  	322340575
 	KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 80 mm	chrome  	321260575
 	KLUDI OBJEKTA single lever basin mixer XL DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar flexible hoses G 3/8 rapid installation set pop-up waste G 1 1/4 spout height lower edge 100 mm	chrome  	322600575
 	KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 205 mm	chrome 	320230575



KLUDI OBJEKTA

product	product description	surface	art. no
 	KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge swivelling spout rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 205 mm	chrome 	320240575
 	KLUDI OBJEKTA basin mixer DN 15 solid lever three hole assembling flow rate 12 l/min at 3 bar caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 145 mm	chrome 	323930575
Bidet  	KLUDI OBJEKTA single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation ball joint caché aerator M 18,5 x 1 flow rate 7,4 l/min at 3 bar rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4	chrome 	324160575
Bath  	KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4	chrome 	326530575

face art. no













product	product description	surface	art. no
	 <p>KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 bath rotary valve to the rear Shower: Rotary valve forward flow regulator M 28 x 1 flow rate bath 23,8 l/min at 3 bar flow rate handshower 18,7 l/min bei 3 bar protected against back flow dirt catcher sieves s-connections</p>	chrome 	352010538
	 <p>KLUDI OBJEKTA bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p> <p>required accessories: mounting plate pre-installation set for four hole mixer</p>	chrome	324250575
	 <p>KLUDI ROTEXA bath rim assembly kit</p>	chrome	7878205-00
	 <p>KLUDI SPEZIAL OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation aerator M 24 x 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 swivelling spout</p>	chrome	324910575



100





KLUDI OBJEKTA

product	product description	surface	art. no
	 <p>KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop at 43 °C flow class B P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome 	358300538
Shower 	 <p>KLUDI OBJEKTA single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow class C shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	chrome	327640575
	 <p>KLUDI OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 °C with shut-off valve 50 % water consumption regulation protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4 dirt catcher sieves P-IX 8049/IB DIN-DVGW-BM-0037</p>	chrome 	352000538
	 <p>KLUDI OBJEKTA single lever shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 distance from center to center 75 mm</p>	chrome	366510575
	 <p>KLUDI OBJEKTA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome	326550575
			88011


















KLUDI OBJEKTA

product	product description	surface	art. no
  	KLUDI OBJEKTA concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre-installation set	chrome	328180575 33434
 	KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C With optional temperature limit stop at 43 °C P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	358350538 88011
 	Thermostat concealed thermostatic mixer concealed trim-set hot water safety device 38 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome 	357300538 35156
Spare parts 	KLUDI OBJEKTA lever for 32233, 32234, 32126, 32260, 32416, 32235	chrome	7504705-00
	KLUDI OBJEKTA lever for 32489, 32491, 32615, 32650, 32651, 32653, 32655, 32657, 32685, 32764, 32818	chrome	7504805-00


















KLUDI PURE&STYLE

product		product description	surface	art. no
Basin		 <p>KLUDI PURE&STYLE single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	chrome 	403850575
		 <p>KLUDI PURE&STYLE single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm</p>	chrome 	403820575
		 <p>KLUDI PURE&STYLE single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm</p>	chrome 	400280575
		 <p>KLUDI PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm</p>	chrome 	402900575
		 <p>KLUDI PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm</p>	chrome 	402920575










KLUDI PURE&STYLE

product	product description	surface	art. no
 	KLUDI PURE&STYLE single lever washbowl mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 215 mm	chrome 	402960575
 	KLUDI PURE&STYLE single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge flow regulator M 18 x 1 flow rate 5 l/min at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm	chrome 	400240575
 	KLUDI PURE&STYLE single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge flow regulator M 18 x 1 flow rate 5 l/min at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm	chrome 	400250575
Bidet  	KLUDI PURE&STYLE single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm	chrome  	402160575
Bath  	KLUDI PURE&STYLE single lever bath- and shower mixer DN 15 wall fastening solid lever flow class C/B flow regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome	406810575







KLUDI PURE&STYLE

product		product description	surface	art. no
		KLUDI PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub	chrome	406500575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI PURE&STYLE concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for pre-installation mixer 38636	chrome	404190575
		required accessories: concealed bath- and shower mixer DN 15 pre-installation set		38636
		KLUDI PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717	chrome	406570575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
Shower		KLUDI PURE&STYLE single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	chrome	408410575



















KLUDI PURE&STYLE

product	product description		surface	art. no
 	KLUDI PURE&STYLE concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C		chrome	406550575
	required accessories: KLUDI FLEXX.BOX concealed body DN 20			88011
 	KLUDI PURE&STYLE concealed single lever shower mixer concealed trim-set solid lever for pre-installation mixer 38828		chrome	404200575
	required accessories: concealed shower DN 15 pre-installation set			38828















KLUDI PURE&SOLID

product		product description	surface	art. no
Basin				
		KLUDI PURE&SOLID single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm	chrome 	343850575
		KLUDI PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	chrome 	343820575
		KLUDI PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set for use with displacement heaters spout height lower edge 75 mm	chrome  	342760575
		KLUDI PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	chrome 	340280575
		KLUDI PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	chrome 	342900575















KLUDI PURE&SOLID

product	product description	surface	art. no
 	KLUDI PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	chrome 	342920575
 	KLUDI PURE&SOLID single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge flow regulator M 18 x 1 flow rate 5 l/min at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	chrome 	340240575
 	KLUDI PURE&SOLID single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge flow regulator M 18 x 1 flow rate 5 l/min at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	chrome 	340250575
 	KLUDI PURE&SOLID basin mixer DN 15 rotating handle three hole assembling flow rate 14,5 l/min at 3 bar caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 135 mm	chrome 	343940575










KLUDI PURE&SOLID
















product		product description	surface	art. no
Bidet			KLUDI PURE&SOLID single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome   342160575
			KLUDI PURE&SOLID single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome   342170575
Bath			KLUDI PURE&SOLID single lever bath- and shower mixer DN 15 wall fastening solid lever flow class C/B flow regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome 346810575
			KLUDI PURE&SOLID bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation solid handles flow rate bath 27 l/min at 3 bar, flow rate handshower 13,5 l/min bei 3 bar cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub protected against back flow retractable hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm	chrome 344230575
		required accessories: mounting plate pre-installation set for four hole mixer		7614846-00
		KLUDI ROTEXA bath rim assembly kit	chrome	7878205-00



KLUDI PURE&SOLID


















product		product description	surface	art. no
		KLUDI PURE&SOLID concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub	chrome	346500575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI PURE&SOLID concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717	chrome	346570575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
Shower		KLUDI PURE&SOLID single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	chrome	348410575
		KLUDI PURE&SOLID concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C	chrome	346550575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011

**KLUDI PURE&EASY**

product		product description	surface	art. no
Basin		 <p>KLUDI PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	chrome 	372850565
		 <p>KLUDI PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	chrome 	373850565
		 <p>KLUDI PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	chrome 	373870565
		 <p>KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm</p>	chrome 	372820565
		 <p>KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm</p>	chrome white/chrome 	373820565 373829165



















KLUDI PURE&EASY

product	product description	surface	art. no
 	KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm	chrome white/chrome 	370280565 370289165
 	KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever centre position cold water flow rate 7 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm	chrome  	372890565
 	KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow rate 5 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters spout height lower edge 70 mm	chrome  	372760565
 	KLUDI PURE&EASY CARE single lever basin mixer 70 DN 15 single hole mounted public lever arm 120 mm ceramic cartridge with hot water limitation flow rate 7 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm	chrome 	372840565
 	KLUDI PURE&EASY CARE single lever basin mixer 70 DN 15 single hole mounted clinic lever 180 mm ceramic cartridge with hot water limitation flow rate 7 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm	chrome 	372870565















KLUDI PURE&EASY

product	product description	surface	art. no
 	KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow rate 5 l/min at 3 bar flow regulator M 24 x 1 without pop-up waste rapid installation set flexible hoses G 3/8 for use with displacement heaters spout height lower edge 70 mm	chrome  	372750565
 	KLUDI PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	chrome 	371900565
 	KLUDI PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	chrome white/chrome 	372900565 372909165
 	KLUDI PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	chrome white/chrome 	372920565 372929165
 	KLUDI PURE&EASY single lever basin mixer DN 15 with additional hand shower, shower holder single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar protected against back flow metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	chrome 	372590565











KLUDI PURE&EASY

product	product description	surface	art. no
 	KLUDI PURE&EASY single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge flow regulator M 18 x 1 flow rate 5 l/min at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	chrome 	370230565
 	KLUDI PURE&EASY single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge flow regulator M 18 x 1 flow rate 5 l/min at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	chrome 	370240565
Bidet  	KLUDI PURE&EASY single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm	chrome white/chrome  	375330565 375339165
Bath  	KLUDI PURE&EASY single lever bath- and shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome white/chrome	376810565 376819165









KLUDI PURE&EASY

product	product description	surface	art. no
 	KLUDI PURE&EASY single lever bath- and shower mixer DN 15 wall fastening solid lever distance from center to center 45 mm ceramic cartridge with hot water limitation swivelling spout 250 mm aerator M 24 x 1/B flow class B/A autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections tele-hand shower DN 15 white with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm Tele-wall holder transparent	chrome	375920565
 	KLUDI PURE&EASY single lever bath- and shower mixer DN 15 wall fastening solid lever distance from center to center 45 mm ceramic cartridge with hot water limitation swivelling spout 250 mm aerator M 24 x 1/B flow class B/A autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome	375910565
 	KLUDI PURE&EASY concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	376500565 88011
 	KLUDI PURE&EASY concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for pre-installation mixer 38636 required accessories: concealed bath- and shower mixer DN 15 pre-installation set	chrome	374190565 38636













KLUDI PURE&EASY

product	product description	surface	art. no
Shower  	KLUDI PURE&EASY single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	chrome white/chrome	378410565 378419165
 	KLUDI PURE&EASY concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	376550565 88011
 	KLUDI PURE&EASY concealed single lever shower mixer concealed trim-set solid lever for pre-installation mixer 38828 required accessories: concealed shower DN 15 pre-installation set	chrome	374200565 38828













KLUDI STANDARD

product		product description	surface	art. no
Basin			KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling casted spout (360°) aerator M 24 x 1 pop-up waste G 1 1/4 copper tubes 10 mm handle 15 = handle Terralux plastic spout height lower edge 170 mm	chrome 210370515
			KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling casted spout (360°) aerator M 24 x 1 retractable chain copper tubes 10 mm handle 15 = handle Terralux plastic spout height lower edge 170 mm	chrome 210350515
			KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 pop-up waste G 1 1/4 copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic spout height lower edge 140 mm	chrome 210620515
			KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 retractable chain copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic spout height lower edge 140 mm	chrome 210600515
			KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic spout height lower edge 140 mm	chrome 210580515













KLUDI STANDARD

product		product description	surface	art. no
		KLUDI STANDARD pillar valve DN 15 single hole mounted flow rate 12 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 1247/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic spout height lower edge 180 mm	chrome	204070508
			chrome	204070515
		KLUDI STANDARD pillar valve DN 15 single hole mounted flow rate 12 l/min at 3 bar casted spout aerator M 24 x 1 marking: blue/red P-IX 1116/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic spout height lower edge 50 mm	chrome	200130508
			chrome	200130515
Bath 		KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal	chrome	320040508
		KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout aerator M 28 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 PA-IX 8525/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome	251250508
			chrome	251250515
		KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome	250010508
			chrome	250010515











KLUDI STANDARD

product	product description	surface	art. no
 	KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout with aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow cradle hook tele-hand shower DN 15 white with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm PA-IX 8562/IBB handle 15 = handle Terralux plastic	chrome	250070515
 	KLUDI STANDARD bath- and shower mixer DN 15 wall fastening distance from center to center 120 mm flow class A/B swivelling tube spout (360°) aerator M 22 x 1 s-connections manual diverter shower/bathtub protected against back flow shower outlet G 3/4 handle 08 = handle Terralux metal	chrome	262090508
 	KLUDI SPECIAL bath- and shower mixer DN 15 wall fastening flow class B/A swivelling spout 200 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 handle 15 = handle Terralux plastic	chrome	251010515
 	KLUDI SPECIAL bath- and shower mixer DN 15 wall fastening flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 handle 15 = handle Terralux plastic	chrome	251110515
 	KLUDI SPECIAL bath- and shower mixer DN 15 wall fastening distance from center to center 45 mm flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 1/2 P-IX 4087/IIBA handle 15 = handle Terralux plastic	chrome	254110515









KLUDI STANDARD

product	product description	surface	art. no
 	KLUDI SPECIAL bath- and shower mixer DN 15 wall fastening distance from center to center 45 mm flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow tele-hand shower DN 15 white with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm Tele-wall holder transparent s-connections G 1/2 x G 1/2 P-IX 4087/IIBA handle 15 = handle Terralux plastic	chrome	254130515
 	KLUDI STANDARD bath filler DN 20 with wall flange (escutcheon) aerator M 28 x 1 projection 150 mm noise level I	chrome	1350205
Shower  	KLUDI STANDARD shower mixer DN 15 wall fastening flow class B s-connections shower outlet G 3/4 protected against back flow P-IX 8563/IB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	262020508 262020515
 	KLUDI STANDARD shower mixer DN 15 wall fastening distance from center to center 120 mm flow class B s-connections shower outlet G 1/2 protected against back flow handle 08 = handle Terralux metal	chrome	261010508













KLUDI STANDARD

product	product description	surface	art. no
 	KLUDI STANDARD concealed valve, trim set set 2 – trim set existing of: handle, sleeve, flange adjustable extension marking: blue/red handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome	143030508
		chrome	143030515
	required accessories		
	concealed valve DN 15 connection G 1/2		29209
	concealed valve DN 20 connection G 3/4		29211
	concealed valve DN 25 connection G 1		29213
	concealed valve DN 12 soldered connection 15 mm		29509
	concealed valve DN 20 soldered connection 22 mm		29511
 	KLUDI STANDARD concealed valve trim set lock shield	chrome	142030519
	required accessories:		
	concealed valve DN 15 connection G 1/2		29209
	concealed valve DN 20 connection G 3/4		29211
	concealed valve DN 25 connection G 1		29213
	concealed valve DN 12 soldered connection 15 mm		29509
	concealed valve DN 20 soldered connection 22 mm		29511
	concealed valve DN 25 soldered connection 28 mm		29513
	concealed valve DN 15 soldered connection 18 mm		29527
	concealed valve DN 15 connection G 1/2		29809
	concealed valve DN 20 connection G 3/4		29811
	concealed valve DN 20 soldered connection 22 mm		29911
Accessories  	KLUDI pillar connections (per pair)	chrome	7598205-00













KLUDI STANDARD

product		product description	surface	art. no
 		KLUDI STANDARD outlet bend DN 15 with compression joint	chrome	1200305
Spare parts				
 		KLUDI STANDARD handle 08 handle Terralux metal marking: blue	chrome	7542105-00
 		KLUDI STANDARD handle 08 handle Terralux metal marking: red	chrome	7542205-00
 		KLUDI STANDARD handle 15 handle Terralux plastic marking: blue	chrome	7636005-00
 		KLUDI STANDARD handle 15 handle Terralux plastic marking: red	chrome	7636105-00













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation flow rate 16 l/min at 3 bar ceramic cartridge K-36 with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I		38242
 	installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation flow rate 16 l/min at 3 bar ceramic cartridge K-35 with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I		38243
 	KLUDI FLEXX.BOXX concealed body DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/ICB		88011
 	concealed extension set for trim set suitable to KLUDI FLEXX.BOXX 88011 L = 30 mm dezincification resistant brass DIN 50930-6	neutral	7300600-00
 	adaptor for wrong installed function part for KLUDI FLEXX.BOXX single lever variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011	neutral	7458000-00













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	adaptor for wrong installed function part for KLUDI FLEXX.BOXX THM variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011 for trim set till 02/2018	neutral	7400100-00
 	adaptor for wrong installed function part for KLUDI FLEXX.BOXX THM variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011 for trim set from 03/2018	neutral	7653900-00
 	KLUDI FLEXX.BOXX concealed unit DN 20 for freestanding bath- and shower mixer for floor mounting with one-piece elastomere-coating dezincification resistant brass with protection cap for skeleton with self-sealing sleeve with flushing set without stand fitting without extension set		88088
 	concealed mixer DN 15 pre-installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation with self-sealing sleeve for concealed dry-installation P-IX 9734/IBB		33434
 	extension for concealed body 33434 30 mm length	chrome	7423305-00



ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	concealed assembly set for pre-wall installation for concealed body 33434, 35424, 33424	neutral	7642400-00
 	concealed mixer DN 15 pre-installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation noise level I PA-IX 8281/IBB		38625
 	concealed bath- and shower mixer DN 15 pre-installation set without trim set in-wall installation flow rate 24 l/min at 3 bar ceramic cartridge with hot water limitation		38636
 	concealed shower DN 15 pre-installation set without trim set in-wall installation flow class B ceramic cartridge with hot water limitation		38828
 	extension for concealed bath and shower mixer 38624, 38625 30 mm length	chrome	7598005-00













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
	extension for concealed shower mixer 38826, 38625, 38243 for pre-installation set 38243 30 mm length	chrome	7598105-00
	extension for concealed two hole wall mounted basin mixer for pre-installation set 38242	neutral	7357500-00
	extension for concealed body 38636, 38828	neutral	7666100-00
	Thermostat concealed thermostatic mixer DN 15 pre-installation set without trim set in-wall installation flow class B with therm E-cartridge with shut-off valve dirt catcher sieves PA-IX 8409/IB		35156
	extension for concealed thermostatic mixer with shut-off valve 35156 30 mm length	chrome	7573105-00













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
	 <p>Thermostat concealed thermostatic mixer DN 15 pre-installation set without trim set in-wall installation flow class B with therm E-cartridge without shut-off valve dirt catcher sieves P-IX 8410/II</p>		35158
	 <p>extension for concealed thermostatic mixer without shut-off valve 35158 30 mm length</p>	chrome	7573005-00
	 <p>Thermostat concealed thermostatic mixer DN 20 pre-installation set without trim set in-wall installation flow class D without shut-off valve dirt catcher sieves P-IX 8574/II</p>		35093
	 <p>extension for concealed thermostatic mixer without shut-off valve 35093 30 mm length</p>	chrome	7572705-00
	 <p>three-way diverter DN 15 set 1 – pre-installation in-wall installation diverter 1 connection G 3/4 3 spouts G 1/2</p>		29757













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	two-way diverter DN 15 set 1 – pre-installation in-wall installation diverter 1 connection G 1/2 2 spouts G 1/2		29747
 	two-way diverter DN 15 set 1 – pre-installation in-wall installation diverter 2 connections G 1/2 tub spout G 3/4 shower outlet G 1/2	neutral	2975100
 	two-way diverter DN 15 set 1 – pre-installation in-wall installation diverter ceramic headpart 180° 2 connections G 1/2 tub spout G 3/4 shower outlet G 1/2	neutral	2975900 <div>NEW</div>
 	concealed valve DN 15 connection G 1/2 set 1 – pre-installation sleeve PA-IX 9923/I		29209
 	concealed valve DN 20 connection G 3/4 set 1 – pre-installation sleeve PA-IX 2427/I		29211













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	concealed valve DN 25 connection G 1 set 1 – pre-installation sleeve PA-IX 2483/I		29213
 	concealed valve DN 32 connection G 1 1/4 set 1 – pre-installation sleeve		29215
 	concealed valve DN 15 connection G 1/2 set 1 – pre-installation ceramic headpart sleeve noise level I		29809
 	concealed valve DN 20 connection G 3/4 set 1 – pre-installation ceramic headpart sleeve noise level I		29811
 	concealed valve DN 20 connection G 3/4 set 1 – pre-installation ceramic headpart 90° sleeve		53811








ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	concealed valve DN 12 soldered connection 15 mm set 1 – pre-installation sleeve PA-IX 9923/I		29509
 	concealed valve DN 15 soldered connection 18 mm set 1 – pre-installation sleeve PA-IX 2427/I		29527
 	concealed valve DN 20 soldered connection 22 mm set 1 – pre-installation sleeve PA-IX 2427/I		29511
 	concealed valve DN 25 soldered connection 28 mm set 1 – pre-installation sleeve PA-IX 2483/I		29513
 	concealed valve DN 20 soldered connection 22 mm set 1 – pre-installation ceramic headpart sleeve		29911













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
	extension for concealed valve G 1/2 - G 1 1/4 40 mm length	chrome	7507905-00
	KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set and trim set for 4-hole fittings to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 16021..	chrome	7879405-00
	KLUDI ROTEXA bath rim assembly kit pre-installation set and trim set for 4-hole fittings to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 16021..	chrome	7878205-00
	KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set and trim set for 3-hole fittings to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 1602405	chrome	7880205-00
	KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set and trim set for 3-hole fittings to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 1602405	chrome	7881205-00



ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	mounting plate pre-installation set for four hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection without screw-kit 76156.-00		7614846-00
 	visible mounting plate for combination with mounting plate 76148 and assembly package 74662, 74794	chrome gold plated 23 carat	1602105 1602145
 	mounting plate pre-installation set for three hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection without screw-kit 76156.-00		7614946-00
 	visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802	chrome	1602405
 	screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794	chrome gold plated 23 carat	7615605-00 7615645-00



Thermostat













**Thermostat
surface-mounted**
134



Thermostat concealed
137



THERMOSTAT

product	product description	surface	art. no
Thermostat surface-mounted 	 KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening flow class B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation autom. diverter shower/bathtub protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections handle metal	chrome  	534010538
	 KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow pre-installed dirt cleaner sieve shower outlet G 1/2 s-connections handle metal	chrome 	352500575
	 KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB	chrome matt black 	352030538 352033938




THERMOSTAT

product

product description

surface

art. no




KLUDI OBJEKTA
thermostatic bath- and shower mixer DN 15
wall fastening
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
bath rotary valve to the rear
Shower: Rotary valve forward
flow regulator M 28 x 1
flow rate bath 23,8 l/min at 3 bar
flow rate handshower 18,7 l/min bei 3 bar
protected against back flow
dirt catcher sieves
s-connections

chrome



352010538




KLUDI ZENTA
thermostatic bath- and shower mixer DN 15
wall fastening
flow class B
aerator M 24 x 1/B
temperature control handle
with hot water safety device 38° C
ceramic headpart 90°
protected against back flow
autom. diverter shower/bathtub
shower outlet G 1/2
s-connections
dirt catcher sieves

chrome
white/chrome



351010538
351019138



KLUDI ZENTA
thermostatic shower mixer DN 15
wall fastening
flow class B
temperature control handle
with hot water safety device 38° C
with shut-off valve
protected against back flow
shower outlet G 1/2
s-connections
dirt catcher sieves
PA-IX 18064/IB

chrome
white/chrome


















351000538
351009138

136


















THERMOSTAT

product		product description	surface	art. no
Thermostat concealed			chrome gold plated 23 carat 	517190520
				517194520
		KLUDI 1926 concealed thermostatic mixer cross handle concealed trim-set hot water safety device 40 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15		35158
		KLUDI 1926 concealed thermostatic mixer crystal handle "Made with Swarovski® Elements" concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	5172005G5
				5172045G4
		KLUDI 1926 concealed thermostatic mixer cross handle concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	517200520
				517204520
		KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve cylindrical handle, metal hot water safety device 38 °C flow class B required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	538300575
				88011
		KLUDI AMBA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve cylindrical handle, metal hot water safety device 38 °C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	538350575
				88011


















THERMOSTAT

product	product description	surface	art. no
 	KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	537290575 88011
 	KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	498300575 88011
 	KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	498350575 88011
 	KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	497290575 88011
 	KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve cylindrical handle, metal hot water safety device 38 °C flow class B P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome matt black/ chrome white/chrome 	528300575 528308775 528309175 88011












THERMOSTAT

product	product description	surface	art. no
	 <p>KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve cylindrical handle, metal hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome matt black/ chrome 	528350575 528358775
	 <p>KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome white/chrome matt black/ chrome 	527290575 527299175 527298775
	 <p>KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop at 43 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	358300538
	 <p>KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C With optional temperature limit stop at 43 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	358350538
	 <p>KLUDI AMEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	418300575



THERMOSTAT

product	product description		surface	art. no
		KLUDI AMEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	418350575 88011
		KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop at 43 °C flow class B P-IX 18444/IIIC	chrome 	388300545 88011
		KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C With optional temperature limit stop at 43 °C P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	388350545 88011



Bathroom accessories













KLUDI AMBA
142



KLUDI E2
145













KLUDI AMBA

product		product description	surface	art. no
Basin		 <p>KLUDI AMBA glass holder wall fastening porcelain glass with mounting material</p>	chrome	5397505
		 <p>KLUDI AMBA liquid soap dispenser wall fastening porcelain container with mounting material</p>	chrome	5397605
		 <p>KLUDI AMBA soap dish wall fastening porcelain dish with mounting material</p>	chrome	5398505
		 <p>KLUDI AMBA hook wall fastening with mounting material</p>	chrome	5398405
		 <p>KLUDI AMBA towel holder two-armed, fixed wall fastening with mounting material</p>	chrome	5397705





KLUDI AMBA

product	product description	surface	art. no
Bath			
	 <p>KLUDI AMBA bath towel holder L = 850 mm wall fastening with mounting material</p>	chrome	5397905
	 <p>KLUDI AMBA bath towel holder L = 650 mm wall fastening with mounting material</p>	chrome	5398005
	 <p>KLUDI AMBA bath handle L = 350 mm wall fastening with mounting material</p>	chrome	5398105
WC			
	 <p>KLUDI AMBA toilet brush holder wall fastening porcelain container with mounting material</p>	chrome	5397405
	 <p>KLUDI AMBA paper-holder wall fastening with mounting material</p>	chrome	5397105













KLUDI AMBA

product	product description	surface	art. no
 	KLUDI AMBA spare toilet paper holder wall fastening with mounting material for one roll	chrome	5397205













KLUDI E2

product		product description	surface	art. no
Basin		 KLUDI E2 glass holder wall fastening mouth-blown opal glass, white, matte with mounting material	chrome	4997505
		 KLUDI E2 universal glass holder wall fastening with multifunctional frame, removable mouth-blown opal glass, white, matte with mounting material	chrome	4998205
		 KLUDI E2 liquid soap dispenser wall fastening mouth-blown opal glass, white, matte with mounting material	chrome	4997605
		 KLUDI E2 soap dish wall fastening opal glass, white, matte with mounting material	chrome	4998505
		 KLUDI E2 shelf wall fastening opal glass, white, matte with mounting material	chrome	4998705













KLUDI E2

product	product description	surface	art. no
 	KLUDI E2 tealight holder wall fastening opal glass, white, matte with tealight with mounting material	chrome	4998305
 	KLUDI E2 hook wall fastening with mounting material	chrome	4998405
 	KLUDI E2 double towel holder L = 455 mm wall fastening two-armed, fixed with mounting material	chrome	4997705
 	KLUDI E2 double towel holder XS L = 300 mm wall fastening two-armed, fixed with mounting material	chrome	4999005
Bath  	KLUDI E2 bath towel holder L = 850 mm wall fastening with mounting material	chrome	4997905



KLUDI E2

product	product description		surface	art. no
		KLUDI E2 bath towel holder L = 650 mm wall fastening with mounting material	chrome	4998005
		KLUDI E2 bath handle L = 350 mm wall fastening with mounting material	chrome	4998105
WC 		KLUDI E2 paper-holder wall fastening with mounting material	chrome	4997105
		KLUDI E2 spare toilet paper holder wall fastening with mounting material	chrome	4997205
		KLUDI E2 toilet brush holder wall fastening mouth-blown opal glass, white, matte with mounting material	chrome	4997405





Showers



KLUDI 1926
150



KLUDI NOVA FONTE
152



KLUDI FIZZ
155



KLUDI FRESHLINE
160



KLUDI A-QA
165



KLUDI ZENTA
177



KLUDI LOGO
181




KLUDI COCKPIT
191



Shower Systeme
192



Special showers
202













Showers hoses
205



**Accessories for all
shower ranges**
206





KLUDI 1926

product		product description	surface	art. no
shower sets	 	KLUDI 1926 shower set consisting of: wall rail 600 mm hand shower KLUDI 1926 sliding joint with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm flow rate 22,5 l/min at 3 bar	chrome gold plated 23 carat	2710305 2710345
head showers	 	KLUDI 1926 head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome gold plated 23 carat	2751005 2751045
	 	KLUDI 1926 shower arm DN 15 for head shower DN 15 projection 415 mm with push-on rosette diameter 55 mm	chrome gold plated 23 carat	2751405 2751445
bath sets	 	KLUDI 1926 shower set DN 15 wall fastening flow class B consisting of: hand shower KLUDI 1926 cradle wall holder with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm connection angle DN 15	chrome gold plated 23 carat	2710505 2710545
	 	KLUDI 1926 shower set stand assembly flow class B consisting of: hand shower KLUDI 1926 shaft for shower hose shower hose 2000 mm	chrome gold plated 23 carat	2705105 2705145









KLUDI 1926

product	product description		surface	art. no	
Accessories			KLUDI 1926 connection angle DN 15 Cover rosette Ø 56 mm	chrome gold plated 23 carat	1210105-00 1210145-00












KLUDI NOVA FONTE

product		product description	surface	art. no
shower sets		 <p>KLUDI NOVA FONTE Puristic shower set 1S L = 900 mm metal wall rail horizontal and vertical adjustable slider hand shower DN 15 with spray mode: volume flow rate 15 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material</p>	chrome matt black 	2084005-15 2084039-15
		 <p>KLUDI NOVA FONTE Classic shower set 1S L = 900 mm metal wall rail horizontal and vertical adjustable slider hand shower DN 15 with spray mode: volume flow rate 15 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material</p>	chrome 	2084005-25









KLUDI NOVA FONTE

product	product description		surface	art. no	
		KLUDI NOVA FONTE Déco shower set 1S L = 900 mm metal wall rail horizontal and vertical adjustable slider hand shower DN 15 with spray mode: volume flow rate 15 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome 	2084005-35	
Hand shower			KLUDI NOVA FONTE hand shower 1S DN 15 with spray mode: volume quick and easy cleaning system	chrome matt black 	3912005-00 3912039-00 NEW
bath sets			KLUDI NOVA FONTE Puristic bath shower set 1S hand shower DN 15 with spray mode: volume flow rate 15 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels wall fastening	chrome matt black 	2085005-15 2085039-15 NEW














KLUDI NOVA FONTE

product	product description	surface	art. no
 	KLUDI NOVA FONTE Classic bath shower set 1S hand shower DN 15 with spray mode: volume flow rate 15 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels wall fastening	chrome 	2085005-25
 	KLUDI NOVA FONTE Déco bath shower set 1S hand shower DN 15 with spray mode: volume flow rate 15 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels wall fastening	chrome 	2085005-35
















KLUDI FIZZ

product	product description	surface	art. no
Shower systems			
	 <p>KLUDI FIZZ Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 20 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 flow rate 11,6 l/min (booster) / 11,7 l/min (smooth) / 15,5 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome    	6709605-00
	 <p>KLUDI FIZZ Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 20 l/min at 3 bar with KLUDI FIZZ handshower 1S 6760005-00 flow rate 15,5 l/min at 3 bar with mounting material</p>	chrome   	6709505-00














KLUDI FIZZ

product	product description	surface	art. no
	 <p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 8,5 l/min (smooth) / 11 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6709305-00
	 <p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 8,5 l/min (smooth) / 11 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6709105-00
head and side showers 	 <p>KLUDI FIZZ head shower DN 15 diameter 340 mm with three shower cartridge with spray mode: volume flow rate 40 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome 	6757805-00














KLUDI FIZZ

product	product description	surface	art. no
 	KLUDI FIZZ head shower DN 15 diameter 340 mm with two shower cartridges with spray mode: volume flow rate 29 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome 	6757505-00
shower sets  	KLUDI FIZZ shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 14 l/min (booster) / 11 l/min (smooth) / 16 l/min (volumen) at 3 bar with draining function KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts	chrome white/chrome matt black/ chrome   	6774005-00 6774091-00 6774087-00
 	KLUDI FIZZ shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume flow rate 29 l/min at 3 bar KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts	chrome white/chrome matt black/ chrome 	6764005-00 6764091-00 6764087-00









KLUDI FIZZ

product	product description		surface	art. no
hand shower	 	KLUDI FIZZ hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 11,5 l/min (smooth) / 19 l/min (volumen) at 3 bar quick and easy cleaning system with draining function connection G 1/2	chrome	6770005-00
			white	6770043-00
			matt black	6770039-00
	 			
hand shower	 	KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume flow rate 19,2 l/min at 3 bar quick and easy cleaning system connection G 1/2 PA-IX 7506/IS	chrome	6760005-00
			matt black	6760039-00
				
Bath sets	 	KLUDI FIZZ bath-shower set 3S KLUDI FIZZ hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 14 l/min (booster) / 11 l/min (smooth) / 16 l/min (volumen) at 3 bar with draining function connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material	chrome	6775005-00
			white/chrome	6775091-00
			matt black/ chrome	6775087-00
	 			

















KLUDI FIZZ

product	product description	surface	art. no
	 <p>KLUDI FIZZ bath shower set 1S KLUDI FIZZ hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume flow rate 29 l/min at 3 bar connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material PA-IX 7506/IS</p>	chrome white/chrome matt black/ chrome 	6765005-00 6765091-00 6765087-00
	 <p>KLUDI FIZZ bath shower set 1S KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume quick and easy cleaning system flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 with conical nuts</p>	chrome white/chrome 	6767005-00 6767091-00



KLUDI FRESHLINE

product	product description	surface	art. no
Shower systems			
	 <p>KLUDI FRESHLINE Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 16,4 l/min at 3 bar with KLUDI FRESHLINE handshower RL 3S 6790005-00 flow rate 13,6 l/min (booster) / 10,9 l/min (smooth) / 17,1 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome    	6709205-00
	 <p>KLUDI FRESHLINE Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter horizontal and vertical adjustable slider water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 14 l/min at 3 bar with KLUDI FRESHLINE handshower RL 3S 6790005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 9 l/min (smooth) / 12 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6709005-00
head showers			
	 <p>KLUDI FRESHLINE head shower DN 15 400 x 260 mm with spray mode: volume flow rate 34 l/min at 3 bar quick and easy cleaning system pre-installed dirt cleaner sieve without shower arm connection G 1/2</p>	chrome 	6440005-00 NEW




KLUDI FRESHLINE

product

product description

surface

art. no



**KLUDI FRESHLINE
head shower DN 15**
300 x 220 mm
with spray mode: volume
flow rate 34 l/min at 3 bar
quick and easy cleaning system
pre-installed dirt cleaner sieve
without shower arm
connection G 1/2

chrome



6445005-00

NEW


shower sets

**KLUDI FRESHLINE
shower set 3S**
L = 900 mm
horizontal and vertical adjustable slider
KLUDI FRESHLINE handshower RL 3S
adjustable to three spray patterns:
booster, smooth, volume
flow rate 15 l/min (booster) / 10 l/min (smooth) /
18,8 l/min (volumen) at 3 bar
quick and easy cleaning system
with draining function
KLUDI SUPARAFLEX hose
plastic-coated
with conical nuts
with dirt catcher sieves
with mounting material
G 1/2 x G 1/2 x 1600 mm

chrome
white/chrome









6794005-00
6794091-00


















KLUDI FRESHLINE

product	product description	surface	art. no
 	KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower RL 3S adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome 	6793005-00
 	KLUDI FRESHLINE shower set 1S L = 900 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower RS 1S with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX hose plastic-coated with conical nuts with dirt catcher sieves with mounting material G 1/2 x G 1/2 x 1600 mm	chrome white/chrome 	6784005-00 6784091-00
















KLUDI FRESHLINE

product	product description		surface	art. no	
		KLUDI FRESHLINE shower set 1S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower RS 1S with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome 	6783005-00	
hand shower			KLUDI FRESHLINE hand shower CL 1S with spray mode: volume flow rate 22 l/min at 3 bar quick and easy cleaning system connection G 1/2	chrome 	6450005-00
		KLUDI FRESHLINE hand shower RS 1S with spray mode: volume flow rate 29 l/min at 3 bar quick and easy cleaning system connection G 1/2	chrome white 	6780005-00 6780043-00	
		KLUDI FRESHLINE hand shower RL 3S adjustable to three spray patterns: booster, smooth, volume flow rate 19 l/min (booster) / 11 l/min (smooth) / 26 l/min (volumen) at 3 bar quick and easy cleaning system with draining function connection G 1/2	chrome white  	6790005-00 6790043-00	












KLUDI FRESHLINE

product		product description	surface	art. no
bath sets	 	KLUDI FRESHLINE bath-shower set 3S wall fastening KLUDI FRESHLINE handshower RL 3S adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm plastic-coated with metal-effect with conical nuts with screws and dowels	chrome white/chrome   	6795005-00 6795091-00
	 	KLUDI FRESHLINE bath shower set 1S wall fastening KLUDI FRESHLINE handshower RS 1S with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with screws and dowels	chrome white/chrome 	6785005-00 6785091-00
	 	KLUDI FRESHLINE bath shower set 1S KLUDI FRESHLINE handshower RS 1S with spray mode: volume flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 with conical nuts noise level I	chrome white/chrome 	6787005-00 6787091-00
Accessories	 	KLUDI FRESHLINE shower hook for hoses with conical nut with screws and dowels	chrome	6455205-00















KLUDI A-QA

product	product description	surface	art. no
<div>Shower systems</div> <div></div>	<div></div> <div>KLUDI A-QA Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet KLUDI A-QA head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower 4940205-00 flow rate 23 l/min at 3 bar with KLUDI A-QA hand shower 3910005-00 with spray mode: volume flow rate 16 l/min at 3 bar with mounting material</div>	<div>chrome</div> <div></div>	4909505-00
<div></div>	<div></div> <div>KLUDI A-QA Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower 4940205-00 flow rate 23 l/min at 3 bar with KLUDI A-QA hand shower 3910005-00 with spray mode: volume flow rate 16 l/min at 3 bar with mounting material</div>	<div>chrome</div> <div></div>	4919105-00



















KLUDI A-QA

product	product description	surface	art. no
	 <p>KLUDI A-QA s Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube protected against back flow temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve dirt catcher sieves head shower Ø 200 mm flow rate 16,3 l/min at 3 bar hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume flow rate 11,6 l/min (booster) / 11,7 l/min (smooth) / 15,5 l/min (volumen) at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts with mounting material</p>	chrome    	6609505-00
	 <p>KLUDI A-QA s Thermostat Dual Shower System DN 15 with horizontally and vertically adjustable tube wall fastening temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet G 3/4 KLUDI A-QA head shower rotary valve protected against back flow horizontal and vertical adjustable slider with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts with KLUDI A-QA headshower Ø 250 mm, swiveling flow rate 16,3 l/min at 3 bar with KLUDI A-QA s handshower DN 15 with three spray patterns flow rate 11,6 l/min (booster) / 11,7 l/min (smooth) / 15,5 l/min (volumen) at 3 bar with mounting material dirt catcher sieves</p>	chrome    	6619505-00
















KLUDI A-QA

product	product description	surface	art. no
	 <p>KLUDI A-QA s Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 800 mm with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts head shower Ø 200 mm flow rate 14,8 l/min at 3 bar hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 12,9 l/min (volumen) at 3 bar with mounting material without shower mixer</p>	chrome   	6609105-00
	 <p>KLUDI A-QA s Dual Shower System DN 15 with horizontally and vertically adjustable tube metal head shower two-way ceramic diverter water supply with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts with KLUDI A-QA headshower Ø 250 mm, swiveling flow rate 14,8 l/min at 3 bar KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 12,9 l/min (volumen) at 3 bar with mounting material wall fastening without shower mixer</p>	chrome   	6619205-00
	 <p>KLUDI A-QA Thermostat Mono Shower System DN 15 wall fastening with horizontally and vertically adjustable tube temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C ceramic shut-off valve 180° 50 % water consumption regulation head shower Ø 200 mm 6651005-00 flow rate 22 l/min at 3 bar s-connections with mounting material dirt catcher sieves</p>	chrome    	6608105-00













KLUDI A-QA

product	product description	surface	art. no
head and side showers	KLUDI A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume quick and easy cleaning system flow rate 24,5 l/min at 3 bar	chrome 	6487005-00
 	KLUDI A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume with flood spray quick and easy cleaning system flow rate volume spray: 24,5 l/min at 3 bar flow rate flood spray: 27 l/min at 3 bar Control of 2 spray types via 2 valves or one changeover valve with 2 outlets	chrome white/chrome matt black/ chrome 	6488005-00 6488091-00 6488087-00
 	KLUDI A-QA head shower DN 15 Ø 200 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome 	6432005-00
 	KLUDI A-QA head shower DN 15 Ø 250 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome white/chrome matt black/ chrome 	6432505-00 6432591-00 6432587-00
 	KLUDI A-QA head shower DN 15 Ø 300 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome white/chrome matt black/ chrome 	6433005-00 6433091-00 6433087-00



KLUDI A-QA

product	product description	surface	art. no
	KLUDI A-QA head shower DN 15 Ø 400 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome white/chrome matt black/ chrome 	6434005-00 6434091-00 6434087-00
	KLUDI A-QA head shower DN 15 200 x 200 mm metal head shower with spray mode: volume flow rate 11 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome 	6442005-00
	KLUDI A-QA head shower DN 15 250 x 250 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome white/chrome 	6442505-00 6442591-00
	KLUDI A-QA head shower DN 15 300 x 300 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome white/chrome 	6443005-00 6443091-00
	KLUDI A-QA head shower DN 15 400 x 400 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome white/chrome 	6444005-00 6444091-00



















KLUDI A-QA

product	product description	surface	art. no
	 <p>KLUDI A-QA head shower DN 15 200 x 200 mm Soft-edge metal head shower with spray mode: volume flow rate 19 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome 	6452005-00
	 <p>KLUDI A-QA head shower DN 15 300 x 300 mm Soft-edge metal head shower with spray mode: volume flow rate 14 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome white/chrome 	6453005-00 6453091-00
	 <p>KLUDI A-QA head shower DN 15 Ø 245 mm with spray mode: volume flow rate 38,4 l/min at 3 bar quick and easy cleaning system without shower arm noise level I</p>	chrome 	6651105-00
	 <p>KLUDI A-QA eco-head shower DN 15 Ø 245 mm with spray mode: volume flow rate 9 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I</p>	chrome  	6652105-00
	 <p>KLUDI A-QA head shower DN 15 Ø 200 mm with spray mode: volume flow rate 37 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I</p>	chrome 	6651005-00





















KLUDI A-QA

product	product description	surface	art. no
 	KLUDI A-QA head shower DN 15 140 x 245 mm quick and easy cleaning system with ball joint flow rate 22,5 l/min at 3 bar pre-installed dirt cleaner sieve connection G 1/2 without shower arm	chrome 	4940205-00
 	KLUDI A-QA head shower DN 15 250 x 250 mm with spray mode: volume flow rate 25,8 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I	chrome 	6653105-00
 	KLUDI A-QA head shower DN 15 250 x 250 mm with spray mode: volume flow rate 9 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I	chrome  	6654105-00
 	KLUDI A-QA head shower DN 15 200 x 200 mm with spray mode: volume flow rate 25,8 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I	chrome 	6653005-00
 	KLUDI A-QA head shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 8 l/min (booster) / 18 l/min (smooth) / 18,5 l/min (volumen) at 3 bar quick and easy cleaning system suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint	chrome 	6239105-00















KLUDI A-QA

product		product description	surface	art. no
	 	KLUDI A-QA head shower DN 15 quick and easy cleaning system with one spray mode: rainshower flow rate 18 l/min at 3 bar suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint	chrome 	6219105-00
shower sets	 	KLUDI A-QA i shower set 1S L = 900 mm wall rail right and left swiveling horizontal and vertical adjustable slider KLUDI A-QA i 1S hand shower DN 15 flow rate 18,5 l/min at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts noise level I P-IX 19052/IB	chrome 	6614005-00
	 	KLUDI A-QA s shower set 3S L = 900 mm wall rail KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 16 l/min (booster) / 15 l/min (smooth) / 22 l/min (volumen) at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts	chrome  	6574005-00
	 	KLUDI A-QA s shower set 3S L = 600 mm wall rail KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 16 l/min (booster) / 15 l/min (smooth) / 22 l/min (volumen) at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts	chrome  	6573005-00
	 	KLUDI A-QA b shower set 1S L = 600 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18 l/min at 3 bar flow rate 90 l/min at 3 bar eco with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts noise level I	chrome  	6563005-00



















KLUDI A-QA

product		product description	surface	art. no
wall rails		 <p>KLUDI A-QA v flexible wall rail L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm horizontal and vertical adjustable slider with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts</p>	chrome	6209505-00
		 <p>KLUDI A-QA wall rail L = 955 mm metal wall rail horizontal and vertical adjustable slider with screws and dowels</p>	chrome	6564105-00
bath sets		 <p>KLUDI A-QA s bath-shower set KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15,1 l/min (booster) / 16,3 l/min (smooth) / 22,5 l/min (volumen) at 3 bar anti twist with conical nuts fixed wall shower hook with screws and dowels</p>	chrome  	6575005-00
		 <p>KLUDI A-QA b bath-shower set KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function with shower spray with 60 flash nozzels flow rate 18 l/min at 3 bar flow rate 9.0 l/min at 3 bar eco anti twist with conical nuts fixed wall shower hook with screws and dowels noise level I</p>	chrome  	6565005-00

















KLUDI A-QA

product	product description		surface	art. no
		KLUDI A-QA b bath-shower set KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function with shower spray with 60 flash nozzels flow rate 18 l/min at 3 bar flow rate 9.0 l/min at 3 bar eco KLUDI SUPARAFLEX SILVER hose 6107105-00 G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with conical nuts with screws and dowels shower outlet G 1/2 noise level I	chrome  	6567005-00
hand shower 		KLUDI A-QA hand shower DN 15 with spray mode: volume quick and easy cleaning system flow rate 16 l/min at 3 bar	chrome 	3910005-00
		KLUDI A-QA s hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 16,5 l/min (booster) / 15 l/min (smooth) / 24,5 l/min (volumen) at 3 bar noise level I	chrome   	6570005-00
		KLUDI A-QA b hand shower 1S DN 15 with shower spray with 60 flash nozzels with 50 % Eco function flow rate 18 l/min at 3 bar flow rate 9.0 l/min at 3 bar eco quick and easy cleaning system connection G 1/2 eco function not applicable for hydraulic DEH according to DIN EN 1112 noise level I	chrome  	6560005-00











KLUDI A-QA

product		product description	surface	art. no
Accessories				
		KLUDI A-QA wall supply with shower holder DN 15 for hoses with conical nut shower outlet G 1/2 protected against back flow according to DIN EN 1717 with wall-compensation ring with mounting material	chrome	6556005-00
		KLUDI A-QA wall supply with shower holder DN 15 with flow control wall fastening for hoses with conical nut shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min to 20 l/min approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable	chrome 	6556105-00
		KLUDI A-QA wall supply with shower holder DN 15 with ceramic shut-off valve wall fastening for hoses with conical nut shower outlet G 1/2 protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material	chrome 	6556205-00
		KLUDI A-QA wall supply DN 15 with flow control wall fastening shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min to 20 l/min approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable	chrome 	6554405-00
		KLUDI A-QA wall supply DN 15 with ceramic shut-off valve wall fastening shower outlet G 1/2 protected against back flow with wall-compensation ring with mounting material	chrome 	6554505-00











KLUDI A-QA

product	product description	surface	art. no
 	KLUDI A-QA i tile compensation washer for wall rail	chrome	93098905-00
 	KLUDI A-QA s tile compensation washer for wall rail	chrome	93099005-00
 	KLUDI A-QA v extension set for wall rail 62095.. for shower sets 62096 .., 62097 .., 68096 .. and 68097 ..	chrome	7042005-00
 	KLUDI A-QA v shortening set for wall rail 62095.. for shower sets 62096 .., 62097 .., 68096 .. and 68097 ..	chrome	7043005-00
















KLUDI ZENTA

product	product description	surface	art. no
Shower systems			
	 <p>KLUDI ZENTA Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 800 mm with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts head shower Ø 200 mm flow 13 l/min at 3 bar hand shower KLUDI ZENTA 2S flow rate 11 l/min at 3 bar with mounting material without shower mixer</p>	chrome  	6609005-00
	 <p>KLUDI ZENTA Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider water supply with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 800 mm with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm flow rate 12 l/min at 3 bar hand shower KLUDI ZENTA 1S flow rate 13 l/min with mounting material without shower mixer</p>	chrome  	6167705-00














KLUDI ZENTA

product	product description	surface	art. no
 	KLUDI ZENTA SHOWER DUO thermostatic shower mixer DN 15 wall rail with glider L = 900 mm wall fastening temperature control handle with hot water safety device 38° C protected against back flow with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar PA-IX 18064/IB	chrome  	6057705-00
shower sets  	KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA slider rail in white KLUDI ZENTA 3S hand shower DN 15 white/chrome adjustable to three spray patterns: booster, smooth, volume KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1600 mm with conical nuts	white/chrome 	6085091-00
 	KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 12,5 l/min (booster) / 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome white/chrome black/chrome 	6084005-00 6084091-00 6084086-00
 	KLUDI ZENTA shower set 3S L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 12,5 l/min (booster) / 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome 	6083005-00













KLUDI ZENTA

product	product description	surface	art. no
 	KLUDI ZENTA shower set 2S L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome 	6073005-00
 	KLUDI ZENTA shower set 1S L = 600 mm KLUDI ZENTA wall rail with KLUDI ZENTA hand shower 1S DN 15 with spray mode: volume flow rate 18 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome	6063005-00
hand shower  	KLUDI ZENTA hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 12,5 l/min (booster) / 16 l/min (smooth) / 17,5 l/min (volumen) at 3 bar	chrome 	6080005-00
 	KLUDI ZENTA hand shower 2S DN 15 quick and easy cleaning system adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar	chrome 	6070005-00
 	KLUDI ZENTA hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume flow rate 18 l/min at 3 bar	chrome	6060005-00














KLUDI ZENTA

product		product description	surface	art. no
bath sets		 <p>KLUDI ZENTA bath shower set 1S KLUDI ZENTA 1S hand shower DN 15 chrome/white KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	white/chrome	6066091-00
		 <p>KLUDI ZENTA bath shower set 2S KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	chrome 	6075005-00
		 <p>KLUDI ZENTA bath shower set 1S KLUDI ZENTA 1S hand shower DN 15 with spray mode: volume flow rate 18 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels</p>	chrome	6065005-00
		 <p>KLUDI ZENTA shower set stand assembly consisting of: hand shower KLUDI ZENTA 2S adjustable to two spray patterns: smooth, volume flow rate 16 l/min (smooth) / 18 l/min (volumen) at 3 bar shaft for shower hose shower hose 1500 mm high pressure supply hose G 1/2 x G 1/2 x 500 mm</p>	chrome 	2765205



KLUDI LOGO

product	product description	surface	art. no
Shower systems			
	 <p>KLUDI LOGO Thermostat Dual Shower System DN 15</p> <p>wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve dirt catcher sieves protected against back flow with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm flow rate 16 l/min at 3 bar with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 13,5 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome    	6809205-00
	 <p>KLUDI LOGO Dual Shower System DN 15</p> <p>wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm flow 13 l/min at 3 bar with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 12,9 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6809105-00

182




KLUDI LOGO

product

product description

surface

art. no



KLUDI LOGO

Dual Shower System DN 15


wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow 13 l/min at 3 bar
with KLUDI LOGO 1S hand shower DN 15
6810005-00
flow rate 16 l/min at 3 bar
with mounting material
without shower mixer

chrome

6809305-00



Showers



KLUDI LOGO

single lever mixer Dual Shower System DN 15

solid lever
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
ceramic cartridge with hot water limitation
shower outlet G 1/2
90° adjustable rotary valve
for the control of head and hand shower
shower outlet
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow rate 18 l/min at 3 bar
with KLUDI LOGO hand shower 3S 6830005-00
adjustable to three spray patterns:
booster, smooth, volume
flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) /
17 l/min (volumen) at 3 bar
with draining function
with mounting material











chrome

6808505-00

















KLUDI LOGO

product	product description	surface	art. no
	 <p>KLUDI LOGO single lever mixer Dual Shower System DN 15 with bath filler solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 120° adjustable rotary valve for the control of head-, hand shower and bath filler shower outlet protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm flow rate 21 l/min at 3 bar with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 17 l/min (volumen) at 3 bar with draining function with mounting material</p>	<p>chrome</p>   	6808305-00
	 <p>KLUDI LOGO SHOWER DUO thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-Q037 flexible wall rail with slider L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts</p>	<p>chrome</p>   	6809705-00
















KLUDI LOGO

product	product description	surface	art. no
 	KLUDI LOGO SHOWER DUO L = 900 mm KLUDI LOGO wall rail Ø 18 mm thermostatic shower mixer DN 15 wall fastening with shut-off valve temperature control handle with hot water safety device 38° C protected against back flow dirt catcher sieves shower outlet G 1/2 with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with KLUDI LOGOFLEX-hose 6105605-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect	chrome    	6857705-00
 	KLUDI LOGO SHOWER DUO L = 600 mm KLUDI LOGO wall rail Ø 18 mm thermostatic shower mixer DN 15 wall fastening with shut-off valve temperature control handle with hot water safety device 38° C protected against back flow dirt catcher sieves shower outlet G 1/2 PA-IX 18064/IB with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with KLUDI LOGOFLEX-hose 6105605-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect	chrome    	6857605-00














KLUDI LOGO

product	product description	surface	art. no
 	KLUDI LOGO SHOWER DUO L = 900 mm KLUDI LOGO wall rail Ø 18 mm KLUDI BASIC thermostatic shower mixer DN 15 wall fastening with shut-off valve temperature control handle with hot water safety device 38° C protected against back flow dirt catcher sieves shower outlet G 1/2 with KLUDI LOGO 1S hand shower DN 15 6810005-00 with spray mode: volume with KLUDI LOGOFLEX-hose 6105605-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect	chrome  	6857805-00
 	KLUDI LOGO SHOWER DUO L = 600 mm KLUDI LOGO wall rail Ø 18 mm KLUDI BASIC thermostatic shower mixer DN 15 wall fastening with shut-off valve temperature control handle with hot water safety device 38° C protected against back flow dirt catcher sieves shower outlet G 1/2 with KLUDI LOGO 1S hand shower DN 15 6810005-00 with spray mode: volume with KLUDI LOGOFLEX-hose 6105605-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect	chrome  	6857505-00
hand shower  	KLUDI LOGO hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function connection G 1/2	chrome   	6830005-00












KLUDI LOGO

product	product description	surface	art. no
 	KLUDI LOGO hand shower 1S DN 15 with spray mode: volume flow rate 41 l/min at 3 bar quick and easy cleaning system connection G 1/2	chrome 	6810005-00
shower sets  	KLUDI LOGO shower set 3S L = 900 mm KLUDI LOGO wall rail Ø 18 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome  	6839005-00
 	KLUDI LOGO shower set 3S L = 900 mm wall rail Ø 23 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome  	6839305-00












KLUDI LOGO

product	product description	surface	art. no
 	KLUDI LOGO shower set 3S L = 600 mm KLUDI LOGO wall rail Ø 18 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6836005-00
 	KLUDI LOGO shower set 3S L = 600 mm wall rail Ø 23 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6836305-00
 	KLUDI LOGO shower set 3S L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts	chrome 	6809605-00


















KLUDI LOGO

product	product description	surface	art. no
 	KLUDI LOGO shower set 1S L = 900 mm KLUDI LOGO wall rail Ø 18 mm with KLUDI LOGO 1S hand shower DN 15 6810005-00 with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6819005-00
 	KLUDI LOGO shower set 1S L = 600 mm KLUDI LOGO wall rail Ø 18 mm with KLUDI LOGO 1S hand shower DN 15 6810005-00 with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6816005-00
 	KLUDI LOGO shower set 1S L = 955 mm metal wall rail Ø 21 mm horizontal and vertical adjustable slider with KLUDI LOGO 1S hand shower DN 15 6810005-00 flow rate 14 l/min at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts	chrome 	6864205-00
















KLUDI LOGO

product		product description	surface	art. no
wall rails		 KLUDI LOGO wall rail L = 900 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome	6809005-00
		 KLUDI LOGO wall rail L = 600 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome	6806005-00
bath sets		 KLUDI LOGO bath-shower set 3S KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels	chrome   	6803005-00
		 KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels	chrome 	6801005-00
		 KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow according to DIN EN 1717 with screws and dowels shower outlet G 1/2	chrome 	6867005-00














KLUDI COCKPIT

product	product description	surface	art. no
Shower systems			
	 <p>KLUDI COCKPIT Discovery Thermostat Dual Shower System DN 15 shelf 550 mm wall fastening KLUDI FRESHLINE shower hook 6455205-00 adjustable in the angle of inclination (75 °) temperature control handle with hot water safety device 40 °C with ceramic shut-off valve shower outlet G 1/2 hand shower rotary valve left shower outlet head shower rotary valve right protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6440005-00 flow rate 17 l/min at 3 bar with KLUDI FRESHLINE handshower CL 1S 6450005-00 flow rate 14 l/min at 3 bar with mounting material</p>	white/chrome   	8020091-00
	 <p>KLUDI COCKPIT Explorer Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 40 °C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve left shower outlet head shower rotary valve right protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6445005-00 flow rate handshower 20 l/min bei 3 bar with KLUDI FRESHLINE handshower CL 1S 6450005-00 with mounting material</p>	chrome    	8005005-00
Accessories			
	 <p>KLUDI COCKPIT shelf 100 x 200 mm for COCKPIT Explorer 8005005-00</p>		6410110-00



SHOWER SYSTEME

product	product description	surface	art. no
	 <p>KLUDI A-QA Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet KLUDI A-QA head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower 4940205-00 flow rate 23 l/min at 3 bar with KLUDI A-QA hand shower 3910005-00 with spray mode: volume flow rate 16 l/min at 3 bar with mounting material</p>	chrome   	4909505-00
	 <p>KLUDI A-QA s Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube protected against back flow temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve dirt catcher sieves head shower Ø 200 mm flow rate 16,3 l/min at 3 bar hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume flow rate 11,6 l/min (booster) / 11,7 l/min (smooth) / 15,5 l/min (volumen) at 3 bar with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts with mounting material</p>	chrome    	6609505-00




SHOWER SYSTEME

product

product description

surface

art. no




**KLUDI A-QA s
Thermostat Dual Shower System DN 15**
with horizontally and vertically adjustable tube
wall fastening
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
KLUDI A-QA handshower rotate the handle
to the rear
shower outlet G 3/4
KLUDI A-QA head shower rotary valve
protected against back flow
horizontal and vertical adjustable slider
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
anti twist
with conical nuts
with KLUDI A-QA headshower Ø 250 mm,
swiveling
flow rate 16,3 l/min at 3 bar
with KLUDI A-QA s handshower DN 15
with three spray patterns
flow rate 11,6 l/min (booster) / 11,7 l/min
(smooth) / 15,5 l/min (volumen) at 3 bar
with mounting material
dirt catcher sieves

chrome

6619505-00



Showers



**KLUDI LOGO
Thermostat Dual Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
temperature control handle with hot water safety
device 38° C
With optional temperature limit stop at 43 ° C
with ceramic shut-off valve as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
head shower rotary valve
dirt catcher sieves
protected against back flow
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow rate 16 l/min at 3 bar
with KLUDI LOGO hand shower 3S 6830005-00
adjustable to three spray patterns:
booster, smooth, volume
flow rate 13,5 l/min (booster) / 10 l/min (smooth) /
15 l/min (volumen) at 3 bar
with draining function
with mounting material










chrome

6809205-00





SHOWER SYSTEME

product	product description	surface	art. no
 	KLUDI LOGO Thermostat Dual Shower System DN 15 Riser pipe can be swiveled in 6 specified steps / not height adjustable horizontal and vertical adjustable slider wall fastening temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve to the rear dirt catcher sieves protected against back flow with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts with KLUDI A-QA headshower Ø 200 mm flow rate 16 l/min at 3 bar with KLUDI LOGO 1S hand shower DN 15 6810005-00 flow rate 21 l/min at 3 bar with mounting material	chrome  	6809405-00
 	KLUDI LOGO Thermostat Dual Shower System DN 15 with horizontally and vertically adjustable tube horizontal and vertical adjustable slider wall fastening temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve dirt catcher sieves protected against back flow with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts with mounting material with KLUDI A-QA headshower Ø 200 mm flow rate 16 l/min at 3 bar with KLUDI LOGO 1S hand shower DN 15 6810005-00 flow rate 21 l/min at 3 bar	chrome   	6809505-00




SHOWER SYSTEME

product

product description


surface

art. no



KLUDI LOGO
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow 13 l/min at 3 bar
with KLUDI LOGO hand shower 3S 6830005-00
adjustable to three spray patterns:
booster, smooth, volume
flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) /
12,9 l/min (volumen) at 3 bar
with draining function
with mounting material
without shower mixer

chrome 6809105-00













KLUDI LOGO
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow 13 l/min at 3 bar
with KLUDI LOGO 1S hand shower DN 15
6810005-00
flow rate 16 l/min at 3 bar
with mounting material
without shower mixer

chrome 6809305-00





SHOWER SYSTEME

product	product description	surface	art. no
	 <p>KLUDI LOGO single lever mixer Dual Shower System DN 15 solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 90° adjustable rotary valve for the control of head and hand shower shower outlet protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm flow rate 18 l/min at 3 bar with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 17 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome   	6808505-00
	 <p>KLUDI LOGO single lever mixer Dual Shower System DN 15 with bath filler solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 120° adjustable rotary valve for the control of head-, hand shower and bath filler shower outlet protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm flow rate 21 l/min at 3 bar with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 17 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome   	6808305-00




SHOWER SYSTEME

product

product description

surface


art. no



**KLUDI A-QA
Dual Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower 4940205-00
flow rate 23 l/min at 3 bar
with KLUDI A-QA hand shower 3910005-00
with spray mode: volume
flow rate 16 l/min at 3 bar
with mounting material

chrome


4919105-00



**KLUDI A-QA s
Dual Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
KLUDI SUPARAFLEX shower hose
G 1/2 x G 1/2 x 800 mm
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
anti twist
with conical nuts
head shower Ø 200 mm
flow rate 14,8 l/min at 3 bar
hand shower KLUDI A-QA s
adjustable to three spray patterns:
booster, smooth, volume
flow rate 10,5 l/min (booster) / 10,7 l/min
(smooth) / 12,9 l/min (volumen) at 3 bar
with mounting material
without shower mixer

chrome

6609105-00



**KLUDI A-QA
Thermostat Mono Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
temperature control handle
with hot water safety device 38° C
With optional temperature limit stop at 43 ° C
ceramic shut-off valve 180°
50 % water consumption regulation
head shower Ø 200 mm 6651005-00
flow rate 22 l/min at 3 bar
s-connections
with mounting material
dirt catcher sieves












chrome

6608105-00





SHOWER SYSTEME

product	product description	surface	art. no
	 <p>KLUDI FRESHLINE Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 16,4 l/min at 3 bar with KLUDI FRESHLINE handshower RL 3S 6790005-00 flow rate 13,6 l/min (booster) / 10,9 l/min (smooth) / 17,1 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome    	6709205-00
	 <p>KLUDI FRESHLINE Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter horizontal and vertical adjustable slider water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 14 l/min at 3 bar with KLUDI FRESHLINE handshower RL 3S 6790005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 9 l/min (smooth) / 12 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6709005-00




SHOWER SYSTEME

product

product description

surface



art. no



KLUDI FIZZ
Thermostat Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
head shower rotary valve
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
flow rate 20 l/min at 3 bar
with KLUDI FIZZ handshower 3S 6770005-00
flow rate 11,6 l/min (booster) / 11,7 l/min
(smooth) / 15,5 l/min (volumen) at 3 bar
with draining function
with mounting material

chrome

6709605-00



KLUDI FIZZ
Thermostat Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
head shower rotary valve
protected against back flow
dirt catcher sieves
KLUDI SUPARAFLEX SILVER hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
flow rate 20 l/min at 3 bar
with KLUDI FIZZ handshower 1S 6760005-00
flow rate 15,5 l/min at 3 bar
with mounting material











chrome

6709505-00





SHOWER SYSTEME

product	product description	surface	art. no
	 <p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 8,5 l/min (smooth) / 11 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6709305-00
	 <p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 8,5 l/min (smooth) / 11 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome   	6709105-00




SHOWER SYSTEME

product

product description

surface

art. no



KLUDI ZENTA
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
KLUDI SUPARAFLEX shower hose
G 1/2 x G 1/2 x 800 mm
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
anti twist
with conical nuts
head shower Ø 200 mm
flow 13 l/min at 3 bar
hand shower KLUDI ZENTA 2S
flow rate 11 l/min at 3 bar
with mounting material
without shower mixer











chrome

6609005-00















SPECIAL SHOWERS

product		product description	surface	art. no
wall rails		 KLUDI STANDARD wall rail L = 600 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048005-00
Accessories		 shower hook for hoses with conical nut with screws and dowels	chrome white	6305005-00 6305043-00
		 universal shower holder G 1/2 for assembling at shower connection for shower hoses with conical nut	chrome	6053905-00
		 shower hook G 1/2 with coupling	chrome	6053105-00
		 connection for shower G 3/4 with cradle hook	chrome	6053705-00



SPECIAL SHOWERS

product	product description		surface	art. no	
		wall supply DN 15 with wall-compensation ring	chrome white matt black	6306005-00 6306043-00 6306039-00	
		wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring	chrome white matt black	6306105-00 6306143-00 6306139-00	
		wall supply DN 15 with wall flange (escutcheon)	chrome	6054005-00	
		corner mounting set for wall rail two corner elements with screws and dowels for 6839005-00, 6839305-00, 6836005-00, 6836305-00, 6819005-00, 6816005-00, 6809005-00, 6806005-00, 6857605-00, 6857705-00 for 60850, 60840, 60830, 60740, 60730, 60640, 60630, 60620, 60610, 60576, 60577	chrome	6211905-00	
Spare parts			KLUDI LOGO soap dish for wall rail for tube diameter 18 mm	transparent	6110121-00



SPECIAL SHOWERS

product	product description	surface	art. no
 	slider for wall rails and shower-sets with tube-diameter 23 mm	chrome	6253505-00
 	slider for wall rails and shower-sets with tube-diameter 18 mm	chrome	7133705-00
	body for wall holder for wall rails and shower-sets with tube-diameter 23 mm	chrome	83031305-00
	body for wall holder for wall rails and shower-sets with tube-diameter 18 mm	chrome	83012605-00






SHOWER HOSES

product	product description		surface	art. no
		KLUDI SUPARAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts both sides anti twist G 1/2 x G 1/2 x 1600 mm	chrome white/chrome matt black	6107205-00 6107291-00 6107239-00 NEW
		KLUDI SUPARAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts both sides anti twist G 1/2 x G 1/2 x 1250 mm	chrome white/chrome matt black	6107105-00 6107191-00 6107139-00 NEW
		KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm	chrome	6105505-00
		KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm	chrome	6105605-00
		KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm	chrome	6105705-00













ACCESSORIES FOR ALL SHOWER RANGES

product		product description	surface	art. no
		KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 58 x 58 mm	chrome	6654405-00
		KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette 58 x 58 mm	chrome	6654305-00
		KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette 58 x 58 mm	chrome	6654505-00
		KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm	chrome white/chrome matt black/ chrome matt black	6651405-00 6651491-00 6651487-00 6651439-00 NEW
		KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette diameter 55 mm	chrome	6651305-00













ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 61 x 61 mm	chrome white/chrome	6653405-00 6653491-00 <div>NEW</div>
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette 61 x 61 mm	chrome	6653305-00
 	KLUDI A-QA shower arm DN 15 for head shower 1S and 3S without ball joint projection 130 mm	chrome	6235305-00
 	KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette diameter 55 mm	chrome white/chrome matt black/ chrome matt black	6651505-00 6651591-00 6651587-00 6651539-00 <div>NEW</div>
 	KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette 61 x 61 mm	chrome white/chrome	6653505-00 6653591-00



ACCESSORIES FOR ALL SHOWER RANGES

product		product description	surface	art. no
		KLUDI A-QA fixed wall shower hook for hoses with conical nut with screws and dowels	chrome white	6555105-00 6555143-00
		KLUDI A-QA wall supply DN 15 with wall-compensation ring	chrome white	6554005-00 6554043-00
		KLUDI A-QA wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring	chrome white	6554305-00 6554343-00
Spare parts				
		slider for wall rails and shower-sets with tube-diameter 23 mm	chrome	7486905-00
		slider for wall rails and shower-sets with tube-diameter 23 mm	chrome	7833305-00



Wastes













**Washbasin and
bidet wastes**
210



**Bath and shower
wastes**
215











WASHBASIN AND BIDET WASTES

product		product description	surface	art. no
Basin	 	PUSH-OPEN waste G 1 1/4 lockable plug G 1 1/4 for wash basin with overflow waste flow rate >32 l/min overflow capacity approx 20 l/min	chrome	1042405-00
	 	KLUDI shank valve with waste cap G 1 1/4 for wash basin without overflow not lockable	chrome	1042805-00
	 	shank valve G 1 1/4 with overflow without ball chain and chainholder	chrome	1042705-00
	 	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic white with ball chain and holder	chromium nickel steel	1140235-00
	 	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated	chromium nickel steel	1041135-00








WASHBASIN AND BIDET WASTES

product	product description	surface	art. no
	 <p>design-bow lever G 1 1/4 G 1 1/4 x 32 mm with discharge-tube Ø 32 x 290 mm with push-on rosette diameter 65 mm adjustable drain pipe up to 120 mm with locker for cleaning according to DIN EN 274</p>	chrome	1002005-00
	 <p>bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274</p>	chrome	1010505-00
	 <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274</p>	chrome	1025005-00
	 <p>P-trap G 1 1/4 G 1 1/4 x 32 mm adjustable drain pipe up to 120 mm with bent outlet Ø 32 x 220 mm with wall flange (escutcheon) Ø 80 mm according to DIN EN 274</p>	chrome	1026505-00
	 <p>bottle trap G 1 1/4 G 1 1/4 x 32 mm with universal plug-valve brass with discharge-tube Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274</p>	chrome	1011105-00









WASHBASIN AND BIDET WASTES

product	product description	surface	art. no
	KLUDI place-saving bottle trap with wall flange (escutcheon) Ø 65 mm with bent outlet Ø 32 mm according to DIN EN 274 G 1 1/4 x 32 mm	chrome	1025505-00
	P-trap G 1 1/4 G 1 1/4 x 32 mm with adjustable thread and spout for water drainage G 3/4 with straight inlet with bent outlet Ø 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274	chrome	1036105-00
Bidet 	bidet P - trap G 1 1/4 x 32 mm with bent outlet Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274	chrome	1031105-00
Accessories 	pipe coupling with 2 threads for tube connection with 32 mm diameter	chrome	1043205-00
	adjustable tube hose thread G 3/4 for connection of the drain hose from washing machines G 1 1/4 x 200 mm	chrome	1046205-00







WASHBASIN AND BIDET WASTES

product	product description	surface	art. no
 	extension tube with o-ring for extension of adjustable and outlet pipes Ø 32 x 125 mm	chrome	1049905-00
 	outlet tube straight with flanged rim Ø 32 x 200 mm	chrome	84501605-00
 	outlet tube straight with flanged rim 32 x 250 mm	chrome	84506605-00
 	outlet tube straight with flanged rim Ø 32 x 300 mm	chrome	84502505-00
 	outlet tube straight without edged flange Ø 32 x 300 mm	chrome	84514605-00



WASHBASIN AND BIDET WASTES

product	product description	surface	art. no
	floor tube 90° DN 32 G 1 1/4 x 220 x 680 mm	chrome	84500805-00
	tap rosette G 1/2 height 5 mm	chromium nickel steel	82027235-00
	Plug G 3/8 to seal connections not in use involved with rosette	chrome	7034505-00
	Plug G 1/2 to seal connections not in use involved with rosette	chrome	7034605-00













BATH- AND SHOWER WASTES

product	product description	surface	art. no
Bath 	 KLUDI ROTEXA MULTI filling, waste and overflow trim set flow class C s-pointer aerator M 24 x 1 filling unit with fastening screws and plug with big valve disc noise level I	chrome	7182605-00
	 KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre-installation set for water intake connection G 1/2 incl. sink-kit with attached bottle-trap 2 swivel-joints 50 mm water seal height without trim set noise level I approved acc. to DIN 19545	neutral	2131500-00
	 Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant	neutral	6115000-00
	 cover cap for tube interrupter DN 15 trim set for 1077205-00	chrome	82308505-00
	 KLUDI ROTEXA MULTI pipe interrupter DN 15 pre-installation set with extension protected against back flow DIN-DVGW certified	neutral	1077200-00















BATH- AND SHOWER WASTES

product		product description	surface	art. no
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height	chrome	2140605-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 with bowden cable with flexible overflow tube for fitted dimensions up to 450 mm with valve - head part	chrome	2130005N-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with flexible overflow tube with attached bottle-trap 2 swivel-joints 50 mm water seal height	chrome	2140705-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 with bowden cable with flexible overflow tube for fitted dimensions up to 450 mm with valve - head part	chrome	2140805-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 bowden cable 850 mm long with flexible overflow tube 760 mm for special tubs with attached bottle-trap 2 swivel-joints with valve - head part	chrome	2140905-00



BATH- AND SHOWER WASTES

product		product description	surface	art. no
 	 	KLUDI pop-up and overflow set trim set rosette plate and plug with big valve disc	chrome	7108005-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 pre-installation set with bowden cable for bathtubs and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height according to DIN EN 274	neutral	2108000-00
Shower 		KLUDI TASSO 90 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern	chrome	7137005-00
		KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter with removable bottle trap cleanable approved acc. to DIN 19545/274 approved according to LGA-Bayern	neutral	2109100-00
		KLUDI TASSO 50 pop-up wastes for pre-installation trim set according to DIN EN 274 approved according to LGA-Bayern	chrome	7152005-00



BATH- AND SHOWER WASTES

product	product description	surface	art. no
	 <p>KLUDI TASSO 50 pop-up waste for flat shower tubs waste hole diameter Ø 52 mm with removable bottle trap according to DIN EN 274 approved according to LGA-Bayern</p>	neutral	2152000-00


















Hospital and care



KLUDI MEDICARE
220

















KLUDI MEDI CARE

product		product description	surface	art. no	
Sink			KLUDI MEDI CARE single lever sink mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IIZ spout height lower edge 125 mm	chrome 	349080524
			KLUDI MEDI CARE single lever sink mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IIZ spout height lower edge 125 mm	chrome 	349080534
Basin			KLUDI MEDI CARE single lever basin mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IIZ spout height lower edge 95 mm	chrome 	341150524
			KLUDI MEDI CARE single lever basin mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IIZ spout height lower edge 95 mm	chrome 	341120524
			KLUDI MEDI CARE single lever basin mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IIZ spout height lower edge 95 mm	chrome 	341130524













KLUDI MEDI CARE

product	product description	surface	art. no
 	KLUDI MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IIZ spout height lower edge 95 mm	chrome 	341120534
 	KLUDI MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IIZ spout height lower edge 95 mm	chrome 	341130534
 	KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections projection 180 mm PA-IX 9573/IZ	chrome 	349220524
 	KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 245 mm s-connections PA-IX 9573/IZ	chrome 	349220524
 	KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 250 mm lockable S-connections PA-IX 9574/IZ	chrome 	349210524











KLUDI MEDI CARE

product	product description	surface	art. no
 	KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle Ø8 = handle Terralux metal	chrome	320040508
Bath  	KLUDI MEDI CARE thermostatic hospital mixer DN 15 wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 temperature control handle hot water safety device 40 °C clinic lever shut-off valve dirt catcher sieves lockable S-connections PA-IX 9022/IZ	chrome 	350850564
Shower  	KLUDI MEDI CARE thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C Suitable for thermal disinfection unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow flow class B dirt catcher sieves lockable S-connections P-IX 8049/IB	chrome 	353300538
 	KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles length of handle: 90° = 250 mm, 135° = 300 mm, left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts	chrome	6150205-00






KLUDI MEDI CARE

product	product description	surface	art. no
	 <p>KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles (length of handle 250 mm und 90° angle), left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts</p>	chrome	6150305-00
	 <p>KLUDI SIRENA CARE barrier free bathtub holder length of handle 250 and 300 mm, horizontal and 45° angle 50 mm projection fastening set with special dowels</p>	chrome	6150505-00
	 <p>KLUDI SIRENA CARE barrier free bathtub holder length of handle 300 mm 50 mm projection fastening set with special dowels</p>	chrome	6150605-00
Accessories 	 <p>KLUDI place-saving bottle trap with wall flange (escutcheon) Ø 65 mm with bent outlet Ø 32 mm according to DIN EN 274 G 1 1/4 x 32 mm</p>	chrome	1025505-00



KLUDI MEDI CARE

product	product description	surface	art. no
Spare parts	KLUDI MEDI CARE clinic lever	chrome	7694305-00
			
	KLUDI MEDI CARE care lever	chrome	7694205-00
	KLUDI MEDI CARE clinic lever	chrome	7563805-00



Kitchen fittings



KLUDI E-GO
226



KLUDI STEEL
228



KLUDI L STEEL
229



KLUDI MX
230



KLUDI L-INE
233



KLUDI L-INE S
235



KLUDI BINGO STAR
236



KLUDI BINGO STAR XS
238



KLUDI BOZZ
239



KLUDI ZENTA
240



KLUDI OBJEKTA
241



KLUDI TRENDO
243



KLUDI SCOPE
235



KLUDI LOGO NEO
247



KLUDI STANDARD
249


















KLUDI E-GO

product	product description	surface	art. no
Sink 	 <p>KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted caché-aerator M 21,5 x 1 ceramic cartridge with hot water limitation Flow rate manual operation 10,5 l/min at 3 bar Flow rate electronic release approx. 5,0 l/min at 3 bar adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electric power supply via 230 V main adapter with magnet-cartridge-valve swivelling spout (360°) backflow preventer with dirt trap screens with optional hygienic flushing every 12 or 24 hours rapid installation set flexible hoses G 3/8 noise level I</p>	chrome  	422000575
	 <p>KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted caché-aerator M 21,5 x 1 ceramic cartridge with hot water limitation Flow rate manual operation 10,5 l/min at 3 bar Flow rate electronic release approx. 5,0 l/min at 3 bar adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electronic unit with battery control device 6 V lithium battery CR-P2 with magnet-cartridge-valve swivelling spout (360°) backflow preventer with dirt trap screens with optional hygienic flushing every 12 or 24 hours rapid installation set flexible hoses G 3/8 noise level I</p>	chrome  	422100575









KLUDI E-GO

product	product description	surface	art. no
 	KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted caché-aerator M 16,5 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation Flow rate manual operation 8,1 l/min at 3 bar Flow rate electronic release approx. 4,1 l/min at 3 bar swivelling spout (360°) removable mouthpiece adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electric power supply via 230 V main adapter with magnet-cartridge-valve backflow preventer with dirt trap screens protected against back flow with optional hygienic flushing every 12 or 24 hours rapid installation set flexible hoses G 3/8	chrome     	422050575
 	KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted caché-aerator M 16,5 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation Flow rate manual operation 8,1 l/min at 3 bar Flow rate electronic release approx. 4,1 l/min at 3 bar swivelling spout (360°) removable mouthpiece adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electronic unit with battery control device 6 V lithium battery CR-P2 with magnet-cartridge-valve backflow preventer with dirt trap screens protected against back flow with optional hygienic flushing every 12 or 24 hours rapid installation set flexible hoses G 3/8	chrome     	422150575
Spare parts 	KLUDI E-GO lever for single lever sink mixer 42200, 42205, 42210, 42215	chrome	7489505-00



KLUDI STEEL


















product	product description		surface	art. no
Sink 		KLUDI STEEL single lever sink mixer DN 15 solid lever material: stainless steel single hole mounted flow regulator M 24 x 1 flow rate 12,7 l/min at 3 bar ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 with shank fastening	stainless steel brushed	44850F860
		KLUDI STEEL single lever sink mixer DN 15 with pull-out hand spray solid lever material: stainless steel single hole mounted flow regulator M 18 x 1 flow rate 8,1 l/min at 3 bar swivelling spout (110°) ceramic cartridge with hot water limitation automatic diverter: shower/spray protected against back flow flexible hoses G 3/8 with shank fastening	stainless steel brushed  	44851F860



Kitchen fittings





















KLUDI MX

product		product description	surface	art. no
Sink				
		KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 18638/1A	chrome mocca/chrome white/chrome	399040562 399048262 399049262
		KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters P-IX 18641/I	chrome  	399050562
		KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 PA-IX 18645/1A	chrome mocca/chrome white/chrome 	399060562 399068262 399069262
		KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 for use with displacement heaters PA-IX 18646/I	chrome   	399070562
		KLUDI MX single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) with shank fastening for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 P-IX 18638/1A	chrome 	399340562




KLUDI MX

product	product description	surface	art. no
	 <p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray protected against back flow copper tubes 10 mm P-IX 18643/IAO</p>	chrome mocca/chrome white/chrome   	399410562 399418262 399419262
	 <p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray for use with displacement heaters copper tube 8/10 mm P-IX 18644/I</p>	chrome    	399420562
	 <p>KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray one connection for washing machine or dishwasher protected against back flow copper tubes 10 mm PA-IX 18642/IAO</p>	chrome mocca/chrome white/chrome    	399450562 399458262 399459262
Spare parts	 <p>KLUDI kitchen showers automatic diverter: shower/spray s-pointer aerator M 24 x 1 flow class A for 33941, 33945, 39941, 39945</p>	chrome mocca white	7403005-00 7403019-00 7403036-00


















KLUDI MX

product	product description	surface	art. no
	KLUDI kitchen showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min for 33942, 33947, 39942	chrome	7811905-00
	KLUDI MX lever for single lever sink mixer 39904, 39905, 39906, 39907, 39934, 39941, 39942, 39945	chrome mocca white	7488405-00 7488419-00 7488436-00







KLUDI L-INE

product		product description	surface	art. no
Sink			KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I	chrome  428140577
			KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters	chrome   428190577
			KLUDI L-INE multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8 noise level I	chrome   428160577
			KLUDI L-INE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8 noise level I	chrome   428170577
			KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow class Z caché Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (220°), pull-out telescopic spout with horizontal guidance (245 – 315 mm) protected against back flow with shank fastening flexible hoses G 3/8 noise level I	chrome    428210577










KLUDI L-INE

product	product description	surface	art. no
 	KLUDI L-INE single lever sink mixer DN 15 solid lever two hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I	chrome 	428540577
Spare parts 	KLUDI BOZZ/L-INE lever for single lever sink mixer 42814, 42816, 42817, 42819, 42821, 42853, 42854	chrome	7489205-00























KLUDI L-INE S

product	product description		surface	art. no	
Sink			KLUDI L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge Laminar-flow regulator M 18 x 1 flow rate 7,1 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 with shank fastening	chrome 	408030575
			KLUDI L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge flow regulator M 16 x 1 flow rate 8,2 l/min at 3 bar swivelling (360°) pull-out spout protected against back flow flexible hoses G 3/8 with shank fastening	chrome matt white/ chrome matt black/ chrome  	408510575 408519375 408518775

















KLUDI BINGO STAR

product		product description	surface	art. no
Sink		KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 9772/IO	chrome stainless steel look 	428030578 428039678
				
		KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters	chrome stainless steel look  	428090578 428099678
				
		KLUDI BINGO STAR multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dish- washer rapid installation set flexible hoses G 3/8	chrome  	428360578
				
		KLUDI BINGO STAR single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 for installation beneath windows remaining socket height: 25 mm	chrome stainless steel look  	428570578 428579678
				
		KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling (230°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome stainless steel look   	428510578 428519678
				










KLUDI BINGO STAR

product	product description	surface	art. no
 	KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z pull-out hand spray automatic diverter: shower/spray ceramic cartridge with hot water limitation swivelling spout (230°) with shank fastening flexible hoses G 3/8 protected against back flow	chrome   	428520578
 	KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivel (360°) – removable spout protected against back flow rapid installation set flexible hoses G 3/8 noise level I	chrome  	428590578
 	KLUDI BINGO STAR 200 single lever sink mixer DN 15 semi-profi version solid lever single hole mounted flow class A cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling (220°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome  	428550578
Spare parts 	KLUDI BINGO STAR lever for single lever sink mixer 42803, 42809, 42836, 42857, 42851, 42852, 42855, 42859	chrome stainless steel look	7303805-00 7303896-00











KLUDI BINGO STAR XS

product		product description	surface	art. no
Sink			KLUDI BINGO STAR XS single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge swivelling spout (360°) rapid installation set flexible hoses G 3/8	chrome  468030578
			KLUDI BINGO STAR XS single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge swivelling (360°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome matt white/ chrome matt black/ chrome   468510578 468519378 468518778












KLUDI BOZZ

product		product description	surface	art. no
Sink	 	KLUDI BOZZ single lever sink mixer DN 15 solid lever single hole mounted flow class A PCA caché-laminar-flow-regulator M 21,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set P-IX 9772/10	chrome	428030576
	 	KLUDI BOZZ single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling (230°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome   	428510576
Spare parts		KLUDI BOZZ/L-INE lever for single lever sink mixer 42814, 42816, 42817, 42819, 42821, 42853, 42854	chrome	7489205-00




















KLUDI ZENTA

product		product description	surface	art. no
Sink			KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge swivelling spout (360°) flexible hoses G 3/8 noise level I	chrome black/chrome white/chrome 389730575 389738675 389739175
			KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I	chrome   389790575
Spare parts		KLUDI ZENTA lever for single lever sink mixer for 38973, 38979	chrome black/chrome white/chrome stainless steel look	7487205-00 7487286-00 7487291-00 7487296-00
			KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38973, 38979	chrome 92069905-00




















KLUDI OBJEKTA

product		product description	surface	art. no
Sink			KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 rapid installation set	chrome 325740575
			KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) flexible hoses G 3/8 rapid installation set for use with displacement heaters	chrome   325750575
			KLUDI OBJEKTA multi single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	chrome  325760575
			KLUDI OBJEKTA multi single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8 for use with displacement heaters	chrome    325770575
			KLUDI OBJEKTA single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome  325780575

242













KLUDI TREND

product		product description	surface	art. no
Sink			KLUDI TREND single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) flexible hoses G 3/8 rapid installation set G 3/8	chrome 335740575
			KLUDI TREND single lever sink mixer DN 15 solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters	chrome   335750575
			KLUDI TREND multi single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	chrome  335760575
			KLUDI TREND multi single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8 for use with displacement heaters	chrome    335770575
			KLUDI TREND single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome  335780575

















KLUDI TRENDO

product	product description	surface	art. no
 	KLUDI TRENDO multi single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome  	335790575
 	KLUDI TRENDO single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 16,5 x 1 flow class Z swivelling (110°), pull-out hand shower automatic diverter: shower/spray protected against back flow copper tubes 10 mm with shank fastening	chrome  	335810575
Spare parts 	KLUDI TRENDO pull-out hand spray	chrome stainless steel look	7451805-00 7451896-00
	KLUDI TRENDO lever for single lever sink mixer 33574, 33575, 33576, 33577, 33578, 33579, 33581	chrome stainless steel look	7301805-00 7301896-00










KLUDI SCOPE

product		product description	surface	art. no
Sink		 <p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/IO</p>	chrome	339330575
		 <p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19451/I</p>	chrome  	339390575
		 <p>KLUDI SCOPE XL single lever sink mixer DN 15 solid lever single hole mounted flow class A caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/IO</p>	chrome	339300575
		 <p>KLUDI SCOPE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class A caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 noise level I P-IX 19449/IO</p>	chrome 	339380575
		 <p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout protected against back flow with shank fastening copper tubes 10 mm noise level I</p>	chrome 	339310575















KLUDI SCOPE

product	product description	surface	art. no
 	KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout with shank fastening copper tube 8 mm for use with displacement heaters	chrome   	339320575
Spare parts 	KLUDI SCOPE spout	chrome	7501005-00
	KLUDI SCOPE lever for single lever sink mixer 33933, 33939, 33930, 33938	chrome	7842105-00



KLUDI LOGO NEO

product		product description	surface	art. no
Sink		 <p>KLUDI LOGO NEO single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I PA-IX 7526/IA</p>	chrome	379130575
		 <p>KLUDI LOGO NEO single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I PA-IX 7527/I</p>	chrome  	379190575
		 <p>KLUDI LOGO NEO wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) G 3/4 x 200 mm s-connections noise level I</p>	chrome	379240575
		 <p>KLUDI LOGO NEO wall mounted single lever sink mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) 200 mm s-connections G 1/2 x G 1/2 noise level I</p>	chrome	379140575
Accessories		 <p>extension for single lever sink mixer 389130575/389190575 379130575/379190575 389630575/389590575</p>	chrome	7676005-00


















KLUDI LOGO NEO

product	product description	surface	art. no
Spare parts 	KLUDI LOGO NEO lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290	chrome	7495005-00

















KLUDI STANDARD

product		product description	surface	art. no
Sink			KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 copper tubes 10 mm PA-IX 3105/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic	chrome 316230515
			KLUDI STANDARD multi sink mixer DN 15 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 one connection for washing machine or dishwasher copper tubes 10 mm PA-IX 3102/IA handle 15 = handle Terralux plastic	chrome  317100515
			KLUDI STANDARD multi sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 one connection for washing machine or dish- washer for use with displacement heaters copper tube 8/10 mm PA-IX 7727/I handle 15 = handle Terralux plastic	chrome    317300515
			KLUDI STANDARD multi sink mixer DN 15 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 two connections for washing machine and dishwasher copper tubes 10 mm PA-IX 3664/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic	chrome  317110515
			KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic	chrome 316580515













KLUDI STANDARD

product	product description	surface	art. no
 	KLUDI STANDARD sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8571/I handle 15 = handle Terralux plastic	chrome  	319210515
 	KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 15 = handle Terralux plastic	chrome	316560515
 	KLUDI STANDARD sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8571/I handle 15 = handle Terralux plastic	chrome  	319200515
 	KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	310520508 310520515
 	KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	310530508 310530515












KLUDI STANDARD

product		product description	surface	art. no
		KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal	chrome	310550508
		special wall mounted sink mixer DN 15 wall fastening swivelling tube spout (360°) distance from center to center 45 mm flow class A aerator M 22 x 1 P-IX 4085/IIA handle 15 = handle Terralux plastic	chrome	314530515
		KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 2524/IA handle 15 = handle Terralux plastic	chrome	304050515
		KLUDI STANDARD bibcock DN 15 flow class A aerator M 22 x 1 marking: blue/red P-IX 2585/IA handle 15 = handle Terralux plastic	chrome	300150515
		KLUDI STANDARD bibcock DN 15 wall fastening spout fitting G 3/4 marking: blue/red handle 08 = handle Terralux metal	chrome	300250508








KLUDI STANDARD

product		product description	surface	art. no
Spare parts				
		KLUDI STANDARD handle 08 handle Terralux metal marking: blue	chrome	7542105-00
		KLUDI STANDARD handle 08 handle Terralux metal marking: red	chrome	7542205-00
		KLUDI STANDARD handle 15 handle Terralux plastic marking: blue	chrome	7636005-00
		KLUDI STANDARD handle 15 handle Terralux plastic marking: red	chrome	7636105-00
		Swivelling casted spout with grub screw fixing projection 200 mm aerator M 24 x 1/1A for Standard Multi mixer	chrome	7540705-00






KLUDI STANDARD

product	product description	surface	art. no
	Swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for Standard Multi mixer for low pressure mixer	chrome	7540805-00
	Swivelling casted spout with grub screw fixing projection 200 mm aerator M 24 x 1/1A for mixer 31623	chrome	7540905-00
	Swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for mixer 31911	chrome	7541005-00
	HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing aerator M 22 x 1/A	chrome	7540405-00
	HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing with flow aerator M 22 x 1/ND for low pressure mixer	chrome	7540605-00



KLUDI STANDARD

product	product description	surface	art. no
	HU tube spout 200 mm turnable aerator M 22 x 1/IA with swivel nut G 3/4 for 31656, 31657, 31658	chrome	7541305-00
	HU tube spout 200 mm turnable with flow aerator M 22 x 1/ND with swivel nut G 3/4 for low pressure mixer 31901, 31919, 31921	chrome	7541805-00
	s-spout G 3/4 x 150 mm	chrome	7556705-00



Spare parts and accessories



Cartridge navigator
256



Gasket kit navigator
258















Spare parts and accessories
260



Cartridge navigator

Are you looking for the right cartridge for a fitting?
The Cartridge Navigator will give you the answer. A dot indicates the standard cartridge for the relevant range. Products with other cartridges are listed in the table with their article number.











Bathroom	High pressure								Low pressure			
Article number	7486800-00	7661900-00	7560500-00	7494700-00	7560700-00	7565400-00	7685600-00	7459800-00	7520100-00	7436600-00	7480500-00	7412900-00
Cartridge size	K25	K28	K35	KJ35	K36	K36C	K41	K41	K46	KK46	K35	K41
												
KLUDI AMBA		•					•					
KLUDI AMEO					•							
KLUDI BALANCE			•				•					
KLUDI BINGO STAR			•									
KLUDI BOZZ			•		•						•	
KLUDI E2		•					•					
KLUDI FLEXX.BOXX 88077/88075 and trim set for 88011							•					
KLUDI LOGO NEO	•		•		•	•					•	
KLUDI MEDI CARE										•		
KLUDI MX							•					•
KLUDI OBJEKTA	•		•				•				•	
KLUDI O-CEAN			•	•	•		•					
KLUDI PROVITA								•				
KLUDI PURE&EASY					•		•					
KLUDI PURE&SOLID					•		•					
KLUDI PURE&STYLE					•		•					
KLUDI ZENTA SL					•	•	•					
KLUDI ZENTA			•		•	•	•				•	



Kitchen

High pressure

Low pressure

Article number	7486800-00	7560500-00	7560700-00	7685600-00	7475000-00	7520100-00	7367500-00	7302600-00	7480500-00	7412900-00
Cartridge size	K25	K35	K36	K41	K40	K46	K35a	K25	K35	K41
										
KLUDI BINGO STAR		•							•	
KLUDI BINGO STAR XS		•							•	
KLUDI BOZZ		•								
KLUDI E-GO					•					
KLUDI L-INE		•							•	
KLUDI L-INE S	•									
KLUDI LOGO NEO		•							•	
KLUDI MX				•						•
KLUDI OBJEKTA		•		•					•	
KLUDI SCOPE		•							•	
KLUDI STEEL							•			
KLUDI L STEEL							•			
KLUDI TANGENTA		•								
KLUDI TREND STAR		•							•	
KLUDI ZENTA	•		•					•		



Gasket kit navigator

Are you looking for the right gasket kit for a KLUDI kitchen fitting? The Gasket kit Navigator will give you the answer. And this is how it works: choose the article number for the relevant kitchen mixer in the vertical column.






The mixer tap marked with a dot indicates the matching gasket kit.

GASKET KIT					
	Article number	7425300-00	7301900-00	7316700-00	7317800-00
KLUDI 1926	516060520				
	516000520				
KLUDI BINGO STAR	428030578		•		
	428090578		•		
	428360578		•		
	428570578		•		
KLUDI BINGO STAR XS	468030578		•		
	468510578		•		
KLUDI KOMET	337940562				
	337950562				
	337960562				
	337970562				
	337980562				
	337930562				
	337990562				
	337910562				
KLUDI LOGO NEO	379130575				
	379190575				
KLUDI MEDI CARE	349080524				
	341130524				
	349220524				
	349250524				
	349080534				
	349200524				
	349240524				
	349230524				
KLUDI MX	399040562				
	399050562				
	399060562				
	399070562				
	399340562				
	399410562				
	399420562				
	399450562				
KLUDI OBJEKTA	338830575				
MIX NEW	338890575				
	337610575				
KLUDI SCOPE	339330575				
	339390575				
	339300575				
	339380575				
	339310575				
KLUDI TANGENTA	339320575				
	44904F875			•	
	44991F875				•
KLUDI TREND STAR	44941F875				•
	339740575				
	339750575				
	339760575				
	339770575				
	339810575				
KLUDI ZENTA	339780575				
	339790575				
	389730575				
	389790575				

[illegible]








SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
Spare parts 	gasket kit kitchen mixers series KLUDI MIX / KLUDI OBJEKTA till 12/2002	neutral	7531200-00
	gasket kit kitchen mixers series KLUDI TRENDO STAR/KLUDI KLUDI OBJEKTA MIX NEW	neutral	7432900-00
	gasket kit kitchen mixers series KLUDI MIX from 01/2003	neutral	7683700-00
	gasket kit kitchen mixers series KLUDI KOMET / KLUDI TRENDO	neutral	7548400-00
	gasket kit kitchen mixers series KLUDI LOGO	neutral	7599700-00








SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	gasket kit kitchen mixers series KLUDI MX	neutral	7812200-00
	Classical lift-cone headpart G 3/8 with handle Terralux plastic marking: blue according to DIN EN 200	chrome	110010515
	Classical lift-cone headpart G 3/8 with handle Terralux plastic marking: red according to DIN EN 200	chrome	110020515
	Classical lift-cone headpart G 1/2 with handle Terralux plastic marking: blue/red according to DIN EN 200	chrome	111030515
	Classical lift-cone headpart G 1/2 with handle Terralux metal marking: blue according to DIN EN 200	chrome	110030508



SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	Classical lift-cone headpart G 1/2 with handle Terralux metal marking: red according to DIN EN 200	chrome	110040508
	Classical lift-cone headpart G 1/2 according to DIN EN 200	neutral	7521800-00
	ceramic headpart G 1/2 with ceramic discs 90° right-locking according to DIN EN 200	neutral	7505400-00
	ceramic headpart G 1/2 with ceramic discs 90° left-locking according to DIN EN 200	neutral	7505500-00
	ceramic headpart G 3/8 90° right-locking	neutral	7444000-00













SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	ceramic headpart G 3/8 90° left-locking	neutral	7444100-00
	ceramic-headpart G 1/2 x 180°	neutral	7502500-00
	Classical lift-cone headpart G 1/2 for concealed valves DN 15 according to DIN EN 200	neutral	7557000-00
	Classical lift-cone headpart G 3/4 for concealed valves DN 20 according to DIN EN 200	neutral	7557100-00
	head part G 3/8 according to DIN EN 200	neutral	7552600-00













SPARE PARTS UND ACCESSORIES

product		product description	surface	art. no
		cartridge 46 mm with ceramic discs for compression- and depressurized fittings according to DIN EN 817	neutral	7520100-00
		cartridge 46 mm ECO with ceramic discs with pre-adjustable hot water limitation flow rate and hot-water notch according to DIN EN 817	neutral	7640000-00
		cartridge 41 mm with ceramic discs according to DIN EN 817	neutral	7685600-00
		cartridge 41 mm with ceramic discs for low pressure mixer according to DIN EN 817	neutral	7412900-00
		cartridge 41 mm for clinic fittings with ceramic discs according to DIN EN 817	neutral	7459800-00













SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
 	cartridge 35 mm with ceramic discs for compression fittings according to DIN EN 817	neutral	7560500-00
 	control unit K 35 mm with ceramic discs for low pressure mixers according to DIN EN 817	neutral	7480500-00
 	cartridge 36 mm with ceramic discs for compression fittings according to DIN EN 817	neutral	7560700-00
 	control unit K 36 mm with ceramic discs for low pressure mixer according to DIN EN 817	neutral	7581000-00
 	cartridge 25 mm with ceramic discs according to DIN EN 817	neutral	7486800-00













SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
 	KLUDI E-GO cartridge 40 mm	neutral	7475000-00
 	cartridge for single lever mixer KLUDI MEDI CARE with coupling	neutral	7436600-00
 	KLUDI O-CEAN joystick ceramic cartridge with ceramic discs according to DIN EN 817	neutral	7494700-00
 	cartridge 28 mm with ceramic discs according to DIN EN 817	neutral	7661900-00
 	temperature control unit for wall mounted thermostat 35200, 35205, 35260, 35400, 35401, 57420, according to DIN EN 1111	neutral	7672900-00








SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
 	temperature control unit for concealed thermostatic mixer (spare part for 7587000-00) 35156, 35158, KLUDI FLEXX.BOX 88066, according to DIN EN 1111	neutral	7480900-00
 	temperature control unit Thermostat S 25 according to DIN EN 1111	neutral	7639000-00
 	temperature control unit for concealed thermostat G 3/4 according to DIN EN 1111	neutral	7492700-00
 	temperature control unit for Klinik thermostatic mixer 35085	neutral	7526300-00
 	temperature control unit for wall mounted thermostat 35100, 35101 according to DIN EN 1111	neutral	7447000-00



SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	kitchen showers automatic diverter: shower/spray cascade aerator M 24 x 1 flow class A 33901, 33955, 31834, 31738	chrome	7506805-00
	kitchen showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min 33902, 33957, 31923, 31745	chrome	7566705-00
Accessories 	s-pointer aerator male thread M 24 x 1A swivelling spray insert flow 13 l/min at 3 bar	chrome	7437005-00
	s-pointer eco-aerator male thread M 24 x 1Z swivelling spray insert flow rate 7,5 - 9,0 l/min at 3 bar	chrome	7483905-00
	flow regulator male thread M 24 x 1 ND for low pressure mixer	chrome	7520505-00








SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	cascade aerator male thread M 24 x 1A flow 13 l/min at 3 bar	chrome	7641605-00
	PCA s-pointer aerator M 24 x 1 male thread M 24 x 1A flow rate 6 l/min	chrome	7339005-00
	ball joint for bidet mixer without aerator M 24 x 1A outside screw thread	chrome	7537505-00
	pop-up waste G 1 1/4 for basin-/bidet mixers complete chrome plated	chrome	7526005-00
	s-connection G 1/2 x G 3/4 with shut-off and push-on rosette	chrome	7589505-00



SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	s-connections G 1/2 x G 3/4		7655204-00
	installation wrench for cartridge 7520100-00 from 09/2005	neutral	92907300-00
	clamping screw wrench for cartridge 7520100-00 till 08/2005	neutral	92903200-00
	clamping screw wrench for cartridge 7560500-00	neutral	92907700-00
	clamping screw wrench for cartridge 7685600-00	neutral	92912800-00



SPARE PARTS UND ACCESSORIES

product	product description	surface	art. no
	KLUDI WAGA / KLUDI ROTEXA installation wrench pop-up wastes for pre-installation	neutral	83027400-00
	KLUDI TASSO 90 (21095), KLUDI TASSO 50, KLUDI TASSO PLUS installation wrench for pre-installation	neutral	83028800-00
	KLUDI Universal fitting wrench for aerator M 18 x 1, M 22 x 1, M 24 x 1, M 28 x 1, M 16,5 x 1 Caché® TT, Caché® TJ, Caché® TF, Caché® JR, Caché® STD	neutral	7488300-00
	KLUDI caché-aerator male thread M 16,5 x 1Z flow rate 8,4 l/min at 3 bar	neutral	7426600-00



General Terms and Conditions of Sale of Kludi GmbH & Co. KG

Article 1 General – Scope

- (1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co. KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their application.

These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation.

If the ordering party accepts services/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale.

- (2) All agreements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the respective contract. The respective contract document shall be presumed to be complete and accurate.

Where there exist between Kludi and the ordering party other unilateral or multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly agreed.

- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis companies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases.

Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party.

Verbal information shall not be binding, unless an explicit agreement has been made to the contrary.

Article 3 Quotation, quotation documents

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB), Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement. The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation.
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any time.
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute quality specifications or possible uses of the goods supplied by Kludi. Specifications from Kludi shall not constitute guarantees of shelf life or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the intended use.
- (5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estimates and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned provisions of this Para. 5 shall in particular apply to written documents marked „confidential“; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

Article 4 Prices, payment conditions

- (1) Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply „ex works“ and exclusive of packaging and transportation; the latter will be invoiced separately.
- (2) The statutory value-added tax is not included in the prices; it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the

Agreement on the European Economic Area shall be subject to an agreed carriage-paid limit of Euro 750.00 per individual order, and a small-quantity surcharge of Euro 6.00 for individual orders with a value under Euro 50.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.

For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South America and North America, a carriage-paid limit of EURO 500.00 shall apply per individual order, and a small-quantity surcharge of EURO 500.00 for individual orders with a value under EURO 500.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.

- (4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days after the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchase price within 10 days after the invoice date, an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- (5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para. 1, Para. 2 of the German Civil Code (BGB)). If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly reserved.
In the case of bilateral commercial transactions, Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.
- (6) In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further deliveries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention where the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim derives from the same contractual relationship. Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be entitled first to offset the payment against the cost, then against the interest, and finally against the principal demand.
- (8) All customs duties, taxes, levies etc. incurred outside the Federal Republic of Germany shall be paid by the ordering party.

Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly agreed. The delivery time specified by Kludi shall only begin after all technical questions have been clarified and Kludi has given an additional explicit delivery time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- (2) Compliance with delivery obligations on the part of Kludi shall furthermore be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of all documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by suppliers).
- (4) Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party. It shall be permitted for partial deliveries to be invoiced separately.
- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensation of any losses incurred by Kludi as a result, including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment.
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the



meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB). Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract. Subject to proper and timely deliveries by sub-suppliers.

- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contract for which Kludi is responsible, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lump-sum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.
- (11) The limitations/exclusions of liability described in Para. 7-10 of this Article shall not apply in the event of death, injury or damage to health.

Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation, the delivery shall be agreed as „ex works“. The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accepted; this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate inspection of the goods required by Article 377 of the German Commercial Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no longer be entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as follows:

- (1) Claims for defects shall not exist in cases of only minor deviation from the agreed quality or – in the absence of an agreement – from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, incorrect installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract, or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences. Incorrect use, in relation to which no claims for compensation of defects shall be possible, shall in particular include the installation of the object of purchase or parts thereof in other products, or the installation of third-party components into the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative has explicitly been agreed.
- (2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance).
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a reasonable period.
- (4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispensable because
 - a) the supplementary performance is conclusively rejected by Kludi,

b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or

- c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be entitled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in conjunction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure.
- (5) The expenditures required for the purpose of supplementary performance, and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.
- (6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process.
- (7) The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.
- (8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period; the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee, or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.
The statutory regulations regarding suspension of expiry, suspension, and commencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product, the warranty period shall however end at the time when it would have ended for the defective product.
- (9) Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspondingly.
- (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

Article 8 Returns

- (1) Returns of the purchased product shall be excluded, except in cases under Article 7.
- (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward.
- (3) If in individual cases and after prior explicit agreement Kludi exceptionally agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the goods.
- (4) The ordering party shall bear the transportation risk and transport costs.

Article 9 Retention of title

- (1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If there are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods.
- (2) Processing of the ROT goods shall take place on behalf of Kludi as the manufacturer in the meaning of Article 950 of the German Civil Code (BGB), without obligation for Kludi. The processed goods shall constitute ROT goods in the meaning of Para. 1. Where the ROT goods are processed, aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the other goods used. If the title of Kludi lapses upon aggregation or mixing, the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in safekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.
- (3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code



(BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.

- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the purchase price for his customer, he shall be obliged to retain the title to the ROT goods under the same conditions as Kludi has retained the title to the delivery of the ROT goods. The ordering party shall however not be obliged to also retain the title in relation to the receivables to which he will be entitled from his customer in future. Resale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. Kludi themselves shall also be entitled to notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.
- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

Article 10 Use of image data, text, videos, and/or other print and digital media

- (1) The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user:
 - a) The brand name „Kludi“ must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
 - b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the right to make further specifications.

c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.

d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website www.kludi.com.

e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.

f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.

g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.

- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format:
© KLUDI GmbH & Co. KG, Menden, Germany
- (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.
- (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

Article 11 Compensation of damages / exclusion of liability

- (1) Any claims by the ordering party for compensation of damage – for whatever legal reason – shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of non-compliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

Article 12 Applicable law, jurisdiction, place of fulfilment

- (1) Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015



99202242103/V0/01/21

Kludi GmbH & Co. KG
P.O. Box 25 60 · 58685 Menden
Am Vogelsang 31–33 · 58706 Menden
Germany

T +49 2373 904-193
F +49 2373 904-540
E international-sales@kludi.com