

Catalogue 2017

Flow rate classes

Z ≤ 9,0 l/min

A ≤ 15,0 l/min

S ≤ 20,0 l/min

B ≤ 25,0 l/min

C ≤ 30,0 l/min

D ≤ 38,0 l/min

max. flow rate at flow pressure of 3 bar

Certifications



DIN EN ISO
9001: 2008



SVGW



DIN EN 274



WaterMark



DVGW



WRAS



Australian
Standard



kiwa

Pictograms

You will find a detailed explanation of our pictograms on the back of this flap.

See overleaf...



Contents

Technology Navigator	4
Surfaces	8
List of article numbers	10
General Terms and Conditions of Sale	287

Bathroom ranges

Fittings	
KLUDI ADLON	23
JOOP!	30
KLUDI AMBA	38
KLUDI E2	44
KLUDI BALANCE	
KLUDI BALANCE WHITE	49
KLUDI Q-BEO	57
KLUDI MX	61
KLUDI AMEO	65
KLUDI O-CEAN	71
KLUDI BINGO STAR	74
KLUDI BOZZ	75
KLUDI ZENTA	
KLUDI ZENTA BLACK & WHITE	81
KLUDI OBJEKTA	92
KLUDI LOGO NEO	97
KLUDI TERCIO	101
KLUDI STANDARD	104
KLUDI PUSH	111
Pre-installation sets	113

Electronic Fittings

KLUDI BALANCE E	49
KLUDI ZENTA E	82

Thermostat

THERMOSTAT SURFACE-MOUNTED	125
KLUDI PUSH	127
THERMOSTAT CONCEALED	128

Bathroom accessories

JOOP!	135
KLUDI AMBA	138
KLUDI E2	140
KLUDI A-XES	143

Furniture and ceramic

KLUDI PLUS	151
------------	-----

Showers

KLUDI ADLON	157
JOOP!	158
KLUDI Q-BEO	159
KLUDI FIZZ	160
KLUDI FRESHLINE	164
KLUDI A-QA	167

KLUDI ZENTA	179
KLUDI LOGO	183
Shower systems	189
Special showers	194
Shower hoses	198
Accessories for all shower ranges	200

Wastes

Washbasin- and bidet wastes	207
Bath- and shower wastes	213

Hospital and care

KLUDI LOGO NEO CARE	98
KLUDI MEDI CARE	223
KLUDI PROVITA	229

Kitchen ranges

Fittings

KLUDI ADLON	237
JOOP!	238
KLUDI E-GO	239
KLUDI TANGENTA	241
KLUDI MX	242
KLUDI L-INE	244
KLUDI L-INE S	246
KLUDI BINGO STAR	247
KLUDI BOZZ	249
KLUDI ZENTA	
KLUDI ZENTA BLACK & WHITE	250
KLUDI OBJEKTA	251
KLUDI KOMET	253
KLUDI TREND0	255
KLUDI SCOPE	257
KLUDI LOGO NEO	259
KLUDI TERCIO	260
KLUDI STANDARD	261
Kitchen accessories	268

Spare parts and accessories























Cartridge Navigator	272
Gasket kit Navigator	274
Spare parts and accessories	276







Technology Navigator

Are you looking for a KLUDI bathroom fitting to meet specific technical requirements?

Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance.

And this is how it works: for example, to find a bathroom fitting with s-pointer that will save water, watch out for the dot in the columns below both the relevant pictograms. This indicates: the KLUDI AMBA line has this fitting in its range

Bath-room		   	 230 V    	   	 230 V   	 		
KLUDI ADLON								
KLUDI AMBA							•	•
KLUDI AMEO							•	
KLUDI A-QA							•	
KLUDI BALANCE		•	•	•	•			
KLUDI BINGO STAR							•	
KLUDI BOZZ	•						•	
KLUDI E2							•	
KLUDI FIZZ								
JOOP!							•	
KLUDI LOGO								
KLUDI LOGO NEO	•						•	
KLUDI MEDI CARE							•	
KLUDI MX							•	•
KLUDI OBJEKTA	•						•	
KLUDI O-CEAN							•	
KLUDI PROVITA							•	
KLUDI PUSH								
KLUDI Q-BEO							•	•
KLUDI STANDARD								
KLUDI TERCIO	•						•	
KLUDI ZENTA				•	•	•	•	

						
KLUDI ADLON				●		
KLUDI AMBA	●		●	●		
KLUDI AMEO	●		●	●		
KLUDI A-QA		●		●	●	●
KLUDI BALANCE	●		●	●		
KLUDI BINGO STAR						
KLUDI BOZZ	●		●	●		
KLUDI E2	●		●	●		
KLUDI FIZZ				●	●	●
JOOP!				●		
KLUDI LOGO						●
KLUDI LOGO NEO	●		●			
KLUDI MEDI CARE				●		
KLUDI MX	●		●	●		
KLUDI OBJEKTA	●		●	●		
KLUDI O-CEAN	●		●	●		
KLUDI PROVITA				●		
KLUDI PUSH				●		
KLUDI Q-BEO	●		●	●		
KLUDI STANDARD						
KLUDI TERCIO						
KLUDI ZENTA	●		●	●		



Low pressure
Fitting suitable for under-counter water heaters.



Mains operated
Electronic fitting for 230 V AC connection.



s-pointer
Angle of water flow can be adjusted to fit different shaped basins.



Sensor
Fitting with non-contact operation.



HotStop
Fitting with anti-scald limiter at 38 °C.



Showering hygiene
Quick and easy to drain remaining water from the hand spray. No dripping.



Battery operation
Electronic fitting with battery operation.



Scald protection
Thermostatic body independent of temperature














Eco
Saves at least 40 % water.













Technology Navigator

Are you looking for a KLUDI kitchen fitting to meet specific technical requirements? Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance.

And this is how it works: for example, to find a kitchen fitting with hand spray and multi-connector, watch out for the dot in the columns below the two relevant pictograms. This indicates: the KLUDI MX line has this fitting in its range.

Kitchen

											
KLUDI ADLON	•										
KLUDI BINGO STAR	•										•
KLUDI BOZZ											
KLUDI E-GO							•	•	•	•	
JOOP!											
KLUDI KOMET	•	•	•	•		•					
KLUDI L-INE	•										•
KLUDI L-INE S											
KLUDI LOGO NEO	•										
KLUDI MX	•			•	•						
KLUDI OBJEKTA	•			•							
KLUDI SCOPE	•					•					
KLUDI STANDARD	•			•							
KLUDI TANGENTA											
KLUDI TERCIO											
KLUDI TRENDO	•			•							
KLUDI ZENTA	•										

												
KLUDI ADLON												
KLUDI BINGO STAR	•	•		•							•	•
KLUDI BOZZ				•								
KLUDI E-GO												
JOOP!												
KLUDI KOMET					•	•	•				•	
KLUDI L-INE	•	•		•								
KLUDI L-INE S										•		
KLUDI LOGO NEO												
KLUDI MX					•		•	•	•			
KLUDI OBJEKTA					•	•	•		•			•
KLUDI SCOPE					•					•		
KLUDI STANDARD							•					
KLUDI TANGENTA									•		•	
KLUDI TERCIO												
KLUDI TRENDO			•		•	•	•					
KLUDI ZENTA									•			



Low pressure
Fitting suitable for under-counter water heaters.



Battery operation
Electronic fitting with battery operation.



Eco
Saves at least 40 % water.



Multi-connector
Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Mains operated
Electronic fitting for 230 V AC connection.



Push-fit connector
It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



Bayonet connection
Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Pull-out spout
Fitting with pull-out spout for extended working radius.



Sensor
Fitting with non-contact operation.



Hand spray
Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.

Surfaces

Bath- room

	CHROME	CHROME / GLAS GREEN	CHROME /GLAS TRANSPARENT	CHROME / VARICOR ARKTIS	BLACK* / CHROME <small>*similar RAL 9005</small>	WHITE* / CHROME <small>*similar RAL 9003</small>	GOLD PLATED 23 CARAT
	05	H7	D1	D2	86	91	45
KLUDI ADLON	●						●
KLUDI AMBA	●						
KLUDI AMEO	●						
KLUDI A-QA	●						
KLUDI A-XES	●						
KLUDI BALANCE	●					●	
KLUDI BINGO STAR	●						
KLUDI BOZZ	●						
KLUDI E2	●						
KLUDI FIZZ	●						
KLUDI FRESHLINE	●						
JOOP!	●	●	●	●			
KLUDI LOGO	●						
KLUDI LOGO NEO	●						
KLUDI MEDI CARE	●						
KLUDI MX	●						
KLUDI OBJEKTA	●						
KLUDI O-CEAN	●						
KLUDI PROVITA	●						
KLUDI PUSH	●						
KLUDI Q-BEO	●						
KLUDI STANDARD	●						
KLUDI TERCIO	●						
KLUDI ZENTA	●				●	●	

Kitchen

	CHROME	BLACK* / CHROME <small>*similar RAL 9005</small>	CHROME / MATT BLACK	MOCCA / CHROME	WHITE* / CHROME <small>*similar RAL 9010</small>	WHITE* / CHROME <small>*similar RAL 9003</small>	CHROME / MATT WHITE	BRUSHED STAINLESS STEEL	STAINLESS STEEL FINISH
	05	86	87	82	92	91	93	F6/F8	96
KLUDI ADLON	●								
KLUDI BINGO STAR	●								●
KLUDI BOZZ	●								
KLUDI E-GO	●								
JOOP!	●								
KLUDI KOMET	●								
KLUDI L-INE	●								
KLUDI L-INE S	●		●				●		
KLUDI LOGO NEO	●								
KLUDI MX	●			●	●				
KLUDI NEW WAVES	●								
KLUDI OBJEKTA	●								
KLUDI SCOPE	●								●
KLUDI STANDARD	●								
KLUDI TANGENTA								●	
KLUDI TERCIO	●								
KLUDI TRENDO	●								●
KLUDI ZENTA	●	●				●			●

List of article numbers

art. no.	page
10 020 05 -00	208
10 105 05 -00	208
10 111 05 -00	209
10 250 05 -00	208
10 255 05 -00	209, 227
10 265 05 -00	208
10 311 05 -00	209
10 321 05 -00	209
10 323 05 -00	209
10 361 05 -00	209
10 402 35 -00	207
10 411 35 -00	208
10 415 35 -00	208
10 423 05 -00	35
10 424 05 -00	207
10 427 05 -00	207
10 428 05 -00	207
10 432 05 -00	210
10 462 05 -00	210
10 499 05 -00	210
10 772 00 -00	213
11	
11 001 05 01	277
11 001 05 15	277
11 002 05 01	277
11 002 05 15	277
11 003 05 01	277
11 003 05 08	278
11 004 05 01	278
11 004 05 08	278
11 103 05 15	277
11 402 35 -00	207
11 416 35 -00	207
12	
12 003 05	109
13	
13 023 05 60	30
13 500 05	63, 89
13 501 05	63, 89
13 502 05	107
14	
14 203 05 19	109
14 303 05 08	108
14 303 05 15	108
16	
16 021 05	120
16 021 45	120
16 024 05	121
16 203 05 -00	28

art. no.	page
16 203 45 -00	28
20	
20 013 05 08	105
20 013 05 15	105
20 407 05 08	105
20 407 05 15	105
20 408 05 08	104
21	
21 035 05 08	104
21 035 05 15	104
21 037 05 08	104
21 037 05 15	104
21 040 00 -00	215
21 058 05 08	104
21 058 05 15	104
21 060 05 08	104
21 060 05 15	104
21 062 05 08	104
21 062 05 15	104
21 091 00 -00	216
21 110 05 -00	216
21 115 35 -00	217
21 130 35 -00	215
21 133 35 -00	215
21 230 35 -00	215
21 315 00 -00	213
21 353 00 -00	215
21 383 10 -00	217
21 384 10 -00	217
21 406 05 -00	214
21 407 05 -00	214
21 408 05 -00	214
21 409 05 -00	214
21 447 10 -00	218
21 520 00 -00	216
21 620 00 -00	216
25	
25 001 05 08	105
25 001 05 15	105
25 007 05 08	106
25 007 05 15	106
25 101 05 15	106
25 111 05 15	106
25 113 05 15	106
25 121 05 15	107
25 123 05 15	107
25 125 05 08	105
25 125 05 15	105
25 411 05 15	107

art. no.	page
25 413 05 15	107
26	
26 101 05 08	108
26 101 05 15	108
26 202 05 08	108
26 202 05 15	108
26 209 05 08	106
26 209 05 15	106
27	
27 051 05	157
27 051 45	157
27 103 05	157
27 103 45	157
27 105 05	157
27 105 45	157
27 510 05	157
27 510 45	157
27 514 05	157
27 514 45	157
27 652 05	182
29	
29 209	116
29 211	116
29 213	117
29 215	117
29 509	117
29 511	118
29 513	118
29 515	118
29 527	118
29 747	116
29 751 00	116
29 757	116
29 809	117
29 811	117
29 909	118
29 911	119
29 927	118
30	
30 015 05 08	264
30 015 05 15	264
30 023 05 15	264
30 025 05 08	264
30 405 05 08	264
30 405 05 15	264
30 409 05 08	264
30 409 05 15	264
31	
31 052 05 08	263

List of article numbers

art. no.	page
31 052 05 15	263
31 053 05 08	263
31 053 05 15	263
31 055 05 08	263
31 055 05 15	263
31 453 05 15	264
31 623 05 08	261
31 623 05 15	261
31 656 05 08	262
31 656 05 15	262
31 658 05 08	261
31 658 05 15	261
31 701 05 15	262
31 703 05 15	262
31 710 05 15	261
31 711 05 15	261
31 723 05 15	262
31 730 05 15	261
31 911 05 08	261
31 911 05 15	261
31 918 05 15	264
31 919 05 15	263
31 920 05 15	262
31 921 05 08	262
31 921 05 15	262
32	
32 004 05 08	105, 225
32 004 05 15	105, 225
32 023 05 75	92
32 024 05 75	93
32 126 05 75	92
32 233 05 75	92
32 234 05 75	92
32 235 05 75	92
32 260 05 75	92
32 393 05 75	93
32 416 05 75	93
32 425 05 75	94
32 489 05 75	94
32 491 05 75	94
32 574 05 75	251
32 575 05 75	251
32 576 05 75	251
32 577 05 75	251
32 578 05 75	251
32 579 05 75	251
32 581 05 75	252
32 615 05 75	95
32 650 05 75	94

art. no.	page
32 651 05 75	95
32 653 05 75	93
32 655 05 75	96
32 657 05 75	95
32 685 05 75	94
32 764 05 75	95
32 818 05 75	96
32 881 05 75	252
32 882 05 75	252
33	
33 125 05 62	61
33 126 05 62	61
33 128 05 62	61
33 135 05 62	61
33 184 05 62	61
33 215 05 62	61
33 330 05 00	229
33 336 05 00	229
33 434	114
33 445 05 62	62
33 530 05 00	229
33 531 05 00	230
33 532 05 00	230
33 533 05 00	231
33 535 05 62	62
33 536 05 00	230
33 537 05 00	231
33 574 05 75	255
33 574 96 75	255
33 575 05 75	255
33 575 96 75	255
33 576 05 75	255
33 576 96 75	255
33 577 05 75	255
33 578 05 75	255
33 578 96 75	255
33 579 05 75	255
33 581 05 75	256
33 581 96 75	256
33 650 05 00	231
33 650 05 62	62
33 655 05 00	232
33 655 05 62	63
33 657 05 62	62
33 710 05 62	63
33 716 05 62	64
33 791 05 62	254
33 792 05 62	254
33 793 05 62	253

art. no.	page
33 794 05 62	253
33 795 05 62	253
33 796 05 62	253
33 797 05 62	253
33 798 05 62	253
33 799 05 62	254
33 930 05 75	257
33 930 96 75	257
33 931 05 75	257
33 931 96 75	257
33 932 05 75	257
33 933 05 75	257
33 933 96 75	257
33 938 05 75	257
33 938 96 75	257
33 939 05 75	257
33 939 96 75	257
34	
34 112 05 24	223
34 112 05 34	224
34 113 05 24	223
34 113 05 34	224
34 115 05 24	223
34 115 05 34	223
34 908 05 24	223
34 908 05 34	223
34 920 05 24	224
34 921 05 24	225
34 922 05 24	224
34 923 05 24	224
34 924 05 24	224
34 925 05 24	225
35	
35 085 05 64	225
35 093	115
35 100 05 38	89, 126
35 100 86 38	89, 126
35 100 91 38	89, 126
35 101 05 38	88, 126
35 101 86 38	88, 126
35 101 91 38	88, 126
35 156	115
35 158	115
35 200 05 38	95, 126
35 201 05 38	93, 126
35 203 05 38	80, 126
35 250 05 75	54, 125
35 330 05 38	225, 232
35 430 05 38	63, 125

List of article numbers

art. no.	page
35 431 05 38	62, 125
35 730 05 38	96
35 830 05 38	63, 95, 130
35 835 05 38	64, 96, 130
35 845 05 38	227
37	
37 023 05 75	98
37 275 05 75	98
37 276 05 75	97
37 280 05 75	98
37 281 05 75	97
37 282 05 75	97
37 282 91 75	97
37 283 05 75	98
37 284 05 75	97
37 285 05 75	97
37 287 05 75	98
37 289 05 75	97
37 290 05 75	98
37 290 91 75	98
37 419 05 75	100
37 420 05 75	100
37 531 05 75	99
37 533 05 75	99
37 533 91 75	99
37 591 05 75	99
37 592 05 75	99
37 681 05 75	99
37 681 91 75	99
37 841 05 75	100
37 841 91 75	100
37 913 05 75	259
37 914 05 75	259
37 919 05 75	259
37 924 05 75	259
38	
38 001	90
38 002	90
38 003	90
38 004	90
38 016 05 30	77
38 017 05 30	77
38 018 05 30	77
38 023 05 75	101
38 024 05 75	102
38 100 05	83
38 102 05	82
38 105 05	83
38 116 05 30	71, 77, 87
38 145 05 20	76

art. no.	page
38 145 05 76	76
38 146 05 20	76
38 146 05 76	76
38 200 05	82
38 202 05	82
38 205 05	83
38 242	113
38 243	113
38 244 05 75	84
38 244 05 76	77
38 245 05 75	84
38 245 05 76	77
38 250 05 75	81
38 250 05 75W	81
38 250 86 75	81
38 250 91 75	81
38 251 05 75	81
38 251 86 75	81
38 251 91 75	81
38 253 05 75	81
38 255 05 75	84
38 256 05 75	84
38 257 05 75	84
38 260 05 75	81
38 260 05 75W	81
38 260 86 75	81
38 260 91 75	81
38 262 05 75	82
38 264 05 75	82
38 265 05 75	82
38 290 05 76	75
38 291 05 76	75
38 292 05 76	75
38 294 05 75	83
38 294 05 76	75
38 296 05 76	76
38 297 05 76	75
38 340 05 75	71
38 345 05 10	71
38 350 05 75	71
38 351 05 75	71
38 393 05 20	76
38 393 05 75	84
38 393 05 76	75
38 394 05 75	102
38 400 05	85
38 401 05	86
38 402 05	85
38 403 05	87
38 419 05 75	103

art. no.	page
38 420 05 75	103
38 423 05 75	102
38 424 05 20	78
38 424 05 76	78
38 430 05 75	72
38 432 05 75	102
38 442 05 75	103
38 476 05 75	101
38 480 05 75	101
38 481 05 75	101
38 482 05 75	102
38 484 05 75	101
38 485 05 75	101
38 500 05	85
38 501 05	86
38 502 05	86
38 503 05	87
38 505 05	79
38 530 05 75	87
38 530 86 75	87
38 530 91 75	87
38 533 05 76	78
38 601 05 38	111
38 602 05 38	112
38 603 05 38	111
38 604 05 38	112
38 611 05 38	111
38 612 05 38	112
38 625	114
38 650 05 75	88
38 650 05 76	79
38 650 86 75	88
38 650 91 75	88
38 651 05 75	103
38 655 05 75	89
38 655 05 76	80
38 655 86 75	89
38 655 91 75	89
38 656 05 75	103
38 657 05 75	88
38 657 05 76	79
38 660 05 75	88
38 660 05 76	79
38 660 86 75	88
38 660 91 75	88
38 670 05 75	88
38 670 86 75	88
38 670 91 75	88
38 691 05 76	78
38 750 05 75	72

List of article numbers

art. no.	page
38 755 05 75	73
38 757 05 75	72
38 760 05 75	73
38 770 05 75	72
38 801 05 38	111, 126
38 802 05 38	112, 127
38 803 05 38	111, 127
38 804 05 38	112, 127
38 811 05 38	111, 127
38 812 05 38	112, 127
38 830 05 45	73, 89, 131
38 831 05 76	79
38 835 05 45	73, 90, 131
38 860 05 75	90
38 860 05 76	80
38 860 86 75	90
38 860 91 75	90
38 870 05 75	89
38 870 86 75	89
38 870 91 75	89
38 940 05 75	260
38 943 05 75	260
38 949 05 75	260
38 960 05 75	72
38 964 05 75	260
38 970 05 75	73
38 973 05 75	250
38 973 86 75	250
38 973 91 75	250
38 973 96 75	250
38 979 05 75	250
38 981 05 75	250
38 984 05 75	250
39	
39 051 05	176
39 100 05 -00	175
39 140 05 -00	173
39 904 05 62	242
39 904 82 62	242
39 904 92 62	242
39 905 05 62	242
39 906 05 62	242
39 906 82 62	242
39 906 92 62	242
39 907 05 62	242
39 934 05 62	242
39 941 05 62	242
39 941 82 62	242
39 941 92 62	242
39 942 05 62	243

art. no.	page
39 945 05 62	243
39 945 82 62	243
39 945 92 62	243
40	
40 803 05 75	246
40 851 05 75	246
40 851 87 75	246
40 851 93 75	246
41	
41 023 05 75	65
41 024 05 75	65
41 025 05 75	66
41 026 05 75	65
41 028 05 75	65
41 029 05 75	65
41 216 05 75	67
41 244 05 75	66
41 245 05 75	66
41 276 05 75	65
41 296 05 75	66
41 298 05 75	66
41 393 05 30	67
41 393 05 75	66
41 424 05 30	68
41 424 05 75	68
41 445 05 75	67
41 447 05 75	67
41 448 05 75	68
41 505 05	69
41 515 05 75	68
41 650 05 75	68
41 655 05 75	70
41 657 05 75	69
41 671 05 75	67
41 675 05 75	69
41 710 05 75	69
41 718 05 75	70
41 830 05 75	69, 131
41 835 05 75	70, 131
42	
42 023 05 78	74
42 025 05 73	71
42 025 05 75	83
42 026 05 75	83
42 030 05 78	74
42 200 05 75	239
42 205 05 75	239
42 210 05 75	239
42 215 05 75	240
42 803 05 76	249

art. no.	page
42 803 05 78	247
42 803 96 78	247
42 809 05 78	247
42 809 96 78	247
42 814 05 77	244
42 816 05 77	244
42 817 05 77	244
42 819 05 77	244
42 821 05 77	244
42 836 05 78	247
42 836 96 78	247
42 851 05 76	249
42 851 05 78	247
42 851 96 78	247
42 852 05 78	247
42 853 05 77	245
42 854 05 77	244
42 855 05 78	248
42 857 05 78	247
42 857 96 78	247
42 859 05 78	248
44	
44 904 F8 75	241
44 941 F8 75	241
44 991 F8 75	241
48	
48 971 05	145
48 972 05	145
48 974 05	144
48 975 05	143
48 976 05	143
48 977 05	143
48 980 05	144
48 981 05	144
48 984 05	143
48 985 05	143
48 986 05	143
48 987 05	144
48 988 05	144
48 989 05	144
48 990 L3	145
48 991 L3	145
48 992 L3	145
48 994 05	146
48 995 00	146
48 996 L3	146
48 997 05	145
49	
49 023 05 75	44
49 025 05 75	44

List of article numbers

art. no.	page
49 095 05 -00	167, 189
49 191 05 -00	167, 191
49 216 05 75	45
49 244 05 75	45
49 245 05 75	45
49 295 05 75	44
49 296 05 75	44
49 297 05 75	44
49 298 05 75	44
49 402 05 -00	171
49 426 05 75	46
49 445 05 75	45
49 447 05 75	46
49 503 05	47
49 515 05 75	46
49 590 05 75	45
49 650 05 75	46
49 655 05 75	47
49 657 05 75	47
49 714 05 75	47
49 718 05 75	48
49 729 05 75	48, 129
49 815 05 75	48
49 830 05 75	47, 129
49 835 05 75	48, 129
49 846 05 75	48
49 847 05 75	48
49 971 05	142
49 972 05	142
49 974 05	142
49 975 05	140
49 976 05	140
49 977 05	141
49 979 05	141
49 980 05	141
49 981 05	141
49 982 05	140
49 983 05	140
49 984 05	141
49 985 05	140
49 987 05	140
49 989 05	153
49 990 05	141
49 999 05	153
49 BIW 43	152
49 CM1 43	151
49 CM2 43	151
49 CMU 43	151
49 SP2 43	152
49 SP3 43	152

art. no.	page
49 W03 43	151
49 W05 43	151
49 WCS 43	153
49 WCW 43	152
50	
50 023 05 65	57
50 026 05 65	57
50 100 05 -00	159
50 120 05 -00	159
50 129 05 65	57
50 143 05 65	57
50 216 05 65	57
50 400 05 65	59, 125
50 424 05 65	58
50 443 05 65	57
50 504 05	59
50 514 05 65	58
50 650 05 65	58
50 655 05 65	59
50 657 05 65	58
50 714 05 65	59
50 717 05 65	59
50 815 05 65	60
50 830 05 65	58, 130
50 835 05 65	59, 130
51	
51 010 05 20	23
51 010 05 G5	23
51 010 45 20	23
51 010 45 G4	23
51 012 05 20	23
51 012 45 20	23
51 014 05 20	24
51 043 05 20	23
51 043 05 G5	24
51 043 45 20	23
51 043 45 G4	24
51 046 05 20	23
51 046 05 G5	23
51 046 45 20	23
51 046 45 G4	23
51 211 05 20	24
51 211 45 20	24
51 407 05	26
51 441 05 20	24
51 441 45 20	24
51 524 05 20	25
51 524 05 G5	25
51 524 45 20	25
51 524 45 G4	25

art. no.	page
51 525 05 20	24
51 525 45 20	24
51 600 05 20	237
51 606 05 20	237
51 610 05 20	26
51 610 05 G5	26
51 610 45 20	26
51 610 45 G4	26
51 719 05 20	26, 127
51 719 45 20	26, 127
51 720 05 20	26, 128
51 720 05 G5	27, 128
51 720 45 20	26, 128
51 720 45 G4	27, 128
51 803 05 20	28
51 803 45 20	28
51 815 05 20	27
51 815 45 20	27
51 816 05 20	27
51 816 45 20	27
51 817 05 20	25
51 817 45 20	25
51 818 05 20	25
51 818 45 20	25
51 843 05 20	28
51 843 45 20	28
51 845 05 20	28
51 845 45 20	28
51 848 05 20	26
51 848 45 20	26
52	
52 023 05 75	49
52 023 91 75	49
52 026 05 75	49
52 026 91 75	49
52 050 05 -00	55
52 061 05 -00	56
52 100 05	49
52 100 91	49
52 102 05	50
52 105 05	51
52 200 05	49
52 200 91	49
52 202 05	50
52 205 05	50
52 216 05 75	52
52 216 91 75	52
52 246 05 75	51
52 246 91 75	51
52 247 05 75	51

List of article numbers

art. no.	page
52 247 91 75	51
52 296 05 75	51
52 296 91 75	51
52 298 05 75	51
52 298 91 75	51
52 445 05 75	52
52 445 91 75	52
52 447 05 75	52
52 447 91 75	52
52 448 05 75	53
52 503 05	54
52 515 05 75	53
52 590 05 75	52
52 590 91 75	52
52 650 05 75	53
52 650 91 75	53
52 655 05 75	54
52 655 91 75	54
52 657 05 75	53
52 710 05 75	54
52 710 91 75	54
52 718 05 75	54
52 729 05 75	55, 130
52 815 05 75	55
52 830 05 75	54, 129
52 830 91 75	54, 129
52 835 05 75	55, 130
52 835 91 75	55, 130
52 846 05 75	55
52 847 05 75	55
53	
53 023 05 75	38
53 026 05 75	38
53 028 05 75	38
53 029 05 75	38
53 216 05 75	39
53 244 05 75	39
53 245 05 75	39
53 296 05 75	38
53 298 05 75	38
53 400 05 38	42, 125
53 401 05 38	39, 125
53 445 05 75	39
53 447 05 75	40
53 448 05 75	40
53 505 05	41
53 515 05 75	41
53 590 05 75	40
53 650 05 75	40
53 655 05 75	42

art. no.	page
53 657 05 75	41
53 710 05 75	41
53 718 05 75	42
53 729 05 75	42, 129
53 811	117
53 815 05 75	43
53 830 05 75	41, 128
53 835 05 75	42, 129
53 846 05 75	42
53 847 05 75	43
53 971 05	139
53 972 05	139
53 974 05	139
53 975 05	138
53 976 05	138
53 977 05	138
53 979 05	138
53 980 05	139
53 981 05	139
53 984 05	138
53 985 05	138
55	
55 023 05 05	30
55 023 H7 05	30
55 024 05 75	30
55 024 H7 75	30
55 029 05 05	30
55 029 H7 05	30
55 030 05 75	30
55 030 H7 75	30
55 056 05 -00	36
55 115 D1	31
55 115 D2	31
55 130 05 -00	158
55 143 05 05	31
55 143 05 75	30
55 143 H7 05	31
55 146 05 05	31
55 146 H7 05	31
55 216 05 05	32
55 216 H7 05	32
55 217 05 75	32
55 217 H7 75	32
55 423 05 75	34
55 423 H7 75	34
55 424 05 05	33
55 424 H7 05	33
55 425 05 05	33
55 425 05 75	32
55 425 H7 05	33

art. no.	page
55 426 05 05	33
55 426 H7 05	33
55 443 05 75	32
55 443 H7 75	32
55 502 05	34
55 503 05	34
55 515 05 75	34
55 515 H7 75	34
55 541 05 -00	158
55 551 05 -00	158
55 650 05 75	34
55 650 H7 75	34
55 655 05 75	35
55 655 H7 75	35
55 718 05 75	35
55 718 H7 75	35
55 719 05 05	35, 128
55 769 05 05	158
55 769 H7 05	158
55 779 05 -00	158
55 811	36
55 815 05 05	35
55 815 H7 05	35
55 830 05 05	34, 128
55 835 05 05	35, 128
55 843 05 05	36
55 904 05 75	238
55 971 05	137
55 972 05	137
55 973 05 H7	135
55 974 05 H7	137
55 975 05 H7	135
55 976 05 H7	135
55 977 05	136
55 978 05	136
55 979 05	136
55 980 05	136
55 981 05	136
55 982 05	135
55 983 05 H7	135
55 984 05	136
55 985 05 H7	135
60	
60 035 21 -00	194
60 205 10 -00	194
60 480 05 -00	194
60 485 05 -00	194
60 510 05 -00	172
60 511 05 -00	172
60 530 05 -00	195

List of article numbers

art. no.	page
60 531 05 -00	195
60 537 05 -00	195
60 539 05 -00	195
60 540 05 -00	196
60 541 05 -00	196
60 551 05 -00	194
60 563 05 -00	196
60 576 05 -00	180
60 577 05 -00	179
60 600 05 -00	182
60 600 86 -00	182
60 600 91 -00	182
60 610 05 -00	181
60 620 05 -00	181
60 630 05 -00	181
60 640 05 -00	181
60 650 05 -00	182
60 650 86 -00	182
60 650 91 -00	182
60 660 91 -00	182
60 700 05 -00	182
60 730 05 -00	181
60 740 05 -00	180
60 750 05 -00	182
60 800 05 -00	181
60 800 86 -00	181
60 800 91 -00	181
60 830 05 -00	180
60 840 05 -00	180
60 840 86 -00	180
60 840 91 -00	180
60 850 91 -00	180
61	
61 004 05 -00	198
61 006 05 -00	198
61 007 05 -00	199
61 055 05 -00	199
61 056 05 -00	199
61 057 05 -00	199
61 061 05 -00	198
61 062 05 -00	198
61 071 05 -00	198
61 071 91 -00	198
61 072 05 -00	198
61 072 91 -00	198
61 083 05 -00	173
61 101 21 -00	197
61 105 05 -00	196
61 150 00 -00	214
61 151 00 -00	214

art. no.	page
61 502 05 -00	226
61 503 05 -00	226
61 504 05 -00	226
61 505 05 -00	227
61 506 05 -00	227
61 677 05 -00	179
61 677 05 -EG	179
62	
62 095 05 -00	174
62 096 05 -00	173
62 097 05 -00	169
62 101 21 -00	202
62 119 05 -00	197
62 191 05 -00	172
62 353 05 -00	200
62 354 05 -00	200
62 391 05 -00	172
62 535 05 -00	197
63	
63 050 05 -00	194
63 060 05 -00	196
63 060 43 -00	196
63 061 05 -00	196
63 061 43 -00	196
64	
64 320 05 -00	169
64 325 05 -00	169
64 330 05 -00	169
64 420 05 -00	170
64 425 05 -00	170
64 430 05 -00	170
64 520 05 -00	170
64 530 05 -00	170
65	
65 540 05 -00	201
65 543 05 -00	201
65 544 05 -00	177
65 545 05 -00	177
65 551 05 -00	201
65 560 05 -00	176
65 560 43 -00	176
65 561 05 -00	177
65 562 05 -00	177
65 600 05 -00	175
65 630 05 -00	174
65 640 05 -00	174
65 641 05 -00	175
65 642 05 -00	174
65 650 05 -00	176
65 670 05 -00	176

art. no.	page
65 700 05 -00	175
65 710 05 -00	174
65 720 05 -00	174
65 730 05 -00	173
65 740 05 -00	173
65 750 05 -00	176
66	
66 081 05 -00	169, 191
66 090 05 -00	179
66 091 05 -00	168
66 095 05 -00	167
66 100 05 -00	175
66 140 05 -00	173
66 150 05 -00	175
66 192 05 -00	168
66 195 05 -00	168
66 510 05 -00	171
66 511 05 -00	170
66 513 05 -00	200
66 514 05 -00	200
66 515 05 -00	201
66 520 05 -00	171
66 521 05 -00	171
66 530 05 -00	172
66 531 05 -00	171
66 533 05 -00	200
66 534 05 -00	200
66 535 05 -00	201
66 540 05 -00	172
66 541 05 -00	171
67	
67 051 05	163
67 083 05 -00	162
67 090 05 -00	164, 192
67 091 05 -00	161, 193
67 092 05 -00	164, 192
67 093 05 -00	160, 193
67 095 05 -00	160, 193
67 096 05 -00	160, 192
67 511 05 -00	164
67 560 05 -00	162
67 570 05 -00	161
67 575 05 -00	161
67 578 05 -00	161
67 580 05 -00	161
67 600 05 -00	163
67 600 43 -00	163, 283
67 620 05 -00	162
67 640 05 -00	162
67 640 91 -00	162

List of article numbers

art. no.	page
67 650 05 -00	163
67 650 91 -00	163
67 670 05 -00	163
67 670 91 -00	163
67 700 05 -00	162
67 700 43 -00	162
67 740 05 -00	162
67 740 91 -00	162
67 750 05 -00	163
67 750 91 -00	163
67 800 05 -00	166
67 830 05 -00	165
67 840 05 -00	165
67 850 05 -00	166
67 870 05 -00	166
67 900 05 -00	166
67 930 05 -00	165
67 940 05 -00	165
67 950 05 -00	166
68	
68 010 05 -00	188
68 030 05 -00	188
68 060 05 -00	187
68 083 05 -00	184, 191
68 085 05 -00	184, 190
68 090 05 -00	187
68 091 05 -00	183, 189
68 092 05 -00	183, 189
68 093 05 -00	184, 190
68 095 05 -00	183, 190
68 096 05 -00	187
68 097 05 -00	185
68 100 05 -00	186
68 160 05 -00	187
68 190 05 -00	187
68 300 05 -00	186
68 360 05 -00	186
68 363 05 -00	186
68 390 05 -00	186
68 393 05 -00	186
68 576 05 -00	185
68 577 05 -00	185
68 642 05 -00	187
68 670 05 -00	188
70	
70 345 05 -00	212
70 346 05 -00	213
70 420 05 -00	178
70 430 05 -00	178
70 604 05 -00	217

art. no.	page
70 956 00 -00	217
71	
71 055 05 -00	214
71 055 45 -00	214
71 066 05 -00	214
71 256 00 -00	217
71 337 05 -00	197
71 370 05 -00	215
71 520 05 -00	216
71 620 05 -00	216
71 826 05 -00	213
73	
73 006 00 -00	113
73 018 05 -00	256
73 018 96 -00	256
73 030 05 -10	268
73 038 05 -00	248
73 038 96 -00	248
73 073 05 -00	43
73 074 05 -00	43
73 076 05 -00	43
74	
74 001 00 -00	113
74 030 05 -00	243
74 030 19 -00	243
74 030 36 -00	243
74 129 00 -00	280
74 146 H7 -00	37
74 147 05 -00	37
74 182 05 -00	254
74 233 05 -00	114
74 266 00 -00	286
74 329 00 -00	276
74 366 00 -00	281
74 370 05 -00	283
74 387 00 -00	36
74 391 05 -00	64
74 410 05 -00	36
74 410 H7 -00	36
74 440 00 -00	279
74 441 00 -00	279
74 470 00 -00	282
74 478 05 -00	238
74 485 05 -00	36
74 485 H7 -00	36
74 518 05 -00	256
74 518 96 -00	256
74 580 00 -00	113
74 598 00 -00	280
74 613 05 -00	80, 249

art. no.	page
74 662 00 -00	119
74 669 05 -00	91
74 669 86 -00	91
74 669 91 -00	91
74 700 05 -00	91
74 700 86 -00	91
74 700 91 -00	91
74 750 00 -00	281
74 794 00 -00	119
74 802 00 -00	120
74 805 00 -00	281
74 809 00 -00	282
74 821 05 -00	80
74 839 05 -00	283
74 845 05 -00	73
74 868 00 -00	281
74 869 05 -00	201
74 872 05 -00	250
74 872 86 -00	250
74 872 91 -00	250
74 872 96 -00	250
74 879 05 -00	227
74 883 00 -00	286
74 884 05 -00	243
74 884 19 -00	243
74 884 36 -00	243
74 892 05 -00	245
74 895 05 -00	240
74 910 05 -00	232
74 927 00 -00	282
74 930 05 -00	232
74 947 00 -00	281
74 950 05 -00	100, 259
74 989 05 -00	56
74 989 43 -00	56
75	
75 010 05 -00	258
75 010 96 -00	258
75 025 00 -00	279
75 047 05 -00	96
75 048 05 -00	96
75 054 00 -00	278
75 055 00 -00	278
75 068 05 -00	282
75 079 05 -00	119
75 201 00 -00	280
75 205 05 -00	283
75 218 00 -00	278
75 260 05 -00	284
75 300 05 -00	28, 237

List of article numbers

art. no.	page
75 300 45 -00	28
75 301 05 -00	29, 237
75 301 45 -00	29
75 312 00 -00	276
75 336 05 -00	29
75 336 45 -00	29
75 375 05 -00	283
75 404 05 -00	266
75 406 05 -00	266
75 407 05 -00	265
75 408 05 -00	266
75 409 05 -00	266
75 410 05 -00	266
75 413 05 -00	266
75 418 05 -00	267
75 421 05 -00	110, 264
75 422 05 -00	110, 265
75 484 00 -00	276
75 526 00 -00	279
75 567 05 -00	267
75 570 00 -00	279
75 571 00 -00	279
75 585 05 -00	265
75 586 05 -00	265
75 605 00 -00	280
75 638 05 -00	228
75 667 05 -00	282
75 727 05 -00	116
75 730 05 -00	115
75 730 45 -00	115
75 731 05 -00	115
75 731 45 -00	115
75 802 00 -00	120
75 895 05 -00	284
75 980 05 -00	114
75 981 05 -00	115
75 982 05 -00	109
75 997 00 -00	276

art. no.	page
76	
76 071 05 -00	91
76 148 46 -00	120
76 149 46 -00	121
76 156 05 -00	121
76 156 45 -00	121
76 360 05 -00	110, 265
76 361 05 -00	110, 265
76 400 00 -00	280
76 416 05 -00	283
76 424 00 -00	114
76 552 04 -00	284
76 619 00 -00	281
76 729 00 -00	282
76 760 05 -00	259
76 837 00 -00	276
76 856 00 -00	280
76 942 05 -00	228
76 943 05 -00	228
77	
77 899 05 -00	37
77 899 H7 -00	37
78	
78 119 05 -00	243
78 122 00 -00	276
78 333 05 -00	202
78 400 05 -00	80
78 421 05 -00	258
78 421 96 -00	258
81	
810 110 05-00	195
810 746 05-00	211
810 747 05-00	211
810 754 05-00	211
82	
820 272 35-00	212
820 273 05-00	212
820 274 05-00	212

art. no.	page
823 085 05-00	213
83	
830 068 10-00	195
830 068 21-00	195
830 126 05-00	197
830 274 00-00	286
830 288 00-00	286
830 313 05-00	197
84	
845 008 05-00	212
845 016 05-00	210
845 025 05-00	210
845 066 05-00	210
845 072 05-00	211
845 146 05-00	211
88	
88 011	113
88 088	114
92	
920 699 05-00	250
929 032 00-00	284
929 073 00-00	284
929 076 00-00	284
929 077 00-00	285
929 100 35-00	285
929 108 00-00	285
929 109 00-00	285
929 110 35-00	285
929 128 00-00	285
929 170 00-00	241
93	
930 989 05-00	177
930 990 05-00	177



Bathroom fittings



KLUDI ADLON
23



JOOP!
30



KLUDI AMBA
38



KLUDI E2
44



KLUDI BALANCE
49



KLUDI Q-BEO
57



KLUDI MX
61



KLUDI AMEO
65



KLUDI O-CEAN
71



KLUDI BINGO STAR
74



KLUDI BOZZ
75



KLUDI ZENTA
81



KLUDI OBJEKTA
92



KLUDI LOGO NEO
97



KLUDI TERCIO
101



KLUDI STANDARD
104



KLUDI PUSH
111



Pre-installation sets
113







Electronic fittings








KLUDI BALANCE E
49







KLUDI ZENTA E
82









product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI ADLON basin mixer DN 15 cross handles single hole mounted flow rate 14 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	<p>chrome gold plated 23 carat</p>	<p>510120520 510124520</p>
	<p>KLUDI ADLON basin mixer DN 15 cross handles single hole mounted flow rate 13,5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	<p>chrome gold plated 23 carat</p>	<p>510100520 510104520</p>
	<p>KLUDI ADLON basin mixer DN 15 crystal handles "Made with Swarovski® Elements" single hole mounted flow rate 13,5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	<p>chrome gold plated 23 carat</p>	<p>5101005G5 5101045G4</p> <p>NEW</p>
	<p>KLUDI ADLON basin mixer DN 15 cross handles three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm pop-up waste G 1 1/4 projection 145 mm</p>	<p>chrome gold plated 23 carat</p>	<p>510460520 510464520</p>
	<p>KLUDI ADLON basin mixer DN 15 crystal handles "Made with Swarovski® Elements" three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm pop-up waste G 1 1/4 projection 145 mm</p>	<p>chrome gold plated 23 carat</p>	<p>5104605G5 5104645G4</p> <p>NEW</p>
	<p>KLUDI ADLON basin mixer DN 15 cross handles three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm pop-up waste G 1 1/4 projection 150 mm</p>	<p>chrome gold plated 23 carat</p>	<p>510430520 510434520</p>





KLUDI ADLON

product	product description	surface	art. no.
	<p>KLUDI ADLON basin mixer DN 15 crystal handles "Made with Swarovski® Elements" three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm pop-up waste G 1 1/4 projection 150 mm</p>	chrome gold plated 23 carat	5104305G5 5104345G4 <div style="background-color: black; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</div>
	<p>KLUDI ADLON pillar valve DN 15 cross handle single hole mounted ceramic headpart 180° flow rate 15 l/min at 3 bar marking: COLD</p>	chrome	510140520
<p>BIDET</p> 	<p>KLUDI ADLON bidet mixer DN 15 cross handles single hole mounted flow rate 15 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	512110520 512114520
<p>BATH</p> 	<p>KLUDI ADLON bath- and shower mixer DN 15 cross handles wall fastening flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub s-connections with shower set</p>	chrome gold plated 23 carat	514410520 514414520
	<p>KLUDI ADLON bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00</p>	chrome gold plated 23 carat	515250520 515254520






product	product description	surface	art. no.
	<p>KLUDI ADLON bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00</p>	<p>chrome gold plated 23 carat</p>	<p>515240520 515244520</p>
	<p>KLUDI ADLON bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation crystal handles "Made with Swarovski® Elements" flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00</p>	<p>chrome gold plated 23 carat</p>	<p>515240565 515244564 NEW</p>
	<p>KLUDI ADLON angle valve DN 15 cross handle stand assembly ceramic headpart 180° marking: COLD</p>	<p>chrome gold plated 23 carat</p>	<p>518170520 518174520</p>
	<p>KLUDI ADLON angle valve DN 15 cross handle stand assembly ceramic headpart 180° marking: HOT</p>	<p>chrome gold plated 23 carat</p>	<p>518180520 518184520</p>

KLUDI ADLON


product	product description	surface	art. no.
	<p>KLUDI ADLON two way diverter DN 15 cross handle stand assembly head part 360° marking: neutral tub spout G 3/4 shower outlet G 1/2 2 connections G 1/2</p>	chrome gold plated 23 carat	518480520 518484520
	<p>KLUDI ADLON bath filler DN 20 wall fastening flow class B cascade aerator M 28 x 1 separate DN 20 connector for pre-installation</p>	chrome	5140705
<p>SHOWER</p> 	<p>KLUDI ADLON shower mixer DN 15 cross handles wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2</p>	chrome gold plated 23 carat	516100520 516104520
	<p>KLUDI ADLON shower mixer DN 15 crystal handles "Made with Swarovski® Elements" wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2</p>	chrome gold plated 23 carat	5161005G5 5161045G4 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>
	<p>KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C without shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 chrome gold plated 23 carat	517190520 517194520 35158
	<p>KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C with shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 chrome gold plated 23 carat	517200520 517204520 35156

product	product description	surface	art. no.
	<p>KLUDI ADLON concealed thermostatic mixer "Made with Swarovski® Elements" concealed trim-set hot water safety device 40 °C with shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 <p>chrome gold plated 23 carat</p>	<p>5172005G5 5172045G4</p> <p>NEW</p> <p>35156</p>
	<p>KLUDI ADLON concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: COLD</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	<p>chrome gold plated 23 carat</p>	<p>518150520 518154520</p> <p>29809</p> <p>29811</p> <p>29909</p> <p>29911</p> <p>29927</p>
	<p>KLUDI ADLON concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: HOT</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	<p>chrome gold plated 23 carat</p>	<p>518160520 518164520</p> <p>29809</p> <p>29811</p> <p>29909</p> <p>29911</p> <p>29927</p>







KLUDI ADLON





product	product description	surface	art. no.	
	<p>KLUDI ADLON concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: neutral</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	chrome gold plated 23 carat	518030520 518034520	
	<p>KLUDI ADLON two way diverter set 2 – trim set cross handle consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI two way diverter DN 15</p>	chrome gold plated 23 carat	518450520 518454520	
ACCESSORIES		<p>KLUDI ADLON angle valve DN 15 cross handle without marking with compression joint with push-on rosette flow rate 27 l/min at 3 bars</p>	chrome gold plated 23 carat	518430520 518434520
	<p>KLUDI copper tube 10 x 500 mm with doubled flanging for G 1/2 or G 3/8</p>	chrome gold plated 23 carat	1620305-00 1620345-00	
SPARE PARTS		<p>KLUDI ADLON handle with cowling „COLD“</p>	chrome gold plated 23 carat	7530005-00 7530045-00

KLUDI ADLON

product	product description	surface	art. no.
	<p>KLUDI ADLON handle with cowling „HOT“</p>	<p>chrome gold plated 23 carat</p>	<p>7530105-00 7530145-00</p>
	<p>KLUDI ADLON handle with insert „neutral“</p>	<p>chrome gold plated 23 carat</p>	<p>7533605-00 7533645-00</p>

JOOP!


product	product description	surface	art. no.
<p>BASIN</p> 	<p>JOOP! single lever basin mixer DN 15 solid lever single hole mounted flow rate 10,5 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome	130230560
	<p>JOOP! single lever basin mixer DN 15 solid lever single hole mounted flow rate 12,5 l/min at 3 bar ovalflow-aerator ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome chrome/glass green	550240575 55024H775
	<p>JOOP! single lever basin mixer DN 15 cylindrical handle single hole mounted flow rate 12,5 l/min at 3 bar ovalflow-aerator ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 9770/10</p>	chrome chrome/glass green	550230505 55023H705
	<p>JOOP! single lever basin mixer DN 15 solid lever single hole mounted flow rate 12,5 l/min at 3 bar ovalflow-aerator ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set noise level I</p>	chrome chrome/glass green	550300575 55030H775
	<p>JOOP! single lever basin mixer DN 15 cylindrical handle single hole mounted flow rate 12,5 l/min at 3 bar ovalflow-aerator ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set P-IX 9770/10</p>	chrome chrome/glass green	550290505 55029H705
	<p>JOOP! basin mixer DN 15 solid lever three hole assembling flow rate 12,2 l/min at 3 bar ovalflow-aerator ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 1/2 P-IX 9776/10</p>	chrome	551430575

product	product description	surface	art. no.
	<p>JOOP! basin mixer DN 15 cylindrical handle three hole assembling flow rate 12,2 l/min at 3 bar ovalflow-aerator ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 1/2 P-IX 9776/10</p>	<p>chrome chrome/glass green</p>	<p>551430505 55143H705</p>
	<p>JOOP! wall mounted basin mixer DN 15 for concealed installation pre-installation set and trim set cylindrical handle flow rate 12,2 l/min at 3 bar ovalflow-aerator ceramic headpart 90°</p>	<p>chrome chrome/glass green</p>	<p>551460505 55146H705</p>
	<p>JOOP! wash basin column for guest WC trim set flow rate 15 l/min at 3 bar ovalflow-aerator ceramic headpart 90° wash bowl glass transparent</p> <p>required accessories: JOOP! pre installation set</p> <p>JOOP! handle trim set</p> <p>JOOP! handle trim set</p>	<p>chrome/glass transparent</p> <p>neutral</p> <p>chrome</p> <p>chrome/glass green</p>	<p>55115D1</p> <p>7438700-00</p> <p>7441005-00</p> <p>74410H7-00</p>
	<p>JOOP! wash basin column for guest WC trim set flow rate 15 l/min at 3 bar ovalflow-aerator ceramic headpart 90° wash bowl Varicor Arktis</p> <p>required accessories: JOOP! pre installation set</p> <p>JOOP! handle trim set</p> <p>JOOP! handle trim set</p>	<p>chrome/Varicor Arktis</p> <p>neutral</p> <p>chrome</p> <p>chrome/glass green</p>	<p>55115D2</p> <p>7438700-00</p> <p>7441005-00</p> <p>74410H7-00</p>

JOOP!

product	product description	surface	art. no.
---------	---------------------	---------	----------

BIDET




JOOP!
single lever bidet mixer DN 15
 solid lever
 single hole mounted
 flow rate 9 l/min at 3 bar
 ball joint-cascade-aerator M 24 x 1
 ceramic cartridge with hot water limitation
 pop-up waste G 1 1/4
 flexible hoses G 3/8
 rapid installation set



chrome
 chrome/glass green

552170575
55217H775




JOOP!
single lever bidet mixer DN 15
 cylindrical handle
 single hole mounted
 flow rate 9 l/min at 3 bar
 ball joint-cascade-aerator M 24 x 1
 ceramic cartridge with hot water limitation
 pop-up waste G 1 1/4
 flexible hoses G 3/8
 rapid installation set



chrome
 chrome/glass green

552160505
55216H705


BATH



JOOP!
single lever bath- and shower mixer DN 15
 solid lever
 wall fastening
 covered eccentric-wall connections
 flow class D/B
 ovalflow-aerator
 ceramic cartridge with hot water limitation
 protected against back flow
 autom. diverter shower/bathtub
 swivelling shower connector G 1/2

chrome
 chrome/glass green

554430575
55443H705




JOOP!
bath- and shower mixer DN 15
 stand assembly
 four hole tiles deck mounted installation
 solid lever
 flow class D/B
 ovalflow-aerator
 ceramic headpart 90°
 autom. diverter shower/bathtub
 retractable hand shower
 high pressure supply hose
 G 1/2 x G 1/2 x 400 mm
 protected against back flow
 for bathtub rim mounting unit 7466200-00 or
 mounting plate 7614846-00
 Please note the socket height!

chrome


554250575

product	product description	surface	art. no.
---------	---------------------	---------	----------




JOOP!
bath- and shower mixer DN 15
 stand assembly
 four hole tiles deck mounted installation
 cylindrical handle
 flow class D/B
 ovalflow-aerator
 ceramic headpart 90°
 autom. diverter shower/bathtub
 retractable hand shower
 high pressure supply hose
 G 1/2 x G 1/2 x 400 mm
 protected against back flow
 for bathtub rim mounting unit 7466200-00 or
 mounting plate 7614846-00
 Please note the socket height!

chrome
 chrome/glass green
 554250505
 55425H705



JOOP!
bath- and shower mixer DN 15
 stand assembly
 four hole bath rim mounting
 cylindrical handle
 flow class D/B
 ovalflow-aerator
 ceramic headpart 90°
 autom. diverter shower/bathtub
 retractable hand shower
 high pressure supply hose
 G 1/2 x G 1/2 x 400 mm
 protected against back flow
 for bathtub rim mounting unit 7466200-00 or
 mounting plate 7614846-00
 Please note the socket height!







chrome
 chrome/glass green
 554240505
 55424H705















JOOP!
bath- and shower mixer DN 15
 stand assembly
 four hole bath rim mounting
 cylindrical handle
 flow class B/B
 ceramic headpart 90°
 autom. diverter shower/bathtub
 retractable hand shower
 high pressure supply hose
 G 1/2 x G 1/2 x 400 mm
 protected against back flow
 without bath filler
 for bathtub rim mounting unit 7480200-00 or
 mounting plate 7614946-00

chrome
 chrome/glass green
 554260505
 55426H705







JOOP!




product	product description	surface	art. no.
	<p>JOOP! concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome chrome/glass green	556500575 55650H775 88011
	<p>JOOP! concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome chrome/glass green	555150575 55515H775 33434
	<p>JOOP! concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	558300505 88011
	<p>JOOP! bath filler DN 20 wall fastening projection 160 mm flow class D ovalflow-aerator separate connector G 3/4 for pre-installation</p>	chrome	5550205
	<p>JOOP! bath filler DN 20 wall fastening projection 220 mm flow class D ovalflow-aerator separate connector G 3/4 for pre-installation</p>	chrome	5550305
<p>SHOWER</p> 	<p>JOOP! single lever shower mixer DN 15 solid lever wall fastening flow class B covered eccentric-wall connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 9775/IA</p>	chrome chrome/glass green	554230575 55423H775

JOOP!







product	product description	surface	art. no.
 	JOOP! concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOX concealed unit DN 20	chrome chrome/glass green	556550575 55655H775 88011
 	JOOP! concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome chrome/glass green	557180575 55718H775 33434
 	JOOP! concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOX concealed unit DN 20	 chrome	558350505 88011
 	JOOP! concealed thermostatic mixer concealed trim-set cylindrical handle hot water safety device 38 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 20 Thermostat concealed thermostatic mixer DN 15	 chrome	557190505 35093 35158
 	JOOP! concealed valve, trim set set 2 – trim set cylindrical handle consisting of: handle, sleeve, rosette adjustable extension required accessories: JOOP! concealed valve DN 20	chrome chrome/glass green	558150505 55815H705 55811
ACCESSORIES  	JOOP! lockable plug G 1 1/4 for wash basin with overflow waste flow rate 22 l/min with hair strainer	chrome	1042305-00














JOOP!

product	product description	surface	art. no.
	<p>JOOP! angle valve DN 15 cylindrical handle without marking with push-on rosette</p>	chrome	558430505
	<p>JOOP! pre installation set for wash basin unit 55115.. for guest WC concealed assembly set for trim set 55115..</p>	neutral	7438700-00
	<p>JOOP! handle trim set for wash basin unit 55115..</p>	chrome chrome/glass green	7441005-00 74410H7-00
	<p>JOOP! concealed valve DN 20 connection G 3/4 sleeve ceramic headpart 90°</p>		55811
	<p>JOOP! pop-up and overflow set trim set rosette plate and plug with big valve disc</p>	chrome	5505605-00
<p>SPARE PARTS</p> 	<p>JOOP! lever for single lever mixer for 55024, 55030, 55217</p>	chrome chrome/glass green	7448505-00 74485H7-00











product	product description	surface	art. no.
	<p>JOOP! handle for 55423, 55443, 55515, 55718, 55990 55650, 55655</p>	<p>chrome/glass green</p>	<p>74146H7-00</p>
	<p>JOOP! handle for 55423, 55443, 55515, 55718, 55990 55650, 55655</p>	<p>chrome</p>	<p>7414705-00</p>
	<p>JOOP! handle for 55023, 55029, 55216</p>	<p>chrome chrome/glass green</p>	<p>7789905-00 77899H7-00</p>








KLUDI AMBA

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco eco</p> <p>product design award PLUS X AWARD High Quality Design Ease of Use German Design Award SPECIAL MENTION 2014 Interior Innovation award 2014 Winner</p> <p>2013 ■</p>	<p>530230575</p>
	<p>KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco eco</p> <p>product design award PLUS X AWARD High Quality Design Ease of Use German Design Award SPECIAL MENTION 2014 Interior Innovation award 2014 Winner</p> <p>2013 ■</p>	<p>530260575</p>
	<p>KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco eco</p> <p>product design award PLUS X AWARD High Quality Design Ease of Use German Design Award SPECIAL MENTION 2014 Interior Innovation award 2014 Winner</p> <p>2013 ■</p>	<p>530290575</p>
	<p>KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco eco</p> <p>product design award PLUS X AWARD High Quality Design Ease of Use German Design Award SPECIAL MENTION 2014 Interior Innovation award 2014 Winner</p> <p>2013 ■</p>	<p>530280575</p>
	<p>KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 spout height 273 mm</p>	<p>chrome</p> <p>eco eco</p> <p>product design award PLUS X AWARD High Quality Design Ease of Use German Design Award SPECIAL MENTION 2014 Interior Innovation award 2014 Winner</p> <p>2013 ■</p>	<p>532980575</p>
	<p>KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 spout height 213 mm</p>	<p>chrome</p> <p>eco eco</p> <p>product design award PLUS X AWARD High Quality Design Ease of Use German Design Award SPECIAL MENTION 2014 Interior Innovation award 2014 Winner</p> <p>2013 ■</p>	<p>532960575</p>

product	product description	surface	art. no.
	<p>KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 projection wall spout 226 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	 	<p>chrome</p> <p>532450575</p> <p>38243</p>
	<p>KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 projection wall spout 186 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	 	<p>chrome</p> <p>532440575</p> <p>38243</p>
<p>BIDET</p> 	<p>KLUDI AMBA single lever bidet mixer DN 15 solid lever single hole mounted flow rate 7,3 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>		<p>chrome</p> <p>532160575</p>
<p>BATH</p> 	<p>KLUDI AMBA single lever bath- and shower mixer DN 15 solid lever wall fastening flow class D/B caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow covered eccentric-wall connections</p>		<p>chrome</p> <p>534450575</p>
	<p>KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening, flow class B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2</p>	 	<p>chrome</p> <p>534010538</p>

KLUDI AMBA






product	product description	surface	art. no.
 	<p>KLUDI AMBA single lever bath- and shower mixer DN 15 installation for free standing bath tub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S 6760005-00</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	535900575 88088
 	<p>KLUDI AMBA single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow class D/B caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00</p>	 chrome	534470575
 	<p>KLUDI AMBA single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p> <p>required accessories: KLUDI ROTEXA MULTI filling, waste and overflow</p>	chrome	534480575
 	<p>KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever, wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/DC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	7182605-00 536500575

product	product description	surface	art. no.	
	<p>KLUDI AMBA concealed single lever bath and shower mixer trim set solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	535150575	
	<p>KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	536570575	
	<p>KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		chrome	538300575
	<p>KLUDI AMBA bath filler DN 20 wall fastening projection 175 mm flow class D caché s-pointer-aerator M 24 x 1 separate connector G 3/4 for pre-installation</p>		chrome	5350505
<p>SHOWER</p> 	<p>KLUDI AMBA single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow covered eccentric-wall connections</p>	chrome	537100575	




















KLUDI AMBA

product	product description	surface	art. no.
	<p>KLUDI AMBA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2</p>		chrome 53400538
	<p>KLUDI AMBA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/DC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		chrome 536550575 88011
	<p>KLUDI AMBA concealed single lever shower mixer trim set solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>		chrome 537180575 33434
	<p>KLUDI AMBA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		chrome 538350575 88011
	<p>KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		chrome 537290575 88011
	<p>KLUDI AMBA three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI three-way diverter DN 15</p>		chrome 538460575 29757














KLUDI AMBA

product	product description	surface	art. no.
	<p>KLUDI AMBA two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI two way diverter DN 15</p>	chrome	538470575 29747
	<p>KLUDI AMBA concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension</p> <p>required accessories: KLUDI concealed valve DN 20</p>	chrome	538150575 53811
<p>SPARE PARTS</p> 	<p>KLUDI AMBA lever for 53023..., 53026..., 53029..., 53028..., 53296..., 53298..., 53216..</p>	chrome	7307605-00
	<p>KLUDI AMBA lever for 53590..., 53447..</p>	chrome	7307405-00
	<p>KLUDI AMBA lever for 53445..., 53650..., 53657..., 53710..., 53655..</p>	chrome	7307305-00





KLUDI E2

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	  chrome	490230575
	<p>KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar PCA aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	  chrome	490250575
	<p>KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 120 mm</p>	  chrome	492950575 <div style="border: 1px solid black; padding: 2px; display: inline-block;">NEW</div>
	<p>KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 120 mm</p>	  chrome	492970575 <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; font-size: 8px; margin-right: 5px;">interior innovation award 2015 Selection</div> <div style="border: 1px solid black; padding: 2px; font-size: 8px; margin-right: 5px;">if DESIGN AWARD 2015</div> <div style="border: 1px solid black; padding: 2px; font-size: 8px;">  GERMAN DESIGN AWARD SPECIAL 2016 </div> </div>
	<p>KLUDI E2 single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 155 mm</p>	  chrome	492960575
	<p>KLUDI E2 single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 260 mm</p>	  chrome	492980575








KLUDI E2

product	product description	surface	art. no.
	<p>KLUDI E2 concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	  chrome	<p>492450575</p> <p>38243</p>
	<p>KLUDI E2 concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	  chrome	<p>492440575</p> <p>38243</p>
<p>BIDET</p> 	<p>KLUDI E2 single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	  chrome	<p>492160575</p>
<p>BATH</p> 	<p>KLUDI E2 single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without shower set autom. diverter shower/bathtub protected against back flow s-connections shower outlet G 1/2</p>	 chrome	<p>494450575</p>
	<p>KLUDI E2 bath- and shower mixer DN 15 installation for free standing bath tub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm hand shower KLUDI A-QA 3910005-00</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	<p>495900575</p> <p>88088</p>





KLUDI E2

product	product description	surface	art. no.
	<p>KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm shower outlet G 1/2 for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00</p>	chrome	494470575
	<p>KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p>	chrome	494260575
<p>required accessories: KLUDI ROTEXA MULTI filling, waste and overflow</p>		chrome	7182605-00
	<p>KLUDI E2 concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	496500575
	<p>KLUDI E2 concealed single lever bath and shower mixer trim set wall fastening solid lever autom. diverter shower/bathtub without pre-installation set</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	495150575



















KLUDI E2

product	product description	surface	art. no.
	<p>KLUDI E2 concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 noise level I</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	496570575
<p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>			88011
	<p>KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	498300575
<p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>			88011
	<p>KLUDI E2 bath filler DN 20 wall fastening projection 175 mm flow class D s-pointer aerator M 24 x 1 separate connector G 3/4 for pre-installation</p>	 chrome	4950305
<p>SHOWER</p> 	<p>KLUDI E2 single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections without shower set</p>	chrome	497140575
	<p>KLUDI E2 concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	496550575
			88011

KLUDI E2











product	product description	surface	art. no.
	<p>KLUDI E2 concealed single lever shower mixer trim set wall fastening solid lever without pre-installation set</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	<p>497180575</p> <p>33434</p>
	<p>KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	<p>498350575</p> <p>88011</p>
	<p>KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	<p>497290575</p> <p>88011</p>
	<p>KLUDI E2 three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI three-way diverter DN 15</p>	chrome	<p>498460575</p> <p>29757</p>
	<p>KLUDI E2 two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI two way diverter DN 15</p>	chrome	<p>498470575</p> <p>29747</p>
	<p>KLUDI E2 concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension</p> <p>required accessories: KLUDI concealed valve DN 20</p>	chrome	<p>498150575</p> <p>53811</p>

KLUDI BALANCE










product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI BALANCE single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	<p>chrome white/chrome</p>  	<p>520230575 520239175</p>  <p>product design award</p> <p>2012 ■</p>
	<p>KLUDI BALANCE single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I water flow regulator 8.0 l/min</p>	<p>chrome white/chrome</p>  	<p>520260575 520269175</p>  <p>product design award</p> <p>2012 ■</p>
	<p>KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism</p>	<p>chrome white/chrome</p>   	<p>5220005 5220091</p>  <p>PLUS X AWARD High Quality Design Ease of Use</p>
	<p>KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism</p>	<p>chrome white/chrome</p>   	<p>5210005 5210091</p>  <p>PLUS X AWARD High Quality Design Ease of Use</p>





KLUDI BALANCE

product	product description	surface	art. no.
	<p>KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 5 l/min at 3 bar thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with control device electric power supply via 230 V main adapter without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters</p>	chrome 	5220205
	<p>KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 5 l/min at 3 bar thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters</p>	chrome 	5210205
	<p>KLUDI BALANCE E electronic controlled pillar tap DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit optical object-detection electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism</p>	chrome 	5220505

product	product description	surface	art. no.
	<p>KLUDI BALANCE E electronic controlled pillar tap DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar thief-proof Cascade-aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism</p>	<p>chrome</p> 	<p>5210505</p>
	<p>KLUDI BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 272 mm</p>	<p>chrome white/chrome</p> 	<p>522980575 522989175</p>
	<p>KLUDI BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 212 mm</p>	<p>chrome white/chrome</p> 	<p>522960575 522969175</p>
	<p>KLUDI BALANCE concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	<p>chrome white/chrome</p> 	<p>522470575 522479175</p> <p>NEW</p> <p>38242</p>
	<p>KLUDI BALANCE concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	<p>chrome white/chrome</p> 	<p>522460575 522469175</p> <p>NEW</p> <p>38242</p>



KLUDI BALANCE

product	product description	surface	art. no.
<p>BIDET</p> 	<p>KLUDI BALANCE single lever bidet mixer DN 15 single hole mounted flow class Z without ball joint Eco s-pointer aerator M 24 x 1Z ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	<p>chrome white/chrome</p>  	<p>522160575 522169175</p>
<p>BATH</p> 	<p>KLUDI BALANCE single lever bath- and shower mixer DN 15 solid lever wall fastening flow class D/B s-pointer aerator M 24 x 1D ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections noise level I</p>	<p>chrome white/chrome</p> 	<p>524450575 524459175</p>
	<p>KLUDI BALANCE single lever bath- and shower mixer DN 15 installation for free standing bath tub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome white/chrome</p> 	<p>525900575 525909175</p> <p>88088</p>
	<p>KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow retractable hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm projection 220 mm noise level I P-IX 7505/IDB for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00</p>	<p>chrome white/chrome</p> 	<p>524470575 524479175</p>




product	product description	surface	art. no.
	<p>KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p> <p>required accessories: KLUDI ROTEXA MULTI filling, waste and overflow</p>	chrome	524480575
	<p>KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/DC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome white/chrome	526500575 526509175
	<p>KLUDI BALANCE concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	525150575
	<p>KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit wall fastening solid lever ceramic cartridge with hot water limitation flow class C/B autom. diverter shower/bathtub protected against back flow for bath- and shower tubs</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	526570575















KLUDI BALANCE

product	product description	surface	art. no.
	<p>KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome white/chrome	528300575 528309175 88011
	<p>KLUDI BALANCE bath filler DN 20 wall fastening projection 170 mm flow class C s-pointer aerator M 24 x 1C separate connector G 3/4 for pre-installation</p>	chrome	5250305 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>
<p>SHOWER</p> 	<p>KLUDI BALANCE single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections noise level I</p>	chrome white/chrome	527100575 527109175
	<p>KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation handle metal protected against back flow pre-installed dirt cleaner sieve shower outlet G 1/2 s-connections</p>	 chrome	352500575
	<p>KLUDI BALANCE concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/DC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome white/chrome	526550575 526559175 88011
	<p>KLUDI BALANCE concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	527180575 33434











product	product description	surface	art. no.
	<p>KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 <p>chrome white/chrome</p>	<p>528350575 528359175</p> <p>88011</p>
	<p>KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 <p>chrome</p>	<p>527290575</p> <p>88011</p>
	<p>KLUDI BALANCE three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI three-way diverter DN 15</p>	<p>chrome</p>	<p>528460575</p> <p>29757</p>
	<p>KLUDI BALANCE two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI two way diverter DN 15</p>	<p>chrome</p>	<p>528470575</p> <p>29747</p>
	<p>KLUDI BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension</p> <p>required accessories: KLUDI concealed valve DN 20</p>	<p>chrome</p>	<p>528150575</p> <p>53811</p>
	<p>KLUDI BALANCE shower hook for hoses with conical nut with screws and dowels</p>	<p>chrome</p>	<p>5205005-00</p>

















KLUDI BALANCE

product	product description	surface	art. no.
 	<p>KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow according to DIN EN 1717</p>	chrome	5206105-00
<p>SPARE PARTS</p> 	<p>KLUDI BALANCE lever for single lever mixer 52023, 52026, 52216, 52296, 52298, 52445, 52710</p>	chrome white	7498905-00 7498943-00



product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA</p>	<p>chrome</p> 	<p>500230565</p> 
	<p>KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set P-IX 18510/IA</p>	<p>chrome</p> 	<p>500260565</p> 
	<p>KLUDI Q-BEO handwash basin single lever mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA</p>	<p>chrome</p> 	<p>501290565</p>
	<p>KLUDI Q-BEO basin mixer DN 15 cubic-handles three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 3/8 P-IX 18513/IA</p>	<p>chrome</p> 	<p>501430565</p>
<p>BIDET</p> 	<p>KLUDI Q-BEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 8,4 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA</p>	<p>chrome</p> 	<p>502160565</p>
<p>BATH</p> 	<p>KLUDI Q-BEO single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 covered eccentric-wall connections PA-IX 18512/ICB</p>	<p>chrome</p> 	<p>504430565</p>


















KLUDI Q-BEO

product	product description	surface	art. no.
 	<p>KLUDI Q-BEO bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cubic-handles flow class D/B s-pointer aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable KLUDI Q-BEO-hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm protected against back flow projection 220 mm P-IX 18514/IDB for bathtub rim mounting unit 7466200-00 mounting plate 7614846-00</p>	chrome	504240565
 	<p>KLUDI Q-BEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	506500565
 	<p>KLUDI Q-BEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for concealed body 33434</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	505140565
 	<p>KLUDI Q-BEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	506570565
 	<p>KLUDI Q-BEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	508300565











product	product description	surface	art. no.
 	KLUDI Q-BEO bath filler DN 20 wall fastening projection 220 mm s-pointer aerator M 24 x 1 flow class D separate connector G 3/4 for pre-installation	 chrome	5050405
SHOWER  	KLUDI Q-BEO single lever shower mixer DN 15 solid lever wall fastening flow class B covered eccentric-wall connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18511/IB	chrome	507140565
 	KLUDI Q-BEO thermostatic shower mixer DN 15 cubic-handles wall fastening, flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation dirt catcher sieves protected against back flow covered eccentric-wall connections temperature insulated body PA-IX 18515/IB	 chrome 	504000565
 	KLUDI Q-BEO concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOX concealed unit DN 20	chrome	506550565 88011
 	KLUDI Q-BEO concealed single lever shower mixer concealed trim-set solid lever for concealed body 33434 required accessories: concealed mixer DN 15 pre installation set	chrome	507170565 33434
 	KLUDI Q-BEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/ICC required accessories: KLUDI FLEXX.BOX concealed unit DN 20	 chrome	508350565 88011

KLUDI Q-BEO









product	product description	surface	art. no.
 	<p>KLUDI Q-BEO concealed valve, trim set Cubic-handle existing of: handle, sleeve, flange without marking</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	<p>chrome</p>	<p>508150565</p> <p>29809</p> <p>29811</p> <p>29909</p> <p>29911</p> <p>29927</p>

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI MX single lever basin mixer DN 15 open ring lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	<p>chrome</p>  	<p>331250562</p>
	<p>KLUDI MX single lever basin mixer DN 15 open ring lever single hole mounted flow rate 5 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set for use with displacement heaters</p>	<p>chrome</p>  	<p>331350562</p>
	<p>KLUDI MX single lever basin mixer DN 15 open ring lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set</p>	<p>chrome</p>  	<p>331260562</p>
	<p>KLUDI MX XXL single lever basin mixer DN 15 pull-out function unit for hair washing open ring lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation lowering function without pop-up waste flexible hoses G 3/8</p>	<p>chrome</p>  	<p>331840562</p>
	<p>KLUDI MX single lever basin mixer DN 15 open ring lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	<p>chrome</p>  	<p>331280562</p>
<p>BIDET</p> 	<p>KLUDI MX single lever bidet mixer DN 15 open ring lever single hole mounted flow rate 9 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	<p>chrome</p> 	<p>332150562</p>




KLUDI MX

product	product description	surface	art. no.
<p>BATH</p>  	<p>KLUDI MX single lever bath- and shower mixer DN 15 open ring lever wall fastening flow class B/B cascade aerator M 28 x 1 s-connections ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub</p>	chrome	334450562
 	<p>KLUDI MX THERM thermostatic bath- and shower mixer DN 15 wall fastening, flow class B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections</p>	chrome	354310538
 	<p>KLUDI MX concealed single lever bath and shower mixer concealed valve with functional unit open ring lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	336500562
 	<p>KLUDI MX concealed single lever bath and shower mixer trim set open ring lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	335350562
 	<p>KLUDI MX concealed single lever bath and shower mixer concealed valve with functional unit open ring lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 19310/ICB</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	336570562

KLUDI MX

product	product description	surface	art. no.
	<p>KLUDI MX / KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	358300538 88011
	<p>KLUDI bath filler DN 20 wall fastening flow class B aerator M 28 x 1 with push-on rosette projection 170 mm</p>	chrome	1350005
	<p>KLUDI bath filler with diverter DN 20 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm</p>	chrome	1350105
<p>SHOWER</p> 	<p>KLUDI MX single lever shower mixer DN 15 open ring lever wall fastening flow class B s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2</p>	chrome	337100562
	<p>KLUDI MX THERM thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections</p>	  chrome	354300538
	<p>KLUDI MX concealed single lever shower mixer concealed valve with functional unit open ring lever ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	336550562 88011

KLUDI MX

product	product description	surface	art. no.
	<p>KLUDI MX concealed single lever shower mixer trim set open ring lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	337160562
	<p>KLUDI MX / KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	358350538
<p>SPARE PARTS</p> 	<p>KLUDI MX lever for single lever mixer for 33125, 33126, 33128, 33135, 33184, 33215, 33446, 33447, 33535, 33650, 33655, 33657, 33710, 33716</p>	chrome	7439105-00
















product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>410290575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>410280575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	<p>chrome</p> <p>eco water saving icon eco water saving icon</p>	<p>412760575</p> <p>NEW</p>
	<p>KLUDI AMEO single-lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8</p>	<p>chrome</p> <p>eco water saving icon eco water saving icon</p>	<p>410230575</p> <p>NEW</p>
	<p>KLUDI AMEO single-lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p>eco water saving icon eco water saving icon</p>	<p>410260575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8</p>	<p>chrome</p> <p>eco water saving icon eco water saving icon</p>	<p>410240575</p> <p>NEW</p>

product	product description	surface	art. no.
	<p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>410250575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 270 mm</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>412980575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 205 mm</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>412960575</p> <p>NEW</p>
	<p>KLUDI AMEO concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>412450575</p> <p>NEW</p> <p>38242</p>
	<p>KLUDI AMEO concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>412440575</p> <p>NEW</p> <p>38242</p>
	<p>KLUDI AMEO Three-hole basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 1/2</p>	<p>chrome</p> <p>eco water saving icon</p>	<p>413930575</p> <p>NEW</p>

available from June 2017

KLUDI AMEO





product	product description	surface	art. no.
	<p>KLUDI AMEO three-hole basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 1/2</p>	<p>chrome</p> <p> </p>	<p>413930530</p> <p>NEW</p>
<p>BIDET</p> 	<p>KLUDI AMEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bars PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> <p> </p>	<p>412160575</p> <p>NEW</p>
<p>BATH</p> 	<p>KLUDI AMEO single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections</p>	<p>chrome</p>	<p>414450575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever bath- and shower mixer DN 15 solid lever vertically and horizontally adjustable wall fastening ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections</p>	<p>chrome</p>	<p>416710575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00</p>	<p>chrome</p>	<p>414470575</p> <p>NEW</p>























product	product description	surface	art. no.
	 <p>KLUDI AMEO single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p>	chrome	414480575 NEW
	<p>required accessories: KLUDI ROTEXA MULTI filling, waste and overflow</p>	chrome	7182605-00
	 <p>KLUDI AMEO single lever bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever ceramic headpart 90° autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm</p>	chrome	414240575 NEW
	 <p>KLUDI AMEO single lever bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever ceramic headpart 90° autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm</p>	chrome	414240530 NEW
	 <p>KLUDI AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub</p>	chrome	416500575 NEW
	 <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	88011
	 <p>KLUDI AMEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p>	chrome	415150575 NEW
	 <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	33434 NEW

available from June 2017








KLUDI AMEO

product	product description	surface	art. no.
	<p>KLUDI AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	<p>416570575</p> <p>NEW</p>
	<p>KLUDI AMEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>418300575</p> <p>NEW</p> <p>88011</p>
	<p>KLUDI AMEO bath filler DN 20 wall fastening projection 170 mm flow class C s-pointer aerator M 24 x 1C separate connector G 3/4 for pre-installation</p>	chrome	<p>4150505</p> <p>NEW</p>
<p>SHOWER</p> 	<p>KLUDI AMEO single lever shower mixer DN 15 solid lever flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections</p>	chrome	<p>417100575</p> <p>NEW</p>
	<p>KLUDI AMEO single lever shower mixer DN 15 solid lever vertically and horizontally adjustable flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections</p>	chrome	<p>416750575</p> <p>NEW</p>

product	product description	surface	art. no.
	<p>KLUDI AMEO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	<p>416550575</p> <p>NEW</p>
	<p>KLUDI AMEO concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	<p>417180575</p> <p>NEW</p> <p>33434</p>
	<p>KLUDI AMEO concealed thermostatic mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>418350575</p> <p>NEW</p> <p>88011</p>

product	product description	surface	art. no.
<p>BASIN</p>  	<p>KLUDI O-CEAN single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	  chrome	<p>383500575</p>
 	<p>KLUDI O-CEAN single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I</p>	  chrome	<p>383510575</p>
 	<p>KLUDI O-CEAN single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar stream spout - spray former water flow regulator 8 l/min ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome	<p>383400575</p>
 	<p>KLUDI O-CEAN single lever basin mixer DN 15 with joystick single hole mounted flow rate 8 l/min at 3 bar stream spout - spray former water flow regulator 8 l/min joystick ceramic cartridge pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome	<p>383450510</p>
 	<p>KLUDI O-CEAN single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	  chrome	<p>420250573</p>
 	<p>KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow rate 8 l/min at 3 bar Caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste</p>	  chrome	<p>381160530</p>







KLUDI O-CEAN







product	product description	surface	art. no.
<p>BIDET</p> 	<p>KLUDI O-CEAN single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	<p>chrome</p> 	<p>384300575</p>
<p>BATH</p> 	<p>KLUDI O-CEAN single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B s-pointer aerator M 24 x 1C ceramic cartridge with hot water limitation s-connections G 1/2 x G 3/4 shower outlet G 1/2 protected against back flow autom. diverter shower/bathtub with cover plate and shelf noise level I</p>	<p>chrome</p> 	<p>387700575</p>
	<p>KLUDI O-CEAN concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	<p>chrome</p>	<p>387500575</p> <p>88011</p>
	<p>KLUDI O-CEAN concealed single lever bath and shower mixer trim set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	<p>chrome</p>	<p>389600575</p> <p>33434</p>
	<p>KLUDI O-CEAN concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 19310/ICB</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	<p>chrome</p>	<p>387570575</p> <p>88011</p>

KLUDI O-CEAN
















product	product description	surface	art. no.
	<p>KLUDI O-CEAN / KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	388300545 88011
<p>SHOWER</p> 	<p>KLUDI O-CEAN single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation s-connections G 1/2 x G 3/4 shower outlet G 1/2 protected against back flow with cover plate and shelf noise level I</p>	chrome	389700575
	<p>KLUDI O-CEAN concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	387550575 88011
	<p>KLUDI O-CEAN concealed single lever shower mixer trim set trim set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	387600575 33434
	<p>KLUDI O-CEAN / KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	388350545 88011
<p>SPARE PARTS</p> 	<p>KLUDI O-CEAN lever for single lever mixer for 38340, 38350, 38351, 38430</p>	chrome	7484505-00

KLUDI BINGO STAR

product	product description	surface	art. no.
BASIN 		KLUDI BINGO STAR single lever basin mixer DN 15 solid lever single hole mounted flow rate 7,5 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18635/IA	 chrome 420230578
		KLUDI BINGO STAR single lever basin mixer DN 15 solid lever single hole mounted flow rate 7,5 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout with stop device 30°/30° pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	 chrome 420300578





product	product description	surface	art. no.
<p>BASIN</p>	<p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I</p>	 chrome	<p>382910576</p>
	<p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA Caché-aerator M 16,5 x 1 flow rate 5 l/min at 3 bar pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	 chrome	<p>382920576</p>
	<p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I for use with displacement heaters</p>	 chrome 	<p>382970576</p>
	<p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA Caché-aerator M 16,5 x 1 flow rate 5 l/min at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste</p>	 chrome	<p>382900576</p>
	<p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I</p>	 chrome	<p>382940576</p>
	<p>KLUDI BOZZ basin mixer DN 15 solid lever three hole assembling pop-up waste G 1 1/4 flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>	chrome	<p>383930576</p> <p style="background-color: black; color: white; padding: 2px; display: inline-block;">NEU</p>







KLUDI BOZZ

product	product description	surface	art. no.	
	<p>KLUDI BOZZ basin mixer DN 15 cross handles three hole assembling pop-up waste G 1 1/4 flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>	chrome	383930520 NEW	
	<p>KLUDI BOZZ single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set noise level I</p>		chrome	382960576
	<p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 230 mm</p>	 	chrome	381460576 NEW
	<p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 180 mm</p>	 	chrome	381450576 NEW
	<p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation cross handles flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 230 mm</p>	 	chrome	381460520 NEW
	<p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation cross handles flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 180 mm</p>	 	chrome	381450520 NEW

product	product description	surface	art. no.
 	<p>KLUDI BOZZ concealed two hole wall mounted basin mixer trim set, solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	  chrome	<p>382450576</p> <p>38243</p>
 	<p>KLUDI BOZZ concealed two hole wall mounted basin mixer trim set, solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	  chrome	<p>382440576</p> <p>38243</p>
 	<p>KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 185 mm</p>	chrome	<p>380180530</p>
 	<p>KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 110 mm</p>	chrome	<p>380170530</p>
 	<p>KLUDI BOZZ pillar tap with head part control unit DN 15 single hole mounted actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar shank fastening G 1/2</p>	chrome	<p>380160530</p>
 	<p>KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow rate 8 l/min at 3 bar Caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste</p>	  chrome	<p>381160530</p>

























KLUDI BOZZ

product	product description	surface	art. no.
<p>BIDET</p> 	<p>KLUDI BOZZ single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar ball joint-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I</p>	<p>chrome</p>	<p>385330576</p>
<p>BATH</p> 	<p>KLUDI BOZZ single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B aerator M 24 x 1 s-connections ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 noise level I PA-IX 9190/IICB</p>	<p>chrome</p>	<p>386910576</p>
	<p>KLUDI BOZZ bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p>	<p>chrome</p>	<p>384240576</p>
	<p>KLUDI BOZZ bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p>	<p>chrome</p>	<p>384240520</p>





























product	product description	surface	art. no.
	<p>KLUDI BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386500576 88011
	<p>KLUDI BOZZ concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	386600576 33434
	<p>KLUDI BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 19310/ICB</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386570576 88011
	<p>KLUDI BOZZ bath filler DN 20 wall fastening projection 160 mm s-pointer aerator M 24 x 1 flow class C with push-on rosette noise level I</p>	 chrome	3850505
<p>SHOWER</p> 	<p>KLUDI BOZZ single lever shower mixer DN 15 solid lever wall fastening flow rate 9 l/min at 3 bar s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 noise level I PA-IX 19191/IIB</p>	chrome	388310576























KLUDI BOZZ

product	product description	surface	art. no.
	<p>KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB</p>	 chrome	352030538
	<p>KLUDI BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386550576 88011
	<p>KLUDI BOZZ concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	388600576 33434
<p>SPARE PARTS</p>	<p>KLUDI BOZZ</p>	chrome	7461305-00
	<p>lever for single lever mixer 38291, 38297, 38294, 38296, 38244, 38245, 38533, 38691, 38650, 38660, 38831, 42803, 42851, 38292, 38290</p>		
	<p>KLUDI BOZZ lever for single lever mixer 38650, 38660, 38657, 38655, 38860</p>	chrome	7840005-00
	<p>KLUDI BOZZ handle 38391</p>	chrome	7482105-00























product	product description	surface	art. no.
<p>BASIN</p> 		 	<p>382500575 382508675 382509175</p>
		 	<p>382500575W</p>
		 	<p>382530575</p>
		 	<p>382510575 382518675 382519175</p>
		 	<p>382600575 382608675 382609175</p>
		 	<p>382600575W</p>







KLUDI ZENTA

product	product description	surface	art. no.
	<p>KLUDI ZENTA XL single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	  chrome	382620575
	<p>KLUDI ZENTA single lever basin mixer XXL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 120 mm</p>	  chrome	382640575
	<p>KLUDI ZENTA single lever basin mixer XXL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 120 mm</p>	  chrome	382650575
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	    chrome	3820205 
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit 9V alkaline battery backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	    chrome	3810205 
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit powered by 230 V mains supply backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	    chrome	3820005  







product	product description	surface	art. no.
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit 9V alkaline battery backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	<p>chrome</p> 	<p>3810005</p>  
 	<p>KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	<p>chrome</p> 	<p>3820505</p> 
 	<p>KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit 9V alkaline battery backflow preventer, rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	<p>chrome</p> 	<p>3810505</p> 
 	<p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I</p>	<p>chrome</p> 	<p>382940575</p>
 	<p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> 	<p>420250575</p>
 	<p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> 	<p>420260575</p>

KLUDI ZENTA
















product	product description	surface	art. no.
 	<p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18635/IA</p>		chrome 382550575
 	<p>KLUDI ZENTA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 258 mm</p>	 	chrome 382570575
 	<p>KLUDI ZENTA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 225 mm</p>	 	chrome 382560575
 	<p>KLUDI ZENTA basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>		chrome 383930575
 	<p>KLUDI ZENTA concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	 	chrome 382450575 38243
 	<p>KLUDI ZENTA concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	 	chrome 382440575 38243

product	product description	surface	art. no.
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	 <p>chrome</p>	<p>3840005</p> <p>38001</p> <p>38002</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	 <p>chrome</p>	<p>3850005</p> <p>38001</p> <p>38002</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection</p> <p>concealed electronic body DN 15 pre installation set for cold or premixed water connection</p>	 <p>chrome</p>	<p>3840205</p> <p>38003</p> <p>38004</p>







KLUDI ZENTA

product	product description	surface	art. no.
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection</p> <p>concealed electronic body DN 15 pre installation set for cold or premixed water connection</p>	 <p>chrome</p>	<p>3850205</p> <p>38003</p> <p>38004</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	 <p>chrome</p>	<p>3840105</p> <p>38001</p> <p>38002</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	 <p>chrome</p>	<p>3850105</p> <p>38001</p> <p>38002</p>









KLUDI ZENTA

product	product description	surface	art. no.
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection</p> <p>concealed electronic body DN 15 pre installation set for cold or premixed water connection</p>	<p>chrome</p>  	<p>3840305</p> <p>38003</p> <p>38004</p>
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection</p> <p>concealed electronic body DN 15 pre installation set for cold or premixed water connection</p>	<p>chrome</p>  	<p>3850305</p> <p>38003</p> <p>38004</p>
 	<p>KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow rate 8 l/min at 3 bar Caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste</p>	<p>chrome</p>  	<p>381160530</p>
<p>BIDET</p>  	<p>KLUDI ZENTA single lever bidet mixer DN 15 solid lever single hole mounted flow rate 7,2 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	<p>chrome black/chrome white/chrome</p> 	<p>385300575 385308675 385309175</p>












KLUDI ZENTA

product	product description	surface	art. no.
<p>BATH</p> 	<p>KLUDI ZENTA single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B aerator M 24 x 1 ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub s-connections PA-IX 18636/ICB</p>	<p>chrome black/chrome white/chrome</p>	<p>386700575 386708675 386709175</p>
	<p>KLUDI ZENTA thermostatic bath- and shower mixer DN 15 wall fastening flow class B aerator M 24 x 1/B temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2 s-connections</p>	<p> chrome black/chrome white/chrome</p>	<p>351010538 351018638 351019138</p>
	<p>KLUDI ZENTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome black/chrome white/chrome</p>	<p>386500575 386508675 386509175</p> <p>88011</p>
	<p>KLUDI ZENTA concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	<p>chrome black/chrome white/chrome</p>	<p>386600575 386608675 386609175</p> <p>33434</p>
	<p>KLUDI ZENTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 19310/ICB</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome</p>	<p>386570575</p> <p>88011</p>





KLUDI ZENTA

product	product description	surface	art. no.
	<p>KLUDI O-CEAN / KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 <p>chrome</p>	<p>388300545</p> <p>88011</p>
	<p>KLUDI bath filler DN 20 wall fastening flow class B aerator M 28 x 1 with push-on rosette projection 170 mm</p>	<p>chrome</p>	<p>1350005</p>
	<p>KLUDI bath filler with diverter DN 20 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm</p>	<p>chrome</p>	<p>1350105</p>
<p>SHOWER</p> 	<p>KLUDI ZENTA single lever shower mixer DN 15 solid lever wall fastening flow rate 9 l/min at 3 bar s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18637/IA</p>	<p>chrome black/chrome white/chrome</p>	<p>388700575 388708675 388709175</p>
	<p>KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB</p>	 <p>chrome black/chrome white/chrome</p>	<p>351000538 351008638 351009138</p>
	<p>KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome black/chrome white/chrome</p>	<p>386550575 386558675 386559175</p> <p>88011</p>

















KLUDI ZENTA

product	product description	surface	art. no.
	<p>KLUDI ZENTA concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome black/chrome white/chrome	388600575 388608675 388609175 33434
	<p>KLUDI O-CEAN / KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	388350545 88011
ACCESSORIES			
	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 230 V mains supply dirt catcher sieves backflow preventer</p>		38001
	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 6 V battery dirt catcher sieves backflow preventer</p>		38002
	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 230 V mains supply</p>		38003
	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 6 V battery</p>		38004










KLUDI ZENTA

product	product description	surface	art. no.
	<p>KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38250, 38251, 38253, 38256, 38260, 38262, 38530, 38100, 38102, 38105, 38200, 38202, 38205</p>	chrome	7607105-00
SPARE PARTS			
		<p>KLUDI ZENTA lever for single lever mixer for 38244, 38245, 38250, 38251, 38256, 38260, 38262, 38530, 38670, 38870</p>	<p>chrome 7466905-00 black/chrome 7466986-00 white/chrome 7466991-00</p>
	<p>KLUDI ZENTA lever for single lever mixer for 38446, 38447, 38650, 38655, 38657, 38660, 38667, 38860</p>	<p>chrome 7470005-00 black/chrome 7470086-00 white/chrome 7470091-00</p>	

KLUDI OBJEKTA

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	  chrome	322330575
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow rate 5 l/min at 3 bar PCA aerator M 24 x 1 pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	 chrome	322350575
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow rate 5 l/min at 3 bar flow regulator M 24 x 1 pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	  chrome	322340575
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 without pop-up waste rapid installation set flexible hoses G 3/8</p>	  chrome	321260575
	<p>KLUDI OBJEKTA single-lever basin mixer XL DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 flexible hoses G 3/8 rapid installation set pop-up waste G 1 1/4</p>	  chrome	322600575
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome	320230575

KLUDI OBJEKTA

product	product description	surface	art. no.
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome	320240575
	<p>KLUDI OBJEKTA basin mixer DN 15 solid lever three hole assembling flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>	chrome	323930575
<p>BIDET</p> 	<p>KLUDI OBJEKTA single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation ball joint caché aerator M 18,5 x 1 flow rate 8,2 l/min at 3 bar rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4</p>	 chrome	324160575
<p>BATH</p> 	<p>KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	 chrome	326530575
	<p>KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening flow class B/B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2</p>	 chrome	352010538









KLUDI OBJEKTA














product	product description	surface	art. no.
	<p>KLUDI OBJEKTA bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p>	chrome	324250575
	<p>KLUDI SPEZIAL OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation aerator M 24 x 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	chrome	324910575
	<p>KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation aerator M 24 x 1 flow class D/C autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow flexible hoses G 3/8 rapid installation set</p>	chrome	326850575
	<p>KLUDI OBJEKTA single lever bath- and shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation aerator M 28 x 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow connection angle G 1/2 x G 3/4 x 45° distance from center to center 75 mm</p>	chrome	324890575
	<p>KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever, wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub PA-IX 18967/DC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	326500575
			88011

KLUDI OBJEKTA














product	product description	surface	art. no.
	<p>KLUDI OBJEKTA concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	326150575 33434
	<p>KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever, wall fastening ceramic cartridge with hot water limitation flow class C/B, autom. diverter shower/bathtub protected against back flow noise level I P-IX 19310/ICB</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	326570575 88011
	<p>KLUDI MX / KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	358300538 88011
<p>SHOWER</p>	<p>KLUDI OBJEKTA single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow class C shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	chrome	327640575
	<p>KLUDI OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037</p>	chrome	352000538
	<p>KLUDI OBJEKTA single lever shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow connection angle G 1/2 x G 1/2 x 45° distance from center to center 75 mm</p>	chrome	326510575

KLUDI OBJEKTA















product	product description	surface	art. no.
	<p>KLUDI OBJEKTA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	326550575
	<p>KLUDI OBJEKTA concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	328180575
	<p>KLUDI MX / KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	358350538
	<p>Thermostat concealed thermostatic mixer concealed trim-set hot water safety device 38 °C with shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 chrome	357300538
<p>SPARE PARTS</p> 	<p>KLUDI OBJEKTA lever for 32233, 32234, 32126, 32260, 32416, 32235</p>	chrome	7504705-00
	<p>KLUDI OBJEKTA lever for 32489, 32491, 32615, 32650, 32651, 32653, 32655, 32657, 32685, 32764, 32818</p>	chrome	7504805-00

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI LOGO NEO single lever basin mixer XS DN 15 solid lever single hole mounted flow rate 7,1 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	 chrome	<p>372850575</p>
	<p>KLUDI LOGO NEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ</p>	 chrome	<p>372810575</p>
	<p>KLUDI LOGO NEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ</p>	 chrome white/chrome	<p>372820575 372829175</p> <p>NEW</p>
	<p>KLUDI LOGO NEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation centre position cold water pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	 chrome	<p>372890575</p>
	<p>KLUDI LOGO NEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19338/II</p>	 chrome 	<p>372760575</p>
	<p>KLUDI LOGO NEO CARE single lever basin mixer DN 15 Public lever arm 120 mm single hole mounted flow rate 7 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	 chrome	<p>372840575</p>









KLUDI LOGO NEO

product	product description	surface	art. no.
	<p>KLUDI LOGO NEO CARE single-lever basin mixer DN 15 clinic-lever 180 mm single hole mounted flow rate 7 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>		chrome 372870575
	<p>KLUDI LOGO NEO single-lever basin mixer XL DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>		chrome white/chrome 372900575 372909175 NEW
	<p>KLUDI LOGO NEO single-lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ</p>		chrome 372800575
	<p>KLUDI LOGO NEO single-lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar eco-aerator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ</p>		chrome 372830575
	<p>KLUDI LOGO NEO single-lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters P-IX 19338/II</p>	 	chrome 372750575
	<p>KLUDI LOGO NEO single-lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>		chrome 370230575




















KLUDI LOGO NEO

product	product description	surface	art. no.
<p>BIDET</p>  	<p>KLUDI LOGO NEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ</p>	<p>chrome</p>  	<p>375310575</p>
 	<p>KLUDI LOGO NEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 7,2 l/min at 3 bar s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ</p>	<p>chrome white/chrome</p>  	<p>375330575 375339175</p> <p>NEW</p>
<p>BATH</p>  	<p>KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections noise level I PA-IX 19339/IICA</p>	<p>chrome white/chrome</p>	<p>376810575 376819175</p>
 	<p>KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class B/A aerator M 22 x 1/B ceramic cartridge with hot water limitation swivelling spout 250 mm s-connections G 1/2 x G 1/2 protected against back flow Tele-hand shower DN 15 white plastic-hose white 1250 mm Tele-wall holder transparent noise-level II P-IX 3967/IIBA</p>	<p>chrome</p>	<p>375920575</p>
 	<p>KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class B/A aerator M 22 x 1/B ceramic cartridge with hot water limitation swivelling spout 250 mm s-connections G 1/2 x G 1/2 protected against back flow noise-level II PA-IX 3967/IIBA</p>	<p>chrome</p>	<p>375910575</p>






KLUDI LOGO NEO

product	product description	surface	art. no.
 	KLUDI LOGO NEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for concealed-device 38625 required accessories: concealed mixer DN 15 pre installation set	chrome	374190575 38625
SHOWER  	KLUDI LOGO NEO single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections PA-IX 19340/IA	chrome white/chrome	378410575 378419175
 	KLUDI LOGO NEO concealed single lever shower mixer concealed trim-set solid lever for concealed-device 38625 required accessories: concealed mixer DN 15 pre installation set	chrome	374200575 38625
SPARE PARTS  	KLUDI LOGO NEO lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290	chrome	7495005-00







KLUDI TERCIO

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI TERCIO single lever basin mixer DN 15 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set flexible hoses G 3/8 noise test applied</p> 	 chrome	<p>384810575</p>
	<p>KLUDI TERCIO single lever basin mixer DN 15 solid lever single hole mounted PCA aerator M 24 x 1 flow rate 5 l/min at 3 bar ceramic cartridge with hot water limitation rapid installation set flexible hoses G 3/8</p> 	 chrome	<p>384850575</p>
	<p>KLUDI TERCIO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set flexible hoses G 3/8 for use with displacement heaters noise test applied</p> 	 chrome 	<p>384760575</p>
	<p>KLUDI TERCIO single lever basin mixer DN 15 solid lever single hole mounted s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise test applied</p> 	 chrome	<p>384800575</p>
	<p>KLUDI TERCIO single-lever basin mixer XL DN 15 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set flexible hoses G 3/8 noise test applied</p> 	 chrome	<p>384840575</p>
	<p>KLUDI TERCIO single lever basin mixer DN 15 solid lever single hole mounted flow class Z flow rate 4,3 l/min at 3 bar aerator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8 noise test applied</p> 	 chrome	<p>380230575</p>






KLUDI TERCIO

product	product description	surface	art. no.
	<p>KLUDI TERCIO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386510575
	<p>KLUDI TERCIO concealed single lever bath and shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	384190575 38625
<p>SHOWER</p> 	<p>KLUDI TERCIO single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 noise test applied</p>	chrome	384420575
	<p>KLUDI TERCIO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class B</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386560575
	<p>KLUDI TERCIO concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	384200575 38625

KLUDI STANDARD

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling casted spout (360°) aerator M 24 x 1 pop-up waste G 1 1/4 copper tubes 10 mm handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>210370508 210370515</p>
	<p>KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling casted spout (360°) aerator M 24 x 1 retractable chain copper tubes 10 mm handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>210350508 210350515</p>
	<p>KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 pop-up waste G 1 1/4 copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>210620508 210620515</p>
	<p>KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 retractable chain copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>210600508 210600515</p>
	<p>KLUDI STANDARD basin mixer DN 15 single hole mounted flow rate 12,5 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>210580508 210580515</p>
	<p>KLUDI STANDARD pillar valve DN 15 handle Terralux metal single hole mounted flow rate 6 l/min at 3 bar swivelling or lockable casted spout thief-proof Cascade-aerator M 24 x 1 ceramic headpart 180° marking: blue/red P-IX 9216/IZ</p>	<p>chrome</p>	<p>204080508</p>






KLUDI STANDARD

product	product description	surface	art. no.
	<p>KLUDI STANDARD pillar valve DN 15 single hole mounted flow rate 12 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 1247/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	204070508 204070515
	<p>KLUDI STANDARD pillar valve DN 15 single hole mounted flow rate 12 l/min at 3 bar casted spout aerator M 24 x 1 marking: blue/red P-IX 1116/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	200130508 200130515
<p>BATH</p> 	<p>KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	320040508 320040515
	<p>KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout aerator M 28 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 PA-IX 8525/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	251250508 251250515
	<p>KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B casted spout aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	250010508 250010515




KLUDI STANDARD

product	product description	surface	art. no.
	<p>KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout with aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow cradle hook Tele-hand shower DN 15 white plastic-hose white 1250 mm PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	250070508 250070515
	<p>KLUDI STANDARD bath- and shower mixer DN 15 wall fastening distance from center to center 120 mm flow class A/B swivelling tube spout (360°) aerator M 22 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	262090508 262090515
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class B/A swivelling spout 200 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4</p>	chrome	251010515
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4</p>	chrome	251110515
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow Tele-hand shower DN 15 white plastic-hose white 1250 mm Tele-wall holder transparent</p>	chrome	251130515







KLUDI STANDARD

product	product description	surface	art. no.
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class B/A swivelling spout 300 mm aerator M 22 x 1 autom. diverter shower/bathtub shower outlet G 3/4</p>	chrome	251210515
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class B/A swivelling spout 300 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow Tele-hand shower DN 15 white plastic-hose white 1250 mm Tele-wall holder transparent</p>	chrome	251230515
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening distance from center to center 45 mm flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 1/2 P-IX 4087/IIBA</p>	chrome	254110515
	<p>KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux ABS (15) wall fastening distance from center to center 45 mm flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow Tele-hand shower DN 15 white plastic-hose white 1250 mm Tele-wall holder transparent s-connections G 1/2 x G 1/2 P-IX 4087/IIBA</p>	chrome	254130515
	<p>KLUDI STANDARD bath filler DN 20 with wall flange (escutcheon) aerator M 28 x 1 projection 150 mm noise level I</p>	chrome	1350205






KLUDI STANDARD

product	product description	surface	art. no.
<p>SHOWER</p> 	<p>KLUDI STANDARD shower mixer DN 15 wall fastening flow class B s-connections shower outlet G 3/4 protected against back flow P-IX 8563/IB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>262020508 262020515</p>
	<p>KLUDI STANDARD shower mixer DN 15 wall fastening distance from center to center 120 mm flow class B s-connections shower outlet G 1/2 protected against back flow handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>261010508 261010515</p>
	<p>KLUDI STANDARD concealed valve, trim set set 2 – trim set existing of: handle, sleeve, flange adjustable extension marking: blue/red handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 25 connection G 1</p> <p>concealed valve DN 32 connection G 1 1/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 25 soldered connection 28 mm</p> <p>concealed valve DN 32 soldered connection 35 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	<p>chrome chrome</p>	<p>143030508 143030515</p> <p>29209</p> <p>29211</p> <p>29213</p> <p>29215</p> <p>29509</p> <p>29511</p> <p>29513</p> <p>29515</p> <p>29527</p>

KLUDI STANDARD

product	product description	surface	art. no.
	<p>KLUDI STANDARD concealed valve trim set lock shield</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 25 connection G 1</p> <p>concealed valve DN 32 connection G 1 1/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 25 soldered connection 28 mm</p> <p>concealed valve DN 32 soldered connection 35 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p> <p>concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	chrome	142030519
			29209
			29211
			29213
			29215
			29509
			29511
			29513
			29515
			29527
			29809
			29811
			29909
			29911
			29927
ACCESSORIES	<p>KLUDI pillar connections (per pair)</p>	chrome	7598205-00
			
	<p>KLUDI STANDARD outlet bend DN 15 with compression joint</p>	chrome	1200305
			











KLUDI STANDARD

product	product description	surface	art. no.
SPARE PARTS	KLUDI STANDARD handle 08 handle Terralux metal marking: blue	chrome	7542105-00
			
	KLUDI STANDARD handle 08 handle Terralux metal marking: red	chrome	7542205-00
	KLUDI STANDARD handle 15 handle Terralux ABS marking: blue	chrome	7636005-00
	KLUDI STANDARD handle 15 handle Terralux ABS marking: red	chrome	7636105-00









KLUDI PUSH

product	product description	surface	art. no.
<p>SHOWER</p>  	<p>KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386010538 88011
 	<p>KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386030538 88011
 	<p>KLUDI PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation metal rotating handle soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386110538 88011
 	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	 388010538 88011
 	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	388030538 88011
 	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	 388110538 88011












KLUDI PUSH

product	product description	surface	art. no.
	<p>KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386020538 88011
	<p>KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386040538 88011
	<p>KLUDI PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation metal rotating handle round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	386120538 88011
	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	388020538  88011
	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	388040538 88011
	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	388120538  88011







Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation flow rate 16 l/min at 3 bar ceramic cartridge with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I</p>		38242
	<p>installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation flow class S ceramic cartridge with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I</p>		38243
	<p>KLUDI FLEXX.BOXX concealed unit DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/ICB</p>		88011  
	<p>concealed extension set for trim set suitable to KLUDI FLEXX.BOXX 88011 L = 30 mm dezincification resistant brass DIN 50930-6</p>	neutral	7300600-00
	<p>adaptor for wrong installed function part for KLUDI FLEXX.BOXX single lever variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011</p>	neutral	7458000-00
	<p>adaptor for wrong installed function part for KLUDI FLEXX.BOXX THM variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011</p>	neutral	7400100-00







Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>KLUDI FLEXX.BOXX concealed unit DN 20 for freestanding bath- and shower mixer for floor mounting with one-piece elastomere-coating dezincification resistant brass with protection cap for skeleton with self-sealing sleeve with flushing set without stand fitting without stand fitting</p>		88088
 	<p>concealed mixer DN 15 pre installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation with self-sealing sleeve for concealed dry-installation P-IX 9734/IBB</p>		33434
 	<p>extension for concealed body 33434 30 mm length</p>	chrome	7423305-00
 	<p>concealed assembly set for pre-wall installation for concealed body 33434, 35424, 33424</p>	neutral	7642400-00
 	<p>concealed mixer DN 15 pre installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation noise level I PA-IX 8281/IBB</p>		38625
 	<p>extension for concealed bath and shower mixer 38624/38625 30 mm length</p>	chrome	7598005-00


Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>extension for concealed shower mixer 38826, 38625, 38243 30 mm length</p>	chrome	7598105-00
	<p>Thermostat concealed thermostatic mixer DN 15 pre installation set without trim set in-wall installation flow class B with therm E-cartridge with shut-off valve dirt catcher sieves PA-IX 8409/IB</p>		35156
	<p>extension for concealed thermostatic mixer with shut-off valve 35156 30 mm length</p>	chrome gold plated 23 carat	7573105-00 7573145-00
	<p>Thermostat concealed thermostatic mixer DN 15 pre installation set without trim set in-wall installation flow class B with therm E-cartridge without shut-off valve dirt catcher sieves P-IX 8410/II</p>		35158
	<p>extension for concealed thermostatic mixer without shut-off valve 35158 30 mm length</p>	chrome gold plated 23 carat	7573005-00 7573045-00
	<p>Thermostat concealed thermostatic mixer DN 20 pre installation set without trim set in-wall installation flow class D without shut-off valve dirt catcher sieves P-IX 8574/II</p>		35093







Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>extension for concealed thermostatic mixer without shut-off valve 35093 30 mm length</p>	chrome	7572705-00
	<p>three-way diverter DN 15 set 1 – pre-installation in-wall installation diverter 1 connection G 3/4 3 spouts G 1/2</p>		29757
	<p>two way diverter DN 15 set 1 – pre-installation in-wall installation diverter 1 connection G 3/4 2 spouts G 1/2</p>		29747
	<p>KLUDI two way diverter DN 15 set 1 – pre-installation in-wall installation diverter 2 connections G 1/2 tub spout G 3/4 shower outlet G 1/2</p>	neutral	2975100
	<p>concealed valve DN 15 connection G 1/2 set 1 – pre-installation sleeve PA-IX 9923/1</p>		29209
	<p>concealed valve DN 20 connection G 3/4 set 1 – pre-installation sleeve PA-IX 2427/1</p>		29211





Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
 	<p>concealed valve DN 25 connection G 1 set 1 – pre-installation sleeve PA-IX 2483/1</p>		29213
 	<p>concealed valve DN 32 connection G 1 1/4 set 1 – pre-installation sleeve</p>		29215
 	<p>concealed valve DN 15 connection G 1/2 set 1 – pre-installation ceramic headpart sleeve noise level I</p>		29809
 	<p>concealed valve DN 20 connection G 3/4 set 1 – pre-installation ceramic headpart sleeve noise level I</p>		29811
 	<p>concealed valve DN 20 connection G 3/4 set 1 – pre-installation ceramic headpart 90° sleeve</p>		53811
 	<p>concealed valve DN 12 soldered connection 15 mm set 1 – pre-installation sleeve PA-IX 9923/1</p>		29509





Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>concealed valve DN 15 soldered connection 18 mm set 1 – pre-installation sleeve PA-IX 2427/I</p>		29527
	<p>concealed valve DN 20 soldered connection 22 mm set 1 – pre-installation sleeve PA-IX 2427/I</p>		29511
	<p>concealed valve DN 25 soldered connection 28 mm set 1 – pre-installation sleeve PA-IX 2483/I</p>		29513
	<p>concealed valve DN 32 soldered connection 35 mm set 1 – pre-installation sleeve</p>		29515
	<p>concealed valve DN 12 soldered connection 15 mm set 1 – pre-installation ceramic headpart sleeve</p>		29909
	<p>concealed valve DN 15 soldered connection 18 mm set 1 – pre-installation ceramic headpart sleeve</p>		29927

Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>concealed valve DN 20 soldered connection 22 mm set 1 – pre-installation ceramic headpart sleeve</p>		29911
	<p>extension for concealed valve G 1/2 - G 1 1/4 40 mm length</p>	chrome	7507905-00
	<p>KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set for four hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00 without visible mounting plate art. no 16021..</p>	neutral	7479400-00
	<p>bath rim assembly kit pre-installation set for four hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00 without visible mounting plate art. no 16021..</p>	neutral	7466200-00

Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set for three hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00 without visible mounting plate art. no 1602405</p>	neutral	7580200-00
	<p>bath rim assembly kit pre-installation set for three hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00 without visible mounting plate art. no 1602405</p>	neutral	7480200-00
	<p>mounting plate pre-installation set for four hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 600 mm for angle valve connection without screw-kit 76156..-00</p>		7614846-00
	<p>visible mounting plate for combination with mounting plate 76148 and assembly package 74662, 74794</p>	chrome gold plated 23 carat	1602105 1602145

Pre-installation sets for all fitting ranges

product	product description	surface	art. no.
	<p>mounting plate pre-installation set for three hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 600 mm for angle valve connection without screw-kit 76156..-00</p>		7614946-00
	<p>visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802</p>	chrome	1602405
	<p>screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794</p>	chrome gold plated 23 carat	7615605-00 7615645-00



Thermostat















THERMOSTAT
SURFACE-MOUNTED
125






















KLUDI PUSH
127


















THERMOSTAT
CONCEALED
128

product	product description	surface	art. no.
<p>THERMOSTAT SURFACE-MOUNTED</p> 	<p>KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening flow class B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves, shower outlet G 1/2</p>		534010538
	<p>KLUDI AMBA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2</p>		534000538
	<p>KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation handle metal protected against back flow pre-installed dirt cleaner sieve shower outlet G 1/2 s-connections</p>		352500575
	<p>KLUDI Q-BEO thermostatic shower mixer DN 15 cubic-handles wall fastening, flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation dirt catcher sieves protected against back flow covered eccentric-wall connections temperature insulated body PA-IX 18515/IB</p>		504000565
	<p>KLUDI MX THERM thermostatic bath- and shower mixer DN 15 wall fastening flow class B/B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2, s-connections</p>		354310538
	<p>KLUDI MX THERM thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections</p>		354300538













Thermostat

product	product description	surface	art. no.
 	<p>KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB</p>		chrome 352030538
 	<p>KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening flow class B/B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2</p>		chrome 352010538
 	<p>KLUDI ZENTA thermostatic bath- and shower mixer DN 15 wall fastening flow class B aerator M 24 x 1/B temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2 s-connections</p>		chrome 351010538 black/chrome 351018638 white/chrome 351019138
 	<p>KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB</p>		chrome 351000538 black/chrome 351008638 white/chrome 351009138
 	<p>KLUDI OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037</p>		chrome 352000538
<p>KLUDI PUSH</p>  	<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		chrome 388010538  88011













product	product description	surface	art. no.	
		<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome 388030538</p>	
		<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome 388110538</p>  <p>88011</p>	
		<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome 388020538</p>  <p>88011</p>	
		<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome 388040538</p>	
		<p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome 388120538</p>  <p>88011</p>	
<p>THERMOSTAT CONCEALED</p>			<p>KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C without shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	<p>chrome 517190520 gold plated 23 carat 517194520</p> <p>35158</p>









Thermostat

product	product description	surface	art. no.
	<p>KLUDI ADLON concealed thermostatic mixer "Made with Swarovski® Elements" concealed trim-set hot water safety device 40 °C with shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 chrome gold plated 23 carat	5172005G5 5172045G4 <div style="background-color: black; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</div>
	<p>KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C with shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 chrome gold plated 23 carat	517200520 517204520 35156
	<p>JOOP! concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	558300505 88011
	<p>JOOP! concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	558350505 88011
	<p>JOOP! concealed thermostatic mixer concealed trim-set cylindrical handle hot water safety device 38 °C without shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 20</p> <p>Thermostat concealed thermostatic mixer DN 15</p>	 chrome	557190505 35093 35158
	<p>KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	538300575 88011

product	product description	surface	art. no.
	<p>KLUDI AMBA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		<p>chrome</p> <p>538350575</p> <p>88011</p>
	<p>KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		<p>chrome</p> <p>537290575</p> <p>88011</p>
	<p>KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		<p>chrome</p> <p>498300575</p> <p>88011</p>
	<p>KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		<p>chrome</p> <p>498350575</p> <p>88011</p>
	<p>KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		<p>chrome</p> <p>497290575</p> <p>88011</p>
	<p>KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>		<p>chrome white/chrome</p> <p>528300575 528309175</p> <p>88011</p>

Thermostat

product	product description	surface	art. no.
	<p>KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome white/chrome	528350575 528359175 88011
	<p>KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	527290575 88011
	<p>KLUDI Q-BEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	508300565 88011
	<p>KLUDI Q-BEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	508350565 88011
	<p>KLUDI MX / KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	358300538 88011
	<p>KLUDI MX / KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	358350538 88011

product	product description	surface	art. no.
	<p>KLUDI AMEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>418300575</p> <p>NEW</p> <p>88011</p>
	<p>KLUDI AMEO concealed thermostatic mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>418350575</p> <p>NEW</p> <p>88011</p>
	<p>KLUDI O-CEAN / KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>388300545</p> <p>88011</p>
	<p>KLUDI O-CEAN / KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>388350545</p> <p>88011</p>



Bathroom accessories



JOOPI!
135















KLUDI AMBA
138









KLUDI E2
140






KLUDI A-XES
143

product	product description	surface	art. no.
<p>BASIN</p>  	<p>JOOPI! glass holder crystal glass with mounting material</p>	chrome	5597505H7
 	<p>JOOPI! liquid soap dispenser bowl crystal glass with mounting material</p>	chrome	5597605H7
 	<p>JOOPI! soap holder bowl crystal glass with mounting material</p>	chrome	5598505H7
 	<p>JOOPI! shelf deposit plate of crystal glass with mounting material</p>	chrome	5597305H7
 	<p>JOOPI! shelf deposit plate of crystal glass with mounting material</p>	chrome	5598305H7
 	<p>JOOPI! hook big with mounting material</p>	chrome	5598205











JOOP!

product	product description	surface	art. no.
	<p>JOOP! hook small with mounting material</p>	chrome	5598405
	<p>JOOP! towel-ring with mounting material</p>	chrome	5597805
	<p>JOOP! towel holder with mounting material</p>	chrome	5597705
<p>BATH</p> 	<p>JOOP! bath towel holder L = 800 mm with mounting material</p>	chrome	5597905
	<p>JOOP! bath towel holder L = 600 mm with mounting material</p>	chrome	5598005
	<p>JOOP! bath handle L = 300 mm with mounting material</p>	chrome	5598105

product	product description	surface	art. no.
<p>WC</p> 	<p>JOOP! toilet brush holder wall installation with glass element made of crystal glass with mounting material</p>	<p>chrome</p>	<p>5597405H7</p>
	<p>JOOP! paper-holder with mounting material</p>	<p>chrome</p>	<p>5597105</p>
	<p>JOOP! spare toilet paper holder with mounting material</p>	<p>chrome</p>	<p>5597205</p>


KLUDI AMBA

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI AMBA glass holder wall fastening porcelain glass with mounting material</p>	chrome	5397505
	<p>KLUDI AMBA liquid soap dispenser wall fastening porcelain container with mounting material</p>	chrome	5397605
	<p>KLUDI AMBA soap dish wall fastening porcelain dish with mounting material</p>	chrome	5398505
	<p>KLUDI AMBA hook wall fastening with mounting material</p>	chrome	5398405
	<p>KLUDI AMBA towel holder two-armed, fixed wall fastening with mounting material</p>	chrome	5397705
<p>BATH</p> 	<p>KLUDI AMBA bath towel holder L = 850 mm wall fastening with mounting material</p>	chrome	5397905




product	product description	surface	art. no.		
	<p>KLUDI AMBA bath towel holder L = 650 mm wall fastening with mounting material</p>	chrome	5398005		
		<p>KLUDI AMBA bath handle L = 350 mm wall fastening with mounting material</p>	chrome	5398105	
	WC	<p>KLUDI AMBA toilet brush holder wall fastening porcelain container with mounting material</p>	chrome	5397405	
			<p>KLUDI AMBA paper-holder wall fastening with mounting material</p>	chrome	5397105
		<p>KLUDI AMBA spare toilet paper holder wall fastening with mounting material for one roll</p>	chrome	5397205	
					













KLUDI E2




product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI E2 glass holder wall fastening mouth-blown opal glass, white, matte with mounting material</p>	chrome	4997505
	<p>KLUDI E2 universal glass holder wall fastening with multifunctional frame, removable mouth-blown opal glass, white, matte with mounting material</p>	chrome	4998205
	<p>KLUDI E2 liquid soap dispenser wall fastening mouth-blown opal glass, white, matte with mounting material</p>	chrome	4997605
	<p>KLUDI E2 soap dish wall fastening opal glass, white, matte with mounting material</p>	chrome	4998505
	<p>KLUDI E2 shelf wall fastening opal glass, white, matte with mounting material</p>	chrome	4998705
	<p>KLUDI E2 tealight holder wall fastening opal glass, white, matte with tealight with mounting material</p>	chrome	4998305

product	product description	surface	art. no.
	<p>KLUDI E2 hook wall fastening with mounting material</p>	chrome	4998405
	<p>KLUDI E2 double towel holder 455 mm wall fastening two-armed, fixed with mounting material</p>	chrome	4997705
	<p>KLUDI E2 double towel holder XS L = 300 mm wall fastening two-armed, fixed with mounting material</p>	chrome	4999005
<p>BATH</p> 	<p>KLUDI E2 bath towel holder L = 850 mm wall fastening with mounting material</p>	chrome	4997905
	<p>KLUDI E2 bath towel holder L = 650 mm wall fastening with mounting material</p>	chrome	4998005
	<p>KLUDI E2 bath handle L = 350 mm wall fastening with mounting material</p>	chrome	4998105




KLUDI E2

product	product description	surface	art. no.
<p>WC</p> 	<p>KLUDI E2 paper-holder wall fastening with mounting material</p>	chrome	4997105
	<p>KLUDI E2 spare toilet paper holder wall fastening with mounting material</p>	chrome	4997205
	<p>KLUDI E2 toilet brush holder wall fastening mouth-blown opal glass, white, matte with mounting material</p>	chrome	4997405

product	product description	surface	art. no.
<p>BASIN</p>  	<p>KLUDI A-XES glass holder wall fastening satin finish glass with mounting material wall holder mountable right-or left-sided</p>	chrome	4897505
 	<p>KLUDI A-XES liquid soap dispenser wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided</p>	chrome	4897605
 	<p>KLUDI A-XES soap dish wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided</p>	chrome	4898505
 	<p>KLUDI A-XES hook wall fastening with mounting material</p>	chrome	4898405
 	<p>KLUDI A-XES towel holder two-armed, fixed wall fastening with mounting material wall holder mountable right-or left-sided</p>	chrome	4897705
<p>SHOWER</p>  	<p>KLUDI A-XES sponge basket wall fastening with mounting material</p>	chrome	4898605

product	product description	surface	art. no.
	<p>KLUDI A-XES paper-holder wall fastening with mounting material wall holder mountable right-or left-sided</p>	chrome	4897105
	<p>KLUDI A-XES spare toilet paper holder wall fastening with mounting material for one roll wall holder mountable right-or left-sided</p>	chrome	4897205
<p>SPARE PARTS</p> 	<p>KLUDI A-XES glass spare part satin finish glass</p>		48990L3
	<p>KLUDI A-XES soap dispenser spare part satin finish glass</p>		48991L3
	<p>KLUDI A-XES proportioning pump spare part</p>	chrome	4899705
	<p>KLUDI A-XES soap dish spare part satin finish glass</p>		48992L3

KLUDI A-XES






product	product description	surface	art. no.
	KLUDI A-XES glass for a toilet brush spare part satin finish glass		48996L3
	KLUDI A-XES head of toilet brush spare part	neutral	4899500
	KLUDI A-XES toilet brush spare part	chrome	4899405







Furniture and ceramic









KLUDI PLUS
151

product	product description	surface	art. no.
<p>BASIN</p> 	<p>KLUDI PLUS Basin of crystal porcelain wall fastening centre tap hole pre-drilled size 142 x 500 x 500 mm fastening with hanger bolts without fixing material</p>	white	49W0543
	<p>KLUDI PLUS countertop wash basin of crystal porcelain for surface-mounting without tap hole, without overflow size: 90 x 325 x 325 mm with mounting material</p> <p>required accessories: KLUDI shank valve with waste cap G 1 1/4</p>	white	49W0343
	<p>KLUDI PLUS counter modul size: 80 x 405 x 312 mm wall fastening with pre-drilled hole for washbasin and tap with wall mounting set</p>	white	49CM143
	<p>KLUDI PLUS counter modul size: 80 x 405 x 312 mm wall fastening with pre-drilled hole for washbasin with wall mounting set</p>	white	49CM243
	<p>KLUDI PLUS counter modul unit for concealed wall mounting size: 300 x 405 x 312 mm doors hinged on right (variable) with 1 adjustable shelf insert with tip-on technology with mounting material</p>	white	49CMU43

KLUDI PLUS

product	product description	surface	art. no.
	<p>KLUDI PLUS lighted mirror size: 800 x 500 mm with warm neon tubes can be connected to house electrical system 230 V with mounting material</p>	white	49SP243
	<p>KLUDI PLUS crystal mirror 800 x 405 mm without lighting with mounting material</p>	white	49SP343
<p>BIDET</p> 	<p>KLUDI PLUS Bidet of crystal porcelain wall-hung incl. concealed wall-mounting with cover caps centre tap hole, open with overflow size: 370 x 560 x 400 mm fastening: threaded bolt M 12 x 150 mm</p>	white	49BIW43
<p>WC</p> 	<p>KLUDI PLUS washdown WC of crystal porcelain, wall-hung as wash-down toilet incl. concealed wall-mounting with cover caps horizontal outlet, for wall-hung cisterns for wall-hung flush-valve toilets size: 370 x 560 x 400 mm fastening: threaded bolt M 12 x 150 mm</p>	white	49WCW43
<p>required accessories: KLUDI PLUS toilet seat</p>		white	49WCS43

product	product description	surface	art. no.
<p>ACCESSORIES</p>  	<p>KLUDI PLUS decor strip for washbasin can be combined with: KLUDI PLUS 49W0543 washbasin with mounting material</p>	chrome	4999905
 	<p>KLUDI PLUS decor iris for WC/Bidet can be combined with: KLUDI PLUS 49WCW43 toilet and KLUDI PLUS bidet 49BIW43 with mounting material</p>	chrome	4998905
 	<p>KLUDI PLUS toilet seat with lid removable, locked with grub screws steel hinges with soft-close thermosetting plastics</p>	white	49WCS43



Showers



KLUDI ADLON
157



JOOP!
158



KLUDI Q-BEO
159



KLUDI FIZZ
160



KLUDI FRESHLINE
164



KLUDI A-QA
167



KLUDI ZENTA
179




KLUDI LOGO
183



Shower systems
189








Special showers
194








Shower hoses
198





Accessories for all
shower ranges
200

product	product description	surface	art. no.
SHOWER SETS 		chrome gold plated 23 carat	2710305 2710345
HEAD SHOWERS 		chrome gold plated 23 carat	2751005 2751045 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>
		chrome gold plated 23 carat	2751405 2751445 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>
BATH SETS 		chrome gold plated 23 carat	2710505 2710545
		chrome gold plated 23 carat	2705105 2705145

JOOP!



product	product description	surface	art. no.
<p>SHOWER SYSTEMS</p> 	<p>JOOP! shower column DN 15 cylindrical handle concealed wall fastening automatic diverter: hand shower/head shower ceramic headpart 90° pre-installation set and trim set shower outlet G 1/2 with hand shower G 1/2 flow rate 15 l/min at 3 bar with fixed head shower flow rate 20 l/min at 3 bar protected against back flow</p>	<p>chrome chrome/glass green</p>	<p>557690505 55769H705</p>
<p>HEAD SHOWERS</p> 	<p>JOOP! head shower DN 15 wall fastening with one spray mode: rainshower flow rate 20 l/min at 3 bar quick and easy cleaning system connection G 1/2</p>	<p>chrome</p>	<p>5577905-00</p>
<p>SHOWER SETS</p> 	<p>JOOP! shower set L = 900 mm wall rail with glider hand shower DN 15 quick and easy cleaning system shower hose G 1/2 x G 1/2 x 1600 mm flow rate 15 l/min at 3 bar with conical nuts</p>	<p>chrome</p>	<p>5513005-00</p>
<p>ACCESSORIES</p> 	<p>JOOP! shower hook for hoses with conical nut with screws and dowels</p>	<p>chrome</p>	<p>5555105-00</p>
	<p>JOOP! wall supply DN 15 protected against back flow</p>	<p>chrome</p>	<p>5554105-00</p>

product	product description	surface	art. no.
<p>WALL RAILS</p> 	<p>KLUDI Q-BEO wall rail L = 900 mm swivel wall-mounted rail with horizontally slider over wall rail and vertical above pass adjustable shower hose G 1/2 x G 1/2 x 1600 mm without hand shower</p>	chrome	5012005-00
<p>HAND SHOWER</p> 	<p>KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head flow rate 17 l/min at 3 bar low-aerosol connection G 1/2 P-IX 18516/IB</p>	chrome	5010005-00

KLUDI FIZZ

product	product description	surface	art. no.
---------	---------------------	---------	----------

SHOWER SYSTEMS





KLUDI FIZZ
Thermostat Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve as
 rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 head shower rotary valve
 protected against back flow
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757805-00
 flow rate 20 l/min at 3 bar
 with KLUDI FIZZ handshower 3S 6770005-00
 flow rate 11,6 l/min (booster) / 11,7 l/min
 (smooth) / 15,5 l/min (volumen) at 3 bar
 with mounting material



chrome

6709605-00




KLUDI FIZZ
Thermostat Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve as
 rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 head shower rotary valve
 protected against back flow
 dirt catcher sieves
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757805-00
 flow rate 20 l/min at 3 bar
 with KLUDI FIZZ handshower 1S 6760005-00
 flow rate 15,5 l/min at 3 bar
 with mounting material



chrome

6709505-00















KLUDI FIZZ
Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757805-00
 flow rate 15 l/min at 3 bar
 with KLUDI FIZZ handshower 3S 6770005-00
 flow rate 10 l/min (booster) / 8,5 l/min
 (smooth) / 11 l/min (volumen) at 3 bar
 with mounting material
 without shower mixer
























chrome

6709305-00



product	product description	surface	art. no.
 	<p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 flow rate 10 l/min (booster) / 8,5 l/min (smooth) / 11 l/min (volumen) at 3 bar with mounting material without shower mixer</p>	 chrome	6709105-00
<p>HEAD AND SIDE SHOWERS</p>  	<p>KLUDI FIZZ head shower DN 15 diameter 290 mm with three shower cartridge with spray mode: volume flow rate 40 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	6757805-00
 	<p>KLUDI FIZZ head DN 15 diameter 340 mm with two shower cartridges with spray mode: volume flow class B quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	6757505-00
 	<p>KLUDI FIZZ head shower DN 15 wall fastening adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min at 3 bar with adjustable ball joint inclination angle of 36° connection G 1/2</p>	 chrome	6758005-00
 	<p>KLUDI FIZZ head shower DN 15 wall fastening with spray mode: volume flow rate 16 l/min at 3 bar with adjustable ball joint inclination angle of 36° connection G 1/2</p>	chrome	6757005-00

KLUDI FIZZ

product	product description	surface	art. no.	
	<p>KLUDI FIZZ swiveling head shower holder DN 15 flow rate 21 l/min at 3 bar with adjustable ball joint inclination angle of 36° for hand shower</p>	chrome	6756005-00	
	<p>KLUDI FIZZ side shower DN 15 swivelling normal spray flow rate 4 l/min at 3 bar with wall flange (escutcheon) suitable for water heater with a flow capacity for a minimum of 13 l/min with ball joint noise level I</p>	chrome	6708305-00	
SHOWER SETS		<p>KLUDI FIZZ shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ hand shower 3S DN 15 KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1600 mm flow rate 14 l/min (booster) / 11 l/min (smooth) / 16 l/min (volumen) at 3 bar plastic-coated with conical nuts</p>	 chrome white/chrome	6774005-00 6774091-00
	<p>KLUDI FIZZ shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ hand shower 1S DN 15 KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1600 mm flow rate 29 l/min at 3 bar plastic-coated with conical nuts</p>	chrome white/chrome	6764005-00 6764091-00	
WALL RAILS		<p>KLUDI FIZZ wall rail L = 900 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts</p>	chrome	6762005-00
HAND SHOWER		<p>KLUDI FIZZ Hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 11,5 l/min (smooth) / 19 l/min (volumen) at 3 bar quick and easy cleaning system connection G 1/2</p>	 chrome white	6770005-00 6770043-00  











product	product description	surface	art. no.
 	<p>KLUDI FIZZ Hand shower 1S DN 15 with spray mode: volume quick and easy cleaning system connection G 1/2 PA-IX 7506/IS</p>	<p>chrome white</p>	<p>676005-00 6760043-00</p>
<p>BATH SETS</p>  	<p>KLUDI FIZZ bath-shower set 3S KLUDI FIZZ hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 14 l/min (booster) / 11 l/min (smooth) / 16 l/min (volumen) at 3 bar connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material</p>	 <p>chrome white/chrome</p>	<p>6775005-00 6775091-00</p>
 	<p>KLUDI FIZZ bath shower set 1S KLUDI FIZZ hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume flow rate 29 l/min at 3 bar connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1250 mm plastic-coated, with conical nuts with mounting material, PA-IX 7506/IS</p>	<p>chrome white/chrome</p>	<p>6765005-00 6765091-00</p>
 	<p>KLUDI FIZZ bath shower set 1S KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume quick and easy cleaning system flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2, with conical nuts</p>	<p>chrome white/chrome</p>	<p>6767005-00 6767091-00</p>
 	<p>KLUDI FIZZ shower set stand assembly consisting of: Hand shower 1S DN 15 with spray mode: volume flow rate 28 l/min at 3 bar quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm</p>	<p>chrome</p>	<p>6705105</p>

KLUDI FRESHLINE






product	product description	surface	art. no.
<p>SHOWER SYSTEMS</p> 	<p>KLUDI FRESHLINE Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 16,4 l/min at 3 bar with KLUDI FRESHLINE handshower 3S DN 15 6790005-00 flow rate 13,6 l/min (booster) / 10,9 l/min (smooth) / 17,1 l/min (volumen) at 3 bar with mounting material</p>	 <p>chrome</p>	<p>6709205-00</p>

	<p>KLUDI FRESHLINE Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter horizontal and vertical adjustable slider water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 14 l/min at 3 bar with KLUDI FRESHLINE handshower 3S DN 15 6790005-00 flow rate 10 l/min (booster) / 9 l/min (smooth) / 12 l/min (volumen) at 3 bar with mounting material without shower mixer</p>	 <p>chrome</p>	<p>6709005-00</p>
--	---	---	--------------------------

<p>HEAD SHOWERS</p> 	<p>KLUDI FRESHLINE head shower DN 15 Ø 250 mm with one spray mode flow rate 23 l/min at 3 bar with ball joint without shower arm connection G 1/2</p>	<p>chrome</p>	<p>6751105-00</p>
--	--	---------------	--------------------------


product	product description	surface	art. no.
<p>SHOWER SETS</p>  	<p>KLUDI FRESHLINE shower set 3S L = 900 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material</p>	 chrome	<p>6794005-00</p>
 	<p>KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material</p>	 chrome	<p>6793005-00</p>
 	<p>KLUDI FRESHLINE shower set 1S L = 900 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 1S handshower DN 15 with one spray mode flow rate 23 l/min at 3 bar quick and easy cleaning system with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm plastic-coated, with conical nuts with dirt catcher sieves with mounting material</p>	chrome	<p>6784005-00</p>
 	<p>KLUDI FRESHLINE shower set 1S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 1S handshower DN 15 with one spray mode flow rate 23 l/min at 3 bar quick and easy cleaning system with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm plastic-coated, with conical nuts with dirt catcher sieves with mounting material</p>	chrome	<p>6783005-00</p>

KLUDI FRESHLINE

product	product description	surface	art. no.	
HAND SHOWER 	KLUDI FRESHLINE hand shower DN 15 with spray mode: volume quick and easy cleaning system connection G 1/2	chrome	6780005-00	
HAND SHOWER 	KLUDI FRESHLINE hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 19 l/min (booster) / 11 l/min (smooth) / 26 l/min (volumen) at 3 bar quick and easy cleaning system connection G 1/2		chrome	6790005-00
BATH SETS 	KLUDI FRESHLINE bath-shower set 3S wall fastening KLUDI FRESHLINE handshower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with metal-effect plastic-coated		chrome	6795005-00
	KLUDI FRESHLINE bath shower set 1S wall fastening KLUDI FRESHLINE 1S handshower DN 15 with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm plastic-coated with metal-effect with conical nuts	chrome	6785005-00	
	KLUDI FRESHLINE bath shower set 1S KLUDI FRESHLINE 1S handshower DN 15 with spray mode: volume flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 with conical nuts	chrome	6787005-00	

product	product description	surface	art. no.
---------	---------------------	---------	----------

SHOWER SYSTEMS




KLUDI A-QA Thermostat Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve as rotary valve 90°/90°
 shower outlet G 1/2
 KLUDI A-QA handshower rotate the handle
 to the rear
 shower outlet
 KLUDI A-QA head shower rotary valve
 protected against back flow
 dirt catcher sieves
 KLUDI SUPARAFLEX SILVER
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower
 G 1/2 x 140 x 245 mm
 flow rate 23 l/min at 3 bar
 with KLUDI A-QA hand shower
 with spray mode: volume
 flow rate 16 l/min at 3 bar



chrome

4909505-00




KLUDI A-QA Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower
 G 1/2 x 140 x 245 mm
 flow rate 23 l/min at 3 bar
 with KLUDI A-QA hand shower
 with spray mode: volume
 flow rate 16 l/min at 3 bar
 with mounting material

chrome

4919105-00

Showers



KLUDI A-QA s Thermostat Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 protected against back flow
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 Head shower rotary valve
 dirt catcher sieves
 head shower Ø 200 mm
 flow rate 16,3 l/min at 3 bar
 hand shower KLUDI A-QA s
 adjustable to three spray patterns:
 booster, smooth, volume
 flow rate 11,6 l/min (booster) / 11,7 l/min
 (smooth) / 15,5 l/min (volumen) at 3 bar
 with mounting material




chrome

6609505-00

KLUDI A-QA

product	product description	surface	art. no.
---------	---------------------	---------	----------




KLUDI A-QA s
Thermostat Dual Shower System DN 15
 with horizontally and vertically adjustable tube
metal head shower
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve as rotary valve 90°/90°
 shower outlet G 1/2
 KLUDI A-QA handshower rotate the handle
 to the rear
 shower outlet G 3/4
 KLUDI A-QA head shower rotary valve
 protected against back flow
 horizontal and vertical adjustable slider
 KLUDI SUPARAFLEX Hose DN 15
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower Ø 250 mm, swiveling
 with KLUDI A-QA s handshower DN 15
 with three spray patterns
 with mounting material
 dirt catcher sieves
 wall fastening



chrome

6619505-00

NEW




KLUDI A-QA s
Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX Hose DN 15
 G 1/2 x G 1/2 x 1600 mm
 head shower Ø 200 mm
 flow rate 9 l/min at 3 bar
 hand shower KLUDI A-QA s
 adjustable to three spray patterns:
 booster, smooth, volume
 flow rate 10,5 l/min (booster) / 10,7 l/min
 (smooth) / 12,9 l/min (volumen) at 3 bar
 with mounting material
 without shower mixer



chrome

6609105-00















KLUDI A-QA s
Dual Shower System DN 15
 with horizontally and vertically adjustable tube
metal head shower
 two-way ceramic diverter
 water supply with
 with flexible hose
 horizontal and vertical adjustable slider
 KLUDI SUPARAFLEX Hose DN 15
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower Ø 250 mm, swiveling
 flow rate 9 l/min at 3 bar
 KLUDI A-QA s hand shower DN 15
 adjustable to three spray patterns:
 booster, smooth, volume
 flow rate 10,5 l/min (booster) / 10,7 l/min
 (smooth) / 12,9 l/min (volumen) at 3 bar
 with mounting material
 wall fastening
 without shower mixer









chrome

6619205-00

NEW

product	product description	surface	art. no.
 	<p>KLUDI A-QA Thermostat Mono Shower System DN 15 wall fastening with horizontally and vertically adjustable tube temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation head shower Ø 200 mm flow rate 22 l/min at 3 bar s-connections with mounting material dirt catcher sieves</p>	 <p>chrome</p>	<p>6608105-00</p>
 	<p>KLUDIA-QA v shower duo thermostatic shower mixer DN 15 wall fastening flow rate 18,0 l/min at 3 bar temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/1B DIN-DVGW-BM-0037 flexible wall rail with slider L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm</p>	 <p>chrome</p>	<p>6209705-00</p>
<p>HEAD AND SIDE SHOWERS</p>  	<p>KLUDI A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume quick and easy cleaning system flow rate 24,5 l/min at 3 bar</p>	<p>chrome</p>	<p>6487005-00 NEW</p>
 	<p>KLUDI A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume with flood spray quick and easy cleaning system flow rate volume spray: 24,5 l/min at 3 bar flow rate flood spray: 27 l/min at 3 bar control of 2 spray types via 2 valves or one changeover valve with 2 outlets</p>	<p>chrome</p>	<p>6488005-00 NEW</p>
 	<p>KLUDI A-QA head shower DN 15 metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	<p>chrome</p>	<p>6432005-00</p>

KLUDI A-QA

product	product description	surface	art. no.
	<p>KLUDI A-QA head shower DN 15 Ø 250 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6432505-00
	<p>KLUDI A-QA head shower DN 15 Ø 300 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6433005-00
	<p>KLUDI A-QA head shower DN 15 Ø 400 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6434005-00 NEW
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6442005-00
	<p>KLUDI A-QA head shower DN 15 250 x 250 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6442505-00
	<p>KLUDI A-QA head shower DN 15 300 x 300 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6443005-00

product	product description	surface	art. no.
	<p>KLUDI A-QA head shower DN 15 400 x 400 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6444005-00 NEW
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm Soft-edge metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6452005-00
	<p>KLUDI A-QA head shower DN 15 300 x 300 mm Soft-edge metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6453005-00
	<p>KLUDI A-QA head shower DN 15 Ø 245 mm with ball joint quick and easy cleaning system flow rate 38,4 l/min at 3 bar without shower arm noise level I</p>	chrome	6651105-00
	<p>KLUDI A-QA eco-head shower DN 15 Ø 245 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I</p>	 chrome	6652105-00
	<p>KLUDI A-QA head shower DN 15 Ø 200 mm with ball joint quick and easy cleaning system flow rate 37 l/min at 3 bar connection G 1/2 without shower arm noise level I</p>	chrome	6651005-00








KLUDI A-QA

product	product description	surface	art. no.
	<p>KLUDI A-QA eco-head shower DN 15 Ø 200 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I</p>	 chrome	6652005-00
	<p>KLUDI A-QA head shower DN 15 140 x 245 mm quick and easy cleaning system with ball joint flow rate 22,5 l/min at 3 bar pre-installed dirt cleaner sieve connection G 1/2 without shower arm</p>	chrome	4940205-00
	<p>KLUDI A-QA head shower DN 15 250 x 250 mm with ball joint quick and easy cleaning system flow rate 25,8 l/min at 3 bar connection G 1/2 without shower arm noise level I</p>	chrome	6653105-00
	<p>KLUDI A-QA head shower DN 15 250 x 250 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I</p>	 chrome	6654105-00
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm with ball joint quick and easy cleaning system flow rate 25,8 l/min at 3 bar connection G 1/2 without shower arm noise level I</p>	chrome	6653005-00
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I</p>	 chrome	6654005-00

















product	product description	surface	art. no.
 	<p>KLUDI A-QA head shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 8 l/min (booster) / 18 l/min (smooth) / 18,5 l/min (volumen) at 3 bar quick and easy cleaning system suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint</p>	chrome	6239105-00
 	<p>KLUDI A-QA head shower DN 15 quick and easy cleaning system with one spray mode: rainshower flow rate 18,0 l/min at 3 bar suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint</p>	chrome	6219105-00
 	<p>KLUDI A-QA drench shower DN 15 heavy casted version flow rate 40,2 l/min at 3 bar with ball joint with wall flange (escutcheon)</p>	chrome	6051005-00
 	<p>KLUDI A-QA drench shower DN 20 heavy casted version flow rate 58 l/min at 3 bar with ball joint with wall flange (escutcheon)</p>	chrome	6051105-00
 	<p>KLUDI A-QA side shower DN 15 swivelling normal spray flow class Z with ball joint with wall flange (escutcheon) suitable for water heater with a flow capacity for a minimum of 13 l/min</p>	chrome	6108305-00
<p>SHOWER SETS</p>  	<p>KLUDI A-QA shower set L = 900 mm wall rail with glider hand shower DN 15 quick and easy cleaning system shower hose G 1/2 x G 1/2 x 1600 mm flow rate 15 l/min at 3 bar with conical nuts</p>	chrome	3914005-00









KLUDI A-QA

product	product description	surface	art. no.
	<p>KLUDI A-QA i shower set 1S L = 900 mm wall rail right and left swiveling horizontal and vertical adjustable slider KLUDI A-QA i 1S hand shower DN 15 Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm flow rate 18,5 l/min at 3 bar with conical nuts noise level I P-IX 19052/1B</p>	chrome	6614005-00
	<p>KLUDI A-QA s shower set 3S L = 900 mm wall rail KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 16 l/min (booster) / 15 l/min (smooth) / 22 l/min (volumen) at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6574005-00
	<p>KLUDI A-QA s shower set 3S L = 600 mm wall rail KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 16 l/min (booster) / 15 l/min (smooth) / 22 l/min (volumen) at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6573005-00
	<p>KLUDI A-QA v shower set 3S L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 17 l/min (booster) / 15 l/min (smooth) / 22,5 l/min (volumen) at 3 bar Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm, with conical nuts</p>	chrome	6209605-00
	<p>KLUDI A-QA b shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18,0 l/min at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	chrome	6564005-00
	<p>KLUDI A-QA b shower set 1S L = 600 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18,0 l/min at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	chrome	6563005-00






product	product description	surface	art. no.
	<p>KLUDI A-QA b shower set 1S L = 955 mm metal wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18,0 l/min at 3 bar Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	 chrome	6564205-00
<p>WALL RAILS</p> 	<p>KLUDI A-QA s wall rail L = 900 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6572005-00
	<p>KLUDI A-QA s wall rail L = 600 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6571005-00
	<p>KLUDI A-QA v flexible wall rail L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm horizontal and vertical adjustable slider Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6209505-00
	<p>KLUDI A-QA wall rail L = 955 mm metal wall rail horizontal and vertical adjustable slider</p>	chrome	6564105-00
<p>HAND SHOWER</p> 	<p>KLUDI A-QA hand shower DN 15 quick and easy cleaning system flow rate 16 l/min at 3 bar</p>	chrome	3910005-00

KLUDI A-QA

product	product description	surface	art. no.	
 	<p>KLUDI A-QA i Hand shower 1S DN 15 shower spray Ø 137 mm incline in 5° - steps adjustable (max. inclination 30°) voluminous shower spray 90 flash nozzels flow rate 18,7 l/min at 3 bar quick and easy cleaning system noise level I P-IX 19052/IB</p>	chrome	6610005-00	
 	<p>KLUDI A-QA s hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 16,5 l/min (booster) / 15 l/min (smooth) / 24,5 l/min (volumen) at 3 bar noise level I</p>	 chrome	6570005-00	
 	<p>KLUDI A-QA b Hand shower 1S DN 15 with 50 % Eco function quick and easy cleaning system flow class B/Z with shower spray with 60 flash nozzels connection G 1/2 flow rate 18,0 l/min at 3 bar flow rate 9,0 l/min at 3 bar eco eco function not applicable for hydraulic DEH according to DIN EN 1112 noise level I</p>	 chrome	6560005-00	
BATH SETS	 	<p>KLUDI A-QA i bath-shower set KLUDI A-QA i 1S hand shower DN 15 flow rate 19 l/min at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts noise level I P-IX 19052/IB</p>	chrome	6615005-00
 	<p>KLUDI A-QA s bath-shower set KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15,1 l/min (booster) / 16,3 l/min (smooth) / 22,5 l/min (volumen) at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	 chrome	6575005-00	
 	<p>KLUDI A-QA b bath-shower set KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function with shower spray with 60 flash nozzels flow rate 18,0 l/min at 3 bar flow rate 9,0 l/min at 3 bar eco SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts noise level I</p>	 chrome	6565005-00	


product	product description	surface	art. no.
	<p>KLUDI A-QA b bath-shower set KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function with shower spray with 60 flash nozzels flow rate 18,0 l/min at 3 bar flow rate 9,0 l/min at 3 bar eco KLUDI SUPARAFLEX SILVER hose 6107105-00 G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with conical nuts with screws and dowels shower outlet G 1/2 noise level I</p>	 chrome	<p>6567005-00</p>
	<p>KLUDI A-QA shower set stand assembly consisting of: hand shower DN 15 quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm</p>	chrome	<p>3905105</p>
<p>ACCESSORIES</p> 	<p>KLUDI A-QA wall supply with shower holder DN 15 with wall-compensation ring for hoses with conical nut with screws and dowels shower outlet G 1/2 protected against back flow according to DIN EN 1717</p>	chrome white	<p>6556005-00 6556043-00</p>
	<p>KLUDI A-QA wall supply with shower holder DN 15 with flow control wall fastening for hoses with conical nut shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min. to 20 l/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable</p>	 chrome	<p>6556105-00</p>
	<p>KLUDI A-QA wall supply with shower holder DN 15 with ceramic shut-off valve wall fastening for hoses with conical nut shower outlet G 1/2 protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material</p>	 chrome	<p>6556205-00</p>

KLUDI A-QA

product	product description	surface	art. no.
	<p>KLUDI A-QA wall supply DN 15 with flow control wall fastening shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min. to 20 l/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable</p>	 chrome	6554405-00
	<p>KLUDI A-QA wall supply DN 15 with ceramic shut-off valve wall fastening shower outlet G 1/2 protected against back flow with wall-compensation ring with mounting material</p>	 chrome	6554505-00
	<p>KLUDI A-QA i tile compensation washer for wall rail</p>	chrome	93098905-00
	<p>KLUDI A-QA s tile compensation washer for wall rail</p>	chrome	93099005-00
	<p>KLUDI A-QA v extension set for wall rail 62095.. for shower sets 62096 .., 62097 .., 68096 .. and 68097 ..</p>	chrome	7042005-00
	<p>KLUDI A-QA v shortening set for wall rail 62095.. for shower sets 62096 .., 62097 .., 68096 .. and 68097 ..</p>	chrome	7043005-00


product	product description	surface	art. no.
---------	---------------------	---------	----------

SHOWER SYSTEMS




KLUDI ZENTA Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with connecting hose
 G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX Hose DN 15
 G 1/2 x G 1/2 x 1600 mm
 head shower Ø 200 mm
 flow 13 l/min, at 3 bar
 hand shower KLUDI ZENTA 2S
 flow rate 11 l/min at 3 bar
 with mounting material
 without shower mixer

chrome 6609005-00



KLUDI ZENTA Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 water supply with connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX Hose DN 15
 G 1/2 x G 1/2 x 1600 mm
 head shower Ø 200 mm
 flow rate 12 l/min at 3 bar
 hand shower KLUDI ZENTA 1S
 flow rate 13 l/min
 with mounting material
 without shower mixer

chrome 6167705-EG
 chrome 6167705-00














KLUDI ZENTA SHOWER DUO thermostatic shower mixer DN 15
 wall rail with glider
 L = 900 mm
 wall fastening
 temperature control handle with hot water safety device 38° C
 protected against back flow
 with KLUDI LOGOFLEX-hose
 G 1/2 x G 1/2 x 1600 mm
 KLUDI ZENTA 2S hand shower DN 15
 adjustable to two spray patterns:
 smooth, volume
 flow rate 15,5 l/min (smooth) /
 18 l/min (volumen) at 3 bar
 PA-IX 18064/1B



chrome 6057705-00

KLUDI ZENTA

product	product description	surface	art. no.
		<p>KLUDI ZENTA SHOWER DUO thermostatic shower mixer DN 15 wall rail with glider L = 600 mm wall fastening temperature control handle with hot water safety device 38° C protected against back flow with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar PA-IX 18064/1B</p>	 chrome 6057605-00
SHOWER SETS			
		<p>KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA slider rail in white KLUDI ZENTA 3S hand shower DN 15 white/chrome adjustable to three spray patterns: booster, smooth, volume KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	white/chrome 6085091-00
		<p>KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 12,5 l/min (booster) / 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome black/chrome white/chrome 6084005-00 6084086-00 6084091-00
		<p>KLUDI ZENTA shower set 3S L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 12,5 l/min (booster) / 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome 6083005-00
		<p>KLUDI ZENTA shower set 2S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome 6074005-00


product	product description	surface	art. no.
	<p>KLUDI ZENTA shower set 2S L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6073005-00
	<p>KLUDI ZENTA shower set 1S L = 900 mm KLUDI ZENTA wall rail with KLUDI ZENTA hand shower 1S DN 15 with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm flow rate 18,0 l/min at 3 bar with conical nuts</p>	chrome	6064005-00
	<p>KLUDI ZENTA shower set 1S L = 600 mm KLUDI ZENTA wall rail with KLUDI ZENTA hand shower 1S DN 15 with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm flow rate 18,0 l/min at 3 bar with conical nuts</p>	chrome	6063005-00
<p>WALL RAILS</p>	<p>KLUDI ZENTA wall rail L = 900 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6062005-00
	<p>KLUDI ZENTA wall rail L = 600 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6061005-00
<p>HAND SHOWER</p>	<p>KLUDI ZENTA hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 12,5 l/min (booster) / 16 l/min (smooth) / 17,5 l/min (volumen) at 3 bar</p>	chrome white/chrome	6080005-00 6080086-00 6080091-00

KLUDI ZENTA

product	product description	surface	art. no.
 	<p>KLUDI ZENTA hand shower 2S DN 15 quick and easy cleaning system adjustable to two spray patterns: smooth, volume flow rate 15,5 l/min (smooth) / 18 l/min (volumen) at 3 bar</p>	chrome	6070005-00
 	<p>KLUDI ZENTA hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume flow rate 18,0 l/min at 3 bar</p>	chrome white/chrome	6060005-00 6060086-00 6060091-00
BATH SETS			
 	<p>KLUDI ZENTA bath shower set 1S KLUDI ZENTA 1S hand shower DN 15 chrome/white KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	white/chrome	6066091-00
 	<p>KLUDI ZENTA bath shower set 2S KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	chrome	6075005-00
 	<p>KLUDI ZENTA bath shower set 1S KLUDI ZENTA 1S hand shower DN 15 flow rate 18,0 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	chrome black/chrome white/chrome	6065005-00 6065086-00 6065091-00
 	<p>KLUDI ZENTA shower set stand assembly consisting of: hand shower KLUDI ZENTA 2S shaft for shower hose shower hose 1500 mm high pressure supply hose G 1/2 x G 1/2 x 500 mm</p>	chrome	2765205

product	product description	surface	art. no.
---------	---------------------	---------	----------

SHOWER SYSTEMS




KLUDI LOGO
Thermostat Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 flow class B/B
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 Head shower rotary valve
 dirt catcher sieves
 protected against back flow
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower Ø 200 mm
 with KLUDI LOGO hand shower 3S 6830005-00
 with mounting material



chrome

6809205-00

NEW




KLUDI LOGO
Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI A-QA headshower Ø 200 mm
 with KLUDI LOGO hand shower 3S 6830005-00
 with mounting material
 without shower mixer



chrome

6809105-00

NEW



KLUDI LOGO
Thermostat Dual Shower System DN 15
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 flow class B/B
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 Head shower rotary valve
 dirt catcher sieves
 protected against back flow
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 G 1/2 x G 1/2 x 1600 mm
 head shower Ø 200 mm
 flow rate 16 l/min at 3 bar
 with KLUDI LOGO hand shower 1S 6810005-00
 flow rate 21 l/min at 3 bar
 with mounting material




chrome

6809505-00

NEW

KLUDI LOGO

product	product description	surface	art. no.
---------	---------------------	---------	----------




**KLUDI LOGO
Dual Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO hand shower 1S 6810005-00
with mounting material
without shower mixer

chrome

6809305-00

NEW




**KLUDI LOGO
single lever mixer Dual Shower System DN 15**
solid lever
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
ceramic cartridge with hot water limitation
shower outlet G 1/2
90° adjustable rotary valve
for the control of head and hand shower
shower outlet
protected against back flow
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO hand shower 3S DN 15
with mounting material



chrome

6808505-00

NEW



**KLUDI LOGO
single lever mixer Dual Shower System DN 15**
with bath filler
solid lever
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
ceramic cartridge with hot water limitation
shower outlet G 1/2
120° adjustable rotary valve
for the control of head-, hand shower or
bath filler
shower outlet
protected against back flow
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO hand shower 3S DN 15
with mounting material




chrome

6808305-00

NEW

product	product description	surface	art. no.
---------	---------------------	---------	----------




KLUDI LOGO SHOWER DUO
thermostatic shower mixer DN 15
 wall fastening
 flow class B
 temperature control handle with hot water safety device 38° C
 with shut-off valve
 50 % water consumption regulation
 protected against back flow
 dirt catcher sieves
 shower outlet G 1/2
 P-IX 8049/1B
 DIN-DVGW-BM-0037
 flexible wall rail with slider
 L = 1100 mm
 bracket adjustment to existing
 drill holes up to 1020 mm
 with KLUDI LOGO hand shower 3S 6830005-00
 Suparaflex shower hose anti twist
 G 1/2 x G 1/2 x 1600 mm



chrome

6809705-00

NEW




KLUDI LOGO SHOWER DUO
L = 900 mm
 KLUDI LOGO wall rail
 thermostatic shower mixer DN 15
 wall fastening
 with shut-off valve
 temperature control handle with hot water safety device 38° C
 protected against back flow
 dirt catcher sieves
 shower outlet G 1/2
 PA-IX 18064/1B
 KLUDI LOGO 3S hand shower DN 15
 with KLUDI LOGOFLEX-hose
 G 1/2 x G 1/2 x 1600 mm
 plastic-coated
 with metal-effect



chrome

6857705-00

NEW



KLUDI LOGO SHOWER DUO
L = 600 mm
 KLUDI LOGO wall rail
 thermostatic shower mixer DN 15
 wall fastening
 with shut-off valve
 temperature control handle with hot water safety device 38° C
 protected against back flow
 dirt catcher sieves
 shower outlet G 1/2
 PA-IX 18064/1B
 KLUDI LOGO 3S hand shower DN 15
 with KLUDI LOGOFLEX-hose
 G 1/2 x G 1/2 x 1600 mm
 plastic-coated
 with metal-effect






















chrome

6857605-00








NEW

KLUDI LOGO



product	product description	surface	art. no.		
HAND SHOWER 	KLUDI LOGO hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 13,5 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar connection G 1/2		chrome 6830005-00		
	chrome 6810005-00	HAND SHOWER 	KLUDI LOGO hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume connection G 1/2		
SHOWER SETS 	KLUDI LOGO shower set 3S L = 900 mm KLUDI LOGO wall rail Ø 18 mm KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated with conical nuts with metal-effect G 1/2 x G 1/2 x 1600 mm		chrome 6839005-00		
	SHOWER SETS 	KLUDI LOGO shower set 3S L = 900 mm wall rail Ø 23 mm KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated with conical nuts with metal-effect G 1/2 x G 1/2 x 1600 mm with conical nuts		chrome 6839305-00 NEW	
	SHOWER SETS 	KLUDI LOGO shower set 3S L = 600 mm KLUDI LOGO wall rail Ø 18 mm KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts		chrome 6836005-00	
	SHOWER SETS 	KLUDI LOGO shower set 3S L = 600 mm wall rail Ø 23 mm KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect		chrome 6836305-00 NEW	
					

product	product description	surface	art. no.
	<p>KLUDI LOGO shower set 3S L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm KLUDI LOGO 3S hand shower DN 15 Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	 chrome	6809605-00 NEW
	<p>KLUDI LOGO shower set 1S L = 900 mm KLUDI LOGO wall rail Ø 18 mm with KLUDI LOGO hand shower 1S DN 15 quick and easy cleaning system flow rate 41 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts</p>	chrome	6819005-00
	<p>KLUDI LOGO shower set 1S L = 600 mm KLUDI LOGO wall rail Ø 18 mm with KLUDI LOGO hand shower 1S DN 15 quick and easy cleaning system flow rate 41 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nut</p>	chrome	6816005-00
	<p>KLUDI LOGO shower set 1S L = 955 mm metal wall rail Ø 23 mm horizontal and vertical adjustable slider KLUDI LOGO 1S hand shower DN 15 Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6864205-00 NEW
<p>WALL RAILS</p>	<p>KLUDI LOGO wall rail L = 900 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm</p>	chrome	6809005-00
	<p>KLUDI LOGO wall rail L = 600 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm</p>	chrome	6806005-00

KLUDI LOGO

product	product description	surface	art. no.
BATH SETS			
			6803005-00
	<p>KLUDI LOGO bath-shower set 3S KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar KLUDI LOGOFLEX shower hose plastic-coated G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	chrome	
		chrome	6801005-00
	<p>KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 flow rate 41 l/min at 3 bar quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>		
		chrome	6867005-00
	<p>KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow according to DIN EN 1717 with screws and dowels shower outlet G 1/2</p>		NEW

product	product description	surface	art. no.
---------	---------------------	---------	----------





**KLUDI A-QA
Thermostat Dual Shower System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 KLUDI A-QA handshower rotate
 the handle to the rear
 shower outlet
 KLUDI A-QA head shower rotary valve
 protected against back flow
 dirt catcher sieves
 KLUDI SUPARAFLEX SILVER
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower
 G 1/2 x 140 x 245 mm
 flow rate 23 l/min at 3 bar
 with KLUDI A-QA hand shower
 with spray mode: volume
 flow rate 16 l/min at 3 bar



chrome

4909505-00




**KLUDI LOGO
Thermostat Dual Shower System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 flow class B/B
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 Head shower rotary valve
 dirt catcher sieves
 protected against back flow
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower Ø 200 mm
 with KLUDI LOGO hand shower 3S 6830005-00
 with mounting material



chrome

6809205-00

NEW



**KLUDI LOGO
Dual Shower System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI A-QA headshower Ø 200 mm
 with KLUDI LOGO hand shower 3S 6830005-00
 with mounting material
 without shower mixer



chrome

6809105-00

NEW


Shower Systeme

product

product description

surface

art. no.



KLUDI LOGO

Thermostat Dual Shower System DN 15


with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
flow class B/B
temperature control handle with
hot water safety device 38° C
with ceramic shut-off valve as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
Head shower rotary valve
dirt catcher sieves
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
head shower Ø 200 mm
flow rate 16 l/min at 3 bar
with KLUDI LOGO hand shower 1S 6810005-00
flow rate 21 l/min at 3 bar
with mounting material



chrome

6809505-00

NEW



KLUDI LOGO


Dual Shower System DN 15

wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO hand shower 1S 6810005-00
with mounting material
without shower mixer

chrome

6809305-00

NEW



KLUDI LOGO

single lever mixer Dual Shower System DN 15

solid lever
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
ceramic cartridge with hot water limitation
shower outlet G 1/2
90° adjustable rotary valve
for the control of head and hand shower
shower outlet
protected against back flow
with KLUDI SUPARAFLEX SILVER-hose
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO hand shower 3S DN 15
with mounting material




chrome

6808505-00

NEW

product	product description	surface	art. no.
---------	---------------------	---------	----------




KLUDI LOGO
single lever mixer Dual Shower System DN 15
 with bath filler
 solid lever
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 ceramic cartridge with hot water limitation
 shower outlet G 1/2
 120° adjustable rotary valve
 for the control of head-, hand shower and bath filler
 shower outlet
 protected against back flow
 with KLUDI SUPARAFLEX SILVER-hose
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower Ø 200 mm
 with KLUDI LOGO hand shower 3S DN 15
 with mounting material



chrome

6808305-00


NEW



KLUDI A-QA
Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower
 G 1/2 x 140 x 245 mm
 flow rate 23 l/min at 3 bar
 with KLUDI A-QA hand shower
 with spray mode: volume
 flow rate 16 l/min at 3 bar
 with mounting material

chrome

4919105-00



KLUDI A-QA
Thermostat Mono Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 temperature control handle with
 hot water safety device 38° C
 ceramic shut-off valve 180°
 50 % water consumption regulation
 head shower Ø 200 mm
 flow rate 22 l/min at 3 bar
 s-connections
 with mounting material
 dirt catcher sieves





chrome

6608105-00

Shower Systeme

product	product description	surface	art. no.
---------	---------------------	---------	----------




**KLUDI FRESHLINE
Thermostat Dual Shower System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 Head shower rotary valve
 protected against back flow
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FRESHLINE head shower 6751105-00
 flow rate 16,4 l/min at 3 bar
 with KLUDI FRESHLINE handshower 3S DN 15
 6790005-00
 flow rate 13,6 l/min (booster) / 10,9 l/min
 (smooth) / 17,1 l/min (volumen) at 3 bar
 with mounting material



chrome

6709205-00




**KLUDI FRESHLINE
Dual Shower System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 two-way ceramic diverter
 horizontal and vertical adjustable slider
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FRESHLINE head shower 6751105-00
 flow rate 14 l/min at 3 bar
 with KLUDI FRESHLINE handshower 3S DN 15
 6790005-00
 flow rate 10 l/min (booster) / 9 l/min
 (smooth) / 12 l/min (volumen) at 3 bar
 with mounting material
 without shower mixer



chrome

6709005-00




**KLUDI FIZZ
Thermostat Dual Shower System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 head shower rotary valve
 protected against back flow
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757805-00
 flow rate 20 l/min at 3 bar
 with KLUDI FIZZ handshower 3S 6770005-00
 flow rate 11,6 l/min (booster) / 11,7 l/min
 (smooth) / 15,5 l/min (volumen) at 3 bar
 with mounting material



chrome

6709605-00

product	product description	surface	art. no.
---------	---------------------	---------	----------




KLUDI FIZZ
Thermostat Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 temperature control handle with
 hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 head shower rotary valve
 protected against back flow
 dirt catcher sieves
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757805-00
 flow rate 20 l/min at 3 bar
 with KLUDI FIZZ handshower 1S 6760005-00
 flow rate 15,5 l/min at 3 bar
 with mounting material



chrome

6709505-00




KLUDI FIZZ
Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757805-00
 flow rate 15 l/min at 3 bar
 with KLUDI FIZZ handshower 3S 6770005-00
 flow rate 10 l/min (booster) / 8,5 l/min
 (smooth) / 11 l/min (volumen) at 3 bar
 with mounting material
 without shower mixer



chrome

6709305-00















KLUDI FIZZ
Dual Shower System DN 15
 wall fastening
 with horizontally and vertically adjustable tube
 horizontal and vertical adjustable slider
 two-way ceramic diverter
 water supply with
 connecting hose G 1/2 x G 1/2 x 800 mm
 KLUDI SUPARAFLEX SILVER hose 6107205-00
 with KLUDI FIZZ head shower 6757505-00
 flow rate 15 l/min at 3 bar
 with KLUDI FIZZ handshower 3S 6770005-00
 flow rate 10 l/min (booster) / 8,5 l/min
 (smooth) / 11 l/min (volumen) at 3 bar
 with mounting material
 without shower mixer



chrome

6709105-00

Special showers

product	product description	surface	art. no.
WALL RAILS  	KLUDI STANDARD wall rail L = 900 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048505-00
 	KLUDI STANDARD wall rail L = 600 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048005-00
HAND SHOWER  	KLUDI tele-hand shower DN 15	plastic white	6020510-00
ACCESSORIES  	KLUDI SIRENA shower hook for hoses with conical nut with screws and dowels	chrome	6305005-00
 	KLUDI SIRENA shower hook for hoses with conical nut with screws and dowels	chrome	6055105-00
 	KLUDI REGULA wall holder for hand shower 60 011 with screws and dowels	transparent	6003521-00

product	product description	surface	art. no.
	<p>KLUDI tele-wall holder for Tele hand shower 60205 and 60208</p>	plastic white transparent	83006810-00 83006821-00
	<p>universal shower holder G 1/2 for assembling at shower connection for shower hoses with conical nut</p>	chrome	6053905-00
	<p>shower hook G 1/2 with coupling</p>	chrome	6053105-00
	<p>connection for shower G 3/4 with clip on-cone</p>	chrome	6053005-00
	<p>wall-mounted shower holder with pin</p>	chrome	81011005-00
	<p>connection for shower G 3/4 with cradle hook</p>	chrome	6053705-00

Special showers




product	product description	surface	art. no.
	<p>wall supply DN 15 with wall-compensation ring</p>	<p>chrome white</p>	<p>6306005-00 6306043-00</p>
	<p>wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring</p>	<p>chrome white</p>	<p>6306105-00 6306143-00</p>
	<p>wall supply DN 15 with wall-compensation ring</p>	<p>chrome</p>	<p>6054105-00</p>
	<p>wall supply DN 15 protected against back flow with wall-compensation ring according to DIN EN 1717</p>	<p>chrome</p>	<p>6056305-00</p>
	<p>wall supply DN 15 with wall flange (escutcheon)</p>	<p>chrome</p>	<p>6054005-00</p>
	<p>reducer G 3/4 x G 1/2 female thread male thread G 1/2 with gasket G 3/4</p>	<p>chrome</p>	<p>6110505-00</p>

product	product description	surface	art. no.
	<p>corner mounting set for wall rail two corner elements with screws and dowels</p>	chrome	6211905-00
SPARE PARTS			
	<p>KLUDI LOGO soap dish for wall rail for tube diameter 18 mm</p>	transparent	6110121-00
	<p>slider for wall rails and shower-sets with tube-diameter 23 mm</p>	chrome	6253505-00
	<p>slider for wall rails and shower-sets with tube-diameter 18 mm</p>	chrome	7133705-00
	<p>body for wall holder for wall rails and shower-sets with tube-diameter 23 mm</p>	chrome	83031305-00
	<p>body for wall holder for wall rails and shower-sets with tube-diameter 18 mm</p>	chrome	83012605-00

Shower hoses

product	product description	surface	art. no.
	<p>KLUDI SUPARAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts anti twist G 1/2 x G 1/2 x 1600 mm</p>	chrome	6106205-00
	<p>KLUDI SUPARAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts anti twist G 1/2 x G 1/2 x 1250 mm</p>	chrome	6106105-00
	<p>KLUDI SUPARAFLEX SILVER/WHITE shower hose DN 15 plastic-coated with conical nuts both sides anti twist G 1/2 x G 1/2 x 1600 mm</p>	chrome white/chrome	6107205-00 6107291-00
	<p>KLUDI SUPARAFLEX SILVER/WHITE shower hose DN 15 plastic-coated with conical nuts both sides anti twist G 1/2 x G 1/2 x 1250 mm</p>	chrome white/chrome	6107105-00 6107191-00
	<p>KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm</p>	chrome	6100405-00
	<p>KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm</p>	chrome	6100605-00







Shower hoses

product	product description	surface	art. no.
	<p>KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm</p>	chrome	6100705-00
	<p>KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm</p>	chrome	6105505-00
	<p>KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm</p>	chrome	6105605-00
	<p>KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm</p>	chrome	6105705-00



Accessories for all shower ranges

product	product description	surface	art. no.
	<p>KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette Ø 55 mm</p>	chrome	6651405-00
	<p>KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette Ø 55 mm</p>	chrome	6651305-00
	<p>KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette Ø 61 mm</p>	chrome	6653405-00
	<p>KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette Ø 61 mm</p>	chrome	6653305-00
	<p>KLUDI A-QA shower arm DN 15 for head shower 1S and 3S without ball joint projection 230 mm</p>	chrome	6235405-00
	<p>KLUDI A-QA shower arm DN 15 for head shower 1S and 3S without ball joint projection 130 mm</p>	chrome	6235305-00

Accessories for all shower ranges

product	product description	surface	art. no.
	<p>KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette Ø 55 mm</p>	chrome	6651505-00
	<p>KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette Ø 61 mm</p>	chrome	6653505-00
	<p>KLUDI A-QA fixed wall shower hook for hoses with conical nut with screws and dowels</p>	chrome	6555105-00
	<p>KLUDI A-QA wall supply DN 15 with wall-compensation ring</p>	chrome	6554005-00
	<p>KLUDI A-QA wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring</p>	chrome	6554305-00
<p>SPARE PARTS</p> 	<p>slider for wall rails and shower-sets with tube-diameter Ø 23 mm</p>	chrome	7486905-00

Accessories for all shower ranges

product	product description	surface	art. no.
	<p>slider for wall rails and shower-sets with tube-diameter 23 mm</p>	chrome	7833305-00
	<p>KLUDI SIRENA / KLUDI ZENTA soap dish for KLUDI SIRENA / KLUDI ZENTA wall rail with tube-diameter 23 mm</p>	transparent	6210121-00














Wastes









Washbasin and
bidet wastes
207








Bath and
shower wastes
213












product	product description	surface	art. no.
<p>BASIN</p>  	<p>PUSH-OPEN waste lockable plug G 1 1/4 for wash basin with overflow waste flow rate >32 l/min overflow capacity approx 20 l/min</p>	chrome	1042405-00
 	<p>KLUDI shank valve with waste cap G 1 1/4 for wash basin without overflow</p>	chrome	1042805-00
 	<p>shank valve G 1 1/4 with overflow without ball chain and chainholder</p>	chrome	1042705-00
 	<p>universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated with ball chain and holder</p>	chromium nickel steel	1040235-00
 	<p>universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic white with ball chain and holder</p>	chromium nickel steel	1140235-00
 	<p>universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic silver-grey without ball chain and chainholder</p>	chromium nickel steel	1141635-00

Washbasin- and bidet wastes













product	product description	surface	art. no.
	<p>universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated</p>	chromium nickel steel	1041135-00
	<p>Universal-sieve valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated</p>	chromium nickel steel	1041535-00
	<p>design-bow lever G 1 1/4 x 32 mm with discharge-tube 330 mm with wall flange (escutcheon) adjustable drain pipe up to 120 mm with locker for cleaning according to DIN EN 274</p>	chrome	1002005-00
	<p>bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1010505-00
	<p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1025005-00
	<p>P-trap G 1 1/4 G 1 1/4 x 32 mm adjustable drain pipe up to 120 mm with bent outlet 32 x 220 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1026505-00

product	product description	surface	art. no.
	<p>bottle trap G 1 1/4 G 1 1/4 x 32 mm with universal plug-valve brass with discharge-tube 32 x 200 mm with wall flange (escutcheon)</p>	chrome	1011105-00
	<p>KLUDI place-saving bottle trap with wall flange (escutcheon) with bent outlet 32 mm according to DIN EN 274 G 1 1/4 x 32 mm</p>	chrome	1025505-00
	<p>P-trap G 11/4 G 1 1/4 x 32 mm with adjustable thread and spout for water drainage G 3/4 with straight inlet with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1036105-00
BIDET	<p>bidet bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1032105-00
	<p>KLUDI bidet bottle trap G 1 1/4 with discharge-tube 32 x 290 mm with push-on rosette according to DIN EN 274</p>	chrome	1032305-00
	<p>bidet P - trap G 1 1/4 x 32 mm with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1031105-00

Washbasin- and bidet wastes

product	product description	surface	art. no.
<p>ACCESSORIES</p>  	<p>pipe coupling with 2 threads for tube connection with 32 mm diameter</p>	chrome	1043205-00
 	<p>adjustable tube hose thread G 3/4 for connection of the drain hose from washing machines G 1 1/4 x 200 mm</p>	chrome	1046205-00
 	<p>extension tube with o-ring for extension of adjustable and outlet pipes 32 x 125 mm</p>	chrome	1049905-00
 	<p>outlet tube straight with flanged rim 32 x 200 mm</p>	chrome	84501605-00
 	<p>outlet tube straight with flanged rim 32 x 250 mm</p>	chrome	84506605-00
 	<p>outlet tube straight with flanged rim 32 x 300 mm</p>	chrome	84502505-00

Washbasin- and bidet wastes







product	product description	surface	art. no.
	outlet tube straight without edged flange 32 x 300 mm	chrome	84514605-00
			
	outlet tube 90° with corrugation 32 x 300 mm	chrome	84507205-00
			
	brass rosette outside diameter 65 mm height 15 mm	chrome	81074605-00
			
	brass rosette outside diameter 80 mm height 26 mm	chrome	81074705-00
			
	brass rosette outside diameter 90 mm height 20 mm	chrome	81075405-00
			
	floor tube 90° DN 32 G 1 1/4 x 220 x 680 mm	chrome	84500805-00
			

Washbasin- and bidet wastes

product	product description	surface	art. no.
	<p>tap rosette G 1/2 height 5 mm</p>	<p>chromium nickel steel</p>	<p>82027235-00</p>
	<p>tap rosette G 1/2 height 10 mm</p>	<p>chrome</p>	<p>82027305-00</p>
	<p>tap rosette G 1/2 height 15 mm</p>	<p>chrome</p>	<p>82027405-00</p>
	<p>Plug G 3/8 to seal connections not in use involved with rosette</p>	<p>chrome</p>	<p>7034505-00</p>
	<p>Plug G 1/2 to seal connections not in use involved with rosette</p>	<p>chrome</p>	<p>7034605-00</p>





product	product description	surface	art. no.
<p>BATH</p> 	<p>KLUDI ROTEXA MULTI filling, waste and overflow trim set flow class C s-pointer aerator M 24 x 1 filling unit with fastening screws and plug with big valve disc noise level I</p>	chrome	7182605-00
	<p>KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set for water intake connection G 1/2 incl. sink-kit with attached bottle-trap 2 swivel-joints 50 mm water seal height without trim set noise level I approved acc. to DIN 19545</p>	neutral	2131500-00
	<p>Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant</p>	neutral	6115000-00
	<p>Nirosta-pressure hose G 1/2 x G 1/2 x 1000 mm for KLUDI ROTEXA MULTI hot water resistant</p>	neutral	6115100-00
	<p>cover cap for tube interrupter DN 15 trim set for 1077205-00</p>	chrome	82308505-00
	<p>KLUDI ROTEXA MULTI pipe interrupter DN 15 pre installation set with extension protected against back flow DIN-DVGW certified</p>	neutral	1077200-00












Bath- and shower wastes

product	product description	surface	art. no.
	<p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height</p>	chrome	2140605-00
	<p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with flexible overflow tube with attached bottle-trap 2 swivel-joints 50 mm water seal height</p>	chrome	2140705-00
	<p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 with bowden cable with flexible overflow tube for fitted dimensions up to 450 mm with valve - head part</p>	chrome	2140805-00
	<p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 bowden cable 850 mm long with flexible overflow tube 950 mm for special tubs with attached bottle-trap 2 swivel-joints with valve - head part</p>	chrome	2140905-00
	<p>KLUDI pop-up and overflow set trim set rosette plate and plug with big valve disc</p>	chrome	7106605-00
	<p>KLUDI pop-up and overflow set trim set rosette plate and plug with big valve disc</p>	chrome gold plated 23 carat	7105505-00 7105545-00


product	product description	surface	art. no.
	<p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 pre installation set with bowden cable for bathtubs and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height according to DIN EN 274 approved according to LGA-Bayern</p>	neutral	2104000-00
	<p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 bowden cable 850 mm long with flexible overflow tube 950 mm for special tubs with attached bottle-trap 2 swivel-joints</p>	neutral	2135300-00
	<p>KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 for standard- and stepped bath tubs as well as deep showertubs SIMPLEX-head valve out of chromium nickel steel with fixed bottle trap 2 swivel-joints 50 mm water seal height with magnetic-plug according to DIN EN 274</p>	chromium nickel steel	2123035-00
	<p>KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 for standard- and stepped bath tubs as well as deep showertubs SIMPLEX-head valve out of chromium nickel steel with fixed bottle trap 2 swivel-joints 50 mm water seal height with acrylic-rossette and simple plug according to DIN EN 274</p>	chromium nickel steel	2113035-00
	<p>KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 with valve - head part made of chromium nickel steel with acrylic-rossette and simple plug according to DIN EN 274</p>	chromium nickel steel	2113335-00
<p>SHOWER</p>	<p>KLUDI TASSO 90 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern</p>	chrome	7137005-00


Bath- and shower wastes

product	product description	surface	art. no.
	<p>KLUDI TASSO 90 pop-up waste for flat shower tubs with waste hole diameter Ø 90 mm with removable bottle trap cleanable approved acc. to DIN 19545/274 approved according to LGA-Bayern</p>	neutral	2109100-00
	<p>KLUDI TASSO 50 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern</p>	chrome	7152005-00
	<p>KLUDI TASSO 50 pop-up waste for flat shower tubs waste hole diameter Ø 52 mm with removable bottle trap according to DIN EN 274 approved according to LGA-Bayern</p>	neutral	2152000-00
	<p>KLUDI TASSO PLUS pop-up waste with removable drain pipe trim set valve disc, drain tube and fastening piece according to DIN EN 274 approved according to LGA-Bayern</p>	chrome	7162005-00
	<p>KLUDI TASSO PLUS pop-up waste pre installation set 50 mm water seal height self cleaning effect according to DIN EN 274</p>	neutral	2162000-00
	<p>KLUDI TASSO standing waste with swiveling bottle trap 50 mm water seal height universal spout 45°, 40/50 mm</p>	chrome	2111005-00

product	product description	surface	art. no.
 	<p>pop-up and overflow set G 1 1/2 for shower tubs with valve - head part made of chromium nickel steel</p>	chromium nickel steel	2111535-00
 	<p>bottle trap G 1 1/2 for bath- and shower tubs with swiveling bottle trap 50 mm water seal height</p>		2138410-00
<p>ACCESSORIES</p>  	<p>extension set for special tubs for 21315 and 21040 bowden cable 850 mm long 2 fixing brackets flexible tube 950 mm</p>	neutral	7095600-00
 	<p>eco plug with hair strainer and big valve disk</p>	chrome	7060405-00
 	<p>conversion set</p>	neutral	7125600-00
 	<p>bottle trap G 1 1/2 for bath- and shower tubs turnable 50 mm water seal height</p>		2138310-00

Bath- and shower wastes

product	product description	surface	art. no.
	outlet tube 45° G 1 1/2		2144710-00
















Hospital and care















KLUDI MEDI CARE
223











KLUDI PROVITA
229

product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI MEDI CARE single lever sink mixer DN 15 clinic-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IZ</p>	 chrome	349080524
	<p>KLUDI MEDI CARE single lever sink mixer DN 15 care-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IZ</p>	 chrome	349080534
<p>BASIN</p> 	<p>KLUDI MEDI CARE single lever basin mixer DN 15 clinic-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ</p>	 chrome	341150524
	<p>KLUDI MEDI CARE single lever basin mixer DN 15 clinic-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ</p>	 chrome	341120524
	<p>KLUDI MEDI CARE single lever basin mixer DN 15 clinic-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IZ</p>	 chrome	341130524
	<p>KLUDI MEDI CARE single lever basin mixer DN 15 care-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ</p>	 chrome	341150534






KLUDI MEDI CARE

product	product description	surface	art. no.
	<p>KLUDI MEDI CARE single lever basin mixer DN 15 care-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ</p>	 chrome	341120534
	<p>KLUDI MEDI CARE single lever basin mixer DN 15 care-lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IZ</p>	 chrome	341130534
	<p>KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic-lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections projection 180 mm PA-IX 9573/IZ</p>	 chrome	349220524
	<p>KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic-lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 245 mm s-connections PA-IX 9573/IZ</p>	 chrome	349200524
	<p>KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic-lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 335 mm s-connections PA-IX 9573/IZ</p>	 chrome	349240524
	<p>KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic-lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 185 mm lockable S-connections PA-IX 9574/IZ</p>	 chrome	349230524




product	product description	surface	art. no.
	<p>KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic-lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 250 mm lockable S-connections PA-IX 9574/IZ</p>	 chrome	349210524
	<p>KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic-lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 340 mm lockable S-connections PA-IX 9574/IZ</p>	 chrome	349250524
	<p>KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	320040508 320040515
<p>BATH</p> 	<p>KLUDI MEDI CARE thermostatic hospital mixer DN 15 wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 temperature control handle hot water safety device 40 °C clinic lever shut-off valve dirt catcher sieves lockable S-connections PA-IX 9022/IZ</p>	chrome	350850564
<p>SHOWER</p> 	<p>KLUDI PROVITA thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow flow class B dirt catcher sieves lockable S-connections P-IX 8049/IB</p>	 chrome	353300538










KLUDI MEDI CARE

product	product description	surface	art. no.
	<p>KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles length of handle: 90° = 250 mm, 45° = 300 mm, left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6150205-00
	<p>KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles (hand hold length 300 mm and 45° angle), left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6150405-00
	<p>KLUDI SIRENA CARE barrier-free shower bar L = 900 mm integrated grab handles (length of handle 250 mm und 90° angle), left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6150305-00

product	product description	surface	art. no.
	<p>KLUDI SIRENA CARE barrier free bath tub holder length of handle 250 and 300 mm, horizontal and 45° angle 50 mm projection fastening set with special dowels</p>	chrome	6150505-00
	<p>KLUDI SIRENA CARE barrier free bath tub holder length of handle 300 mm 50 mm projection fastening set with special dowels</p>	chrome	6150605-00
<p>ACCESSORIES</p> 	<p>KLUDI MEDI CARE angle valve thermostat for assembly on angle valves with 3/8" outlet flow rate 15 l/min at 3 bar adjustment of the maximum spout temperature covered under protection cap only possible with tool scald protection if cold water fails possibility of thermal disinfection</p>	chrome	358450538
	<p>KLUDI MEDI CARE tube installation kit for KLUDI MEDI CARE angle valve thermostat 358450538 for angle valve with 200 mm centre to centre distance cold water-joint tube warm water connection tube with box nut T-connector with 3 end-load-bearing conical brass compression joint with length adjustment</p>	chrome	7487905-00
	<p>KLUDI place-saving bottle trap with wall flange (escutcheon) with bent outlet 32 mm according to DIN EN 274 G 1 1/4 x 32 mm</p>	chrome	1025505-00











KLUDI MEDI CARE

product	product description	surface	art. no.
SPARE PARTS 	KLUDI MEDI CARE clinic lever	chrome	7694305-00
	KLUDI MEDI CARE care lever	chrome	7694205-00
	Thermostat clinic lever	chrome	7563805-00






product	product description	surface	art. no.
<p>BASIN</p> 	 <p>KLUDI PROVITA single lever basin mixer DN 15 optional for CLINIC- or PUBLIC lever single hole mounted flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 19335/IZ</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p>		chrome 333300500
	 <p>KLUDI PROVITA single lever basin mixer DN 15 optional for CLINIC- or PUBLIC lever single hole mounted flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 19335/IZ</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p>		chrome 333360500
	 <p>KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p>		chrome 335300500

KLUDI PROVITA

product	product description	eco	surface	art. no.
			chrome	335320500
	<p>KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ</p>			
	<p>required accessories: KLUDI PROVITA clinic lever</p>		chrome	7491005-00
	<p>KLUDI PROVITA public lever</p>		chrome	7493005-00
			chrome	335360500
	<p>KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ</p>			
	<p>required accessories: KLUDI PROVITA clinic lever</p>		chrome	7491005-00
	<p>KLUDI PROVITA public lever</p>		chrome	7493005-00
			chrome	335310500
	<p>KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout lockable S-connections P-IX 19335/IZ</p>			
	<p>required accessories: KLUDI PROVITA clinic lever</p>		chrome	7491005-00
	<p>KLUDI PROVITA public lever</p>		chrome	7493005-00

product	product description	surface	art. no.
  	<p>KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout lockable S-connections P-IX 19335/IZ</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p>	 <p>chrome</p>	<p>335330500</p> <p>chrome 7491005-00</p> <p>chrome 7493005-00</p>
  	<p>KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout lockable S-connections P-IX 19335/IZ</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p>	 <p>chrome</p>	<p>335370500</p> <p>chrome 7491005-00</p> <p>chrome 7493005-00</p>
<p>BATH</p>  	<p>KLUDI PROVITA concealed single lever bath and shower mixer concealed valve with functional unit autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/DC</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p> <p>KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome</p> <p>chrome</p> <p>chrome</p>	<p>336500500</p> <p>chrome 7491005-00</p> <p>chrome 7493005-00</p> <p>88011</p>

KLUDI PROVITA

product	product description	surface	art. no.
<p>SHOWER</p> 	<p>KLUDI PROVITA thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow flow class B dirt catcher sieves lockable S-connections P-IX 8049/IB</p>	 <p>chrome</p>	<p>353300538</p>
	<p>KLUDI PROVITA concealed single lever shower mixer concealed valve with functional unit ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI PROVITA clinic lever</p> <p>KLUDI PROVITA public lever</p> <p>KLUDI FLEXX.BOX concealed unit DN 20</p>	<p>chrome</p> <p>chrome</p> <p>chrome</p>	<p>336550500</p> <p>7491005-00</p> <p>7493005-00</p> <p>88011</p>
<p>ACCESSORIES</p> 	<p>KLUDI PROVITA clinic lever projection 180 mm for KLUDI PROVITA-fittings 333300500, 333360500, 335300500, 335310500, 335320500, 335330500, 335360500, 335370500, 336600500, 338600500</p>	<p>chrome</p>	<p>7491005-00</p>
	<p>KLUDI PROVITA public lever throat 120 mm for KLUDI PROVITA-fittings 333300500, 333360500, 335300500, 335310500, 335320500, 335330500, 335360500, 335370500, 336600500, 338600500</p>	<p>chrome</p>	<p>7493005-00</p>



Kitchen fittings



KLUDI ADLON
237



JOOP!
238



KLUDI E-GO
239



KLUDI TANGENTA
241



KLUDI MX
242



KLUDI L-INE
244



KLUDI L-INE S
246



KLUDI BINGO STAR
247



KLUDI BOZZ
249



KLUDI ZENTA
250



KLUDI OBJEKTA
251



KLUDI KOMET
253



KLUDI TRENDO
255



KLUDI SCOPE
257



KLUDI LOGO NEO
259








KLUDI TERCIO
260





KLUDI STANDARD
261



Accessories
268


product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI ADLON sink mixer DN 15 cross handle single hole mounted flow class A swivelling spout (360°) cascade aerator M 22 x 1 ceramic headpart 180° copper tubes 10 mm</p>	<p>chrome</p>	<p>516060520</p>
	<p>KLUDI ADLON sink mixer DN 15 cross handles single hole mounted flow rate 5 l/min swivelling spout (360°) flow regulator M 22 x 1 ceramic headpart 180° for use with displacement heaters copper tube 8 mm</p>	<p>chrome</p> 	<p>516000520</p>
<p>SPARE PARTS</p> 	<p>KLUDI ADLON handle with cowling „COLD“</p>	<p>chrome</p>	<p>7530005-00</p>
	<p>KLUDI ADLON handle with cowling „HOT“</p>	<p>chrome</p>	<p>7530105-00</p>

JOOP!

product	product description	surface	art. no.
SINK 	JOOP! multifunction fitting DN 15 for sink- and washbasins solid lever single hole mounted flow class A cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) shank fastening flexible hoses G 3/8 noise level I	chrome	559040575
SPARE PARTS 	JOOP! lever for single lever mixer 55904	chrome	7447805-00

product	product description	surface	art. no.
---------	---------------------	---------	----------

SINK




KLUDI E-GO
electronic controlled single lever
sink mixer DN 15
 solid lever
 single hole mounted
 flow class A
 Caché-aerator M 21,5 x 1
 ceramic cartridge with hot water limitation
 adjustable temperature through lever setting
 optical object-detection
 automatic initial sensor measurement
 electric power supply via 230 V main adapter
 with magnet-cartridge-valve
 swivelling spout (360°)
 backflow preventer with dirt trap screens
 rapid installation set
 flexible hoses G 3/8
 noise level I



chrome

422000575




KLUDI E-GO
electronic controlled single lever
sink mixer DN 15
 solid lever
 single hole mounted
 flow class A
 Caché-aerator M 21,5 x 1
 ceramic cartridge with hot water limitation
 adjustable temperature through lever setting
 optical object-detection
 automatic initial sensor measurement
 electronic unit with battery control device
 6 V lithium battery CR-P2
 with magnet-cartridge-valve
 swivelling spout (360°)
 backflow preventer with dirt trap screens
 rapid installation set
 flexible hoses G 3/8
 noise level I



chrome

422100575



KLUDI E-GO
electronic controlled single lever
sink mixer DN 15
 solid lever
 single hole mounted
 flow class Z
 Caché-aerator M 16,5 x 1
 water flow regulator 8 l/min
 ceramic cartridge with hot water limitation
 swivelling spout (360°)
 removable mouthpiece
 adjustable temperature through lever setting
 optical object-detection
 automatic initial sensor measurement
 electric power supply via 230 V main adapter
 with magnet-cartridge-valve
 backflow preventer with dirt trap screens
 rapid installation set
 flexible hoses G 3/8
 protected against back flow







chrome

422050575




KLUDI E-GO

product	product description	surface	art. no.
 	<p>KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted flow class Z Caché-aerator M 16,5 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation swivelling spout (360°) removable mouthpiece adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electronic unit with battery control device 6 V lithium battery CR-P2 with magnet-cartridge-valve backflow preventer with dirt trap screens rapid installation set flexible hoses G 3/8 protected against back flow</p>	chrome 	422150575 

SPARE PARTS	KLUDI E-GO	chrome	7489505-00
	<p>lever for single lever sink mixer 42200, 42205, 42210, 42215</p>		

product	product description	surface	art. no.
---------	---------------------	---------	----------

SINK




KLUDI TANGENTA
single lever sink mixer DN 15
 solid lever
 material: stainless steel
 single hole mounted
 flow class Z
 s-pointer aerator M 24 x 1
 ceramic cartridge with hot water limitation
 swivelling spout (360°)
 shank fastening
 flexible hoses G 3/8
 noise level I



stainless steel
 brushed

44904F875





KLUDI TANGENTA
single lever sink mixer DN 15
 solid lever
 material: stainless steel
 single hole mounted
 flow class Z
 s-pointer aerator M 24 x 1
 ceramic cartridge with hot water limitation
 swivelling (110°) pull-out spout
 protected against back flow
 shank fastening
 flexible hoses G 3/8
 noise level I



stainless steel
 brushed

44991F875



KLUDI TANGENTA
single lever sink mixer DN 15
 with pull-out hand spray
 solid lever
 material: stainless steel
 single hole mounted
 flow class Z
 aerator M 18 x 1
 ceramic cartridge with hot water limitation
 swivelling spout (110°)
 automatic diverter: shower/spray
 protected against back flow
 shank fastening
 flexible hoses G 3/8
 noise level I



stainless steel
 brushed

44941F875



ACCESSORIES























clamping screw wrench
for KLUDI TANGENTA

neutral














92917000-00

KLUDI MX

product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 18638/IA</p>	<p>chrome mocca/chrome white/chrome</p>	<p>399040562 399048262 399049262</p>
	<p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters P-IX 18641/I</p>	<p>chrome</p> 	<p>399050562</p>
	<p>KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 PA-IX 18645/IA</p>	<p>chrome mocca/chrome white/chrome</p> 	<p>399060562 399068262 399069262</p>
	<p>KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min, flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 for use with displacement heaters PA-IX 18646/I</p>	<p>chrome</p> 	<p>399070562</p>
	<p>KLUDI MX single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 P-IX 18638/IA</p>	<p>chrome</p> 	<p>399340562</p>
	<p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray protected against back flow copper tubes 10 mm P-IX 18643/IAO</p>	<p>chrome mocca/chrome white/chrome</p> 	<p>399410562 399418262 399419262</p>

product	product description	surface	art. no.
 	<p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray for use with displacement heaters copper tube 8/10 mm P-IX 18644/I</p>	<p>chrome</p> 	<p>399420562</p>
 	<p>KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray one connection for washing machine or dishwasher protected against back flow copper tubes 10 mm PA-IX 18642/IAO</p>	<p>chrome mocca/chrome white/chrome</p> 	<p>399450562 399458262 399459262</p>
<p>SPARE PARTS</p> 	<p>KLUDI kitchen-showers automatic diverter: shower/spray s-pointer aerator M 24 x 1 flow class A for 33941, 33945, 39941, 39945</p>	<p>chrome mocca white</p>	<p>7403005-00 7403019-00 7403036-00</p>
	<p>KLUDI kitchen-showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min for 33942, 33947, 39942</p>	<p>chrome</p>	<p>7811905-00</p>
	<p>KLUDI MX lever for single lever sink mixer 39904, 39905, 39906, 39907, 39934, 39941, 39942, 39945</p>	<p>chrome mocca white</p>	<p>7488405-00 7488419-00 7488436-00</p>

KLUDI L-INE

product	product description	surface	art. no.
<p>SINK</p>	<p>KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome	428140577
	<p>KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters</p>	 chrome 	428190577
	<p>KLUDI L-INE multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome 	428160577
	<p>KLUDI L-INE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8 noise level I</p>	 chrome 	428170577
	<p>KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow class Z caché Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (220°), pull-out telescopic hand spray with horizontal guidance (245 – 315 mm) protected against back flow shank fastening, flexible hoses G 3/8 noise level I</p>	 chrome  	428210577  
	<p>KLUDI L-INE single lever sink mixer DN 15 solid lever two hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I</p>	 chrome	428540577

product	product description	surface	art. no.
 	<p>KLUDI L-INE single lever sink mixer DN 15 solid lever two hole mounted flow class A PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I</p>	chrome	428530577


SPARE PARTS

	<p>KLUDI L-INE lever for single lever sink mixer 42814, 42816, 42817, 42819, 42821, 42853, 42854</p>	chrome	7489205-00
---	---	--------	------------

KLUDI L-INE S

product	product description	surface	art. no.
---------	---------------------	---------	----------


SINK



KLUDI L-INE S
single lever sink mixer DN 15
 solid lever
 single hole mounted
 ceramic cartridge
 flow regulator M 18 x 1
 flow rate 7,1 l/min at 3 bar
 swivelling spout (360°)
 flexible hoses G 3/8
 shank fastening

chrome

408030575



KLUDI L-INE S
single lever sink mixer DN 15
 solid lever
 single hole mounted
 ceramic cartridge
 Laminar-flow regulator M 18 x 1
 flow rate 8,2 l/min at 3 bar
 swivelling spout, pull-out spout
 protected against back flow
 flexible hoses G 3/8
 shank fastening












chrome
 chrome/matt black
 chrome/matt white







408510575
 408518775
 408519375

















product	product description	surface	art. no.
<p>SINK</p>	<p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 9772/10</p>	chrome stainless steel look	428030578 428039678
	<p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	chrome stainless steel look 	428090578 428099678
	<p>KLUDI BINGO STAR multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8</p>	chrome stainless steel look 	428360578 428369678
	<p>KLUDI BINGO STAR single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 for installation beneath windows remaining socket height: 25 mm</p>	chrome stainless steel look 	428570578 428579678
	<p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (230°), pull-out hand spray flexible hoses G 3/8 protected against back flow</p>	chrome stainless steel look 	428510578 428519678
	<p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z pull-out hand spray automatic diverter: shower/spray ceramic cartridge with hot water limitation swivelling spout (230°) shank fastening flexible hoses G 3/8 protected against back flow</p>	chrome 	428520578












KLUDI BINGO STAR

product	product description	surface	art. no.
 	<p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivel (360°) – removable spout protected against back flow rapid installation set flexible hoses G 3/8 noise level I</p>	chrome  	428590578
 	<p>KLUDI BINGO STAR 200 single lever sink mixer DN 15 semi-profi version solid lever single hole mounted flow class A cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (220°), pull-out hand spray flexible hoses G 3/8 protected against back flow</p>	chrome  	428550578
<p>SPARE PARTS</p> 	<p>KLUDI BINGO STAR lever for single lever sink mixer 42803, 42809, 42836, 42857, 42851, 42852, 42855, 42859</p>	chrome stainless steel look	7303805-00 7303896-00





product	product description	surface	art. no.
<p>SINK</p>  	<p>KLUDI BOZZ single lever sink mixer DN 15 solid lever single hole mounted flow class A PCA Caché-laminar-flow-regulator M 21,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set P-IX 9772/10</p>	<p>chrome</p>	<p>428030576</p>
 	<p>KLUDI BOZZ single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (230°), pull-out hand spray flexible hoses G 3/8 protected against back flow</p>	<p>chrome</p> 	<p>428510576</p>
<p>SPARE PARTS</p> 	<p>KLUDI BOZZ lever for single lever mixer 38291, 38297, 38294, 38296, 38244, 38245, 38533, 38691, 38650, 38660, 38831, 42803, 42851, 38292, 38290</p>	<p>chrome</p>	<p>7461305-00</p>












KLUDI ZENTA

product	product description	surface	art. no.
<p>SINK</p>  	<p>KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge swivelling spout (360°) flexible hoses G 3/8 noise level I</p>	<p>chrome black/chrome white/chrome stainless steel look</p>	<p>389730575 389738675 389739175 389739675</p>
 	<p>KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I</p>	<p>chrome</p> 	<p>389790575</p>
 	<p>KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) shank fastening flexible hoses G 3/8</p>	<p>chrome</p> 	<p>389840575</p>
 	<p>KLUDI ZENTA single lever sink mixer DN 15 with pull-out hand spray solid lever single hole mounted flow class A aerator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) automatic diverter: shower/spray protected against back flow shank fastening flexible hoses G 3/8</p>	<p>chrome</p> 	<p>389810575</p>
<p>SPARE PARTS</p> 	<p>KLUDI ZENTA lever for single lever sink mixer for 38973, 38979</p>	<p>chrome black/chrome white/chrome stainless steel look</p>	<p>7487205-00 7487286-00 7487291-00 7487296-00</p>
 	<p>KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38973, 38979</p>	<p>chrome</p>	<p>92069905-00</p>








product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 rapid installation set</p>	<p>chrome</p>	<p>325740575</p>
	<p>KLUDI OBJEKTA single lever sink mixer DN 15 for use with displacement heaters solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) flexible hoses G 3/8 rapid installation set</p>	<p>chrome</p> 	<p>325750575</p>
	<p>KLUDI OBJEKTA multi single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> 	<p>325760575</p>
	<p>KLUDI OBJEKTA multi single lever sink mixer DN 15 for use with displacement heaters solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> 	<p>325770575</p>
	<p>KLUDI OBJEKTA single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8</p>	<p>chrome</p> 	<p>325780575</p>
	<p>KLUDI OBJEKTA multi single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,1 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm shank fastening, flexible hoses G 3/8</p>	<p>chrome</p> 	<p>325790575</p>












KLUDI OBJEKTA

product	product description	surface	art. no.
	<p>KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 flow class Z swivelling (110°), pull-out hand spray automatic diverter: shower/spray protected against back flow flexible hoses G 3/8 shank fastening</p>	chrome 	325810575
	<p>KLUDI OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class B cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout Projection 115 mm s-connections</p>	chrome	328810575
	<p>KLUDI OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class B cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 180 mm s-connections</p>	chrome	328820575

product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI KOMET single lever sink mixer DN 15 open ring lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 9014/IA</p>	chrome	337940562
	<p>KLUDI KOMET single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters P-IX 9015/I</p>		chrome 337950562
	<p>KLUDI KOMET multi single lever sink mixer DN 15 open ring lever flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8 PA-IX 9012/IA</p>		chrome 337960562
	<p>KLUDI KOMET multi single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min, flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set copper tube 8/10 mm for use with displacement heaters PA-IX 9026/I</p>		chrome 337970562
	<p>KLUDI KOMET single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 P-IX 9013/IA</p>		chrome 337980562
	<p>KLUDI KOMET single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 for use with displacement heaters</p>		chrome 337930562

KLUDI KOMET

product	product description	surface	art. no.
	<p>KLUDI KOMET multi single lever sink mixer bayonette DN 15 open ring lever flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 PA-IX 9019/IA</p>	 <p>chrome</p>	<p>337990562</p>
	<p>KLUDI KOMET single lever sink mixer DN 15 open ring lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) spout, pull-out hand spray protected against back flow copper tubes 10 mm P-IX 9030/IA</p>	 <p>chrome</p>	<p>337910562</p>
	<p>KLUDI KOMET single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) spout, pull-out hand spray copper tube 8/10 mm for use with displacement heaters P-IX 9029/I</p>	 <p>chrome</p>	<p>337920562</p>
<p>SPARE PARTS</p> 	<p>KLUDI KOMET lever for single lever sink mixer 33794, 33795, 33796, 33797, 33798, 33793, 33799, 33791, 33792</p>	<p>chrome</p>	<p>7418205-00</p>


product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI TRENDO single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) flexible hoses G 3/8 rapid installation set G 3/8</p>	<p>chrome stainless steel look</p>	<p>335740575 335749675</p>
	<p>KLUDI TRENDO single lever sink mixer DN 15 for use with displacement heaters solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) rapid installation set flexible hoses G 3/8</p>	 <p>chrome stainless steel look</p>	<p>335750575 335759675</p>
	<p>KLUDI TRENDO multi single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8</p>	 <p>chrome stainless steel look</p>	<p>335760575 335769675</p>
	<p>KLUDI TRENDO multi single lever sink mixer DN 15 for use with displacement heaters single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8</p>	 <p>chrome</p>	<p>335770575</p>
	<p>KLUDI TRENDO single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8</p>	 <p>chrome stainless steel look</p>	<p>335780575 335789675</p>
	<p>KLUDI TRENDO multi single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm shank fastening, flexible hoses G 3/8</p>	 <p>chrome</p>	<p>335790575</p>














KLUDI TRENDO

product	product description	surface	art. no.
	<p>KLUDI TRENDO single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 16,5 x 1 flow class Z swivelling (110°), pull-out hand spray automatic diverter: shower/spray protected against back flow copper tubes 10 mm shank fastening</p>	 chrome stainless steel look 	335810575 335819675

SPARE PARTS

	<p>KLUDI TRENDO pull-out hand spray</p>	chrome stainless steel look	7451805-00 7451896-00
---	--	--------------------------------	--

	<p>KLUDI TRENDO lever for single lever sink mixer 33574, 33575, 33576, 33577, 33578, 33579, 33581</p>	chrome stainless steel look	7301805-00 7301896-00
--	--	--------------------------------	--

product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/10</p>	<p>chrome stainless steel look</p>	<p>339330575 339339675</p>
	<p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19451/I</p>	<p> chrome stainless steel look </p>	<p>339390575 339399675</p>
	<p>KLUDI SCOPE XL single lever sink mixer DN 15 solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/10</p>	<p>chrome stainless steel look</p>	<p>339300575 339309675</p>
	<p>KLUDI SCOPE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 noise level I P-IX 19449/10</p>	<p> chrome stainless steel look</p>	<p>339380575 339389675</p>
	<p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling (110°) spout, pull-out hand spray protected against back flow shank fastening copper tubes 10 mm noise level I</p>	<p> chrome stainless steel look</p>	<p>339310575 339319675</p>
	<p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) spout, pull-out hand spray shank fastening copper tube 8 mm for use with displacement heaters</p>	<p>  </p>	<p>chrome 339320575</p>

KLUDI SCOPE











product	product description	surface	art. no.
SPARE PARTS	KLUDI SCOPE	chrome	7501005-00
	spout	stainless steel look	7501096-00








KLUDI SCOPE
lever for single lever sink mixer
33933, 33939, 33930, 33938














chrome **7842105-00**
stainless steel look **7842196-00**


















product	product description	surface	art. no.	
SINK	 <p>KLUDI LOGO NEO single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I PA-IX 7526/IA</p>	chrome	379130575	
	 <p>KLUDI LOGO NEO single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I PA-IX 7527/II</p>		chrome	379190575
	 <p>KLUDI LOGO NEO wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) G 3/4 x 200 mm s-connections noise level I</p>	chrome	379240575	
	 <p>KLUDI LOGO NEO wall mounted single lever sink mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) 200 mm s-connections G 1/2 x G 1/2 noise level I</p>	chrome	379140575	
ACCESSORIES	 <p>extension for single lever sink mixer 389130575/389190575 379130575/379190575 389630575/389590575</p>	chrome	7676005-00	
SPARE PARTS	 <p>KLUDI LOGO NEO lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290</p>	chrome	7495005-00	











KLUDI TERCIO

product	product description	surface	art. no.
<p>SINK</p> 	<p>KLUDI TERCIO single lever sink mixer DN 15 solid lever single hole mounted flow class A flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8</p>	chrome	389430575
	<p>KLUDI TERCIO single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	 chrome	389490575
	<p>KLUDI TERCIO single lever sink mixer XL DN 15 solid lever single hole mounted flow class A flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8</p>	chrome	389400575
	<p>KLUDI TERCIO wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class A flow regulator M 22 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) G 3/4 x 200 mm s-connections</p>	chrome	389640575







product	product description	surface	art. no.	
SINK	 <p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 copper tubes 10 mm PA-IX 3105/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	316230508 316230515	
	 <p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 copper tube 8 mm for use with displacement heaters P-IX 3606/I handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	 	chrome chrome	319110508 319110515
	 <p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 one connection for washing machine or dishwasher copper tubes 10 mm PA-IX 3102/IA</p>		chrome	317100515
	 <p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 one connection for washing machine or dishwasher for use with displacement heaters copper tube 8/10 mm PA-IX 7727/I</p>	  	chrome	317300515
	 <p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 two connections for washing machine and dishwasher copper tubes 10 mm PA-IX 3664/IA DIN-DVGW-AT-2177</p>		chrome	317110515
	 <p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	316580508 316580515	







KLUDI STANDARD

product	product description	surface	art. no.
	<p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8571/I handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	 chrome 	319210508 319210515
	<p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	316560508 316560515
	<p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling spout (360°) aerator M 22 x 1 one connection for washing machine or dishwasher copper tubes 10 mm PA-IX 3102/IA DIN-DVGW-AT-2177</p>	 chrome	317030515
	<p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling spout (360°) flow regulator M 22 x 1 one connection for washing machine or dishwasher copper tube 8/10 mm for use with displacement heaters PA-IX 7727/I</p>	   chrome	317230515
	<p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling spout (360°) aerator M 22 x 1 two connections for washing machine and dishwasher copper tubes 10 mm PA-IX 3664/IA</p>	 chrome	317010515
	<p>KLUDI STANDARD sink mixer DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8571/I</p>	 chrome 	319200515







product	product description	surface	art. no.
	<p>KLUDI STANDARD temperature regulating mixer for basin and sink DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters PA-IX 8101/I</p>	<p>chrome</p>  	<p>319180515</p>
	<p>KLUDI STANDARD temperature regulating mixer for basin and sink DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters PA-IX 8101/I</p>	<p>chrome</p>  	<p>319190515</p>
	<p>KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>310520508 310520515</p>
	<p>KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>310530508 310530515</p>
	<p>KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	<p>chrome chrome</p>	<p>310550508 310550515</p>
	<p>special wall mounted sink mixer DN 15 handle Terralux plastic wall fastening swivelling tube spout (360°) distance from center to center 45 mm flow class A aerator M 22 x 1 P-IX 4085/IIA</p>	<p>chrome</p>	<p>314530515</p>



KLUDI STANDARD

product	product description	surface	art. no.
	<p>KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 2524/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	304050508 304050515
	<p>KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue PA-IX 2524/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	304090508 304090515
	<p>KLUDI STANDARD bibcock DN 15 flow class A aerator M 22 x 1 marking: blue/red P-IX 2585/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	300150508 300150515
	<p>KLUDI STANDARD bibcock DN 15 handle Terralux plastic wall fastening hose thread M 22 x 1 marking: blue/red</p>	chrome	300230515
	<p>KLUDI STANDARD bibcock DN 15 handle Terralux metal wall fastening spout fitting G 3/4 marking: blue/red</p>	chrome	300250508
<p>SPARE PARTS</p> 	<p>KLUDI STANDARD handle 08 handle Terralux metal marking: blue</p>	chrome	7542105-00


product	product description	surface	art. no.
	<p>KLUDI STANDARD handle 08 handle Terralux metal marking red</p>	chrome	7542205-00
	<p>KLUDI STANDARD handle 15 handle Terralux plastic marking: blue</p>	chrome	7636005-00
	<p>KLUDI STANDARD handle 15 handle Terralux plastic marking red</p>	chrome	7636105-00
	<p>KLUDI STANDARD handle 01 handle Trias marking: blue</p>	chrome	7558505-00
	<p>KLUDI STANDARD handle 01 handle Trias marking red</p>	chrome	7558605-00
	<p>Swivelling casted spout with grub screw fixing projection 200 mm aerator M 24 x 1/4 for Standard Multi mixer</p>	chrome	7540705-00


KLUDI STANDARD

product	product description	surface	art. no.
	<p>Swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for Standard Multi mixer for low pressure mixer</p>	chrome	7540805-00
	<p>Swivelling casted spout with grub screw fixing projection 200 mm aerator M 24 x 1/A for mixer 31623</p>	chrome	7540905-00
	<p>Swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for mixer 31911</p>	chrome	7541005-00
	<p>HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing aerator M 22 x 1/A</p>	chrome	7540405-00
	<p>HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing with flow aerator M 22 x 1/ND for low pressure mixer</p>	chrome	7540605-00
	<p>HU tube spout 200 mm turnable aerator M 22 x 1/A with swivel nut G 3/4 for 31656, 31657, 31658</p>	chrome	7541305-00

product	product description	surface	art. no.
	<p>HU tube spout 200 mm turnable with flow aerator M 22 x 1/ND with swivel nut G 3/4 for low pressure mixer 31901, 31919, 31921</p>	chrome	7541805-00
	<p>s-spout G 3/4 x 150 mm</p>	chrome	7556705-00

Accessoires

product	product description	surface	art. no.
ACCESSOIRES 	KLUDI dirt filter for angle stop valve DN 10 with filter element with removable screw connection G 3/8 x G 3/8	chrome	7303005-10



Spare parts and accessories















Cartridge Navigator
272
Gasket kit Navigator
274






Spare parts and
accessories
276

Cartridge Navigator

Are you looking for the right cartridge for a fitting? The Cartridge Navigator will give you the answer. A dot indicates the standard cartridge for the relevant range. Products with other cartridges are listed in the table with their article number.

Bathroom	HIGH PRESSURE										LOW PRESSURE	
	7486800-00	7661900-00	7560500-00	7494700-00	7560700-00	7565400-00	7685600-00	7459800-00	7520100-00	7436600-00	7480500-00	7412900-00
Article number												
Cartridge size	K25	K28	K35	KJ35	K36	K36C	K41	K41	K46	KK46	K35	K41
												
KLUDI AMBA		•					534450575 535900575 534470575 534480575 537100575					
KLUDI AMPHORA			•				544430575 547140575					
KLUDI BALANCE			•				524470575 524480575 525900575					
KLUDI BINGO STAR			•									
KLUDI BOZZ			•								•	
KLUDI E2		•					494450575 497140575 494470575 495900575 490260575					
For KLUDI FLEXX.BOXX 88077/88075 and trim set for KLUDI FLEXX.BOXX 88011							•					
JOOP!			•				554430575					
KLUDI KIDÓ							•					
KLUDI MEDI CARE										•		
KLUDI MEDI MIX									•			
KLUDI MX							•					•
KLUDI NEW WAVES		•	57624									
KLUDI OBJEKTA MIX NEW							•		336850575 334910575 334890575N 335430575 335710575 336510575N		332340575	
KLUDI OBJEKTA	320230575 320240575		•				326530575 327640575 324890575 326510575 326850575 324910575				•	
KLUDI O-CEAN			•	383450510	420250573		387700575 389700575					
KLUDI PROVITA								•				
KLUDI Q-BEO			•				504430565 507140565					
KLUDI TERCIO	380230575 380240575		•				•					
KLUDI ZENTA			•		420250575 420260575	382530575	384460575 384470575				•	

Kitchen







	HIGH PRESSURE						LOW PRESSURE		
Article number	7486800-00	7560500-00	7560700-00	7685600-00	7475000-00	7520100-00	7302600-00	7480500-00	7412900-00
Cartridge size	K25	K35	K36	K41	K40	K46	K25	K35	K41
									
KLUDI AMPHORA		●							
KLUDI BINGO STAR		●						●	
KLUDI BOZZ		●							
KLUDI E-GO					●				
JOOP!		●							
KLUDI KOMET		●						●	
KLUDI L-INE		●						●	
KLUDI L-INE S	●								
KLUDI MIX						●			
KLUDI MX				●					●
KLUDI NEW WAVES		●							
KLUDI OBJEKTA MIX NEW		●		338810575 338820575				●	
KLUDI OBJEKTA		●		328810575 328820575				●	
KLUDI SCOPE		●						●	
KLUDI STEEL		●							
KLUDI TANGENTA		●							
KLUDI TERCIO		●						●	
KLUDI TRENDO		●						●	
KLUDI TRENDO STAR		●						●	
KLUDI ZENTA	●		389840575 389810575				●		
KLUDI ZIP		●							

Gasket kit Navigator







Are you looking for the right gasket kit for a KLUDI kitchen fitting? The Gasket kit Navigator will give you the answer. And this is how it works: choose the article number for the relevant kitchen mixer in the vertical column. The mixer tap marked with a dot indicates the matching gasket kit.

		GASKET KIT				
Article number		7425300-00	7301900-00	7316700-00	7317800-00	7431800-00
KLUDI ADLON	516060520					
	516000520					
KLUDI AMPHORA	549040575					•
	549410575					
KLUDI BINGO STAR	428030578		•			
	428090578		•			
	428360578		•			
	428570578		•			
KLUDI KOMET	337940562					
	337950562					
	337960562					
	337970562					
	337980562					
	337930562					
	337990562					
	337910562					
	337920562					
KLUDI MEDI CARE	349080524					
	341130524					
	349220524					
	349250524					
	349080534					
	349200524					
	349240524					
	349230524					
	349210524					
KLUDI MIX	339040562					
	339050562					
	339060562					
	339070562					
	339340562					
	339350562					
	339360562					
	339370562					
KLUDI MX	399040562					
	399050562					
	399060562					
	399070562					
	399340562					
	399410562					
	399420562					
	399450562					
KLUDI OBJEKTA MIX NEW	338830575					
	338890575					
	337610575					
KLUDI SCOPE	339330575					
	339390575					
	339300575					
	339380575					
	339310575					
	339320575					
KLUDI STEEL	38850F660	•				
	38857F660	•				
KLUDI TANGENTA	44904F875			•		
	44991F875				•	
	44941F875				•	
KLUDI TRENDO	335740575					
	335750575					
	335760575					
	335770575					
	335780575					
	335790575					
	335810575					
KLUDI TRENDO STAR	339740575					
	339750575					
	339760575					
	339770575					
	339810575					
	339780575					
	339790575					
KLUDI ZENTA	389730575					
	389790575					



Spare parts and accessories

product	product description	surface	art. no.
SPARE PARTS 	gasket kit kitchen mixers series KLUDI MIX / KLUDI OBJEKTA till 12/2002	neutral	7531200-00
	gasket kit kitchen mixers series KLUDI TRENDO STAR/KLUDI KLUDI OBJEKTA MIX NEW	neutral	7432900-00
	gasket kit kitchen mixers series KLUDI MIX from 01/2003	neutral	7683700-00
	gasket kit kitchen mixers series KLUDI KOMET / KLUDI TRENDO	neutral	7548400-00
	gasket kit kitchen mixers series KLUDI LOGO	neutral	7599700-00
	gasket kit kitchen mixers series KLUDI MX	neutral	7812200-00

Spare parts and accessories

product	product description	surface	art. no.
	Classical lift-cone headpart G 3/8 with handle Terralux plastic marking: blue according to DIN EN 200	chrome	110010515
	Classical lift-cone headpart G 3/8 with handle Terralux plastic marking: red according to DIN EN 200	chrome	110020515
	Classical lift-cone headpart G 1/2 with handle Terralux plastic marking: blue/red according to DIN EN 200	chrome	111030515
	Classical lift-cone headpart G 3/8 with handle Trias metal marking: blue according to DIN EN 200	chrome	110010501
	Classical lift-cone headpart G 3/8 with handle Trias metal marking: red according to DIN EN 200	chrome	110020501
	Classical lift-cone headpart G 1/2 with handle Trias metal marking: blue according to DIN EN 200	chrome	110030501

Spare parts and accessories

product	product description	surface	art. no.
	Classical lift-cone headpart G 1/2 with handle Trias metal marking red according to DIN EN 200	chrome	110040501
	Classical lift-cone headpart G 1/2 with handle Terralux metal marking: blue according to DIN EN 200	chrome	110030508
	Classical lift-cone headpart G 1/2 with handle Terralux metal marking red according to DIN EN 200	chrome	110040508
	Classical lift-cone headpart G 1/2 according to DIN EN 200	neutral	7521800-00
	ceramic headpart G 1/2 with ceramic discs 90° right-locking according to DIN EN 200	neutral	7505400-00
	ceramic headpart G 1/2 with ceramic discs 90° left-locking according to DIN EN 200	neutral	7505500-00

Spare parts and accessories

product	product description	surface	art. no.
	ceramic headpart G 3/8 90° right-locking	neutral	7444000-00
	ceramic headpart G 3/8 90° left-locking	neutral	7444100-00
	ceramic-headpart G 1/2 x 180°	neutral	7502500-00
	Classical lift-cone headpart G 1/2 for concealed valves DN 15 according to DIN EN 200	neutral	7557000-00
	Classical lift-cone headpart G 3/4 for concealed valves DN 20 according to DIN EN 200	neutral	7557100-00
	head part G 3/8 according to DIN EN 200	neutral	7552600-00

Spare parts and accessories

product	product description	surface	art. no.
	<p>cartridge 46 mm with ceramic discs for compression- and depressurized fittings according to DIN EN 817</p>	neutral	7520100-00
	<p>cartridge 46 mm ECO with ceramic discs with pre-adjustable hot water limitation flow rate and hot-water notch according to DIN EN 817</p>	neutral	7640000-00
	<p>cartridge 41 mm with ceramic discs according to DIN EN 817</p>	neutral	7685600-00
	<p>cartridge 41 mm with ceramic discs for low pressure mixer according to DIN EN 817</p>	neutral	7412900-00
	<p>cartridge 41 mm for clinic fittings with ceramic discs according to DIN EN 817</p>	neutral	7459800-00
	<p>cartridge 35 mm with ceramic discs for compression fittings according to DIN EN 817</p>	neutral	7560500-00







product	product description	surface	art. no.
 	<p>control unit K 35 mm with ceramic discs for low pressure mixers according to DIN EN 817</p>	neutral	7480500-00
 	<p>cartridge 25 mm with ceramic discs according to DIN EN 817</p>	neutral	7486800-00
 	<p>KLUDI E-GO cartridge 40 mm</p>	neutral	7475000-00
 	<p>cartridge for single lever mixer KLUDI MEDI CARE with coupling</p>	neutral	7436600-00
 	<p>KLUDI O-CEAN joystick ceramic cartridge with ceramic discs according to DIN EN 817</p>	neutral	7494700-00
 	<p>cartridge 28 mm with ceramic discs according to DIN EN 817</p>	neutral	7661900-00

Spare parts and accessories







product	product description	surface	art. no.
 	<p>temperature control unit for wall mounted thermostat 35200, 35205, 35260, 35400, 35401, 57420, according to DIN EN 1111</p>	neutral	7672900-00
 	<p>temperature control unit for concealed thermostatic mixer (spare part for 7587000-00) 35156, 35158, KLUDI FLEXX.BOX 88066, according to DIN EN 1111</p>	neutral	7480900-00
 	<p>temperature control unit for concealed thermostat G 3/4 according to DIN EN 1111</p>	neutral	7492700-00
 	<p>temperature control unit for wall mounted thermostat 35100, 35101 according to DIN EN 1111</p>	neutral	7447000-00
	<p>kitchen-showers automatic diverter: shower/spray cascade aerator M 24 x 1 flow class A 33901, 33955, 31834, 31738</p>	chrome	7506805-00
	<p>kitchen-showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min 33902, 33957, 31923, 31745</p>	chrome	7566705-00

product	product description	surface	art. no.
 	KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume flow rate 19,2 l/min at 3 bar quick and easy cleaning system connection G 1/2 PA-IX 7506/IS	white	6760043-00
ACCESSORIES			
	s-pointer aerator male thread M 24 x 1A swivelling spray insert flow rate 13 l/min, at 3 bar	chrome	7437005-00
	s-pointer eco-aerator male thread M 24 x 1A swivelling spray insert flow rate 7,5 - 9,0 l/min, at 3 bar	chrome	7483905-00
	flow regulator male thread M 24 x 1 ND for low pressure mixer	chrome	7520505-00
	cascade aerator male thread M 24 x 1A flow 13 l/min, at 3 bar	chrome	7641605-00
	ball joint for bidet mixer without aerator M 24 x 1A outside screw thread	chrome	7537505-00





Spare parts and accessories

product	product description	surface	art. no.
	<p>pop-up waste G 1 1/4 for basin-/bidet mixers complete chrome plated</p>	chrome	7526005-00
	<p>s-connection G 1/2 x G 3/4 with shut-off and push-on rosette</p>	chrome	7589505-00
	<p>s-connections G 1/2 x G 3/4</p>		7655204-00
	<p>installation wrench for cartridge 7520100-00 from 09/2005</p>	neutral	92907300-00
	<p>clamping screw wrench for cartridge 7520100-00 till 08/2005</p>	neutral	92903200-00
	<p>clamping screw wrench for cartridge thermostatic series KLUDI EVITA</p>	neutral	92907600-00

Spare parts and accessories

product	product description	surface	art. no.
	clamping screw wrench for cartridge 7560500-00	neutral	92907700-00
	clamping screw wrench for KLUDI NEW WAVES WT/Bidet EHM	chromium nickel steel	92910035-00
	clamping screw wrench for cartridge 7685600-00	neutral	92912800-00
	clamping screw wrench for KLUDI AMPHORA single lever bath- and shower mixer	neutral	92910900-00
	clamping screw wrench for KLUDI AMPHORA WT/Bidet EHM	neutral	92910800-00
	lock shield for micro-cartridge for KLUDI AMPHORA 54421, 54423, for KLUDI KIDÓ 39421	chromium nickel steel	92911035-00

Spare parts and accessories

product	product description	surface	art. no.
	KLUDI WAGA / KLUDI ROTEXA installation wrench pop-up wastes for pre-installation	neutral	83027400-00
	KLUDI TASSO 90 (21095), KLUDI TASSO 50, KLUDI TASSO PLUS installation wrench for pre-installation	neutral	83028800-00
	KLUDI Universal fitting wrench for aerator M 18 x 1, M 22 x 1, M 24 x 1, M 28 x 1, M 16,5 x 1 Caché® TT, Caché® TJ, Caché® TF, Caché® JR, Caché® STD	neutral	7488300-00
	KLUDI Caché-aerator male thread M 16,5 x 12 flow rate 8,4 l/min at 3 bar	neutral	7426600-00

General Terms and Conditions of Sale of Kludi GmbH & Co. KG

Article 1 General – Scope

- (1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co. KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their application.
These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation.
If the ordering party accepts services/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale.
- (2) All agreements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the respective contract. The respective contract document shall be presumed to be complete and accurate.
Where there exist between Kludi and the ordering party other unilateral or multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly agreed.
- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis companies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases.

Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party.

Verbal information shall not be binding, unless an explicit agreement has been made to the contrary.

Article 3 Quotation, quotation documents

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB), Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement. The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation.
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any time.
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute quality specifications or possible uses of the goods supplied by Kludi.
Specifications from Kludi shall not constitute guarantees of shelf life or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the intended use.
- (5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estimates and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned provisions of this Para. 5 shall in particular apply to written documents marked „confidential“; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

Article 4 Prices, payment conditions

- (1) Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply „ex works“ and exclusive of packaging and transportation; the latter will be invoiced separately.

- (2) The statutory value-added tax is not included in the prices; it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the Agreement on the European Economic Area shall be subject to an agreed carriage-paid limit of Euro 750.00 per individual order, and a small-quantity surcharge of Euro 6.00 for individual orders with a value under Euro 50.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.
For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South America and North America, a carriage-paid limit of EURO 500,00 shall apply per individual order, and a small-quantity surcharge of EURO 500,00 for individual orders with a value under EURO 500,00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.
- (4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days after the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchase price within 10 days after the invoice date, an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- (5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para. 1, Para. 2 of the German Civil Code (BGB)). If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly reserved.
In the case of bilateral commercial transactions, Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.
- (6) In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further deliveries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention where the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim derives from the same contractual relationship.
Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be entitled first to offset the payment against the cost, then against the interest, and finally against the principal demand.
- (8) All customs duties, taxes, levies etc. incurred outside the Federal Republic of Germany shall be paid by the ordering party.

Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly agreed. The delivery time specified by Kludi shall only begin after all technical questions have been clarified and Kludi has given an additional explicit delivery time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- (2) Compliance with delivery obligations on the part of Kludi shall furthermore be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of all documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by sub-suppliers).
- (4) Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party.
It shall be permitted for partial deliveries to be invoiced separately.

- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensation of any losses incurred by Kludi as a result, including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment.
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB). Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract. Subject to proper and timely deliveries by sub-suppliers.
- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contract for which Kludi is responsible, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lump-sum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.
- (11) The limitations/exclusions of liability described in Para. 7-10 of this Article shall not apply in the event of death, injury or damage to health.

Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation, the delivery shall be agreed as „ex works“. The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accepted; this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate inspection of the goods required by Article 377 of the German Commercial Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no longer be entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as follows:

- (1) Claims for defects shall not exist in cases of only minor deviation from the agreed quality or – in the absence of an agreement – from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, incorrect installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract, or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences.
Incorrect use, in relation to which no claims for compensation of defects shall be possible, shall in particular include the installation of the object of purchase or parts

thereof in other products, or the installation of third-party components into the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative has explicitly been agreed.

- (2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance).
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a reasonable period.
- (4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispensable because
 - a) the supplementary performance is conclusively rejected by Kludi,
 - b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or
 - c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be entitled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in conjunction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure.
- (5) The expenditures required for the purpose of supplementary performance, and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.
- (6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process.
- (7) The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.
- (8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period; the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee, or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.
The statutory regulations regarding suspension of expiry, suspension, and recommencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product, the warranty period shall however end at the time when it would have ended for the defective product.
- (9) Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspondingly.
- (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

Article 8 Returns

- (1) Returns of the purchased product shall be excluded, except in cases under Article 7.
- (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward.
- (3) If in individual cases and after prior explicit agreement Kludi exceptionally agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the goods.
- (4) The ordering party shall bear the transportation risk and transport costs.

Article 9 Retention of title

- (1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If there are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods.
- (2) Processing of the ROT goods shall take place on behalf of Kludi as the manufacturer in the meaning of Article 950 of the German Civil Code (BGB), without obligation for Kludi. The processed goods shall constitute ROT goods in the meaning of Para. 1. Where the ROT goods are processed, aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the other goods used. If the title of Kludi lapses upon aggregation or mixing, the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in safekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.
- (3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code (BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.
- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the purchase price for his customer, he shall be obliged to retain the title to the ROT goods under the same conditions as Kludi has retained the title to the delivery of the ROT goods. The ordering party shall however not be obliged to also retain the title in relation to the receivables to which he will be entitled from his customer in future. Resale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. Kludi themselves shall also be entitled to notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.
- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

Article 10 Use of image data, text, videos, and/or other print and digital media

- (1) The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user:
 - a) The brand name „Kludi“ must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
 - b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the right to make further specifications.
 - c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.
 - d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website www.kludi.com.
 - e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.
 - f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.
 - g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.
- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format: © KLUDI GmbH & Co. KG, Menden, Germany
- (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.
- (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

Article 11 Compensation of damages / exclusion of liability

- (1) Any claims by the ordering party for compensation of damage – for whatever legal reason – shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of non-compliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

Article 12 Applicable law, jurisdiction, place of fulfilment

- (1) Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015

Pictograms



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



Eco

Saves at least 40 % water.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Low pressure

Fitting suitable for under-counter water heaters.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Mains operated

Electronic fitting for 230 V AC connection.



HotStop

Fitting with anti-scald limiter at 38 °C.



Showering hygiene

Quick and easy to drain remaining water from the hand spray. No dripping.



Scald protection

Thermostatic body independent of temperature.

Copyright 2017
Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent.

Kludi GmbH & Co. KG continuously endeavours to develop and improve all its products. They are subject to technical modifications that may result at any time from changes and ongoing development. Consequently no legal claims can be made on the basis of the details, illustrations, descriptions and dimensions given in this catalogue.

No liability for misprints and errors.

Printed in Germany.



99202241703/VO/O1/17

Kludi GmbH & Co. KG
P.O. Box 25 60 · 58685 Menden
Am Vogelsang 31-33 · 58706 Menden
Germany

T +49 2373 904-193
F +49 2373 904-540
E international-sales@kludi.com