





### Almost 100 years ago

KLUDI began manufacturing bathroom fittings using traditional methods of craftsmanship. Followed by high-quality, reliable fixtures of timeless design, this expertise formed the foundation of KLUDI. From the tradition as a faucet specialist, the goal was created to combine the highest quality of use and perfect design in a unique way. Thus the claim *Water in Perfection* finds unmistakable expression in our products as well as in all services we provide for our customers. It inspires and drives

our future activities.



KLUDI BOZZ embodies purism in its absolute form for the bathroom. Reduced to the essentials, this timelessly elegant range for washbasins, baths and showers does without any unnecessary ornamental touches or embellishments.



t

#### Contents

Page 6–21 BOZZ

Page 22–27Water in PerfectionPage 28–37Series

KLUDI BOZZ is moving with the times. The new, optimised K36 cartridge provides particularly reliable functionality, precision operation and perfect enjoyment of water. The addition of three different fitting spout heights to the range ensures that the functionally and aesthetically optimal solution can be implemented for every washbasin situation, and it gives users the freedom to realise their individual preferences and requirements. KLUDI BOZZ is available in chrome and matt black as standard.



No room for excess – the exact lines and the strictly geometrical design language form the uncomplicated aesthetics of purism.

### **BOZZ** The original in its purest form

Reduced to the essentials – the design of BOZZ appeals with its uncompromising linear design and intentionally simple elegance.

The original in its purest form



### Inspired by water pumps of past centuries and with a new, improved shape, KLUDI BOZZ embodies the essence of all fittings.

←

Single lever basin mixer 382820576 Fittings in three spout heights provide the optimum solution for any washbasin environment: 75, 100 to 240 mm.

→

Single lever basin mixer 382720576 The quintessence of all fittings: BOZZ embodies purism in its absolute form for the bathroom.





 $\mathfrak{P}$ 

#### ↑

Concealed two-hole wall-mounted single lever mixer 382450576 Purism in its absolute form: the concealed wall fitting needs no ornamentation.







→

Single lever washbowl mixer 382860576 Versatility Plus: the high-rise fitting

ensures optimum user convenience with its 240 mm spout height.









↑

Concealed single lever bath and shower mixer 386500576 Bath filler 3850505 Bath shower set 2085005-15

←

Concealed single lever bath and shower mixer 386500576 Bath shower set 2085005-15 Shower arm 6651405-00 Head shower 6432505-00 Wall supply 6306105-00

Less is more: the wall trims of the bath and shower mixers are extremely flat.

Wall supply 6306005-00

Modern minimalism: BOZZ attracts attention to the washstand, bathtub and shower with its precise lines and clear geometrics.



坐

←
Single lever bath and shower mixer
386910576
Bath shower set
2085005-15
Consistent design vocabulary: the elegant, downward curving spout gives the water flow a natural shape.



↑
Single lever shower mixer
388310576
Shower set
2084005-15
Minimalism in the shower: the two rosettes of the surface-mounted mixer are very flat, and the handle wows with its extremely slim design.

Single lever basin mixer 382723976 Black and white glamour: the elegant matt black of the fitting is particularly effective as a contrast to the white of the ceramics.

↓



BOZZ



←

Concealed two-hole wall-mounted single lever mixer 382453976 Sleek elegance: the uncompromising linear style and strict geometric language are without equal.

#### ↓

Single lever bath and shower mixer 386913976 Bath shower set 2085039-15 Consistently purist: the slim, no-frills design of the fittings for bath and shower is also striking.







←
Single lever shower mixer
388313976
Shower set
2084039-15

Single lever bath and shower mixer 386913976 Bath shower set 2085039-15

Black is beautiful: the BOZZ fittings look particularly sophisticated in trendy matt black.



When KLUDI designs bathroom and kitchen concepts, the aspect of utility is always a primary consideration with the aim of making life a bit easier and more pleasant for everyone.

### **Water in Perfection** Technology, Design and Quality: Made in Germany

From easy and safe installation to unparalleled ease of use and perfect enjoyment of water – KLUDI fittings offer a multitude of added advantages for users.

Water in Perfection



( )

r Fittings in three spout heights provide the optimum solution for any washbasin environment.

### **75, 100, 240** More space to suit your needs

All users have their own visions of what makes their washbasin the ideal place for skincare and hygiene – in terms of functionality and aesthetics. With versions of the washbasin fitting in three different spout heights of 75, 100 and 240 mm, BOZZ guarantees that the optimal solution can be implemented for every washbasin situation. Whether counter-top washbasins, undermount basins or washbowls are fitted, bathroom users always have the freedom to satisfy their individual preferences and requirements.

BOZZ

÷

Less is more: the rosettes of the surface-mounted single lever mixe for bath and shower are reduced to the essentials.









### **Black is beautiful** For more individuality

 $( \mathfrak{P} )$ 

Home interior design is all about style, trends, personal preferences and exclusivity. The bathroom is no exception here. Accordingly, individual, tailored solutions are sought-after, such as fittings finished in trendy matt black for a sophisticated touch instead of the usual chrome. Not a problem, as the key products in the KLUDI BOZZ range are also available in matt black as standard.





Finishing touches: every fitting is finished to perfection.

### **True workmanship** Uncompromising quality

KLUDI products embody quality workmanship, the kind associated with the 'Made in Germany' quality markin Germany and abroad. From product development and in-house tool construction to manual final assembly, the quality management and quality assurance teams work together with all employees to make sure that the fittings and showers meet strictest finishing, functionality and durability requirements. The goal here is to maximise customer and user satisfaction worldwide. Regularly certified and audited processes such as incoming goods inspections and manufacturing supervision help keep the complaint rate steadily low at significantly less than one percent.

### **BOZZ** Series



Single lever basin mixer 75 DN 15

#### $\cdot$ solid lever

- $\cdot$  single hole mounted
- flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- · flexible hoses G 3/8
- $\cdot$  rapid installation set
- metal pop-up waste
   G 1 1/4
- · spout height lower edge = 75 mm



Single lever basin mixer 75 DN 15

- solid lever
- $\cdot$  single hole mounted
- flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- · flexible hoses G 3/8
- rapid installation set
   PUSH-OPEN waste
- G 1 1/4 · spout height
  - lower edge = 75 mm



Single lever basin mixer 75 DN 15

- · solid lever
- · single hole mounted
- flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
   flexible hoses G 3/8
- rapid installation set
- without pop-up waste
- spout height
   lower edge = 75 mm



Single lever basin mixer 75 DN 15

- $\cdot$  solid lever
- · single hole mounted
- flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- $\cdot$  flexible hoses G 3/8
- · rapid installation set
- metal pop-up waste G 1 1/4
- for use with displacement heaters
- spout height
   lower edge = 75 mm

 
 05 chrome
 05 chrome 39 matt black
 05 chrome 39 matt black

 Item no. 382700576
 Item no. 382660576 Item no. 382663976
 Item no. 382720576 Item no. 382723976
 Item no. 382770576

 Item no. 382700570
 Item no. 382660576
 Item no. 382720576
 Item no. 382720576

 Item no. 382660576
 Item no. 382720576
 Item no. 382720576

 Item no. 382700570
 Item no. 382720576
 Item no. 382720576



Single lever basin mixer 75 DN 15

#### $\cdot$ solid lever

- $\cdot$  single hole mounted
- flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- centre position cold water
- · flexible hoses G 3/8
- $\cdot$  rapid installation set
- metal pop-up waste G 1 1/4
- spout height
   lower edge = 75 mm



#### Single lever basin mixer 100 DN 15

- solid lever
- $\cdot$  single hole mounted
- flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
   flexible hoses G 3/8
- rapid installation set
- metal pop-up waste G 1 1/4
- spout height
   lower edge = 100 mm



Single lever basin mixer 100 DN 15

- · solid lever
- · single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
   flexible hoses G 3/8
- · rapid installation set
- PUSH-OPEN waste G 1 1/4
- spout height
   lower edge = 100 mm



Single lever basin mixer 100 DN 15

#### $\cdot$ solid lever

- · single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- $\cdot$  flexible hoses G 3/8
- $\cdot$  rapid installation set
- $\cdot$  without pop-up waste
- · spout height
- lower edge = 100 mm







Single lever basin mixer DN 15

- $\cdot$  solid lever
- $\cdot$  single hole mounted
- flow rate 7 l/min at 3 bar
- PCA cache-aerator
   M 16,5 x 1
- ceramic cartridge with hot water limitation
- $\cdot$  swivelling spout
- · flexible hoses G 3/8
- $\cdot$  rapid installation set
- · pop-up waste G 1 1/4
- noise level l
   spout height
  - lower edge = 235 mm



Basin mixer DN 15

- $\cdot$  solid lever
- $\cdot$  three hole assembling
- · pop-up waste G 1 1/4
- at 3 bar
- · cache-aerator M 21,5 x 1
- $\cdot$  fixed spout
- $\cdot$  ceramic headpart 90°
- $\cdot$  flexible hoses G 3/8
- $\cdot$  rapid installation set
- $\cdot$  noise level l



Basin mixer DN 15

- $\cdot$  cross handles
- · three hole assembling
- · pop-up waste G 1 1/4
- flow rate 12 l/min
   at 3 bar
- cache-aerator
   M 21,5 x 1
- $\cdot$  fixed spout
- $\cdot$  ceramic headpart 90°
- $\cdot$  flexible hoses G 3/8
- $\cdot$  rapid installation set
- $\cdot$  noise level l



Single lever washbowl mixer DN 15

- $\cdot$  solid lever
- $\cdot$  single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointeraerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- $\cdot$  flexible hoses G 3/8
- $\cdot$  rapid installation set
- $\cdot$  spout height
  - lower edge = 240 mm



three hole
 pop-up w

flow rate 12 l/min



Wall mounted basin mixer DN 15

- for concealed installation
- $\cdot$  solid lever
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator
   M 24 x 1
- $\cdot$  ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout
   230 mm



Wall mounted basin mixer DN 15

- for concealed installation
- $\cdot$  solid lever
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator
   M 24 x 1
- $\cdot$  ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout
   180 mm



Wall mounted basin mixer DN 15

- for concealed installation
- $\cdot$  cross handles
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator
   M 24 x 1
- · ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout
   230 mm



### Wall mounted basin mixer DN 15

- for concealed installation
- $\cdot$  cross handles
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator
   M 24 x 1
- · ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout
   180 mm



BASIN

# wall-mounted basin mixer

Concealed two-hole

### · trim set

- · solid lever
- · flow rate 5 l/min at 3 bar
- · cache s-pointeraerator M 24 x 1
- · rosette diameter 70 mm
- · projection wall spout 230 mm
- Required accessories: · installation set DN 15 for concealed
  - two-hole wall-mounted basin mixer

05 chrome 39 matt black

Item no. 382450576 Item no. 382453976 Item no. 38243



39 matt black

Item no. 382440576 Item no. 382443976 Item no. 38243











05 chrome

#### Item no. 380170530

valve DN 15

- $\cdot$  wall fastening
- $\cdot$  actuation by stick
- · special headpart with spindle outlet
- aerator M 21,5 x 1
- · flow rate 4,3 l/min at 3 bar
- · with push-on rosette
- · connection G 1/2
- · projection 110 mm

Wall mounted pillar

Wall mounted pillar wall-mounted basin mixer

- valve DN 15
- · wall fastening
- $\cdot$  actuation by stick
- · special headpart with spindle outlet
- aerator M 21,5 x 1
- · flow rate 4,3 l/min at 3 bar
- with push-on rosette
- · connection G 1/2
- · projection 185 mm







· trim set

· solid lever

at 3 bar

70 mm

180 mm

· flow rate 5 l/min

· cache s-pointer-

aerator M 24 x 1

rosette diameter

· projection wall spout

Required accessories:

· installation set DN 15

two-hole wall-mounted

for concealed

basin mixer

05 chrome

Concealed two-hole



Pillar tap with head part control unit DN 15

- $\cdot$  single hole mounted
- $\cdot$  actuation by stick
- special headpart with spindle outlet
- $\cdot$  aerator M 21,5 x 1
- flow rate 4,3 l/min at 3 bar
- $\cdot$  shank fastening G 1/2



Single lever bidet mixer DN 15

- $\cdot$  solid lever
- $\cdot$  single hole mounted
- flow rate 6 l/min at 3 bar
- · ball joint-aerator
- M 24 x 1 • ceramic cartridge with hot water limitation
- metal pop-up waste G 1 1/4
- · flexible hoses G 3/8
- $\cdot$  rapid installation set

#### 05 chrome

#### ltem no. 380160530



05 chrome 39 matt black

Item no. 385330576 Item no. 385333976







Single lever bath and shower mixer DN 15

- · solid lever
- · wall fastening
- aerator M 24 x 1
- · flow rate 22 l/min at 3 bar
- · ceramic cartridge with hot water limitation
- · autom. diverter shower/bathtub · protected against
- back flow
- $\cdot$  shower outlet G 1/2
- · s-connections G 1/2 x G 3/4



Concealed single lever bath and shower mixer

- · concealed valve with functional unit
- · solid lever
- · autom. diverter shower/bathtub
- · ceramic cartridge with hot water limitation
- · flow rate 31 l/min at 3 bar



Concealed single lever bath and shower mixer

- · concealed valve with functional unit
- · solid lever
- · autom. diverter shower/bathtub
- · ceramic cartridge with hot water limitation
- · flow rate 23 l/min at 3 bar
- protected against back flow
- $\cdot$  according to DIN EN 1717



Bath filler DN 20

- $\cdot$  wall fastening
- · projection 160 mm
- $\cdot$  s-pointer aerator M 24 x 1
- · with push-on rosette

Required accessories: · KLUDI FLEXX.BOXX concealed unit DN 20

05 chrome

39 matt black

Item no. 386500576

Item no. 386503976

05 chrome 39 matt black

Item no. 386910576 Item no. 386913976

Item no. 88011



05 chrome 39 matt black

Item no. 386570576 Item no. 386573976 Item no. 88011



05 chrome 39 matt black

Item no. 3850505 Item no. 3850539



34

- Required accessories:
  - · KLUDI FLEXX.BOXX concealed unit DN 20



## Bath and shower mixer DN 15

- $\cdot$  four hole tiles deck mounted installation
- · stand assembly
- $\cdot$  solid lever
- · flow class C/B
- $\cdot$  cascade aerator M 24 x 1
- · ceramic headpart 90°
- · autom. diverter shower/bathtub
- · retractable hand shower
- $\cdot$  protected against back flow
- · flexible high pressure supply hoses
- · G 1/2 x G 1/2 x 400 mm
- projection 220 mm
- · noise level l

#### Required accessories:

- mounting plate
- $\cdot$  pre-installation set for four hole mixer
- · KLUDI ROTEXA
- bath rim assembly kit

05 chrome

Item no. 384240576 Item no. 7614846-00 Item no. 7878205-00





Bath and shower mixer DN 15

- $\cdot$  four hole tiles deck mounted installation
- $\cdot$  stand assembly
- $\cdot$  cross handles
- $\cdot$  flow class C/B
- $\cdot$  cascade aerator M 24 x 1
- · ceramic headpart 90°
- · autom. diverter shower/bathtub
- $\cdot$  retractable hand shower
- · protected against back flow
- · flexible high pressure supply hoses
- · G 1/2 x G 1/2 x 400 mm
- · projection 220 mm
- · noise level l

Required accessories:

- $\cdot$  mounting plate
- $\cdot$  pre-installation set for four hole mixer
- KLUDI ROTEXA bath rim assembly kit

05 chrome

Item no. 384240520 Item no. 7614846-00 Item no. 7878205-00







Single lever shower

mixer DN 15

· solid lever

at 3 bar

back flow

G 3/4

· wall fastening

 $\cdot$  flow rate 28 l/min

· ceramic cartridge with

hot water limitation

· protected against

 $\cdot$  shower outlet G 1/2

· s-connections G 1/2 x



Thermostatic shower mixer DN 15

- $\cdot$  wall fastening
- $\cdot$  flow class B
- temperature control handle with hot water safety
- · device 38° C
- $\cdot$  with shut-off value
- $\cdot$  s-connections
- protected against back flow
- · dirt catcher sieves
- $\cdot$  shower outlet G 1/2
- · P-IX 8049/IB



Concealed single lever shower mixer

- concealed valve with functional unit
- $\cdot$  solid lever
- ceramic cartridge with hot water limitation
- flow rate 25 l/min at
   3 bar

Required accessories: • KLUDI FLEXX.BOXX concealed unit DN 20

05 chrome 39 matt black

Item no. 388310576 Item no. 388313976 Item no. 352030538

05 chrome

ltem no. 386550576 ltem no. 386553976 ltem no. 88011

05 chrome

39 matt black



#### **LEGEND** Series

Eco

s-pointer

Low pressure

EcoPlus

Hot water shut-off at 38 °C



Kludi GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden Germany

T +49 2373 904-193 F +49 2373 904-540

E international-sales@kludi.com

© 2020 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Subject to technical changes. Reproduction, copying and translations shall only be permitted with our express written approval. Printed in Germany.

kludi.com