

NOVA FONTE



Almost 100 years ago

fittings using traditional methods of craftsmanship. Followed by high-quality, reliable fixtures of timeless design, this expertise formed the foundation of KLUDI. From the tradition as a faucet specialist, the goal was created to combine the highest quality of use and perfect design in a unique way. Thus the claim Water in Perfection finds unmistakable expression in our products as well as in all services we provide for our customers. It inspires and drives

our future activities.



Classic, Puristic and Déco – KLUDI NOVA FONTE offers a multitude of design possibilities for the bathroom. Something to fit for every style. After all, interior design is all about finding a personal touch.



Contents

Page 12-21	NOVA FONTE Classic
Page 22-31	NOVA FONTE Puristic
Page 32-41	NOVA FONTE Déco
Page 42–49	Water in Perfection
Page 50-55	Series



KLUDI NOVA FONTE is not simply a new range in the sophisticated smart luxury segment – it is a concept that is arguably unique in the world of fittings and opens up a wide range of design options for the bathroom. The three design styles, Classic, Puristic and Déco, each offer their own interpretation of the classic modern bathroom. The visual expression of this style is found in the way the handles and base beautifully combine purist and classic design elements, resulting in unequalled examples of post-modern elegance and timeless sophistication.















Classic – balanced proportions and structures, traditional shapes and materials, timeless quality and harmony characterise this world of style

NOVA FONTE Classic

Balanced interplay of forms: the striking cross handle and the round, stepped base give NOVA FONTE Classic its distinctive character.



↑

Three-hole basin mixer 201430520

An elegant eye-catcher: the fitting charms with its harmonious lines.

7

Bath and shower mixer 205400520 Bath shower set 2085005-25 KLUDI NOVA FONTE Classic uncompromisingly reduces the archetypal shape to the essentials.



Three-hole basin mixer 201430520

Inspired by historic two-handle fittings, KLUDI NOVA FONTE translates their grace and elegance to the modern age with an impressively delicate and timeless aesthetic.



Three-hole basin mixer 201430520

The cross handles follow in the tradition of classic style elements, while their clear design also gives them a contemporary look.







Basin mixer 201180520 Concealed three-hole wall-mounted basin mixer 201460520

Shapely alternatives: for the washbasin, there is not only a single-hole fitting ...

... but also three-hole wallmounted fittings with spouts in two different lengths.






Bath and shower mixer 205400520 Bath shower set 2085005-25


Traditional lines: the bath and shower fitting follows the bath's design cues.

Shower mixer 207100520 Shower set 2084005-25

A fitting counterpart for the shower: shower fitting with traditional cross handles.







Puristic – precise linear design, minimalist shapes premium finishing and a conscious elimination of any superfluous details characterise this style

NOVA FONTEPuristic

geometries and minimalist shapes of the wing handle and base embody timeless elegance and modern grace.





Three-hole basin mixer 201430515


Clear and pure: the slim line design is impressive, without any unnecessary flourish.



KLUDI NOVA FONTE Puristic reinterprets minimalism in a pleasantly soothing way with its understated elegance and reduced form.



Three-hole basin mixer
201430515
Timeless modernity: the clear,
straightforward design creates
everlasting elegance.





28

+

Concealed three-hole wall-mounted basin mixer 201460515

The 'Art of Omission': the three-hole wall-mounted fittings boast impressively simple, calming clarity.



Basin mixer 201180515

Less is more: the single-hole fitting also impresses with its minimalist shapes.





Shower mixer 207100515 Shower set 2084005-15

Sleak linear design: the slim wing handle, reduced to the essentials, characterises the look of the two-handle fittings for showers and baths.



Three-hole basin mixer 201430515



Bath and shower mixer 205400515 Bath shower set 2085005-15

'Minimum not maximum': simple, functional and aesthetically pleasing – these attributes make up the design.





Déco – ornaments, somewhat playful shapes, the use of contrasts between light and dark, and choice of materials characterise this world of style.


NOVA FONTE

Déco

Modern ornaments: the elegant lines of the slightly upward-arching base continues seamlessly in the subtle curves of the star handle.



Three-hole basin mixer 201430539
Fine materials, playful shapes: the fitting is a real eye-catcher.








(

Three-hole basin mixer 201430539 A visual and tangible experience: the gently curved star grip is a joy to hold.

KLUDI NOVA FONTE Déco uniquely combines decorative Art Nouveau elements with a modern cottage look, creating an individual, timeless design.



+

Concealed three-hole wall-mounted basin mixer 201460539

More than decorative: the wall fitting upgrades any washbasin with its elegant look.



↑

Basin mixer 201180539


A distinguished solitaire: the single-hole fitting immediately catches the eye with its expressive shapes.



Shower mixer 207100539 Shower set 2084005-35



Bath and shower mixer 205400539 Bath shower set 2085005-35 Whether Art Nouveau villa or cottage: the two-handle fittings for shower and bath look good everywhere.



When KLUDI designs bathroom and kitchen concepts, the aspect of utility is always a primary consideration – with the aim of making life a bit easier and more pleasant for its users.

Water in Perfection

Technology, Design and Quality: Made in Germany

From easy and sate installation to unparalleled ease of use and perfect enjoyment of water – KLUDI fittings offer a multitude of added advantages for users.



True workmanshipUncompromising quality

KLUDI products embody quality workmanship, the kind associated with the 'Made in Germany' quality markin Germany and abroad. From product development and in-house tool construction to manual final assembly, the quality management and quality assurance teams work together with all employees to make sure that the fittings and showers meet strictest finishing, functionality

and durability requirements. The goal here is to maximise customer and user satisfaction worldwide. Regularly certified and audited processes such as incoming goods inspections and manufacturing supervision help keep the complaint rate steadily low at significantly less than one percent.

r Finishing touches: every fitting is finished to perfection.





The design element that connects them: the handles of all three NOVA FONTE design varieties end in a striking square.

A fit for every style Classic, Puristic, Déco

Wing, cross and star handles each embody one of the three designs of KLUDI NOVA FONTE. Yet they all share the same design language, allowing them to come together perfectly in the same bathroom. Eighteen different versions of two-handle fittings leave virtually


nothing to be desired for the style of the washbasin in any design-conscious bathroom. KLUDI NOVA FONTE also offers matching two-handle mixers for bath and shower as well as bath and shower sets and shower kits in all three styles.



0°, 150°, 360° Rotating spout

No two washbasin environments are alike, and everyone has their very own needs and preferences for the washbasin in their home. For extra space at the washstand, users can choose the swivel range of the KLUDI NOVA FONTE three-hole and single-hole pillar fitting to accommodate their wishes in the best possible way. It can be locked easily in place or limited to 150° using a ring. To enable the spout to swivel a full 360°, a second ring is required, which KLUDI provides with the fitting.







Bring on the water! But only as much as you want — specially developed soft-start elements make sure of this.

Increased efficiencySoft-start top elements

With conventional fittings, it is often difficult to adjust the water volume to the exact level desired. As soon as the mixer is turned on, water gushes into the basin. With KLUDI NOVA FONTE, however, the water flow can be precisely regulated – thanks to special soft-start top elements, which enable the valve to be

opened and closed by 90°. Precise regulation of the water quantity means that only the amount of water actually needed at the time will flow. Furthermore, this avoids the annoying splashing of water, reducing the amount of cleaning needed at the washstand.





The laminar jet of NOVA FONTE


Pure enjoyment of water Laminar jet regulator

Crystal-clear water, like the water in a lake high up in the mountains, is provided by the pressure-independent laminar jet regulator, incorporated as standard in KLUDI NOVA FONTE fittings. It produces a transparent stream of water, which – as opposed

to the usual method – is not mixed with air. The water flows into the sink as quietly as a whisper and without splashing. Incidentally, the laminar jet is also considered particularly hygienic. And what is more enjoyable than pure water!

Unlike most bath mixers, the KLUDI NOVA FONTE bath mixer is deliberately restrained in appearance: the diverter that enables you to switch between the bath spout and hand shower at the bathtub. Instead of the usual protruding control element, on NOVA FONTE models it is installed almost flush with the spout. Yet, thanks to its clearly visible marking, it can be easily and clearly identified – and operating it is a breeze.

Keep a low profileBath fitting diverter








NOVA FONTE Classic





- · cross handles, metal
- · three hole assembling
- · Aerator M 18,5 x 1 PCA laminar
- Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- swivelling (150°/ 360°)
 or lockable spout
- · flexible pressure hoses G 3/8
- · with shank fastening
- · metal pop-up waste G 1 1/4
- · spout height lower edge 185 mm



Basin mixer DN 15

- \cdot cross handles, metal
- · single hole mounted
- · Aerator M 18,5 x 1 PCA laminar
- Soft-Start ceramic headpart 90°
- · Flow rate 5.6 l / min at 3 bar
- swivelling (150°/ 360°)
 or lockable spout
- · flexible pressure hoses G 3/8
- · with shank fastening
- · metal pop-up waste G 1 1/4
- spout height lower edge 185 mm



Wall mounted basin mixer DN 15

- · cross handles, metal
- for concealed installation
- · projection wall spout 180 mm
- · Aerator M 18,5 x 1 PCA laminar
- Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- · pre-installation set and trim set



Wall mounted basin mixer DN 15

- · cross handles, metal
- · for concealed installation
- · projection wall spout 240 mm
- · Aerator M 18,5 x 1 PCA laminar
- · Soft-Start ceramic headpart 90°
- · Flow rate 5.6 l / min at 3 bar
- pre-installation set and trim set

chrome

Item no. 201430520

chrome


Item no. 201180520


chrome


Item no. 201440520

chrome

Item no. 201460520















Bath and shower mixer DN 15

Bath shower set 1S

Shower mixer DN 15

Shower set 1S

- · cross handles, metal
- · wall fastening
- Soft-Start ceramic headpart 90°
- · autom. diverter shower/bathtub
- protected against back flow
- flow regulators-pointer M 24 x 1
- · flow rate 23 I/min at 3 bar
- · shower outlet G 1/2
- · s-connections

- · hand shower DN 15
- with spray mode: volume
- · flow rate 15 I/min at 3 bar
- quick and easy cleaning system
- · KLUDI SUPARAFLEX SILVER-hose anti twist
- · G 1/2 x G 1/2 x 1250 mm
- · plastic-coated
- · with conical nuts
- · fixed wall shower hook
- · with screws and dowels
- · wall fastening

- · cross handles, metal
- · wall fastening
- Soft-Start ceramic headpart 90°
- · protected against back flow
- · flow rate 21 I/min at 3 bar
- · s-connections

- · L = 900 mm
- · metal wall rail
- · slider is horizontally and vertically adjustable
- · hand shower DN 15
- with one shower mode: volume
- flow volume = 15 l/min.at 3 bar
- · easy limescale removal
- anti-twist KLUDI SUPARAFLEX SILVER shower hose
- · G 1/2 x G 1/2 x 1,600 mm
- · plastic-coated
- · with conical nuts
- · with dirt-catcher sieves
- · includes mounting material

chrome

Item no. 205400520 Item no.

chrome


Item no. 2085005-25


chrome


Item no. 207100520

chrome

Item no. 2084005-25









BATH SHOWER



NOVA FONTE Puristic



Three-hole basin mixer DN 15



- · three hole assembling
- · Aerator M 18,5 x 1 PCA laminar
- Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- swivelling (150°/ 360°)
 or lockable spout
- · flexible pressure hoses G 3/8
- · with shank fastening
- · metal pop-up waste G 1 1/4
- · spout height lower edge 185 mm



Basin mixer DN 15

- · wing handles, metal
- · single hole mounted
- · Aerator M 18,5 x 1 PCA laminar
- Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- swivelling (150°/ 360°)
 or lockable spout
- · flexible pressure hoses G 3/8
- · with shank fastening
- · metal pop-up waste G 1 1/4
- spout height lower edge 185 mm



Wall mounted basin mixer DN 15

- \cdot wing handles, metal
- · for concealed installation
- projection wall spout180 mm
- · Aerator M 18,5 x 1 PCA laminar
- Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- · pre-installation set and trim set



Wall mounted basin mixer DN 15

- · wing handles, metal
- · for concealed installation
- · projection wall spout 240 mm
- · Aerator M 18,5 x 1 PCA laminar
- · Soft-Start ceramic headpart 90°
- · Flow rate 5.6 l / min at 3 bar
- pre-installation set and trim set

chrome

Item no. 201430515

1.25

chrome


Item no. 201180515

chrome


Item no. 201440515

265 100 2657 001 60-100 220 chrome

Item no. 201460515







- · wing handles, metal
- · wall fastening
- Soft-Start ceramic headpart 90°
- · autom. diverter shower/bathtub
- protected against back flow
- flow regulators-pointer M 24 x 1
- · flow rate 23 I/min at 3 bar
- · shower outlet G 1/2
- · s-connections



Bath shower set 1S

- · hand shower DN 15
- with spray mode: volume
- · flow rate 15 l/min at 3 bar
- quick and easy cleaning system
- · KLUDI SUPARAFLEX SILVER-hose anti twist
- · G 1/2 x G 1/2 x 1250 mm
- · plastic-coated
- · with conical nuts
- · fixed wall shower hook
- · with screws and dowels
- · wall fastening



Shower mixer DN 15

- \cdot wing handles, metal
- · wall fastening
- Soft-Start ceramic headpart 90°
- · protected against back flow
- · flow rate 21 I/min at 3 bar
- · s-connections



Shower set 1S

- · L = 900 mm
- · metal wall rail
- slider is horizontally and vertically adjustable
- · hand shower DN 15
- with one shower mode: volume
- flow volume = 15 l/min.at 3 bar
- · easy limescale removal
- anti-twist KLUDI SUPARAFLEX SILVER shower hose
- · G 1/2 x G 1/2 x 1,600 mm
- · plastic-coated
- · with conical nuts
- · with dirt-catcher sieves
- · includes mounting material

chrome

Item no. 205400515

chrome


Item no. 2085005-15


chrome


Item no. 207100515


chrome

Item no. 2084005-15










BATH SHOWER



NOVA FONTE Déco





- · star handles, metal
- · three hole assembling
- · Aerator M 18,5 x 1 PCA laminar
- · Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- · swivelling (150°/ 360°) or lockable spout
- · flexible pressure hoses G 3/8
- · with shank fastening
- · metal pop-up waste G 1 1/4
- spout height lower edge 185 mm



Basin mixer DN 15

- · star handles, metal
- · single hole mounted
- · Aerator M 18,5 x 1 PCA laminar
- · Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- · swivelling (150°/ 360°) or lockable spout
- · flexible pressure hoses G 3/8
- · with shank fastening
- · metal pop-up waste G 11/4
- · spout height lower edge 185 mm



Wall mounted basin mixer DN 15

- · cross handles, metal
- · for concealed installation
- · projection wall spout 180 mm
- · Aerator M 18,5 x 1 PCA laminar
- · Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- · pre-installation set and trim set



Wall mounted basin mixer DN 15

- · star handles, metal
- · for concealed installation
- · projection wall spout 240 mm
- · Aerator M 18,5 x 1 PCA laminar
- · Soft-Start ceramic headpart 90°
- · Flow rate 5.6 I / min at 3 bar
- · pre-installation set and trim set

chrome

Item no. 201430539

chrome


Item no. 201180539

chrome

Item no. 201440539

chrome

Item no. 201460539











Bath and shower mixer DN 15

Bath shower set 1S

Shower mixer DN 15

Shower set 1S

- · star handles, metal
- · wall fastening
- Soft-Start ceramic headpart 90°
- · autom. diverter shower/bathtub
- protected against back flow
- · flow regulator s-pointer M 24 x 1
- · flow rate 23 I/min at 3 bar
- · shower outlet G 1/2
- · s-connections

- · hand shower DN 15
- with spray mode: volume
- · flow rate 15 l/min at 3 bar
- quick and easy cleaning system
- · KLUDI SUPARAFLEX SILVER-hose anti twist
- · G 1/2 x G 1/2 x 1250 mm
- · plastic-coated
- · with conical nuts
- · fixed wall shower hook
- · with screws and dowels
- · wall fastening

- · cross handles, metal
- · wall fastening
- Soft-Start ceramic headpart 90°
- protected against back flow
- · flow rate 21 I/min at 3 bar
- · s-connections

- · L = 900 mm
- · metal wall rail
- · slider is horizontally and vertically adjustable
- · hand shower DN 15
- with one shower mode: volume
- flow volume = 15 l/min.at 3 bar
- · easy limescale removal
- anti-twist KLUDI SUPARAFLEX SILVER shower hose
- · G 1/2 x G 1/2 x 1,600 mm
- · plastic-coated
- · with conical nuts
- · with dirt-catcher sieves
- · includes mounting material

chrome

Item no. 205400539

chrome


Item no. 2085005-35


chrome


Item no. 207100539

chrome

Item no. 2084005-35









BATH SHOWER

LEGEND

Eco



s-pointer



Quick limescale cleaning

Kludi GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden Germany

T +49 2373 904-193

F +49 2373 904-540

E international-sales@kludi.com

© 2020 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Subject to technical changes. Reproduction, copying and translations shall only be permitted with our express written approval. Printed in Germany.

56



kludi.com