

Catalogue 2018

Flow rate classes

Z ≤ 9,0 l/min
A ≤ 15,0 l/min
S ≤ 20,0 l/min
B ≤ 25,0 l/min
C ≤ 30,0 l/min
D ≤ 38,0 l/min

max. flow rate at flow pressure of 3 bar

Certifications



DIN EN ISO
9001: 2008



DIN EN 274



DVGW



SABS

Pictograms

You will find a detailed explanation of our pictograms on the back of this flap.

See overleaf...





Almost 100 years ago

KLUDI began manufacturing bathroom fittings using traditional methods of craftsmanship. Followed by high-quality, reliable fixtures of timeless design, this expertise formed the foundation of KLUDI. From the tradition as a faucet specialist, the goal was created to combine the highest quality of use and perfect design in a unique way. Thus the claim Water in Perfection finds unmistakable expression in our products as well as in all services we provide for our customers.

It inspires and drives

our future activities.





BATHROOM RANGES

Technology Navigator	6	Fittings	Wastes		
Surfaces	10	KLUDI ADLON	23	Washbasin- and bidet wastes	223
List of article numbers	12	KLUDI AMBA	31	Bath- and shower wastes	230
General Terms and Conditions of Sale	306	KLUDI E2	38		
		KLUDI BALANCE	45		
		KLUDI Q-BEO	55		
		KLUDI AMEO	59	HOSPITAL AND CARE	
		KLUDI BINGO STAR	66		
		KLUDI BOZZ	67	KLUDI PURE&EASY CARE	103
		KLUDI ZENTA	74	KLUDI MEDI CARE	239
		KLUDI OBJEKTA	88	KLUDI PROVITA	246
		KLUDI PURE&STYLE	94		
		KLUDI PURE&SOLID	98		
		KLUDI PURE&EASY	102		
		KLUDI STANDARD	108	KITCHEN RANGES	
		KLUDI PUSH	116		
		Pre-installation sets	119	Fittings	
				KLUDI ADLON	255
				KLUDI E-GO	256
				KLUDI TANGENTA	258
				KLUDI MX	259
		KLUDI L-INE	262		
		KLUDI L-INE S	264		
		KLUDI BINGO STAR	265		
		KLUDI BINGO STAR XS	267		
		KLUDI BOZZ	268		
		KLUDI ZENTA	269		
		KLUDI OBJEKTA	271		
		KLUDI TREND0	273		
		KLUDI SCOPE	275		
		KLUDI LOGO NEO	277		
		KLUDI STANDARD	279		
		Kitchen accessories	287		
		Showers			
		KLUDI ADLON	157		
		KLUDI Q-BEO	159		
		KLUDI FIZZ	160		
		KLUDI FRESHLINE	166	SPARE PARTS AND ACCESSORIES	
		KLUDI A-QA	170		
		KLUDI ZENTA	185		
		KLUDI LOGO	190	Cartridge navigator	290
		Shower systems	199	Gasket kit navigator	292
		Special showers	209	Spare parts and accessories	294
		Shower hoses	214		
		Accessories for all shower ranges	216		




Technology Navigator













Are you looking for a KLUDI bathroom fitting to meet specific technical requirements?










Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance. And this is how it works: for example, to find a bathroom fitting with s-pointer that will save water, watch out for the dot in the columns below both the relevant pictograms.

This indicates: the KLUDI AMBA line has this fitting in its range.

Bathroom



												
KLUDI ADLON												
KLUDI AMBA											•	•
KLUDI AMEO	•										•	
KLUDI A-QA											•	
KLUDI BALANCE		•	•	•	•							
KLUDI BINGO STAR											•	
KLUDI BOZZ	•										•	
KLUDI E2											•	
KLUDI FIZZ												
KLUDI FRESHLINE												
KLUDI LOGO												
KLUDI MEDI CARE											•	
KLUDI OBJEKTA	•										•	
KLUDI PROVITA											•	
KLUDI PURE&EASY	•										•	
KLUDI PURE&SOLID	•										•	
KLUDI PURE&STYLE	•										•	
KLUDI PUSH												
KLUDI Q-BEO											•	•
KLUDI STANDARD												
KLUDI ZENTA				•	•	•	•	•	•	•		


















Technology Navigator

Are you looking for a KLUDI kitchen fitting to meet specific technical requirements? Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance.

And this is how it works: for example, to find a kitchen fitting with hand spray and multi-connector, watch out for the dot in the columns below the two relevant pictograms. This indicates: the KLUDI MX line has this fitting in its range.

Kitchen

													
KLUDI ADLON	•												
KLUDI BINGO STAR	•											•	
KLUDI BINGO STAR XS	•											•	
KLUDI BOZZ													
KLUDI E-GO							•	•	•	•			
KLUDI L-INE	•											•	
KLUDI L-INE S													
KLUDI LOGO NEO	•												
KLUDI MX	•			•	•								•
KLUDI OBJEKTA	•			•									•
KLUDI SCOPE	•					•							
KLUDI STANDARD	•			•									
KLUDI TANGENTA													•
KLUDI TRENDO	•			•									
KLUDI ZENTA	•												•



Low pressure

Fitting suitable for under-counter water heaters.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Eco

Saves at least 40 % water




Mains operated

Electronic fitting for 230 V AC connection.



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



KLUDI ADLON

KLUDI BINGO STAR

• • • • •

KLUDI BINGO STAR XS

•

KLUDI BOZZ

•

KLUDI E-GO

KLUDI L-INE

• • •

KLUDI L-INE S

•

KLUDI LOGO NEO

KLUDI MX

• • • •

KLUDI OBJEKTA

• • • • •

KLUDI SCOPE

• •

KLUDI STANDARD

•

KLUDI TANGENTA

• •

KLUDI TREND

• • • •

KLUDI ZENTA

•



Surfaces

Bathroom

	chrome	black* / chrome *≈ RAL 9005	white* / chrome *≈ RAL 9003	gold plated 23 carat
	05	86	91	45
KLUDI ADLON	•			•
KLUDI AMBA	•			
KLUDI AMEO	•			
KLUDI A-QA	•			
KLUDI A-XES	•			
KLUDI BALANCE	•		•	
KLUDI BINGO STAR	•			
KLUDI BOZZ	•			
KLUDI E2	•			
KLUDI FIZZ	•		•	
KLUDI FRESHLINE	•			
KLUDI LOGO	•			
KLUDI MEDI CARE	•			
KLUDI OBJEKTA	•			
KLUDI PROVITA	•			
KLUDI PURE&EASY	•		•	
KLUDI PURE&SOLID	•			
KLUDI PURE&STYLE	•			
KLUDI PUSH	•			
KLUDI Q-BEO	•			
KLUDI STANDARD	•			
KLUDI ZENTA	•	•	•	



Kitchen

	chrome	black*/ chrome *≈ RAL 9005	matt black/ chrome	moCCA/ chrome	white*/ chrome *≈ RAL 9010	white*/ chrome *≈ RAL 9003	white matt/ chrome	stainless steel brushed	stainless steel look
	05	86	87	82	92	91	93	F6/F8	96
KLUDI ADLON	•								
KLUDI BINGO STAR	•								•
KLUDI BINGO STAR XS	•		•				•		
KLUDI BOZZ	•								
KLUDI E-GO	•								
KLUDI L-INE	•								
KLUDI L-INE S	•		•				•		
KLUDI LOGO NEO	•								
KLUDI MX	•			•	•				
KLUDI OBJEKTA	•								
KLUDI SCOPE	•								•
KLUDI STANDARD	•								
KLUDI TANGENTA								•	
KLUDI TREND0	•								•
KLUDI ZENTA	•	•				•			•



LIST OF ARTICLE NUMBERS

art. no.	page	art. no.	page	art. no.	page
10		16 024 05	129	25 125 05 08	109
10 020 05-00	224	16 203 05-00	29	25 125 05 15	109
10 105 05-00	224	16 203 45-00	29	25 411 05 15	111
10 111 05-00	225	20		25 413 05 15	112
10 250 05-00	225	20 013 05 08	109	26	
10 255 05-00	225, 244	20 013 05 15	109	26 101 05 08	112
10 265 05-00	225	20 407 05 08	109	26 101 05 15	112
10 311 05-00	226	20 407 05 15	109	26 202 05 08	112
10 321 05-00	226	20 408 05 08	109	26 202 05 15	112
10 323 05-00	226	21		26 209 05 08	110
10 361 05-00	225	21 035 05 08	108	26 209 05 15	110
10 402 35-00	223	21 035 05 15	108	27	
10 411 35-00	224	21 037 05 08	108	27 051 05	157
10 415 35-00	224	21 037 05 15	108	27 051 45	157
10 424 05-00	223	21 040 00-00	232	27 103 05	157
10 427 05-00	223	21 058 05 08	108	27 103 45	157
10 428 05-00	223	21 058 05 15	108	27 105 05	157
10 432 05-00	226	21 060 05 08	108	27 105 45	157
10 462 05-00	226	21 060 05 15	108	27 510 05	157
10 499 05-00	227	21 062 05 08	108	27 510 45	157
10 772 00-00	231	21 062 05 15	108	27 514 05	157
11		21 091 00-00	233	27 514 45	157
11 001 05 01	295	21 110 05-00	234	27 652 05	189
11 001 05 15	295	21 115 35-00	234	29	
11 002 05 01	296	21 130 35-00	233	29 209	123
11 002 05 15	295	21 133 35-00	233	29 211	124
11 003 05 01	296	21 230 35-00	232	29 213	124
11 003 05 08	296	21 315 00-00	230	29 215	124
11 004 05 01	296	21 353 00-00	232	29 509	125
11 004 05 08	296	21 383 10-00	235	29 511	125
11 103 05 15	295	21 384 10-00	235	29 513	125
11 402 35-00	223	21 406 05-00	231	29 515	126
11 416 35-00	224	21 407 05-00	231	29 527	125
12		21 408 05-00	231	29 747	123
12 003 05	114	21 409 05-00	231	29 751 00	123
12 101 05-00	158	21 447 10-00	236	29 757	123
12 101 45-00	158	21 520 00-00	234	29 809	124
13		21 620 00-00	234	29 811	124
13 500 05	85	25		29 909	126
13 501 05	85	25 001 05 08	110	29 911	126
13 502 05	112	25 001 05 15	110	29 927	126
14		25 007 05 08	110	30	
14 203 05 19	114	25 007 05 15	110	30 015 05 08	283
14 303 05 08	113	25 101 05 15	110	30 015 05 15	283
14 303 05 15	113	25 111 05 15	111	30 023 05 15	283
16		25 113 05 15	111	30 025 05 08	283
16 021 05	129	25 121 05 15	111	30 405 05 08	282
16 021 45	129	25 123 05 15	111	30 405 05 15	282



LIST OF ARTICLE NUMBERS

art. no.	page
30 409 05 08	282
30 409 05 15	282
31	
31 052 05 08	281
31 052 05 15	281
31 053 05 08	282
31 053 05 15	282
31 055 05 08	282
31 055 05 15	282
31 453 05 15	282
31 623 05 08	279
31 623 05 15	279
31 656 05 08	280
31 656 05 15	280
31 658 05 08	280
31 658 05 15	280
31 701 05 15	281
31 703 05 15	280
31 710 05 15	279
31 711 05 15	279
31 723 05 15	280
31 730 05 15	279
31 911 05 08	279
31 911 05 15	279
31 918 05 15	281
31 919 05 15	281
31 920 05 15	281
31 921 05 08	280
31 921 05 15	280
32	
32 004 05 08	109, 241
32 004 05 15	109, 241
32 023 05 75	88
32 024 05 75	89
32 126 05 75	88
32 233 05 75	88
32 234 05 75	88
32 260 05 75	88
32 393 05 75	89
32 416 05 75	89
32 425 05 75	90
32 491 05 75	90
32 574 05 75	271
32 575 05 75	271
32 576 05 75	271
32 577 05 75	271
32 578 05 75	271

art. no.	page
32 579 05 75	272
32 581 05 75	272
32 615 05 75	91
32 650 05 75	91
32 653 05 75	89
32 655 05 75	92
32 657 05 75	91
32 685 05 75	91
32 764 05 75	92
32 818 05 75	93
32 881 05 75	272
32 882 05 75	272
33	
33 330 05 00	246
33 336 05 00	246
33 434	120
33 530 05 00	247
33 531 05 00	248
33 532 05 00	247
33 533 05 00	249
33 536 05 00	248
33 537 05 00	249
33 574 05 75	273
33 574 96 75	273
33 575 05 75	273
33 575 96 75	273
33 576 05 75	273
33 576 96 75	273
33 577 05 75	273
33 578 05 75	273
33 578 96 75	273
33 579 05 75	274
33 581 05 75	274
33 581 96 75	274
33 650 05 00	250
33 655 05 00	250
33 930 05 75	275
33 930 96 75	275
33 931 05 75	275
33 931 96 75	275
33 932 05 75	276
33 933 05 75	275
33 933 96 75	275
33 938 05 75	275
33 938 96 75	275
33 939 05 75	275
33 939 96 75	275

art. no.	page
34	
34 024 05 75	99
34 025 05 75	99
34 028 05 75	98
34 112 05 24	239
34 112 05 34	240
34 113 05 24	239
34 113 05 34	240
34 115 05 24	239
34 115 05 34	240
34 216 05 75	99
34 217 05 75	100
34 276 05 75	98
34 290 05 75	98
34 292 05 75	99
34 382 05 75	98
34 385 05 75	98
34 394 05 75	99
34 419 05 75	100
34 420 05 75	101
34 423 05 75	100
34 650 05 75	100
34 655 05 75	101
34 657 05 75	101
34 681 05 75	100
34 841 05 75	101
34 908 05 24	239
34 908 05 34	239
34 920 05 24	240
34 921 05 24	241
34 922 05 24	240
34 923 05 24	241
34 924 05 24	241
34 925 05 24	241
35	
35 085 05 64	242
35 093	122
35 100 05 38	85, 135
35 100 86 38	85, 135
35 100 91 38	85, 135
35 101 05 38	83, 134
35 101 86 38	83, 134
35 101 91 38	83, 134
35 156	122
35 158	122
35 200 05 38	92, 135
35 201 05 38	90, 134



LIST OF ARTICLE NUMBERS

art. no.	page
35 203 05 38	72, 134
35 250 05 75	52, 133
35 330 05 38	242, 250
35 430 05 38	134
35 431 05 38	133
35 730 05 38	93
35 830 05 38	92, 139
35 835 05 38	93, 140
35 845 05 38	244
36	
36 489 05 75	91
36 651 05 75	92
37	
37 023 05 65	104
37 024 05 65	105
37 028 05 65	102
37 028 91 65	102
37 190 05 65	104
37 275 05 65	104
37 276 05 65	103
37 282 05 65	102
37 284 05 65	103
37 285 05 65	102
37 286 05 65	103
37 287 05 65	103
37 289 05 65	103
37 290 05 65	104
37 290 91 65	104
37 292 05 65	104
37 292 91 65	104
37 382 05 65	102
37 382 91 65	102
37 385 05 65	102
37 419 05 65	106
37 420 05 65	107
37 533 05 65	105
37 533 91 65	105
37 534 05 65	105
37 591 05 65	106
37 592 05 65	106
37 650 05 65	106
37 655 05 65	107
37 657 05 65	107
37 681 05 65	105
37 681 91 65	105
37 841 05 65	107
37 841 91 65	107

art. no.	page
37 913 05 75	277
37 914 05 75	277
37 919 05 75	277
37 924 05 75	277
38	
38 001	86
38 002	86
38 003	87
38 004	87
38 016 05 30	70
38 017 05 30	70
38 018 05 30	69
38 100 05	76
38 102 05	75
38 105 05	76
38 116 05 30	70, 82
38 145 05 20	69
38 145 05 76	68
38 146 05 20	69
38 146 05 76	68
38 200 05	75
38 202 05	75
38 205 05	76
38 242	119
38 243	119
38 244 05 75	78
38 244 05 76	69
38 245 05 75	78
38 245 05 76	69
38 250 05 75	74
38 250 86 75	74
38 250 91 75	74
38 251 05 75	74
38 251 86 75	74
38 251 91 75	74
38 253 05 75	74
38 255 05 75	77
38 256 05 75	77
38 257 05 75	77
38 260 05 75	74
38 260 86 75	74
38 260 91 75	74
38 262 05 75	74
38 264 05 75	75
38 265 05 75	75
38 290 05 76	67
38 291 05 76	67

art. no.	page
38 292 05 76	67
38 294 05 75	76
38 294 05 76	67
38 296 05 76	68
38 297 05 76	67
38 393 05 20	68
38 393 05 75	77
38 393 05 76	68
38 400 05	78
38 401 05	80
38 402 05	79
38 403 05	81
38 424 05 20	71
38 424 05 75	84
38 424 05 76	71
38 446 05 75	83
38 447 05 75	83
38 500 05	79
38 501 05	81
38 502 05	80
38 503 05	82
38 505 05	72
38 530 05 75	82
38 530 86 75	82
38 530 91 75	82
38 533 05 76	70
38 601 05 38	116
38 602 05 38	117
38 603 05 38	116
38 604 05 38	117
38 611 05 38	116
38 612 05 38	117
38 625	121
38 636	121
38 650 05 75	84
38 650 05 76	71
38 650 86 75	84
38 650 91 75	84
38 655 05 75	86
38 655 05 76	73
38 655 86 75	86
38 655 91 75	86
38 657 05 75	84
38 657 05 76	72
38 660 05 75	84
38 660 05 76	72
38 660 86 75	84



LIST OF ARTICLE NUMBERS

art. no.	page
38 660 91 75	84
38 670 05 75	82
38 670 86 75	82
38 670 91 75	82
38 691 05 76	70
38 801 05 38	116, 135
38 802 05 38	117, 136
38 803 05 38	116, 135
38 804 05 38	118, 136
38 811 05 38	117, 135
38 812 05 38	118, 136
38 828	121
38 830 05 45	85, 140
38 831 05 76	72
38 835 05 45	86, 140
38 860 05 75	86
38 860 05 76	73
38 860 86 75	86
38 860 91 75	86
38 870 05 75	85
38 870 86 75	85
38 870 91 75	85
38 973 05 75	269
38 973 86 75	269
38 973 91 75	269
38 973 96 75	269
38 979 05 75	269
38 981 05 75	269
38 984 05 75	269
39	
39 051 05	182
39 100 05-00	182
39 140 05-00	178
39 904 05 62	259
39 904 82 62	259
39 904 92 62	259
39 905 05 62	259
39 906 05 62	259
39 906 82 62	259
39 906 92 62	259
39 907 05 62	259
39 934 05 62	259
39 941 05 62	260
39 941 82 62	260
39 941 92 62	260
39 942 05 62	260
39 945 05 62	260

art. no.	page
39 945 82 62	260
39 945 92 62	260
40	
40 024 05 75	95
40 025 05 75	95
40 028 05 75	94
40 216 05 75	95
40 217 05 75	95
40 290 05 75	94
40 292 05 75	94
40 382 05 75	94
40 385 05 75	94
40 393 05 75	95
40 419 05 75	96
40 420 05 75	97
40 425 05 75	96
40 650 05 75	96
40 655 05 75	97
40 657 05 75	97
40 681 05 75	96
40 803 05 75	264
40 841 05 75	97
40 851 05 75	264
40 851 87 75	264
40 851 93 75	264
41	
41 023 05 75	59
41 024 05 75	60
41 025 05 75	60
41 026 05 75	59
41 028 05 75	59
41 029 05 75	59
41 216 05 75	61
41 244 05 75	61
41 245 05 75	60
41 276 05 75	59
41 296 05 75	60
41 298 05 75	60
41 393 05 30	61
41 393 05 75	61
41 424 05 30	63
41 424 05 75	63
41 445 05 75	61
41 447 05 75	62
41 448 05 75	62
41 505 05	64
41 515 05 75	64

art. no.	page
41 650 05 75	63
41 655 05 75	65
41 657 05 75	64
41 671 05 75	62
41 675 05 75	65
41 710 05 75	64
41 718 05 75	65
41 830 05 75	64, 140
41 835 05 75	65, 140
42	
42 023 05 78	66
42 025 05 75	76
42 026 05 75	77
42 030 05 78	66
42 200 05 75	256
42 205 05 75	257
42 210 05 75	256
42 215 05 75	257
42 803 05 76	268
42 803 05 78	265
42 803 96 78	265
42 809 05 78	265
42 809 96 78	265
42 814 05 77	262
42 816 05 77	262
42 817 05 77	262
42 819 05 77	262
42 821 05 77	262
42 836 05 78	265
42 836 96 78	265
42 851 05 76	268
42 851 05 78	265
42 851 96 78	265
42 852 05 78	266
42 853 05 77	263
42 854 05 77	263
42 855 05 78	266
42 857 05 78	265
42 857 96 78	265
42 859 05 78	266
44	
44 904 F8 75	258
44 941 F8 75	258
44 991 F8 75	258
46	
46 803 05 78	267
46 851 05 78	267



LIST OF ARTICLE NUMBERS

art. no.	page
46 851 87 78	267
46 851 93 78	267
48	
48 971 05	151
48 972 05	151
48 974 05	151
48 975 05	149
48 976 05	149
48 977 05	149
48 980 05	150
48 981 05	151
48 984 05	149
48 985 05	149
48 986 05	150
48 987 05	150
48 988 05	150
48 989 05	150
48 990 L3	151
48 991 L3	152
48 992 L3	152
48 994 05	153
48 995 00	152
48 996 L3	152
48 997 05	152
49	
49 023 05 75	38
49 095 05-00	170, 199
49 191 05-00	170, 203
49 216 05 75	39
49 244 05 75	39
49 245 05 75	39
49 295 05 75	38
49 296 05 75	38
49 297 05 75	38
49 298 05 75	38
49 402 05-00	176
49 426 05 75	41
49 445 05 75	39
49 447 05 75	40
49 503 05	42
49 515 05 75	41
49 590 05 75	40
49 650 05 75	41
49 655 05 75	43
49 657 05 75	42
49 714 05 75	42
49 718 05 75	43

art. no.	page
49 729 05 75	43, 138
49 815 05 75	44
49 830 05 75	42, 138
49 835 05 75	43, 138
49 846 05 75	43
49 847 05 75	44
49 971 05	148
49 972 05	148
49 974 05	148
49 975 05	146
49 976 05	146
49 977 05	147
49 979 05	147
49 980 05	148
49 981 05	148
49 982 05	146
49 983 05	147
49 984 05	147
49 985 05	146
49 987 05	146
49 990 05	147
50	
50 023 05 65	55
50 026 05 65	55
50 100 05-00	159
50 120 05-00	159
50 129 05 65	55
50 143 05 65	55
50 216 05 65	55
50 400 05 65	57, 133
50 424 05 65	56
50 443 05 65	56
50 504 05	57
50 514 05 65	56
50 650 05 65	56
50 655 05 65	58
50 657 05 65	57
50 714 05 65	57
50 717 05 65	58
50 815 05 65	58
50 830 05 65	57, 139
50 835 05 65	58, 139
51	
51 010 05 20	23
51 010 05 G5	23
51 010 45 20	23
51 010 45 G4	23

art. no.	page
51 012 05 20	23
51 012 45 20	23
51 014 05 20	24
51 043 05 20	24
51 043 05 G5	24
51 043 45 20	24
51 043 45 G4	24
51 046 05 20	23
51 046 05 G5	23
51 046 45 20	23
51 046 45 G4	23
51 211 05 20	24
51 211 45 20	24
51 407 05	27
51 441 05 20	24
51 441 45 20	24
51 524 05 20	25
51 524 05 G5	26
51 524 45 20	25
51 524 45 G4	26
51 525 05 20	25
51 525 45 20	25
51 600 05 20	255
51 606 05 20	255
51 610 05 20	27
51 610 05 G5	27
51 610 45 20	27
51 610 45 G4	27
51 719 05 20	27, 137
51 719 45 20	27, 137
51 720 05 20	27, 137
51 720 05 G5	28, 137
51 720 45 20	27, 137
51 720 45 G4	28, 137
51 803 05 20	29
51 803 45 20	29
51 815 05 20	28
51 815 45 20	28
51 816 05 20	28
51 816 45 20	28
51 817 05 20	26
51 817 45 20	26
51 818 05 20	26
51 818 45 20	26
51 843 05 20	29
51 843 45 20	29
51 845 05 20	29



LIST OF ARTICLE NUMBERS

art. no.	page
51 845 45 20	29
51 848 05 20	26
51 848 45 20	26
52	
52 023 05 75	45
52 023 91 75	45
52 026 05 75	45
52 026 91 75	45
52 050 05-00	53
52 061 05-00	54
52 100 05	46
52 100 91	46
52 102 05	47
52 105 05	48
52 200 05	45
52 200 91	45
52 202 05	46
52 205 05	47
52 216 05 75	49
52 216 91 75	49
52 246 05 75	49
52 246 91 75	49
52 247 05 75	48
52 247 91 75	48
52 296 05 75	48
52 296 91 75	48
52 298 05 75	48
52 298 91 75	48
52 445 05 75	49
52 445 91 75	49
52 447 05 75	50
52 447 91 75	50
52 448 05 75	50
52 503 05	51
52 515 05 75	51
52 590 05 75	49
52 590 91 75	49
52 650 05 75	50
52 650 91 75	50
52 655 05 75	52
52 655 91 75	52
52 657 05 75	51
52 710 05 75	52
52 710 91 75	52
52 718 05 75	52
52 729 05 75	53, 139
52 729 91 75	53

art. no.	page
52 815 05 75	53
52 830 05 75	51, 138
52 830 87 75	138
52 830 91 75	51, 138
52 835 05 75	52, 139
52 835 87 75	139
52 835 91 75	52, 139
52 846 05 75	53
52 847 05 75	53
53	
53 023 05 75	31
53 026 05 75	31
53 028 05 75	31
53 029 05 75	31
53 216 05 75	32
53 244 05 75	32
53 245 05 75	32
53 296 05 75	32
53 298 05 75	31
53 400 05 38	35, 133
53 401 05 38	33, 133
53 445 05 75	32
53 447 05 75	33
53 448 05 75	34
53 505 05	35
53 515 05 75	34
53 590 05 75	33
53 650 05 75	34
53 655 05 75	36
53 657 05 75	35
53 710 05 75	35
53 718 05 75	36
53 729 05 75	36, 138
53 811	125
53 815 05 75	37
53 830 05 75	35, 137
53 835 05 75	36, 137
53 846 05 75	36
53 847 05 75	37
53 971 05	144
53 972 05	145
53 974 05	144
53 975 05	143
53 976 05	143
53 977 05	143
53 979 05	144
53 980 05	144

art. no.	page
53 981 05	144
53 984 05	143
53 985 05	143
60	
60 035 21-00	210
60 205 10-00	209
60 480 05-00	209
60 485 05-00	209
60 510 05-00	178
60 511 05-00	178
60 530 05-00	210
60 531 05-00	210
60 537 05-00	211
60 539 05-00	210
60 540 05-00	212
60 541 05-00	211
60 551 05-00	209
60 563 05-00	212
60 576 05-00	186
60 577 05-00	185
60 600 05-00	188
60 600 86-00	188
60 600 91-00	188
60 610 05-00	188
60 620 05-00	187
60 630 05-00	187
60 640 05-00	187
60 650 05-00	189
60 650 86-00	189
60 650 91-00	189
60 660 91-00	188
60 700 05-00	188
60 730 05-00	187
60 740 05-00	187
60 750 05-00	189
60 800 05-00	188
60 800 86-00	188
60 800 91-00	188
60 830 05-00	186
60 840 05-00	186
60 840 86-00	186
60 840 91-00	186
60 850 91-00	186
61	
61 004 05-00	214
61 006 05-00	215
61 007 05-00	215



LIST OF ARTICLE NUMBERS

art. no.	page
61 055 05-00	215
61 056 05-00	215
61 057 05-00	215
61 061 05-00	214
61 062 05-00	214
61 071 05-00	214
61 071 91-00	214
61 072 05-00	214
61 072 91-00	214
61 083 05-00	178
61 101 21-00	212
61 105 05-00	212
61 150 00-00	230
61 151 00-00	230
61 502 05-00	242
61 503 05-00	243
61 504 05-00	243
61 505 05-00	243
61 506 05-00	244
62	
62 095 05-00	180
62 096 05-00	179
62 097 05-00	173
62 101 21-00	219
62 119 05-00	212
62 191 05-00	177
62 353 05-00	217
62 354 05-00	217
62 391 05-00	177
62 535 05-00	213
63	
63 050 05-00	209
63 060 05-00	211
63 060 43-00	211
63 061 05-00	211
63 061 43-00	211
64	
64 320 05-00	173
64 325 05-00	174
64 330 05-00	174
64 340 05-00	174
64 420 05-00	174
64 425 05-00	174
64 430 05-00	175
64 440 05-00	175
64 520 05-00	175
64 530 05-00	175

art. no.	page
64 870 05-00	173
64 880 05-00	173
65	
65 540 05-00	218
65 543 05-00	218
65 544 05-00	183
65 545 05-00	183
65 551 05-00	218
65 560 05-00	183
65 560 43-00	183
65 561 05-00	183
65 562 05-00	183
65 600 05-00	182
65 630 05-00	179
65 640 05-00	179
65 641 05-00	180
65 642 05-00	180
65 650 05-00	181
65 670 05-00	181
65 700 05-00	182
65 710 05-00	180
65 720 05-00	180
65 730 05-00	179
65 740 05-00	179
65 750 05-00	181
66	
66 081 05-00	172, 204
66 090 05-00	185, 208
66 091 05-00	172, 204
66 095 05-00	171, 199
66 100 05-00	182
66 140 05-00	178
66 150 05-00	181
66 192 05-00	172, 204
66 195 05-00	171, 201
66 510 05-00	176
66 511 05-00	175
66 513 05-00	216
66 514 05-00	216
66 515 05-00	217
66 520 05-00	176
66 521 05-00	176
66 530 05-00	177
66 531 05-00	176
66 533 05-00	217
66 534 05-00	217
66 535 05-00	218

art. no.	page
66 540 05-00	177
66 541 05-00	177
66 543 05-00	216
66 544 05-00	216
66 545 05-00	216
67	
67 051 05	165
67 083 05-00	162
67 090 05-00	166, 205
67 091 05-00	161, 207
67 092 05-00	166, 205
67 093 05-00	161, 207
67 095 05-00	160, 206
67 096 05-00	160, 206
67 511 05-00	166
67 560 05-00	162
67 570 05-00	162
67 575 05-00	162
67 578 05-00	161
67 580 05-00	162
67 600 05-00	164
67 600 43-00	164
67 620 05-00	163
67 640 05-00	163
67 640 91-00	163
67 650 05-00	164
67 650 91-00	164
67 670 05-00	165
67 670 91-00	165
67 700 05-00	163
67 700 43-00	163
67 740 05-00	163
67 740 91-00	163
67 750 05-00	164
67 750 91-00	164
67 800 05-00	168
67 830 05-00	168
67 840 05-00	167
67 850 05-00	169
67 870 05-00	169
67 900 05-00	168
67 930 05-00	167
67 940 05-00	167
67 950 05-00	168
68	
68 010 05-00	198
68 030 05-00	198



LIST OF ARTICLE NUMBERS

art. no.	page
68 060 05-00	197
68 083 05-00	192, 203
68 085 05-00	192, 202
68 090 05-00	197
68 091 05-00	190, 200
68 092 05-00	190, 200
68 093 05-00	191, 202
68 095 05-00	191, 201
68 096 05-00	196
68 097 05-00	193
68 100 05-00	194
68 160 05-00	197
68 190 05-00	197
68 300 05-00	194
68 360 05-00	196
68 363 05-00	196
68 390 05-00	195
68 393 05-00	195
68 576 05-00	194
68 577 05-00	193
68 642 05-00	197
68 670 05-00	198
70	
70 345 05-00	229
70 346 05-00	229
70 420 05-00	184
70 430 05-00	184
70 604 05-00	235
70 956 00-00	235
71	
71 055 05-00	232
71 055 45-00	232
71 066 05-00	232
71 256 00-00	235
71 337 05-00	213
71 370 05-00	233
71 520 05-00	233
71 620 05-00	234
71 826 05-00	230
73	
73 006 00-00	119
73 018 05-00	274
73 018 96-00	274
73 030 05-10	287
73 038 05-00	266
73 038 96-00	266
73 073 05-00	37

art. no.	page
73 074 05-00	37
73 076 05-00	37
73 390 05-00	303
74	
74 001 00-00	120
74 030 05-00	261
74 030 19-00	261
74 030 36-00	261
74 129 00-00	299
74 233 05-00	120
74 266 00-00	305
74 329 00-00	294
74 366 00-00	300
74 370 05-00	302
74 440 00-00	297
74 441 00-00	297
74 470 00-00	302
74 518 05-00	274
74 518 96-00	274
74 580 00-00	119
74 598 00-00	299
74 613 05-00	73, 268
74 662 00-00	127
74 669 05-00	87
74 669 86-00	87
74 669 91-00	87
74 700 05-00	87
74 700 86-00	87
74 700 91-00	87
74 750 00-00	300
74 794 00-00	127
74 802 00-00	128
74 805 00-00	300
74 809 00-00	301
74 821 05-00	73
74 839 05-00	302
74 868 00-00	300
74 869 05-00	218
74 872 05-00	270
74 872 86-00	270
74 872 91-00	270
74 872 96-00	270
74 879 05-00	244
74 883 00-00	305
74 884 05-00	261
74 884 19-00	261
74 884 36-00	261

art. no.	page
74 892 05-00	263
74 895 05-00	257
74 910 05-00	251
74 927 00-00	301
74 930 05-00	251
74 947 00-00	301
74 950 05-00	278
74 989 05-00	54
74 989 43-00	54
75	
75 010 05-00	276
75 010 96-00	276
75 025 00-00	298
75 047 05-00	93
75 048 05-00	93
75 054 00-00	297
75 055 00-00	297
75 068 05-00	302
75 079 05-00	126
75 201 00-00	298
75 205 05-00	303
75 218 00-00	297
75 260 05-00	303
75 300 05-00	30, 255
75 300 45-00	30
75 301 05-00	30, 255
75 301 45-00	30
75 312 00-00	294
75 336 05-00	30
75 336 45-00	30
75 375 05-00	303
75 404 05-00	285
75 406 05-00	285
75 407 05-00	284
75 408 05-00	285
75 409 05-00	285
75 410 05-00	285
75 413 05-00	286
75 418 05-00	286
75 421 05-00	115, 283
75 422 05-00	115, 283
75 484 00-00	294
75 526 00-00	298
75 567 05-00	286
75 570 00-00	298
75 571 00-00	298
75 585 05-00	284



LIST OF ARTICLE NUMBERS

art. no.	page
75 586 05-00	284
75 605 00-00	299
75 607 00-00	300
75 638 05-00	245
75 667 05-00	302
75 727 05-00	123
75 730 05-00	122
75 730 45-00	122
75 731 05-00	122
75 731 45-00	122
75 802 00-00	128
75 895 05-00	304
75 980 05-00	121
75 981 05-00	121
75 982 05-00	114
75 997 00-00	294
76	
76 071 05-00	87
76 148 46-00	128
76 149 46-00	129
76 156 05-00	129
76 156 45-00	129
76 360 05-00	115, 284
76 361 05-00	115, 284
76 400 00-00	299
76 416 05-00	303
76 424 00-00	120
76 552 04-00	304
76 619 00-00	301
76 729 00-00	301
76 760 05-00	277
76 837 00-00	294
76 856 00-00	299

art. no.	page
76 942 05-00	245
76 943 05-00	245
78	
78 119 05-00	261
78 122 00-00	295
78 333 05-00	219
78 400 05-00	73
78 421 05-00	276
78 421 96-00	276
81	
81 011 00 5-00	211
81 074 60 5-00	228
81 074 70 5-00	228
81 075 40 5-00	228
82	
82 027 23 5-00	229
82 027 30 5-00	229
82 027 40 5-00	229
82 308 50 5-00	230
83	
83 006 81 0-00	210
83 006 82 1-00	210
83 012 60 5-00	213
83 027 40 0-00	305
83 028 80 0-00	305
83 031 30 5-00	213
84	
84 500 80 5-00	228
84 501 60 5-00	227
84 502 50 5-00	227
84 506 60 5-00	227
84 507 20 5-00	228
84 514 60 5-00	227

art. no.	page
88	
88 011	119
88 088	120
92	
92 069 90 5-00	270
92 903 20 0-00	304
92 907 30 0-00	304
92 907 70 0-00	304
92 912 80 0-00	305
92 917 00 0-00	258
93	
93 098 90 5-00	184
93 099 00 5-00	184



Bathroom fittings



KLUDI ADLON
23



KLUDI AMBA
31



KLUDI E2
38



KLUDI BALANCE
45



KLUDI Q-BEO
55



KLUDI AMEO
59



KLUDI BINGO STAR
66



KLUDI BOZZ
67



KLUDI ZENTA
74



KLUDI OBJEKTA
88



KLUDI PURE&STYLE
94



KLUDI PURE&SOLID
98



KLUDI PURE&EASY
102



KLUDI STANDARD
108



KLUDI PUSH
116



Pre-installation sets
119

Electronic fittings



KLUDI BALANCE E
45













KLUDI ZENTA E
75















KLUDI ADLON

product		product description	surface	art. no.
Basin		 <p>KLUDI ADLON basin mixer DN 15 cross handles single hole mounted flow rate 14 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° metal pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	510120520 510124520
		 <p>KLUDI ADLON basin mixer DN 15 cross handles single hole mounted flow rate 13,5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° metal pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	510100520 510104520
		 <p>KLUDI ADLON basin mixer DN 15 crystal handles "Made with Swarovski® Elements" single hole mounted flow rate 13,5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° metal pop-up waste G 1 1/4 copper tubes 10 mm</p>	chrome gold plated 23 carat	5101005G5 5101045G4
		 <p>KLUDI ADLON basin mixer DN 15 cross handles three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm metal pop-up waste G 1 1/4 projection 145 mm</p>	chrome gold plated 23 carat	510460520 510464520
		 <p>KLUDI ADLON basin mixer DN 15 crystal handles "Made with Swarovski® Elements" three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm metal pop-up waste G 1 1/4 projection 145 mm</p>	chrome gold plated 23 carat	5104605G5 5104645G4











KLUDI ADLON

product	product description	surface	art. no.
 	KLUDI ADLON basin mixer DN 15 cross handles three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm metal pop-up waste G 1 1/4 projection 150 mm	chrome gold plated 23 carat	510430520 510434520
 	KLUDI ADLON basin mixer DN 15 crystal handles "Made with Swarovski® Elements" three hole assembling flow rate 12,2 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm metal pop-up waste G 1 1/4 projection 150 mm	chrome gold plated 23 carat	5104305G5 5104345G4
 	KLUDI ADLON pillar valve DN 15 cross handle single hole mounted ceramic headpart 180° flow rate 15 l/min at 3 bar marking: COLD	chrome	510140520
Bidet  	KLUDI ADLON bidet mixer DN 15 cross handles single hole mounted flow rate 15 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic headpart 180° metal pop-up waste G 1 1/4 copper tubes 10 mm	chrome gold plated 23 carat	512110520 512114520
Bath  	KLUDI ADLON bath- and shower mixer DN 15 cross handles wall fastening flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub s-connections with shower set	chrome gold plated 23 carat	514410520 514414520

surface	art. no.
----------------	-----------------















KLUDI ADLON

product	product description	surface	art. no.
 	KLUDI ADLON bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation crystal handles "Made with Swarovski® Elements" flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00	chrome gold plated 23 carat	5152405G5 5152445G4
 	KLUDI ADLON angle valve DN 15 cross handle stand assembly ceramic headpart 180° marking: COLD	chrome gold plated 23 carat	518170520 518174520
 	KLUDI ADLON angle valve DN 15 cross handle stand assembly ceramic headpart 180° marking: HOT	chrome gold plated 23 carat	518180520 518184520
 	KLUDI ADLON two way diverter DN 15 cross handle stand assembly head part 360° marking: neutral tub spout G 3/4 shower outlet G 1/2 2 connections G 1/2	chrome gold plated 23 carat	518480520 518484520










KLUDI ADLON

product		product description	surface	art. no.
		KLUDI ADLON bath filler DN 20 wall fastening flow class B cascade aerator M 28 x 1 separate DN 20 connector for pre-installation	chrome	5140705
Shower				
		KLUDI ADLON shower mixer DN 15 cross handles wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2	chrome gold plated 23 carat	516100520 516104520
		KLUDI ADLON shower mixer DN 15 crystal handles "Made with Swarovski® Elements" wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2	chrome gold plated 23 carat	5161005G5 5161045G4
		KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	517190520 517194520 35158
		KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome gold plated 23 carat 	517200520 517204520 35156











KLUDI ADLON

product	product description	surface	art. no.
 	KLUDI ADLON concealed thermostatic mixer crystal handle "Made with Swarovski® Elements" concealed trim-set hot water safety device 40 °C with shut-off valve	chrome gold plated 23 carat 	5172005G5 5172045G4
	required accessories: Thermostat concealed thermostatic mixer DN 15		35156
 	KLUDI ADLON concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: COLD	chrome gold plated 23 carat	518150520 518154520
	required accessories: concealed valve DN 15 connection G 1/2		29809
	concealed valve DN 20 connection G 3/4		29811
	concealed valve DN 12 soldered connection 15 mm		29909
	concealed valve DN 20 soldered connection 22 mm		29911
	concealed valve DN 15 soldered connection 18 mm		29927
 	KLUDI ADLON concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: HOT	chrome gold plated 23 carat	518160520 518164520
	required accessories: concealed valve DN 15 connection G 1/2		29809
	concealed valve DN 20 connection G 3/4		29811
	concealed valve DN 12 soldered connection 15 mm		29909
	concealed valve DN 20 soldered connection 22 mm		29911
	concealed valve DN 15 soldered connection 18 mm		29927









KLUDI ADLON

product		product description	surface	art. no.
 		KLUDI ADLON concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: neutral	chrome gold plated 23 carat	518030520 518034520
		required accessories: concealed valve DN 15 connection G 1/2		29809
		concealed valve DN 20 connection G 3/4		29811
		concealed valve DN 12 soldered connection 15 mm		29909
		concealed valve DN 20 soldered connection 22 mm		29911
		concealed valve DN 15 soldered connection 18 mm		29927
 		KLUDI ADLON two way diverter set 2 – trim set cross handle consisting of: handle, sleeve, rosette	chrome gold plated 23 carat	518450520 518454520
		required accessories: two way diverter DN 15 set 1 – pre-installation	neutral	2975100
Accessories	 	KLUDI ADLON angle valve DN 15 cross handle without marking with compression joint with push-on rosette flow rate 27 l/min at 3 bar	chrome gold plated 23 carat	518430520 518434520
 		KLUDI copper tube 10 x 500 mm with doubled flanging for G 1/2 or G 3/8	chrome gold plated 23 carat	1620305-00 1620345-00























KLUDI ADLON

product	product description		surface	art. no.
Spare parts	KLUDI ADLON handle with cowling „COLD“		chrome gold plated 23 carat	7530005-00 7530045-00
 				
 	KLUDI ADLON handle with cowling „HOT“		chrome gold plated 23 carat	7530105-00 7530145-00
 	KLUDI ADLON handle with insert „neutral“		chrome gold plated 23 carat	7533605-00 7533645-00



















KLUDI AMBA

product		product description	surface	art. no.
Basin				
		KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8	chrome  	530230575
		KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8	chrome  	530260575
		KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8	chrome  	530290575
		KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8	chrome  	530280575
		KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 spout height 273 mm	chrome  	532980575













KLUDI AMBA

product		product description	surface	art. no.
		KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 spout height 213 mm	chrome  	532960575
		KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 projection wall spout 226 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome  	532450575 38243
		KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar caché s-pointer-aerator M 24 x 1 projection wall spout 186 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome  	532440575 38243
Bidet		KLUDI AMBA single lever bidet mixer DN 15 solid lever single hole mounted flow rate 7,3 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge Ø 28 mm metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8	chrome 	532160575
Bath		KLUDI AMBA single lever bath- and shower mixer DN 15 solid lever wall fastening flow class D/B caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow covered eccentric-wall connections	chrome 	534450575






KLUDI AMBA

product	product description	surface	art. no.
 	KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening flow class B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2	chrome  	534010538
 	KLUDI AMBA single lever bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S 6760005-00 required accessories: KLUDI FLEXX.BOX concealed unit DN 20	chrome 	535900575 88088
 	KLUDI AMBA single lever bath- and shower mixer DN 15 stand assembly three hole tiles deck mounted installation flow class D/B caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00	chrome 	534470575





KLUDI AMBA

product	product description	surface	art. no.
	<p>KLUDI AMBA single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p> <p>required accessories: KLUDI ROTEXA MULTI filling, waste and overflow</p>	chrome	534480575
	<p>KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome	536500575
	<p>KLUDI AMBA concealed single lever bath and shower mixer trim set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	535150575
			88011
			33434



KLUDI AMBA

product		product description	surface	art. no.
		KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717	chrome	536570575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B	chrome 	538300575
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI AMBA bath filler DN 20 wall fastening projection 175 mm flow class D caché s-pointer-aerator M 24 x 1 separate connector G 3/4 for pre-installation	chrome 	5350505
Shower				
		KLUDI AMBA single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow covered eccentric-wall connections	chrome	537100575
		KLUDI AMBA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2	chrome  	534000538










KLUDI AMBA

product		product description	surface	art. no.
		KLUDI AMBA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	536550575
		KLUDI AMBA concealed single lever shower mixer trim set solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C required accessories: concealed mixer DN 15 pre installation set	chrome	537180575
		KLUDI AMBA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	538350575
		KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	537290575
		KLUDI AMBA three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette required accessories: three-way diverter DN 15 set 1 – pre-installation	chrome	538460575
				29757


















KLUDI AMBA

product	product description	surface	art. no.
 	KLUDI AMBA two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette	chrome	538470575
	required accessories: two way diverter DN 15 set 1 – pre-installation		29747
 	KLUDI AMBA concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension	chrome	538150575
	required accessories: concealed valve DN 20 connection G 3/4		53811
Spare parts	KLUDI AMBA lever	chrome	7307605-00
	for 53023., 53026., 53029., 53028., 53296., 53298., 53216.		
	KLUDI AMBA lever for 53590., 53447.	chrome	7307405-00
	KLUDI AMBA lever for 53445., 53650., 53657., 53710., 53655.	chrome	7307305-00
















KLUDI E2

product	product description	surface	art. no.
Basin 	KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  	490230575
	KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 120 mm	chrome  	492950575
	KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 120 mm	chrome  	492970575
	KLUDI E2 single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 155 mm	chrome  	492960575
	KLUDI E2 single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 260 mm	chrome  	492980575









KLUDI E2

product		product description	surface	art. no.
		KLUDI E2 concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 230 mm	chrome  	492450575
		required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		38243
		KLUDI E2 concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 180 mm	chrome  	492440575
		required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		38243
Bidet		KLUDI E2 single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge Ø 28 mm metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  	492160575
Bath		KLUDI E2 single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without shower set autom. diverter shower/bathtub protected against back flow s-connections shower outlet G 1/2	chrome 	494450575









KLUDI E2

product	product description	surface	art. no.
	 <p>KLUDI E2 bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm hand shower KLUDI A-QA 3910005-00</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome 	495900575
	 <p>KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm shower outlet G 1/2 for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00</p>	chrome 	494470575













KLUDI E2

product	product description	surface	art. no.
	 <p>KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p> <p>required accessories: KLUDI ROTEXA MULTI filling, waste and overflow</p>	chrome	494260575
	 <p>KLUDI E2 concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome	496500575 88011
	 <p>KLUDI E2 concealed single lever bath and shower mixer trim set wall fastening solid lever autom. diverter shower/bathtub without pre-installation set</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	495150575 33434















KLUDI E2

product	product description		surface	art. no.
 	KLUDI E2 concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 noise level I		chrome	496570575
	required accessories: KLUDI FLEXX.BOX concealed body DN 20			88011
 	KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B		chrome 	498300575
	required accessories: KLUDI FLEXX.BOX concealed body DN 20			88011
 	KLUDI E2 bath filler DN 20 wall fastening projection 175 mm flow class D s-pointer aerator M 24 x 1 separate connector G 3/4 for pre-installation		chrome 	4950305
Shower  	KLUDI E2 single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections without shower set		chrome	497140575







KLUDI E2

product	product description		surface	art. no.
		KLUDI E2 concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	496550575
		KLUDI E2 concealed single lever shower mixer trim set wall fastening solid lever without pre-installation set required accessories: concealed mixer DN 15 pre installation set	chrome	497180575
		KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	498350575
		KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	497290575
		KLUDI E2 three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette required accessories: three-way diverter DN 15 set 1 – pre-installation	chrome	498460575



KLUDI E2













product	product description		surface	art. no.
		KLUDI E2 two-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette	chrome	498470575
		required accessories: two-way diverter DN 15 set 1 – pre-installation		29747
		KLUDI E2 concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension	chrome	498150575
		required accessories: concealed valve DN 20 connection G 3/4		53811

**KLUDI BALANCE**

product	product description		surface	art. no.
Basin			chrome white/chrome	520230575 520239175
		KLUDI BALANCE single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I	 	
		KLUDI BALANCE single lever basin mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I water flow regulator 8 l/min	 	520260575 520269175
		KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism	chrome white/chrome    	5220005 5220091











KLUDI BALANCE

product	product description	surface	art. no.
 	KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism	chrome white/chrome   	5210005 5210091
 	KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 5 l/min at 3 bar thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with control device electric power supply via 230 V main adapter without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters	chrome     	5220205




















KLUDI BALANCE















product	product description	surface	art. no.
 	KLUDI BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 5 l/min at 3 bar thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters	chrome    	5210205
 	KLUDI BALANCE E electronic controlled pillar tap DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit optical object-detection electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism	chrome   	5220505



KLUDI BALANCE





product	product description	surface	art. no.
 	KLUDI BALANCE E electronic controlled pillar tap DN 15 single hole mounted flow class Z flow rate 7,6 l/min at 3 bar thief-proof Cascade-aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism	chrome   	5210505
 	KLUDI BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 272 mm	chrome white/chrome  	522980575 522989175
 	KLUDI BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 8 l/min at 3 bar caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 212 mm	chrome white/chrome  	522960575 522969175
 	KLUDI BALANCE concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome white/chrome  	522470575 522479175 38243

**KLUDI BALANCE**

product	product description	surface	art. no.
	 <p>KLUDI BALANCE concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome white/chrome  	522460575 522469175 38243
Bidet 	 <p>KLUDI BALANCE single lever bidet mixer DN 15 single hole mounted flow class Z without ball joint Eco s-pointer aerator M 24 x 1Z ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	chrome white/chrome  	522160575 522169175
Bath 	 <p>KLUDI BALANCE single lever bath- and shower mixer DN 15 solid lever wall fastening flow class D/B s-pointer aerator M 24 x 1D ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections noise level I</p>	chrome white/chrome 	524450575 524459175
	 <p>KLUDI BALANCE single lever bath- and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow Supraflex shower hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome white/chrome 	525900575 525909175 88088












KLUDI BALANCE

product	product description	surface	art. no.
	KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow retractable hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm projection 220 mm noise level I P-IX 7505/IDB for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00	chrome white/chrome 	524470575 524479175
	KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00	chrome	524480575
	required accessories: KLUDI ROTEXA MULTI filling, waste and overflow	chrome	7182605-00
	KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome white/chrome	526500575 526509175 88011















KLUDI BALANCE

product	product description	surface	art. no.
 	KLUDI BALANCE concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set	chrome	525150575 33434
 	KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit wall fastening solid lever ceramic cartridge with hot water limitation flow class C/B autom. diverter shower/bathtub protected against back flow for bath- and shower tubs required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	526570575 88011
 	KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/II CC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome white/chrome 	528300575 528309175 88011
 	KLUDI BALANCE bath filler DN 20 wall fastening projection 170 mm flow class C s-pointer aerator M 24 x 1C separate connector G 3/4 for pre-installation	chrome	5250305











KLUDI BALANCE

product		product description	surface	art. no.
Shower		 <p>KLUDI BALANCE single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections noise level I</p>	chrome white/chrome	527100575 527109175
		 <p>KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation handle metal protected against back flow pre-installed dirt cleaner sieve shower outlet G 1/2 s-connections</p>	chrome 	352500575
		 <p>KLUDI BALANCE concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome white/chrome	526550575 526559175 88011
		 <p>KLUDI BALANCE concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	527180575 33434
		 <p>KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome white/chrome 	528350575 528359175 88011






KLUDI BALANCE

product	product description		surface	art. no.
		KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar	chrome white/chrome	527290575 527299175
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI BALANCE three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette	chrome	528460575 29757
		KLUDI BALANCE two-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette	chrome	528470575 29747
		KLUDI BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension	chrome	528150575 53811
		KLUDI BALANCE shower hook for hoses with conical nut with screws and dowels	chrome	5205005-00






















KLUDI BALANCE

product		product description	surface	art. no.
		KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow according to DIN EN 1717	chrome	5206105-00
Spare parts		KLUDI BALANCE lever for single lever mixer 52023, 52026, 52216, 52296, 52298, 52445, 52710	chrome white	7498905-00 7498943-00
				

















KLUDI Q-BEO

product		product description	surface	art. no.
Basin				
		KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA	chrome  	500230565
		KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set P-IX 18510/IA	chrome  	500260565
		KLUDI Q-BEO handwash basin single lever mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA	chrome  	501290565
		KLUDI Q-BEO basin mixer DN 15 cubic-handles three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° metal pop-up waste G 1 1/4 flexible hoses G 3/8 P-IX 18513/IA	chrome  	501430565
Bidet				
		KLUDI Q-BEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 8,4 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA	chrome 	502160565

56























KLUDI Q-BEO

product	product description		surface	art. no.
		KLUDI Q-BEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	506570565 88011
		KLUDI Q-BEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	508300565 88011
		KLUDI Q-BEO bath filler DN 20 wall fastening projection 220 mm s-pointer aerator M 24 x 1 flow class D separate connector G 3/4 for pre-installation	chrome 	5050405
Shower				
		KLUDI Q-BEO single lever shower mixer DN 15 solid lever wall fastening flow class B covered eccentric-wall connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18511/IB	chrome	507140565
		KLUDI Q-BEO thermostatic shower mixer DN 15 cubic-handles wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation dirt catcher sieves protected against back flow covered eccentric-wall connections temperature insulated body PA-IX 18515/IB	chrome  	504000565

58























KLUDI AMEO

product		product description	surface	art. no.
Basin		 <p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	chrome  	410290575
		 <p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8</p>	chrome  	410280575
		 <p>KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	chrome  	412760575
		 <p>KLUDI AMEO single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8</p>	chrome  	410230575
		 <p>KLUDI AMEO single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8</p>	chrome  	410260575
















KLUDI AMEO

product	product description	surface	art. no.
 	KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8	chrome  	410240575
 	KLUDI AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation PUSH-OPEN waste flexible hoses G 3/8	chrome  	410250575
 	KLUDI AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 270 mm	chrome  	412980575
 	KLUDI AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 205 mm	chrome  	412960575
 	KLUDI AMEO concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome  	412450575 38242









KLUDI AMEO

product	product description	surface	art. no.
 	KLUDI AMEO concealed two hole wall mounted basin mixer solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	chrome  	412440575 38242
 	KLUDI AMEO three-hole basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 1/2	chrome  	413930575
 	KLUDI AMEO three-hole basin mixer DN 15 cylindrical handle three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 1/2	chrome  	413930530
Bidet  	KLUDI AMEO single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8	chrome  	412160575
Bath  	KLUDI AMEO single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate bath 20 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections	chrome	414450575



KLUDI AMEO

product	product description	surface	art. no.
 	KLUDI AMEO single lever bath- and shower mixer DN 15 solid lever vertically and horizontally adjustable wall fastening flow rate bath 20 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections	chrome	416710575
 	KLUDI AMEO single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00	chrome	414470575
 	KLUDI AMEO single lever bath- and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00	chrome	414480575
	required accessories: KLUDI ROTEXA MULTI filling, waste and overflow	chrome	7182605-00

Bathroom fittings



KLUDI AMEO

product	product description	surface	art. no.
 	KLUDI AMEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set	chrome	415150575 33434
 	KLUDI AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717 required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	416570575 88011
 	KLUDI AMEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	418300575 88011
 	KLUDI AMEO bath filler DN 20 wall fastening projection 170 mm flow class C s-pointer aerator M 24 x 1C for pre-installation	chrome	4150505
Shower  	KLUDI AMEO single lever shower mixer DN 15 solid lever flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections	chrome	417100575









KLUDI AMEO

product	product description	surface	art. no.
 	KLUDI AMEO single lever shower mixer DN 15 solid lever vertically and horizontally adjustable flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections	chrome	416750575
 	KLUDI AMEO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	416550575 88011
  	KLUDI AMEO concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome	417180575 33434
 	KLUDI AMEO concealed thermostatic mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	418350575 88011



















KLUDI BINGO STAR

product	product description	surface	art. no.
Basin 	 <p>KLUDI BINGO STAR single lever basin mixer DN 15 solid lever single hole mounted flow rate 7,5 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18635/IA</p>	chrome 	420230578
	 <p>KLUDI BINGO STAR single lever basin mixer DN 15 solid lever single hole mounted flow rate 7,5 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout with stop device 30°/30° metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome 	420300578





















KLUDI BOZZ

product		product description	surface	art. no.
Basin		 <p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I</p>	chrome 	382910576
		 <p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA caché-aerator M 16,5 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome 	382920576
		 <p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I for use with displacement heaters</p>	chrome  	382970576
		 <p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation PCA caché-aerator M 16,5 x 1 flow rate 5 l/min at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste</p>	chrome 	382900576
		 <p>KLUDI BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set metal pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I</p>	chrome 	382940576

68















KLUDI BOZZ

product	product description	surface	art. no.
	 <p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation cross handles flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 230 mm</p>	chrome  	381460520
	 <p>KLUDI BOZZ wall mounted basin mixer DN 15 for concealed installation cross handles flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic headpart 90° pre-installation set and trim set projection wall spout 180 mm</p>	chrome  	381450520
	 <p>KLUDI BOZZ concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	382450576 38243
	 <p>KLUDI BOZZ concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	382440576 38243
	 <p>KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 185 mm</p>	chrome	380180530






KLUDI BOZZ

product		product description	surface	art. no.
		KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 110 mm	chrome	380170530
		KLUDI BOZZ pillar tap with head part control unit DN 15 single hole mounted actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar shank fastening G 1/2	chrome	380160530
		KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow rate 8 l/min at 3 bar caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste	chrome  	381160530
Bidet 		KLUDI BOZZ single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar ball joint-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I	chrome 	385330576
Bath 		KLUDI BOZZ single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B aerator M 24 x 1 s-connections ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 noise level I PA-IX 9190/IICB	chrome	386910576





KLUDI BOZZ

product	product description	surface	art. no.
	<p>KLUDI BOZZ bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p>	chrome	384240576
	<p>KLUDI BOZZ bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly cross handles flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p>	chrome	384240520
	<p>KLUDI BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome	386500576 88011










KLUDI BOZZ

product	product description	surface	art. no.
 	KLUDI BOZZ concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set	chrome	386600576 33434
 	KLUDI BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C protected against back flow according to DIN EN 1717 P-IX 19310/ICB required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	386570576 88011
 	KLUDI BOZZ bath filler DN 20 wall fastening projection 160 mm s-pointer aerator M 24 x 1 flow class C with push-on rosette noise level I	chrome	3850505
Shower  	KLUDI BOZZ single lever shower mixer DN 15 solid lever wall fastening flow rate 9 l/min at 3 bar s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 noise level I PA-IX 19191/IIB	chrome	388310576
 	KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB	chrome	352030538













KLUDI BOZZ

product		product description	surface	art. no.
 		KLUDI BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC	chrome	386550576
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
 		KLUDI BOZZ concealed single lever shower mixer concealed trim-set solid lever	chrome	388600576
		required accessories: concealed mixer DN 15 pre installation set		33434
Spare parts		KLUDI BOZZ lever for single lever mixer 38291, 38297, 38294, 38296, 38244, 38245, 38533, 38691, 38650, 38660, 38831, 42803, 42851, 38292, 38290	chrome	7461305-00
				
		KLUDI BOZZ lever for single lever mixer 38650, 38660, 38657, 38655, 38860	chrome	7840005-00
				
		KLUDI BOZZ handle 38391	chrome	7482105-00
				


























KLUDI ZENTA

product		product description	surface	art. no.
Basin		 <p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/1A</p>	chrome black/chrome white/chrome	382500575 382508675 382509175
		 <p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation centre position cold water metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	chrome	382530575
		 <p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/1A</p>	chrome black/chrome white/chrome	382510575 382518675 382519175
		 <p>KLUDI ZENTA single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/1A</p>	chrome black/chrome white/chrome	382600575 382608675 382609175
		 <p>KLUDI ZENTA XL single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/1A</p>	chrome	382620575

























KLUDI ZENTA

product		product description	surface	art. no.
		KLUDI ZENTA single lever basin mixer XXL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 120 mm	chrome  	382640575
		KLUDI ZENTA single lever basin mixer XXL DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 120 mm	chrome  	382650575
		KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	chrome   	3820205
		KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	chrome   	3810205
		KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit powered by 230 V mains supply backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	chrome   	3820005





















KLUDI ZENTA

product		product description	surface	art. no.
		KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	chrome   	3810005
		KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	chrome   	3820505
		KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	chrome   	3810505
		KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set metal pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I	chrome 	382940575
		KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8	chrome  	420250575















KLUDI ZENTA

product	product description	surface	art. no.
	 <p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8</p>	chrome  	420260575
	 <p>KLUDI ZENTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 7 l/min at 3 bar PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18635/1A</p>	chrome 	382550575
	 <p>KLUDI ZENTA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 258 mm</p>	chrome  	382570575
	 <p>KLUDI ZENTA single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 225 mm</p>	chrome  	382560575
	 <p>KLUDI ZENTA basin mixer DN 15 solid lever three hole assembling flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>	chrome 	383930575











KLUDI ZENTA

product	product description	surface	art. no.
	 <p>KLUDI ZENTA concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	382450575 38243
	 <p>KLUDI ZENTA concealed two hole wall mounted basin mixer trim set solid lever flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	chrome  	382440575 38243
	 <p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	chrome  	3840005 38001 38002











KLUDI ZENTA

product	product description	surface	art. no.
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm	chrome  	3850005
	required accessories: concealed electronic body DN 15 pre installation set		38001
	concealed electronic body DN 15 pre installation set		38002
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm	chrome  	3840205
	required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection		38003
	concealed electronic body DN 15 pre installation set for cold or premixed water connection		38004

80











KLUDI ZENTA

product	product description		surface	art. no.
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm		chrome	3850105
	required accessories: concealed electronic body DN 15 pre installation set		 	38001
	concealed electronic body DN 15 pre installation set			38002
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm		chrome	3840305
	required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection		 	38003
	concealed electronic body DN 15 pre installation set for cold or premixed water connection			38004












KLUDI ZENTA

product	product description	surface	art. no.
 	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm	chrome	3850305
	required accessories: concealed electronic body DN 15 pre installation set for cold or premixed water connection		38003
	concealed electronic body DN 15 pre installation set for cold or premixed water connection		38004
 	KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow rate 8 l/min at 3 bar Caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste	chrome	381160530
Bidet  	KLUDI ZENTA single lever bidet mixer DN 15 solid lever single hole mounted flow rate 7,2 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/1A	chrome black/chrome white/chrome	385300575 385308675 385309175
Bath  	KLUDI ZENTA single lever bath- and shower mixer DN 15 solid lever wall fastening flow class C/B aerator M 24 x 1 ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub s-connections PA-IX 18636/ICB	chrome black/chrome white/chrome	386700575 386708675 386709175



KLUDI ZENTA

product	product description	surface	art. no.
 	KLUDI ZENTA thermostatic bath- and shower mixer DN 15 wall fastening flow class B aerator M 24 x 1/B temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2 s-connections	chrome black/chrome white/chrome 	351010538 351018638 351019138
 	KLUDI ZENTA single lever bath- and shower mixer DN 15 stand assembly three hole tiles deck mounted installation solid lever flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00	chrome 	384470575
 	KLUDI ZENTA single lever bath- and shower mixer DN 15 stand assembly three hole deck mounted installation solid lever flow class D/B s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 140 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00	chrome 	384460575

84














KLUDI ZENTA

product	product description	surface	art. no.
 	KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC	chrome 	388300545
	required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
 	KLUDI bath filler DN 20 wall fastening flow class B aerator M 28 x 1 with push-on rosette projection 170 mm	chrome	1350005
 	KLUDI bath filler with diverter DN 20 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm	chrome	1350105
Shower  	KLUDI ZENTA single lever shower mixer DN 15 solid lever wall fastening flow rate 9 l/min at 3 bar s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18637/IA	chrome black/chrome white/chrome	388700575 388708675 388709175
 	KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB	chrome black/chrome white/chrome 	351000538 351008638 351009138







KLUDI ZENTA

product	product description		surface	art. no.
		KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC	chrome black/chrome white/chrome	386550575 386558675 386559175
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI ZENTA concealed single lever shower mixer concealed trim-set solid lever	chrome black/chrome white/chrome	388600575 388608675 388609175
		required accessories: concealed mixer DN 15 pre installation set		33434
		KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC	chrome 	388350545
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
Accessories				
		concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 230 V mains supply dirt catcher sieves backflow preventer		38001
		concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 6 V battery dirt catcher sieves backflow preventer		38002














KLUDI ZENTA

product		product description	surface	art. no.
		concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 230 V mains supply		38003
		concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 6 V battery		38004
		KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38250, 38251, 38253, 38256, 38260, 38262, 38530, 38100, 38102, 38105, 38200, 38202, 38205	chrome	7607105-00
Spare parts				
		KLUDI ZENTA lever for single lever mixer for 38244, 38245, 38250, 38251, 38256, 38260, 38262, 38530, 38670, 38870	chrome black/chrome white/chrome	7466905-00 7466986-00 7466991-00
		KLUDI ZENTA lever for single lever mixer for 38446, 38447, 38650, 38655, 38657, 38660, 38667, 38860	chrome black/chrome white/chrome	7470005-00 7470086-00 7470091-00

88










KLUDI OBJEKTA

product	product description	surface	art. no.
 	KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8 noise level I	chrome 	320240575
 	KLUDI OBJEKTA basin mixer DN 15 solid lever three hole assembling flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I	chrome	323930575
Bidet  	KLUDI OBJEKTA single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation ball joint caché aerator M 18,5 x 1 flow rate 8,2 l/min at 3 bar rapid installation set flexible hoses G 3/8 metal pop-up waste G 1 1/4	chrome 	324160575
Bath  	KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4	chrome 	326530575













KLUDI OBJEKTA

product	product description	surface	art. no.
 	KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 bath rotary valve to the rear Shower: Rotary valve forward flow regulator M 28 x 1 flow rate bath 23.8 l/min at 3 bar, flow rate handshower 18,7 l/min bei 3 bar shower outlet G 1/2 protected against back flow with dirt catcher sieves s-connections G 1/2 x G 3/4	chrome 	352010538
 	KLUDI OBJEKTA bath- and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class C/B cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I	chrome	324250575
 	KLUDI SPEZIAL OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation aerator M 24 x 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 swivelling spout	chrome	324910575



KLUDI OBJEKTA

product	product description	surface	art. no.
 	KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation aerator M 24 x 1 flow class D/C autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow flexible hoses G 3/8 rapid installation set	chrome	326850575
 	KLUDI OBJEKTA single lever bath- and shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation aerator M 28 x 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 distance from center to center 75 mm	chrome	364890575
 	KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	326500575 88011
 	KLUDI OBJEKTA concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set	chrome	326150575 33434
 	KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C/B autom. diverter shower/bathtub protected against back flow noise level I P-IX 19310/ICB required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	326570575 88011

92



KLUDI OBJEKTA

product	product description	surface	art. no.
 	KLUDI OBJEKTA concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome	328180575 33434
 	KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome 	358350538 88011
 	Thermostat concealed thermostatic mixer concealed trim-set hot water safety device 38 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome 	357300538 35156
Spare parts	KLUDI OBJEKTA lever for 32233, 32234, 32126, 32260, 32416, 32235	chrome	7504705-00
			
	KLUDI OBJEKTA lever for 32489, 32491, 32615, 32650, 32651, 32653, 32655, 32657, 32685, 32764, 32818	chrome	7504805-00



KLUDI PURE&STYLE

product	product description		surface	art. no.
Basin			KLUDI PURE&STYLE single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  403850575 NEW
			KLUDI PURE&STYLE single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  403820575 NEW
			KLUDI PURE&STYLE single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome  400280575 NEW
			KLUDI PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  402900575 NEW
			KLUDI PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome  402920575 NEW







KLUDI PURE&STYLE

product	product description	surface	art. no.
	 <p>KLUDI PURE&STYLE single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 18 x 1 flow rate 4,3 l/min at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set</p>	chrome 	400240575 NEW
	 <p>KLUDI PURE&STYLE single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 18 x 1 flow rate 4,3 l/min at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome 	400250575 NEW
	 <p>KLUDI PURE&STYLE basin mixer DN 15 rotating handle three hole assembling flow rate 14,5 l/min at 3 bar Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome	403930575 NEW
Bidet			
	 <p>KLUDI PURE&STYLE single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome  	402160575 NEW
	 <p>KLUDI PURE&STYLE single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set</p>	chrome  	402170575 NEW



KLUDI PURE&STYLE

product	product description	surface	art. no.
Bath 	KLUDI PURE&STYLE single lever bath- and shower mixer DN 15 wall fastening solid lever flow class C/B flow regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome	406810575 NEW
	KLUDI PURE&STYLE bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation solid handles flow rate at 3 bar, bath 22,5 l/min. / shower 13.5 l/min. cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub protected against back flow retractable hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm	chrome	404250575 NEW
	KLUDI PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	406500575 NEW 88011
	KLUDI PURE&STYLE concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for pre-installation mixer 38636 required accessories: concealed mixer DN 15 pre installation set	chrome	404190575 NEW 38636



















KLUDI PURE&STYLE

product	product description		surface	art. no.
 	KLUDI PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717		chrome	406570575 NEW
	required accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011
Shower  	KLUDI PURE&STYLE single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections		chrome	408410575 NEW
 	KLUDI PURE&STYLE concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C		chrome	406550575 NEW
	required accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011
 	KLUDI PURE&STYLE concealed single lever shower mixer concealed trim-set solid lever for pre-installation mixer 38828		chrome	404200575 NEW
	required accessories: concealed shower DN 15 pre-installation set			38828
















KLUDI PURE&SOLID

product		product description	surface	art. no.
Basin			chrome	343850575
		KLUDI PURE&SOLID single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set		NEW
		KLUDI PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set		NEW
		KLUDI PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set for use with displacement heaters	 	NEW
		KLUDI PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set		NEW
		KLUDI PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set		NEW















KLUDI PURE&SOLID

product		product description	surface	art. no.
		KLUDI PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome 	342920575 NEW
		KLUDI PURE&SOLID single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 18 x 1 flow rate 4,3 l/min at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set	chrome 	340240575 NEW
		KLUDI PURE&SOLID single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 18 x 1 flow rate 4,3 l/min at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome 	340250575 NEW
		KLUDI PURE&SOLID basin mixer DN 15 rotating handle three hole assembling flow rate 14,5 l/min at 3 bar Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  	343940575 NEW
Bidet 		KLUDI PURE&SOLID single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome  	342160575 NEW











KLUDI PURE&SOLID

product	product description	surface	art. no.
 	KLUDI PURE&SOLID single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome  	342170575 NEW
Bath  	KLUDI PURE&SOLID single lever bath- and shower mixer DN 15 wall fastening solid lever flow class C/B flow regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome	346810575 NEW
 	KLUDI PURE&SOLID bath- and shower mixer DN 15 stand assembly four hole tiles deck mounted installation solid handles flow rate at 3 bar, bath 22,5 l/min. / Shower 13.5 l/min. cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub protected against back flow retractable hand shower flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm	chrome	344230575 NEW
 	KLUDI PURE&SOLID concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	346500575 NEW 88011
 	KLUDI PURE&SOLID concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for pre-installation mixer 38636 required accessories: concealed mixer DN 15 pre installation set	chrome	344190575 NEW 38636



KLUDI PURE&SOLID

product	product description		surface	art. no.	
		KLUDI PURE&SOLID concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717 required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	346570575 NEW	
Shower			KLUDI PURE&SOLID single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	chrome	348410575 NEW
		KLUDI PURE&SOLID concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	346550575 NEW	
		KLUDI PURE&SOLID concealed single lever shower mixer concealed trim-set solid lever for pre-installation mixer 38828 required accessories: concealed shower DN 15 pre-installation set	chrome	344200575 NEW	



KLUDI PURE&EASY

product		product description	surface	art. no.
Basin				
		KLUDI PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome 	372850565 NEW
		KLUDI PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome 	373850565 NEW
		KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome 	372820565 NEW
		KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome white/chrome 	373820565 373829165 NEW
		KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome white/chrome 	370280565 370289165 NEW






KLUDI PURE&EASY

product	product description	surface	art. no.
	 <p>KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 2 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	chrome 	372860565 NEW
	 <p>KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever centre position cold water flow rate 7 l/min at 3 bar flow regulator M 24 x 1 centre position cold water metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	chrome  	372890565 NEW
	 <p>KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow rate 5 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	chrome  	372760565 NEW
	 <p>KLUDI PURE&EASY CARE single lever basin mixer 70 DN 15 single hole mounted public lever arm 120 mm ceramic cartridge with hot water limitation flow rate 7 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	chrome 	372840565 NEW
	 <p>KLUDI PURE&EASY CARE single lever basin mixer 70 DN 15 single hole mounted clinic lever 180 mm ceramic cartridge with hot water limitation flow rate 7 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	chrome 	372870565 NEW



KLUDI PURE&EASY

product	product description	surface	art. no.
 	KLUDI PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow rate 5 l/min at 3 bar flow regulator M 24 x 1 without pop-up waste rapid installation set flexible hoses G 3/8 for use with displacement heaters	chrome  	372750565 <div>NEW</div>
 	KLUDI PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome 	371900565 <div>NEW</div>
 	KLUDI PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome white/chrome 	372900565 372909165 <div>NEW</div>
 	KLUDI PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 7 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome white/chrome 	372920565 372929165 <div>NEW</div>
 	KLUDI PURE&EASY single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 18 x 1 flow rate 4,3 l/min at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome 	370230565 <div>NEW</div>











KLUDI PURE&EASY

product	product description		surface	art. no.
		KLUDI PURE&EASY single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 18 x 1 flow rate 4,3 l/min at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set	chrome 	370240565 NEW
Bidet 		KLUDI PURE&EASY single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	chrome white/chrome  	375330565 375339165 NEW
		KLUDI PURE&EASY single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set	chrome  	375340565 NEW
Bath 		KLUDI PURE&EASY single lever bath- and shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome white/chrome  	376810565 376819165 NEW









KLUDI PURE&EASY

product	product description	surface	art. no.
 	KLUDI PURE&EASY single lever bath- and shower mixer DN 15 wall fastening solid lever distance from center to center 45 mm ceramic cartridge with hot water limitation swivelling spout 250 mm aerator M 24 x 1/B flow class B/A autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections tele-hand shower DN 15 white plastic-hose white G 1/2 x G 1/2 x 1250 mm Tele-wall holder transparent	chrome	375920565 <div>NEW</div>
 	KLUDI PURE&EASY single lever bath- and shower mixer DN 15 wall fastening solid lever distance from center to center 45 mm ceramic cartridge with hot water limitation swivelling spout 250 mm aerator M 24 x 1/B flow class B/A autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	chrome	375910565 <div>NEW</div>
 	KLUDI PURE&EASY concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub required accessories: KLUDI FLEXX.BOX concealed body DN 20	chrome	376500565 <div>NEW</div> 88011
 	KLUDI PURE&EASY concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for pre-installation mixer 38636 required accessories: concealed mixer DN 15 pre installation set	chrome	374190565 <div>NEW</div> 38636













KLUDI PURE&EASY

product	product description		surface	art. no.
 	KLUDI PURE&EASY concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub protected against back flow according to DIN EN 1717		chrome	376570565 NEW
	required accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011
Shower  	KLUDI PURE&EASY single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections		chrome white/chrome	378410565 378419165 NEW
	KLUDI PURE&EASY concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C		chrome	376550565 NEW
 	KLUDI PURE&EASY concealed single lever shower mixer concealed trim-set solid lever for pre-installation mixer 38828		chrome	374200565 NEW
	required accessories: concealed shower DN 15 pre-installation set			38828

108











KLUDI STANDARD

product		product description	surface	art. no.
		KLUDI STANDARD pillar valve DN 15 handle Terralux metal single hole mounted flow rate 6 l/min at 3 bar swivelling or lockable casted spout thief-proof Cascade-aerator M 24 x 1 ceramic headpart 180° marking: blue/red P-IX 9216/IZ	chrome	204080508
		KLUDI STANDARD pillar valve DN 15 single hole mounted flow rate 12 l/min at 3 bar swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 1247/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	204070508 204070515
		KLUDI STANDARD pillar valve DN 15 single hole mounted flow rate 12 l/min at 3 bar casted spout aerator M 24 x 1 marking: blue/red P-IX 1116/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	200130508 200130515
Bath				
		KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	320040508 320040515
		KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout aerator M 28 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 PA-IX 8525/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	251250508 251250515













KLUDI STANDARD

product	product description	surface	art. no.
 	KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	250010508 250010515
 	KLUDI STANDARD bath- and shower mixer DN 15 wall fastening flow class B/B casted spout with aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow cradle hook tele-hand shower DN 15 white plastic-hose white 1250 mm PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	250070508 250070515
 	KLUDI STANDARD bath- and shower mixer DN 15 wall fastening distance from center to center 120 mm flow class A/B swivelling tube spout (360°) aerator M 22 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	262090508 262090515
 	KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening flow class B/A swivelling spout 200 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4	chrome	251010515











KLUDI STANDARD

product		product description	surface	art. no.
		KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4	chrome	251110515
		KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow tele-hand shower DN 15 white plastic-hose white G 1/2 x G 1/2 x 1250 mm Tele-wall holder transparent	chrome	251130515
		KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening flow class B/A swivelling spout 300 mm aerator M 22 x 1 autom. diverter shower/bathtub shower outlet G 3/4	chrome	251210515
		KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening flow class B/A swivelling spout 300 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow tele-hand shower DN 15 white plastic-hose white 1250 mm Tele-wall holder transparent	chrome	251230515
		KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening distance from center to center 45 mm flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 1/2 P-IX 4087/IIBA	chrome	254110515





KLUDI STANDARD

product	product description	surface	art. no.
 	KLUDI SPECIAL bath- and shower mixer DN 15 handle Terralux plastic (15) wall fastening distance from center to center 45 mm flow class B/A swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow tele-hand shower DN 15 white plastic-hose white 1250 mm Tele-wall holder transparent s-connections G 1/2 x G 1/2 P-IX 4087/IIBA	chrome	254130515
 	KLUDI STANDARD bath filler DN 20 with wall flange (escutcheon) aerator M 28 x 1 projection 150 mm noise level I	chrome	1350205
Shower  	KLUDI STANDARD shower mixer DN 15 wall fastening flow class B s-connections shower outlet G 3/4 protected against back flow P-IX 8563/IB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	262020508 262020515
 	KLUDI STANDARD shower mixer DN 15 wall fastening distance from center to center 120 mm flow class B s-connections shower outlet G 1/2 protected against back flow handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	261010508 261010515





KLUDI STANDARD

product		product description	surface	art. no.
 		KLUDI STANDARD concealed valve, trim set set 2 – trim set existing of: handle, sleeve, flange adjustable extension marking: blue/red handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome	143030508
			chrome	143030515
		required accessories: concealed valve DN 15 connection G 1/2		29209
		concealed valve DN 20 connection G 3/4		29211
		concealed valve DN 25 connection G 1		29213
		concealed valve DN 12 soldered connection 15 mm		29509
		concealed valve DN 20 soldered connection 22 mm		29511
		concealed valve DN 25 soldered connection 28 mm		29513
		concealed valve DN 15 soldered connection 18 mm		29527











114

**KLUDI STANDARD**

product		product description	surface	art. no.
Spare parts				
		KLUDI STANDARD handle 08 handle Terralux metal marking: blue	chrome	7542105-00
		KLUDI STANDARD handle 08 handle Terralux metal marking: red	chrome	7542205-00
		KLUDI STANDARD handle 15 handle Terralux plastic marking: blue	chrome	7636005-00
		KLUDI STANDARD handle 15 handle Terralux plastic marking: red	chrome	7636105-00















KLUDI PUSH

product		product description	surface	art. no.
Shower			chrome	386010538
		KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
			chrome	386030538
		KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
			chrome	386110538
		KLUDI PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation metal rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
			chrome	388010538
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
			chrome	388030538
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011








KLUDI PUSH

product	product description		surface	art. no.
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon	chrome 	388110538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle round escutcheon	chrome	386020538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation metal rotating handle round escutcheon	chrome	386040538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation metal rotating handle round escutcheon	chrome	386120538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon	chrome 	388020538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011













KLUDI PUSH

product	product description	surface	art. no.
	 <p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome	388040538
	 <p>KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C round escutcheon</p> <p>required accessories: KLUDI FLEXX.BOX concealed body DN 20</p>	chrome 	388120538













PRE-INSTALLATION SETS

product	product description	surface	art. no.
 	installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation flow rate 16 l/min at 3 bar ceramic cartridge with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I		38242
 	installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation flow class S ceramic cartridge with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I		38243
 	KLUDI FLEXX.BOXX concealed body DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/ICB		88011
 	concealed extension set for trim set suitable to KLUDI FLEXX.BOXX 88011 L = 30 mm dezincification resistant brass DIN 50930-6	neutral	7300600-00
 	adaptor for wrong installed function part for KLUDI FLEXX.BOXX single lever variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011	neutral	7458000-00

120













PRE-INSTALLATION SETS

product		product description	surface	art. no.
		concealed mixer DN 15 pre installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation noise level I PA-IX 8281/IBB		38625
		concealed mixer DN 15 pre installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation noise level I		38636 NEW
		concealed shower DN 15 pre installation set without trim set in-wall installation flow class B ceramic cartridge with hot water limitation		38828 NEW
		extension for concealed bath and shower mixer 38624/38625 30 mm length	chrome	7598005-00
		extension for concealed shower mixer 38826, 38625, 38243 30 mm length	chrome	7598105-00













PRE-INSTALLATION SETS

product		product description	surface	art. no.
		Thermostat concealed thermostatic mixer DN 15 pre installation set without trim set in-wall installation flow class B with therm E-cartridge with shut-off valve dirt catcher sieves PA-IX 8409/IB		35156
		extension for concealed thermostatic mixer with shut-off valve 35156 30 mm length	chrome gold plated 23 carat	7573105-00 7573145-00
		Thermostat concealed thermostatic mixer DN 15 pre installation set without trim set in-wall installation flow class B with therm E-cartridge without shut-off valve dirt catcher sieves P-IX 8410/II		35158
		extension for concealed thermostatic mixer without shut-off valve 35158 30 mm length	chrome gold plated 23 carat	7573005-00 7573045-00
		Thermostat concealed thermostatic mixer DN 20 pre installation set without trim set in-wall installation flow class D without shut-off valve dirt catcher sieves P-IX 8574/II		35093













PRE-INSTALLATION SETS

product	product description	surface	art. no.
 	extension for concealed thermostatic mixer without shut-off valve 35093 30 mm length	chrome	7572705-00
 	three-way diverter DN 15 set 1 – pre-installation in-wall installation diverter 1 connection G 3/4 3 spouts G 1/2		29757
 	two way diverter DN 15 set 1 – pre-installation in-wall installation diverter 1 connection G 3/4 2 spouts G 1/2		29747
 	two way diverter DN 15 set 1 – pre-installation in-wall installation diverter 2 connections G 1/2 tub spout G 3/4 shower outlet G 1/2	neutral	2975100
 	concealed valve DN 15 connection G 1/2 set 1 – pre-installation sleeve PA-IX 9923/I		29209













PRE-INSTALLATION SETS

product		product description	surface	art. no.
		concealed valve DN 20 connection G 3/4 set 1 – pre-installation sleeve PA-IX 2427/I		29211
		concealed valve DN 25 connection G 1 set 1 – pre-installation sleeve PA-IX 2483/I		29213
		concealed valve DN 32 connection G 1 1/4 set 1 – pre-installation sleeve		29215
		concealed valve DN 15 connection G 1/2 set 1 – pre-installation ceramic headpart sleeve noise level I		29809
		concealed valve DN 20 connection G 3/4 set 1 – pre-installation ceramic headpart sleeve noise level I		29811













PRE-INSTALLATION SETS

product		product description	surface	art. no.
		concealed valve DN 20 connection G 3/4 set 1 – pre-installation ceramic headpart 90° sleeve		53811
		concealed valve DN 12 soldered connection 15 mm set 1 – pre-installation sleeve PA-IX 9923/I		29509
		concealed valve DN 15 soldered connection 18 mm set 1 – pre-installation sleeve PA-IX 2427/I		29527
		concealed valve DN 20 soldered connection 22 mm set 1 – pre-installation sleeve PA-IX 2427/I		29511
		concealed valve DN 25 soldered connection 28 mm set 1 – pre-installation sleeve PA-IX 2483/I		29513





PRE-INSTALLATION SETS

product	product description	surface	art. no.
  <p> concealed valve DN 32 soldered connection 35 mm set 1 – pre-installation sleeve </p>			29515
  <p> concealed valve DN 12 soldered connection 15 mm set 1 – pre-installation ceramic headpart sleeve </p>			29909
  <p> concealed valve DN 15 soldered connection 18 mm set 1 – pre-installation ceramic headpart sleeve </p>			29927
  <p> concealed valve DN 20 soldered connection 22 mm set 1 – pre-installation ceramic headpart sleeve </p>			29911
  <p> extension for concealed valve G 1/2 - G 1 1/4 40 mm length </p>		chrome	7507905-00






PRE-INSTALLATION SETS

product	product description	surface	art. no.
	KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set for four hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 16021..	neutral	7479400-00
	bath rim assembly kit pre-installation set for four hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 16021..	neutral	7466200-00







PRE-INSTALLATION SETS

product	product description	surface	art. no.
	KLUDI ROTEXA MULTI bath rim assembly kit pre-installation set for three hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow pre- venter with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 1602405	neutral	7580200-00
	bath rim assembly kit pre-installation set for three hole mixer to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156.-00 without visible mounting plate art. no 1602405	neutral	7480200-00
	mounting plate pre-installation set for four hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 600 mm for angle valve connection without screw-kit 76156.-00		7614846-00



PRE-INSTALLATION SETS

product	product description	surface	art. no.
	visible mounting plate for combination with mounting plate 76148 and assembly package 74662, 74794	chrome gold plated 23 carat	1602105 1602145
	mounting plate pre-installation set for three hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 600 mm for angle valve connection without screw-kit 76156...-00		7614946-00
	visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802	chrome	1602405
	screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794	chrome gold plated 23 carat	7615605-00 7615645-00





Thermostat



**Thermostat
surface-mounted** 133



KLUDI PUSH
135






















**Thermostat
concealed** 137


















THERMOSTAT

product		product description	surface	art. no.
Thermostat surface-mounted		 <p>KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening flow class B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2</p>	chrome  	534010538
		 <p>KLUDI AMBA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2</p>	chrome  	534000538
		 <p>KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation handle metal protected against back flow pre-installed dirt cleaner sieve shower outlet G 1/2 s-connections</p>	chrome 	352500575
		 <p>KLUDI Q-BEO thermostatic shower mixer DN 15 cubic-handles wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation dirt catcher sieves protected against back flow covered eccentric-wall connections temperature insulated body PA-IX 18515/IB</p>	chrome  	504000565
		 <p>KLUDI MX THERM thermostatic bath- and shower mixer DN 15 wall fastening flow class B/B cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections</p>	chrome  	354310538

















THERMOSTAT

product	product description	surface	art. no.
 	KLUDI MX THERM thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections	chrome  	354300538
 	KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB	chrome 	352030538
 	KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 bath rotary valve to the rear Shower: Rotary valve forward flow regulator M 28 x 1 flow rate bath 23.8 l / min at 3 bar, flow rate shower 18.7 l / min at 3 bar, shower outlet G 1/2 protected against back flow with dirt catcher sieves s-connections G 1/2 x G 3/4	chrome 	352010538
 	KLUDI ZENTA thermostatic bath- and shower mixer DN 15 wall fastening flow class B aerator M 24 x 1/B temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2 s-connections	chrome black/chrome white/chrome 	351010538 351018638 351019138











THERMOSTAT

product	product description	surface	art. no.
 	KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB	chrome black/chrome white/chrome 	351000538 351008638 351009138
 	KLUDI OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037	chrome 	352000538
KLUDI PUSH  	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	388010538 88011
 	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome	388030538 88011
 	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	388110538 88011



THERMOSTAT

product	product description		surface	art. no.
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon	chrome 	388020538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon	chrome	388040538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C round escutcheon	chrome 	388120538
		required accessories: KLUDI FLEXX.BOX concealed body DN 20		88011


















THERMOSTAT

product		product description	surface	art. no.
Thermostat concealed			chrome gold plated 23 carat 	517190520 517194520
		KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15		35158
			chrome gold plated 23 carat 	5172005G5 5172045G4
		KLUDI ADLON concealed thermostatic mixer crystal handle "Made with Swarovski® Elements" concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15		35156
			chrome gold plated 23 carat 	517200520 517204520
		KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15		35156
			chrome 	538300575
		KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
			chrome 	538350575
		KLUDI AMBA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011


















THERMOSTAT

product	product description	surface	art. no.
 	KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	537290575 88011
 	KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	498300575 88011
 	KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	498350575 88011
 	KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome 	497290575 88011
 	KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC required accessories: KLUDI FLEXX.BOXX concealed body DN 20	chrome white/chrome matt black/chrome 	528300575 528309175 528308775 88011



THERMOSTAT

product	product description		surface	art. no.
		KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC	chrome white/chrome matt black/chrome	528350575 528359175 528358775
		required accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
		KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 40 l/min at 3 bar	chrome 	527290575 88011
		KLUDI Q-BEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC	chrome 	508300565 88011
		KLUDI Q-BEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC	chrome 	508350565 88011
		KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC	chrome 	358300538 88011



THERMOSTAT

product	product description	surface	art. no.
	 <p>KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	358350538 88011
	 <p>KLUDI AMEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	418300575 88011
	 <p>KLUDI AMEO concealed thermostatic mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	418350575 88011
	 <p>KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C flow class B P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	388300545 88011
	 <p>KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed body DN 20</p>	chrome 	388350545 88011



Bathroom accessories



KLUDI AMBA
143



KLUDI E2
146













KLUDI A-XES
149















KLUDI AMBA

product		product description	surface	art. no.
Basin		 KLUDI AMBA glass holder wall fastening porcelain glass with mounting material	chrome	5397505
		 KLUDI AMBA liquid soap dispenser wall fastening porcelain container with mounting material	chrome	5397605
		 KLUDI AMBA soap dish wall fastening porcelain dish with mounting material	chrome	5398505
		 KLUDI AMBA hook wall fastening with mounting material	chrome	5398405
		 KLUDI AMBA towel holder two-armed, fixed wall fastening with mounting material	chrome	5397705



KLUDI AMBA

product	product description	surface	art. no.
Bath			
	 <p>KLUDI AMBA bath towel holder L = 850 mm wall fastening with mounting material</p>	chrome	5397905
	 <p>KLUDI AMBA bath towel holder L = 650 mm wall fastening with mounting material</p>	chrome	5398005
	 <p>KLUDI AMBA bath handle L = 350 mm wall fastening with mounting material</p>	chrome	5398105
WC			
	 <p>KLUDI AMBA toilet brush holder wall fastening porcelain container with mounting material</p>	chrome	5397405
	 <p>KLUDI AMBA paper-holder wall fastening with mounting material</p>	chrome	5397105




KLUDI AMBA

product

product description

surface

art. no.













KLUDI AMBA
spare toilet paper holder
wall fastening
with mounting material
for one roll

chrome

5397205













KLUDI E2

product		product description	surface	art. no.
Basin		 <p>KLUDI E2 glass holder wall fastening mouth-blown opal glass, white, matte with mounting material</p>	chrome	4997505
		 <p>KLUDI E2 universal glass holder wall fastening with multifunctional frame, removable mouth-blown opal glass, white, matte with mounting material</p>	chrome	4998205
		 <p>KLUDI E2 liquid soap dispenser wall fastening mouth-blown opal glass, white, matte with mounting material</p>	chrome	4997605
		 <p>KLUDI E2 soap dish wall fastening opal glass, white, matte with mounting material</p>	chrome	4998505
		 <p>KLUDI E2 shelf wall fastening opal glass, white, matte with mounting material</p>	chrome	4998705













KLUDI E2

product	product description		surface	art. no.
 	KLUDI E2 tealight holder wall fastening opal glass, white, matte with tealight with mounting material		chrome	4998305
 	KLUDI E2 hook wall fastening with mounting material		chrome	4998405
 	KLUDI E2 double towel holder L = 455 mm wall fastening two-armed, fixed with mounting material		chrome	4997705
 	KLUDI E2 double towel holder XS L = 300 mm wall fastening two-armed, fixed with mounting material		chrome	4999005
Bath  	KLUDI E2 bath towel holder L = 850 mm wall fastening with mounting material		chrome	4997905













KLUDI E2

product	product description	surface	art. no.
 	KLUDI E2 bath towel holder L = 650 mm wall fastening with mounting material	chrome	4998005
 	KLUDI E2 bath handle L = 350 mm wall fastening with mounting material	chrome	4998105
WC  	KLUDI E2 paper-holder wall fastening with mounting material	chrome	4997105
 	KLUDI E2 spare toilet paper holder wall fastening with mounting material	chrome	4997205
 	KLUDI E2 toilet brush holder wall fastening mouth-blown opal glass, white, matte with mounting material	chrome	4997405








KLUDI A-XES

product	product description	surface	art. no.
Basin 	KLUDI A-XES glass holder wall fastening satin finish glass with mounting material wall holder mountable right-or left-sided 	chrome	4897505
	KLUDI A-XES liquid soap dispenser wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided 	chrome	4897605
	KLUDI A-XES soap dish wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided 	chrome	4898505
	KLUDI A-XES hook wall fastening with mounting material 	chrome	4898405
	KLUDI A-XES towel holder two-armed, fixed wall fastening with mounting material wall holder mountable right-or left-sided 	chrome	4897705












KLUDI A-XES

product	product description	surface	art. no.
Shower 	KLUDI A-XES sponge basket wall fastening with mounting material	chrome	4898605
	KLUDI A-XES corner sponge basket wall fastening with mounting material	chrome	4898705
Bath 	KLUDI A-XES towel rack L = 600 mm wall fastening with mounting material	chrome	4898905
	KLUDI A-XES double towel rail L = 550 mm wall fastening with mounting material	chrome	4898805
	KLUDI A-XES bath towel holder L = 650 mm wall fastening with mounting material wall holder mountable right- or left-sided	chrome	4898005








KLUDI A-XES

product	product description	surface	art. no.
 	KLUDI A-XES bath handle L = 350 mm wall fastening with mounting material wall holder mountable right-or left-sided	chrome	4898105
WC  	KLUDI A-XES toilet brush holder wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided	chrome	4897405
 	KLUDI A-XES paper-holder wall fastening with mounting material wall holder mountable right-or left-sided	chrome	4897105
 	KLUDI A-XES spare toilet paper holder wall fastening with mounting material for one roll wall holder mountable right-or left-sided	chrome	4897205
Spare parts 	KLUDI A-XES glass spare part satin finish glass		48990L3




KLUDI A-XES

product	product description	surface	art. no.
	KLUDI A-XES soap dispenser spare part satin finish glass		48991L3
	KLUDI A-XES proportioning pump spare part	chrome	4899705
	KLUDI A-XES soap dish spare part satin finish glass		48992L3
	KLUDI A-XES glass for a toilet brush spare part satin finish glass		48996L3
	KLUDI A-XES head of toilet brush spare part	neutral	4899500



KLUDI A-XES

product	product description	surface	art. no.
	KLUDI A-XES toilet brush spare part	chrome	4899405





Showers



KLUDI ADLON
157



KLUDI Q-BEO
159



KLUDI FIZZ
160



KLUDI FRESHLINE
166



KLUDI A-QA
170



KLUDI ZENTA
185



KLUDI LOGO
190



Shower systems
199



Special showers
209



Shower hoses
214













**Accessories for all
shower ranges** 216

Showers







KLUDI ADLON

product	product description	surface	art. no.
shower sets 	 KLUDI ADLON shower set consisting of: wall rail 600 mm hand shower KLUDI ADLON sliding joint shower hose G 1/2 x G 1/2 x 1500 mm flow rate 22,5 l/min at 3 bar	chrome gold plated 23 carat	2710305 2710345
HEADSHOWER 	 KLUDI ADLON head shower DN 15 Ø 200 mm	chrome gold plated 23 carat	2751005 2751045
	 KLUDI ADLON shower arm DN 15	chrome gold plated 23 carat	2751405 2751445
Bath sets 	 KLUDI ADLON shower set DN 15 wall fastening consisting of: hand shower KLUDI ADLON cradle wall holder shower hose G 1/2 x G 1/2 x 1500 mm connection angle DN 15	chrome gold plated 23 carat	2710505 2710545
	 KLUDI ADLON shower set stand assembly consisting of: hand shower KLUDI ADLON shaft for shower hose shower hose 2000 mm	chrome gold plated 23 carat	2705105 2705145







KLUDI ADLON

product	product description		surface	art. no.
Accessories	KLUDI ADLON connection angle DN 15 Cover rosette Ø 56 mm		chrome gold plated 23 carat	1210105-00 1210145-00
 				










KLUDI Q-BEO

product		product description	surface	art. no.
wall rails		 <p>KLUDI Q-BEO wall rail L = 900 mm swivel wall-mounted rail with horizontally slider over wall rail and vertical above pass adjustable shower hose G 1/2 x G 1/2 x 1600 mm without hand shower</p>	chrome	5012005-00
hand shower		 <p>KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head flow rate 17 l/min at 3 bar low-aerosol connection G 1/2 P-IX 18516/IB</p>	chrome	5010005-00



KLUDI FIZZ

product	product description	surface	art. no.
Shower systems			
	 <p>KLUDI FIZZ Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 20 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 flow rate 11,6 l/min (booster) / 11,7 l/min (smooth) / 15,5 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome  	6709605-00
	 <p>KLUDI FIZZ Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 20 l/min at 3 bar with KLUDI FIZZ handshower 1S 6760005-00 flow rate 15,5 l/min at 3 bar with mounting material</p>	chrome 	6709505-00




KLUDI FIZZ

product

product description

surface

art. no.




KLUDI FIZZ
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
flow rate 15 l/min at 3 bar
with KLUDI FIZZ handshower 3S 6770005-00
adjustable to three spray patterns:
booster, smooth, volume
flow rate 10 l/min (booster) / 8,5 l/min (smooth)
/ 11 l/min (volumen) at 3 bar
with draining function
with mounting material
without shower mixer

chrome



6709305-00




KLUDI FIZZ
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
flow rate 15 l/min at 3 bar
with KLUDI FIZZ handshower 3S 6770005-00
adjustable to three spray patterns:
booster, smooth, volume
flow rate 10 l/min (booster) / 8,5 l/min (smooth)
/ 11 l/min (volumen) at 3 bar
with draining function
with mounting material
without shower mixer

chrome



6709105-00

Head and side showers













KLUDI FIZZ
head shower DN 15
diameter 290 mm
with three shower cartridge
with spray mode: volume
flow rate 40 l/min at 3 bar
quick and easy cleaning system
with ball joint
connection G 1/2
without shower arm

chrome

6757805-00










KLUDI FIZZ

product	product description	surface	art. no.
 	KLUDI FIZZ head shower DN 15 diameter 340 mm with two shower cartridges with spray mode: volume flow class B quick and easy cleaning system with ball joint connection G 1/2 without shower arm	chrome	6757505-00
 	KLUDI FIZZ head shower DN 15 wall fastening adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min at 3 bar with mounting material with adjustable ball joint inclination angle of 36 ° connection G 1/2	chrome 	6758005-00
 	KLUDI FIZZ head shower DN 15 wall fastening with spray mode: volume flow rate 16 l/min at 3 bar with adjustable ball joint inclination angle of 36 ° connection G 1/2	chrome	6757005-00
 	KLUDI FIZZ swiveling head shower holder DN 15 flow rate 21 l/min at 3 bar with adjustable ball joint inclination angle of 36 ° for hand shower	chrome	6756005-00
 	KLUDI FIZZ side shower DN 15 swivelling normal spray flow rate 4 l/min at 3 bar with wall flange (escutcheon) suitable for water heater with a flow capacity for a minimum of 13 l/min with ball joint noise level I	chrome	6708305-00





KLUDI FIZZ

product	product description		surface	art. no.
shower sets		KLUDI FIZZ shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 14 l/min (booster) / 11 l/min (smooth) / 16 l/min (volumen) at 3 bar with mounting material KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts	chrome	6774005-00
			white/chrome	6774091-00
		KLUDI FIZZ shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ hand shower 1S DN 15 KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1600 mm flow rate 29 l/min at 3 bar plastic-coated with conical nuts	chrome	6764005-00
			white/chrome	6764091-00
wall rails		 KLUDI FIZZ wall rail L = 900 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome	6762005-00
hand shower		 KLUDI FIZZ hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 11,5 l/min (smooth) / 19 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material connection G 1/2	chrome	6770005-00
			white	6770043-00







KLUDI FIZZ

product	product description	surface	art. no.
 	KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume quick and easy cleaning system connection G 1/2 PA-IX 7506/IS	chrome white	6760005-00 6760043-00
Bath sets  	KLUDI FIZZ bath-shower set 3S KLUDI FIZZ hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 14 l/min (booster) / 11 l/min (smooth) / 16 l/min (volumen) at 3 bar with draining function connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material	chrome white/chrome 	6775005-00 6775091-00
 	KLUDI FIZZ bath shower set 1S KLUDI FIZZ hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume flow rate 29 l/min at 3 bar connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material PA-IX 7506/IS	chrome white/chrome	6765005-00 6765091-00












KLUDI FIZZ

product		product description	surface	art. no.
		KLUDI FIZZ bath shower set 1S KLUDI FIZZ hand shower 1S DN 15 with spray mode: volume quick and easy cleaning system flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX SILVER/WHITE hose G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 with conical nuts	chrome white/chrome	6767005-00 6767091-00
		KLUDI FIZZ shower set stand assembly consisting of: hand shower 1S DN 15 with spray mode: volume flow rate 28 l/min at 3 bar quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm	chrome	6705105











KLUDI FRESHLINE

product	product description	surface	art. no.
Shower systems  	KLUDI FRESHLINE Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 16,4 l/min at 3 bar with KLUDI FRESHLINE handshower 3S DN 15 6790005-00 flow rate 13,6 l/min (booster) / 10,9 l/min (smooth) / 17,1 l/min (volumen) at 3 bar with draining function with mounting material	chrome  	6709205-00
 	KLUDI FRESHLINE Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter horizontal and vertical adjustable slider water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 14 l/min at 3 bar with KLUDI FRESHLINE handshower 3S DN 15 6790005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 9 l/min (smooth) / 12 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer	chrome 	6709005-00
Head showers  	KLUDI FRESHLINE head shower DN 15 Ø 250 mm with one spray mode flow rate 23 l/min at 3 bar with ball joint without shower arm connection G 1/2	chrome	6751105-00










KLUDI FRESHLINE

product		product description	surface	art. no.
shower sets	 	KLUDI FRESHLINE shower set 3S L = 900 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18.8 l/min (volumen) at 3 bar quick and easy cleaning system with draining function with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome 	6794005-00
	 	KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18.8 l/min (volumen) at 3 bar quick and easy cleaning system with draining function with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome 	6793005-00
	 	KLUDI FRESHLINE shower set 1S L = 900 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 1S handshower DN 15 with one spray mode flow rate 23 l/min at 3 bar quick and easy cleaning system with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome	6784005-00







KLUDI FRESHLINE

product		product description	surface	art. no.
		KLUDI FRESHLINE shower set 1S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 1S handshower DN 15 with one spray mode flow rate 23 l/min at 3 bar quick and easy cleaning system with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with dirt catcher sieves with mounting material	chrome	6783005-00
hand shower		KLUDI FRESHLINE hand shower DN 15 with spray mode: volume quick and easy cleaning system connection G 1/2	chrome	6780005-00
		KLUDI FRESHLINE hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 19 l/min (booster) / 11 l/min (smooth) / 26 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material connection G 1/2	chrome	6790005-00
		KLUDI FRESHLINE bath-shower set 3S wall fastening KLUDI FRESHLINE handshower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15 l/min (booster) / 10 l/min (smooth) / 18.8 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with metal-effect plastic-coated with conical nuts	chrome	6795005-00








KLUDI FRESHLINE

product	product description	surface	art. no.
	 <p>KLUDI FRESHLINE bath shower set 1S wall fastening KLUDI FRESHLINE 1S handshower DN 15 with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm plastic-coated with metal-effect with conical nuts</p>	chrome	6785005-00
	 <p>KLUDI FRESHLINE bath shower set 1S KLUDI FRESHLINE 1S handshower DN 15 with spray mode: volume flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 with conical nuts noise level I</p>	chrome	6787005-00



KLUDI A-QA

product	product description	surface	art. no.
Shower systems			
	 <p>KLUDI A-QA Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet KLUDI A-QA head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower G 1/2 x 140 x 245 mm flow rate 23 l/min at 3 bar with KLUDI A-QA hand shower with spray mode: volume flow rate 16 l/min at 3 bar</p>	chrome 	4909505-00
	 <p>KLUDI A-QA Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower G 1/2 x 140 x 245 mm flow rate 23 l/min at 3 bar with KLUDI A-QA hand shower with spray mode: volume flow rate 16 l/min at 3 bar with mounting material</p>	chrome	4919105-00




KLUDI A-QA

product

product description

surface

art. no.




KLUDI A-QA s
Thermostat Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
protected against back flow
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
Head shower rotary valve
dirt catcher sieves
head shower Ø 200 mm
flow rate 16.3 l/min at 3 bar
hand shower KLUDI A-QA s
adjustable to three spray patterns:
booster, smooth, volume
flow rate 11.6 l/min (booster) /
11.7 l/min (smooth) / 15.5 l/min (volumen) at 3 bar
with mounting material

chrome



6609505-00



KLUDI A-QA s
Thermostat Dual Shower System DN 15
with horizontally and vertically adjustable tube
metal head shower
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
KLUDI A-QA handshower rotate
the handle to the rear
shower outlet G 3/4
KLUDI A-QA head shower rotary valve
protected against back flow
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX Hose DN 15
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 250 mm,
swiveling
with KLUDI A-QA s handshower DN 15
with three spray patterns
with mounting material
dirt catcher sieves
wall fastening










chrome



6619505-00













KLUDI A-QA

product	product description	surface	art. no.
	 <p>KLUDI A-QA s Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm flow rate 14.8 l/min at 3 bar hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume flow rate 10.5 l/min (booster) / 10.7 l/min (smooth) / 12.9 l/min (volumen) at 3 bar with mounting material without shower mixer</p>	chrome 	6609105-00
	 <p>KLUDI A-QA s Dual Shower System DN 15 with horizontally and vertically adjustable tube metal head shower two-way ceramic diverter water supply with with flexible hose horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 250 mm, swiveling flow rate 14.8 l/min at 3 bar KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 10.5 l/min (booster) / 10.7 l/min (smooth) / 12.9 l/min (volumen) at 3 bar with mounting material wall fastening without shower mixer</p>	chrome 	6619205-00
	 <p>KLUDI A-QA thermostat mono shower system DN 15 wall fastening with horizontally and vertically adjustable tube temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation head shower Ø 200 mm flow rate 22 l/min at 3 bar s-connections with mounting material dirt catcher sieves</p>	chrome 	6608105-00













KLUDI A-QA

product	product description	surface	art. no.
	 KLUDIA-QA v shower duo thermostatic shower mixer DN 15 wall fastening flow rate 18 l/min at 3 bar temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037 flexible wall rail with slider L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm	chrome  	6209705-00
Head and side showers 	 KLUDI A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume quick and easy cleaning system flow rate 24.5 l/min at 3 bar	chrome	6487005-00
	 KLUDI A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume with flood spray quick and easy cleaning system flow rate volume spray: 24.5 l/min at 3 bar flow rate flood spray: 27 l/min at 3 bar Control of 2 spray types via 2 valves or one changeover valve with 2 outlets	chrome	6488005-00
	 KLUDI A-QA head shower DN 15 Ø 200 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm	chrome	6432005-00



KLUDI A-QA

product	product description	surface	art. no.
 	KLUDI A-QA head shower DN 15 Ø 250 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm	chrome	6432505-00
 	KLUDI A-QA head shower DN 15 Ø 300 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm	chrome	6433005-00
 	KLUDI A-QA head shower DN 15 Ø 400 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm	chrome	6434005-00
 	KLUDI A-QA head shower DN 15 200 x 200 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm	chrome	6442005-00
 	KLUDI A-QA head shower DN 15 250 x 250 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm	chrome	6442505-00













KLUDI A-QA

product

product description

surface

art. no.

 	<p>KLUDI A-QA head shower DN 15 300 x 300 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6443005-00
 	<p>KLUDI A-QA head shower DN 15 400 x 400 mm metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6444005-00
 	<p>KLUDI A-QA head shower DN 15 200 x 200 mm Soft-edge metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6452005-00
 	<p>KLUDI A-QA head shower DN 15 300 x 300 mm Soft-edge metal head shower with ball joint quick and easy cleaning system connection G 1/2 without shower arm</p>	chrome	6453005-00
 	<p>KLUDI A-QA head shower DN 15 Ø 245 mm with ball joint quick and easy cleaning system flow rate 38,4 l/min at 3 bar without shower arm noise level I</p>	chrome	6651105-00













KLUDI A-QA

product	product description	surface	art. no.
 	KLUDI A-QA eco-head shower DN 15 Ø 245 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I	chrome 	6652105-00
 	KLUDI A-QA head shower DN 15 Ø 200 mm with ball joint quick and easy cleaning system flow rate 37 l/min at 3 bar connection G 1/2 without shower arm noise level I	chrome	6651005-00
 	KLUDI A-QA eco-head shower DN 15 Ø 200 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I	chrome 	6652005-00
 	KLUDI A-QA head shower DN 15 140 x 245 mm quick and easy cleaning system with ball joint flow rate 22.5 l/min at 3 bar pre-installed dirt cleaner sieve connection G 1/2 without shower arm	chrome	4940205-00
 	KLUDI A-QA head shower DN 15 250 x 250 mm with ball joint quick and easy cleaning system flow rate 25.8 l/min at 3 bar connection G 1/2 without shower arm noise level I	chrome	6653105-00













KLUDI A-QA

product	product description	surface	art. no.
	 <p>KLUDI A-QA head shower DN 15 250 x 250 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I</p>	chrome 	6654105-00
	 <p>KLUDI A-QA head shower DN 15 200 x 200 mm with ball joint quick and easy cleaning system flow rate 25,8 l/min at 3 bar connection G 1/2 without shower arm noise level I</p>	chrome	6653005-00
	 <p>KLUDI A-QA head shower DN 15 200 x 200 mm with ball joint quick and easy cleaning system connection G 1/2 flow rate 9 l/min at 3 bar without shower arm noise level I</p>	chrome 	6654005-00
	 <p>KLUDI A-QA head shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 8 l/min (booster) / 18 l/min (smooth) / 18,5 l/min (volumen) at 3 bar quick and easy cleaning system suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint</p>	chrome	6239105-00
	 <p>KLUDI A-QA head shower DN 15 quick and easy cleaning system with one spray mode: rainshower flow rate 18 l/min at 3 bar suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint</p>	chrome	6219105-00


















KLUDI A-QA

product	product description	surface	art. no.
 	KLUDI A-QA drench shower DN 15 heavy casted version flow rate 40.2 l/min at 3 bar with ball joint with wall flange (escutcheon)	chrome	6051005-00
 	KLUDI A-QA drench shower DN 20 heavy casted version flow rate 58 l/min at 3 bar with ball joint with wall flange (escutcheon)	chrome	6051105-00
 	KLUDI A-QA side shower DN 15 swivelling normal spray flow class Z with ball joint with wall flange (escutcheon) suitable for water heater with a flow capacity for a minimum of 13 l/min	chrome	6108305-00
shower sets  	KLUDI A-QA shower set L = 900 mm wall rail with glider hand shower DN 15 quick and easy cleaning system shower hose G 1/2 x G 1/2 x 1600 mm flow rate 15 l/min at 3 bar with conical nuts	chrome	3914005-00
 	KLUDI A-QA i shower set 1S L = 900 mm wall rail right and left swiveling horizontal and vertical adjustable slider KLUDI A-QA i 1S hand shower DN 15 Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm flow rate 18.5 l/min at 3 bar with conical nuts noise level I P-IX 19052/IB	chrome	6614005-00














KLUDI A-QA

product	product description	surface	art. no.
	 <p>KLUDI A-QA s shower set 3S L = 900 mm wall rail KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 16 l/min (booster) / 15 l/min (smooth) / 22 l/min (volumen) at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome 	6574005-00
	 <p>KLUDI A-QA s shower set 3S L = 600 mm wall rail KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 16 l/min (booster) / 15 l/min (smooth) / 22 l/min (volumen) at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome 	6573005-00
	 <p>KLUDI A-QA v shower set 3S L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 17 l/min (booster) / 15 l/min (smooth) / 22,5 l/min (volumen) at 3 bar Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome 	6209605-00
	 <p>KLUDI A-QA b shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18 l/min at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	chrome 	6564005-00
	 <p>KLUDI A-QA b shower set 1S L = 600 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18 l/min at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	chrome 	6563005-00














KLUDI A-QA

product	product description	surface	art. no.
 	KLUDI A-QA b shower set 1S L = 955 mm metal wall rail horizontal and vertical adjustable slider KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function flow rate 18 l/min at 3 bar Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I	chrome 	6564205-00
wall rails  	KLUDI A-QA s wall rail L = 900 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome	6572005-00
 	KLUDI A-QA s wall rail L = 600 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome	6571005-00
 	KLUDI A-QA v flexible wall rail L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm horizontal and vertical adjustable slider Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome	6209505-00
 	KLUDI A-QA wall rail L = 955 mm metal wall rail horizontal and vertical adjustable slider	chrome	6564105-00



KLUDI A-QA

product		product description	surface	art. no.
Bath sets				
		KLUDI A-QA i bath-shower set KLUDI A-QA i 1S hand shower DN 15 flow rate 19 l/min at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts noise level I P-IX 19052/IB	chrome	6615005-00
		KLUDI A-QA s bath-shower set KLUDI A-QA s hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 15,1 l/min (booster) / 16.3 l/min (smooth) / 22.5 l/min (volumen) at 3 bar SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts	chrome 	6575005-00
		KLUDI A-QA b bath-shower set KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function with shower spray with 60 flash nozzels flow rate 18 l/min at 3 bar flow rate 90 l/min at 3 bar eco SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with conical nuts with screws and dowels noise level I	chrome 	6565005-00
		KLUDI A-QA b bath-shower set KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function with shower spray with 60 flash nozzels flow rate 18 l/min at 3 bar flow rate 90 l/min at 3 bar eco KLUDI SUPARAFLEX SILVER hose 6107105-00 G 1/2 x G 1/2 x 1250 mm wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with conical nuts with screws and dowels shower outlet G 1/2 noise level I	chrome 	6567005-00

















KLUDI A-QA

product		product description	surface	art. no.
		KLUDI A-QA shower set stand assembly consisting of: hand shower DN 15 quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm	chrome	3905105
hand shower		KLUDI A-QA hand shower DN 15 quick and easy cleaning system flow rate 16 l/min at 3 bar	chrome	3910005-00
		KLUDI A-QA i hand shower 1S DN 15 shower spray Ø 137 mm incline in 5° - steps adjustable (max. inclination 30°) voluminous shower spray 90 flash nozzels flow rate 18.7 l/min at 3 bar quick and easy cleaning system noise level I P-IX 19052/IB	chrome	6610005-00
		KLUDI A-QA s hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 16,5 l/min (booster) / 15 l/min (smooth) / 24.5 l/min (volumen) at 3 bar noise level I	chrome 	6570005-00
		KLUDI A-QA b hand shower 1S DN 15 with 50 % Eco function quick and easy cleaning system flow class B/Z with shower spray with 60 flash nozzels connection G 1/2 flow rate 18 l/min at 3 bar flow rate 90 l/min at 3 bar eco eco function not applicable for hydraulic DEH according to DIN EN 1112 noise level I	chrome 	6560005-00











KLUDI A-QA

product		product description	surface	art. no.
Accessories	 	KLUDI A-QA wall supply with shower holder DN 15 with wall-compensation ring for hoses with conical nut with screws and dowels shower outlet G 1/2 protected against back flow according to DIN EN 1717	chrome white	6556005-00 6556043-00
	 	KLUDI A-QA wall supply with shower holder DN 15 with flow control wall fastening for hoses with conical nut shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min to 20 l/min approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable	chrome 	6556105-00
	 	KLUDI A-QA wall supply with shower holder DN 15 with ceramic shut-off valve wall fastening for hoses with conical nut shower outlet G 1/2 protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material	chrome 	6556205-00
	 	KLUDI A-QA wall supply DN 15 with flow control wall fastening shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min. to 20 l/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable	chrome 	6554405-00
	 	KLUDI A-QA wall supply DN 15 with ceramic shut-off valve wall fastening shower outlet G 1/2 protected against back flow with wall-compensation ring with mounting material	chrome 	6554505-00



KLUDI A-QA


product	product description	surface	art. no.
	 <p>KLUDI A-QA i tile compensation washer for wall rail</p>	chrome	93098905-00
	 <p>KLUDI A-QA s tile compensation washer for wall rail</p>	chrome	93099005-00
	 <p>KLUDI A-QA v extension set for wall rail 62095.. for shower sets 62096 .., 62097 .., 68096 .. and 68097 ..</p>	chrome	7042005-00
	 <p>KLUDI A-QA v shortening set for wall rail 62095.. for shower sets 62096 .., 62097 .., 68096 .. and 68097 ..</p>	chrome	7043005-00



KLUDI ZENTA

product	product description	surface	art. no.
---------	---------------------	---------	----------


Shower systems



KLUDI ZENTA
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose
G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX Hose DN 15
G 1/2 x G 1/2 x 1600 mm
head shower Ø 200 mm
flow 13 l/min, at 3 bar
hand shower KLUDI ZENTA 2S
flow rate 11 l/min at 3 bar
with mounting material
without shower mixer

chrome

6609005-00



KLUDI ZENTA SHOWER DUO
thermostatic shower mixer DN 15
wall rail with glider
L = 900 mm
wall fastening
temperature control handle
with hot water safety device 38° C
protected against back flow
with KLUDI LOGOFLEX-hose
G 1/2 x G 1/2 x 1600 mm
KLUDI ZENTA 2S hand shower DN 15
adjustable to two spray patterns:
smooth, volume
flow rate 15, l/min (smooth) /
18 l/min (volumen) at 3 bar
PA-IX 18064/IB










chrome



6057705-00













KLUDI ZENTA

product	product description	surface	art. no.
	 <p>KLUDI ZENTA SHOWER DUO thermostatic shower mixer DN 15 wall rail with glider L = 600 mm wall fastening temperature control handle with hot water safety device 38° C protected against back flow with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15.5 l/min (smooth) / 18 l/min (volumen) at 3 bar PA-IX 18064/IB</p>	chrome 	6057605-00
shower sets 	 <p>KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA slider rail in white KLUDI ZENTA 3S hand shower DN 15 white/chrome adjustable to three spray patterns: booster, smooth, volume KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	white/chrome	6085091-00
	 <p>KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 12.5 l/min (booster) / 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome black/chrome white/chrome	6084005-00 6084086-00 6084091-00
	 <p>KLUDI ZENTA shower set 3S L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 12.5 l/min (booster) / 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6083005-00









KLUDI ZENTA

product	product description	surface	art. no.
	 <p>KLUDI ZENTA shower set 2S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15.5 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6074005-00
	 <p>KLUDI ZENTA shower set 2S L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 15.5 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6073005-00
	 <p>KLUDI ZENTA shower set 1S L = 900 mm KLUDI ZENTA wall rail with KLUDI ZENTA hand shower 1S DN 15 with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm flow rate 18 l/min at 3 bar with conical nuts</p>	chrome	6064005-00
	 <p>KLUDI ZENTA shower set 1S L = 600 mm KLUDI ZENTA wall rail with KLUDI ZENTA hand shower 1S DN 15 with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm flow rate 18 l/min at 3 bar with conical nuts</p>	chrome	6063005-00
wall rails 	 <p>KLUDI ZENTA wall rail L = 900 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6062005-00









KLUDI ZENTA

product	product description	surface	art. no.
 	KLUDI ZENTA wall rail L = 600 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome	6061005-00
hand shower  	KLUDI ZENTA hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume flow rate 12.5 l/min (booster) / 16 l/min (smooth) / 17.5 l/min (volumen) at 3 bar	chrome black/chrome white/chrome	6080005-00 6080086-00 6080091-00
 	KLUDI ZENTA hand shower 2S DN 15 quick and easy cleaning system adjustable to two spray patterns: smooth, volume flow rate 15.5 l/min (smooth) / 18 l/min (volumen) at 3 bar	chrome	6070005-00
 	KLUDI ZENTA hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume flow rate 18 l/min at 3 bar	chrome black/chrome white/chrome	6060005-00 6060086-00 6060091-00
Bath sets  	KLUDI ZENTA bath shower set 1S KLUDI ZENTA 1S hand shower DN 15 chrome/white KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts	white/chrome	6066091-00










KLUDI ZENTA

product	product description	surface	art. no.
	 <p>KLUDI ZENTA bath shower set 2S KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: smooth, volume flow rate 16 l/min (smooth) / 18 l/min (volumen) at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	chrome	6075005-00
	 <p>KLUDI ZENTA bath shower set 1S KLUDI ZENTA 1S hand shower DN 15 flow rate 18 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts</p>	chrome black/chrome white/chrome	6065005-00 6065086-00 6065091-00
	 <p>KLUDI ZENTA shower set stand assembly consisting of: hand shower KLUDI ZENTA 2S shaft for shower hose shower hose 1500 mm high pressure supply hose G 1/2 x G 1/2 x 500 mm</p>	chrome	2765205



KLUDI LOGO

product		product description	surface	art. no.
Shower systems	 	KLUDI LOGO Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider flow class B/B temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve dirt catcher sieves protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material	chrome  	6809205-00
	 	KLUDI LOGO Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material without shower mixer	chrome 	6809105-00




KLUDI LOGO

product

product description

surface

art. no.




KLUDI LOGO
Thermostat Dual Shower System DN 15
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
flow class B/B
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
Head shower rotary valve
dirt catcher sieves
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow rate 16 l/min at 3 bar
with KLUDI LOGO 1S hand shower DN 15
6810005-00
flow rate 21 l/min at 3 bar
with mounting material

chrome



6809505-00

Showers









KLUDI LOGO
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO 1S hand shower DN 15
6810005-00
with draining function
without shower mixer

chrome

6809305-00



KLUDI LOGO







product	product description	surface	art. no.
	 <p>KLUDI LOGO single lever mixer Dual Shower System DN 15 solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 90° adjustable rotary valve for the control of head and hand shower shower outlet protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material</p>	chrome 	6808505-00
	 <p>KLUDI LOGO single lever mixer Dual Shower System DN 15 with bath filler solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 120° adjustable rotary valve for the control of head-, hand shower and bath filler shower outlet protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material</p>	chrome 	6808305-00



Showers









KLUDI LOGO

product	product description	surface	art. no.
	KLUDI LOGO SHOWER DUO L = 600 mm KLUDI LOGO wall rail Ø 18 mm thermostatic shower mixer DN 15 wall fastening with shut-off valve temperature control handle with hot water safety device 38° C protected against back flow dirt catcher sieves shower outlet G 1/2 PA-IX 18064/IB with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with mounting material with KLUDI LOGOFLEX-hose 6105605-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect	chrome  	6857605-00
hand shower 	KLUDI LOGO hand shower 3S DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13.5 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material connection G 1/2	chrome 	6830005-00
	KLUDI LOGO hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume connection G 1/2	chrome	6810005-00









KLUDI LOGO

product		product description	surface	art. no.
shower sets	 	KLUDI LOGO shower set 3S L = 900 mm KLUDI LOGO wall rail Ø 18 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6839005-00
	 	KLUDI LOGO shower set 3S L = 900 mm wall rail Ø 23 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6839305-00













KLUDI LOGO

product	product description	surface	art. no.
	KLUDI LOGO shower set 3S L = 600 mm KLUDI LOGO wall rail Ø 18 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6836005-00
	KLUDI LOGO shower set 3S L = 600 mm wall rail Ø 23 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome 	6809605-00
	KLUDI LOGO shower set 3S L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome 	6809605-00










KLUDI LOGO

product		product description	surface	art. no.
		KLUDI LOGO shower set 1S L = 900 mm KLUDI LOGO wall rail Ø 18 mm with KLUDI LOGO 1S hand shower DN 15 6810005-00 quick and easy cleaning system flow rate 41 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome	6819005-00
		KLUDI LOGO shower set 1S L = 600 mm KLUDI LOGO wall rail Ø 18 mm with KLUDI LOGO 1S hand shower DN 15 6810005-00 quick and easy cleaning system flow rate 41 l/min at 3 bar with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts	chrome	6816005-00
		KLUDI LOGO shower set 1S L = 955 mm metal wall rail Ø 21 mm horizontal and vertical adjustable slider KLUDI LOGO 1S hand shower DN 15 Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts	chrome	6864205-00
wall rails				
		KLUDI LOGO wall rail L = 900 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm	chrome	6809005-00
		KLUDI LOGO wall rail L = 600 mm horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm	chrome	6806005-00










KLUDI LOGO

product	product description		surface	art. no.
Bath sets			chrome	6803005-00
		KLUDI LOGO bath-shower set 3S KLUDI LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (smooth) / 15 l/min (volumen) at 3 bar quick and easy cleaning system with mounting material KLUDI LOGOFLEX shower hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels		
		KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 flow rate 41 l/min at 3 bar quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels with conical nuts	chrome	6801005-00
		KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow according to DIN EN 1717 with screws and dowels shower outlet G 1/2	chrome	6867005-00








SHOWER SYSTEME

product	product description	surface	art. no.
	 <p>KLUDI A-QA Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet KLUDI A-QA head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower G 1/2 x 140 x 245 mm flow rate 23 l/min at 3 bar with KLUDI A-QA hand shower with spray mode: volume flow rate 16 l/min at 3 bar</p>	chrome 	4909505-00
	 <p>KLUDI A-QA s Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube protected against back flow temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve dirt catcher sieves head shower Ø 200 mm flow rate 16,3 l/min at 3 bar hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume flow rate 11.6 l/min (booster) / 11.7 l/min (smooth) / 15.5 l/min (volumen) at 3 bar with mounting material</p>	chrome  	6609505-00



SHOWER SYSTEME

product	product description	surface	art. no.
	<p>KLUDI LOGO Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider flow class B/B temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve dirt catcher sieves protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material</p>	chrome  	6809205-00
	<p>KLUDI LOGO Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material without shower mixer</p>	chrome 	6809105-00




SHOWER SYSTEME

product

product description

surface

art. no.




KLUDI LOGO
Thermostat Dual Shower System DN 15
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
flow class B/B
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
Head shower rotary valve
dirt catcher sieves
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
flow rate 16 l/min at 3 bar
with KLUDI LOGO 1S hand shower DN 15
6810005-00
flow rate 21 l/min at 3 bar
with mounting material

chrome



6809505-00



KLUDI A-QA s
Thermostat Dual Shower System DN 15
with horizontally and vertically adjustable tube
metal head shower
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
KLUDI A-QA handshower rotate
the handle to the rear
shower outlet G 3/4
KLUDI A-QA head shower rotary valve
protected against back flow
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX Hose DN 15
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 250 mm,
swiveling
with KLUDI A-QA s handshower DN 15
with three spray patterns
with mounting material
dirt catcher sieves
wall fastening






chrome



6619505-00



SHOWER SYSTEME

product	product description	surface	art. no.
 	KLUDI LOGO Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO 1S hand shower DN 15 6810005-00 with mounting material without shower mixer	chrome	6809305-00
 	KLUDI LOGO single lever mixer Dual Shower System DN 15 solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 90° adjustable rotary valve for the control of head and hand shower shower outlet protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 200 mm with KLUDI LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume with draining function with mounting material	chrome 	6808505-00




SHOWER SYSTEME

product

product description

surface

art. no.




KLUDI LOGO
single lever mixer Dual Shower System DN 15
with bath filler
solid lever
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
ceramic cartridge with hot water limitation
shower outlet G 1/2
120° adjustable rotary valve
for the control of head-,
hand shower and bath filler
shower outlet
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 200 mm
with KLUDI LOGO hand shower 3S 6830005-00
adjustable to three spray patterns:
booster, smooth, volume
with draining function
with mounting material

chrome



6808305-00

Showers












KLUDI A-QA
Dual Shower System DN 15
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
two-way ceramic diverter
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower
G 1/2 x 140 x 245 mm
flow rate 23 l/min at 3 bar
with KLUDI A-QA hand shower
with spray mode: volume
flow rate 16 l/min at 3 bar
with mounting material

chrome

4919105-00



SHOWER SYSTEME

product	product description	surface	art. no.
 	KLUDI A-QA s Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm flow rate 14,8 l/min at 3 bar hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume flow rate 10.5 l/min (booster) / 10.7 l/min (smooth) / 12.9 l/min (volumen) at 3 bar with mounting material without shower mixer	chrome 	6609105-00
 	KLUDI A-QA s Dual Shower System DN 15 with horizontally and vertically adjustable tube metal head shower two-way ceramic diverter water supply with with flexible hose horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 250 mm, swiveling flow rate 14.8 l/min at 3 bar KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 10.5 l/min (booster) / 10.7 l/min (smooth) / 12.9 l/min (volumen) at 3 bar with mounting material wall fastening without shower mixer	chrome 	6619205-00
 	KLUDI A-QA thermostat mono shower system DN 15 wall fastening with horizontally and vertically adjustable tube temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation head shower Ø 200 mm flow rate 22 l/min at 3 bar s-connections with mounting material dirt catcher sieves	chrome 	6608105-00




SHOWER SYSTEME

product

product description

surface


art. no.



**KLUDI FRESHLINE
Thermostat Dual Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
horizontal and vertical adjustable slider
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
Head shower rotary valve
protected against back flow
KLUDI SUPARAFLEX SILVER hose 6107205-00
with KLUDI FRESHLINE head shower 6751105-00
flow rate 16,4 l/min at 3 bar
with KLUDI FRESHLINE handshower 3S DN 15
6790005-00
flow rate 13,6 l/min (booster) / 10,9 l/min (smooth)
/ 17,1 l/min (volumen) at 3 bar
with draining function
with mounting material

chrome

6709205-00



**KLUDI FRESHLINE
Dual Shower System DN 15**
wall fastening
with horizontally and vertically adjustable tube
two-way ceramic diverter
horizontal and vertical adjustable slider
water supply with
connecting hose G 1/2 x G 1/2 x 800 mm
KLUDI SUPARAFLEX SILVER hose 6107205-00
with KLUDI FRESHLINE head shower 6751105-00
flow rate 14 l/min at 3 bar
with KLUDI FRESHLINE handshower 3S DN 15
6790005-00
adjustable to three spray patterns:
booster, smooth, volume
flow rate 10 l/min (booster) /
9 l/min (smooth) / 12 l/min (volumen) at 3 bar
with draining function
with mounting material
without shower mixer








chrome

6709005-00











SHOWER SYSTEME

product	product description	surface	art. no.
	 <p>KLUDI FIZZ Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 20 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 flow rate 11.6 l/min (booster) / 11.7 l/min (smooth) / 15.5 l/min (volumen) at 3 bar with draining function with mounting material</p>	chrome  	6709605-00
	 <p>KLUDI FIZZ Thermostat Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow dirt catcher sieves KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 20 l/min at 3 bar with KLUDI FIZZ handshower 1S 6760005-00 flow rate 15.5 l/min at 3 bar with mounting material</p>	chrome 	6709505-00





SHOWER SYSTEME

product	product description	surface	art. no.
	 <p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 8.5 l/min (smooth) / 11 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome 	6709305-00
	 <p>KLUDI FIZZ Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 flow rate 15 l/min at 3 bar with KLUDI FIZZ handshower 3S 6770005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10 l/min (booster) / 8.5 l/min (smooth) / 11 l/min (volumen) at 3 bar with draining function with mounting material without shower mixer</p>	chrome 	6709105-00













SHOWER SYSTEME

product	product description	surface	art. no.
	 <p>KLUDI ZENTA Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm flow 13 l/min, at 3 bar hand shower KLUDI ZENTA 2S flow rate 11 l/min at 3 bar with mounting material without shower mixer</p>	chrome	6609005-00













SPECIAL SHOWERS

product	product description		surface	art. no.
wall rails	 	KLUDI STANDARD wall rail L = 900 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048505-00
	 	KLUDI STANDARD wall rail L = 600 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048005-00
hand shower	 	KLUDI tele-hand shower DN 15	plastic white	6020510-00
Accessories	 	KLUDI SIRENA shower hook for hoses with conical nut with screws and dowels	chrome	6305005-00
	 	KLUDI SIRENA shower hook for hoses with conical nut with screws and dowels	chrome	6055105-00




SPECIAL SHOWERS

product	product description	surface	art. no.
 	KLUDI REGULA wall holder for hand shower 60 011 with screws and dowels	transparent	6003521-00
 	KLUDI Tele-wall holder for tele hand shower 60205 and 60208	plastic white transparent	83006810-00 83006821-00
 	universal shower holder G 1/2 for assembling at shower connection for shower hoses with conical nut	chrome	6053905-00
 	shower hook G 1/2 with coupling	chrome	6053105-00
 	connection for shower G 3/4 with clip on-cone	chrome	6053005-00








SPECIAL SHOWERS

product	product description	surface	art. no.
 	wall-mounted shower holder with pin	chrome	81011005-00
 	connection for shower G 3/4 with cradle hook	chrome	6053705-00
 	wall supply DN 15 with wall-compensation ring	chrome white	6306005-00 6306043-00
 	wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring	chrome white	6306105-00 6306143-00
 	wall supply DN 15 with wall-compensation ring	chrome	6054105-00









SPECIAL SHOWERS

product	product description	surface	art. no.
 	wall supply DN 15 protected against back flow with wall-compensation ring according to DIN EN 1717	chrome	6056305-00
 	wall supply DN 15 with wall flange (escutcheon)	chrome	6054005-00
 	reducer G 3/4 x G 1/2 female thread male thread G 1/2 with gasket G 3/4	chrome	6110505-00
 	corner mounting set for wall rail two corner elements with screws and dowels	chrome	6211905-00
Spare parts  	KLUDI LOGO soap dish for wall rail for tube diameter 18 mm	transparent	6110121-00






SPECIAL SHOWERS

product	product description	surface	art. no.
 	slider for wall rails and shower-sets with tube-diameter 23 mm	chrome	6253505-00
 	slider for wall rails and shower-sets with tube-diameter 18 mm	chrome	7133705-00
	body for wall holder for wall rails and shower-sets with tube-diameter 23 mm	chrome	83031305-00
	body for wall holder for wall rails and shower-sets with tube-diameter 18 mm	chrome	83012605-00













SHOWER HOSES

product	product description		surface	art. no.
 	KLUDI SUPARAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts anti twist G 1/2 x G 1/2 x 1600 mm		chrome	6106205-00
 	KLUDI SUPARAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts anti twist G 1/2 x G 1/2 x 1250 mm		chrome	6106105-00
 	KLUDI SUPARAFLEX SILVER/WHITE shower hose DN 15 plastic-coated with conical nuts both sides anti twist G 1/2 x G 1/2 x 1600 mm		chrome white/chrome	6107205-00 6107291-00
 	KLUDI SUPARAFLEX SILVER/WHITE shower hose DN 15 plastic-coated with conical nuts both sides anti twist G 1/2 x G 1/2 x 1250 mm		chrome white/chrome	6107105-00 6107191-00
 	KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm		chrome	6100405-00





SHOWER HOSES

product	product description		surface	art. no.
 	KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm		chrome	6100605-00
 	KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm		chrome	6100705-00
 	KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm		chrome	6105505-00
 	KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm		chrome	6105605-00
 	KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm		chrome	6105705-00




ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no.
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette	chrome	6654405-00 <div>NEW</div>
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette	chrome	6654305-00 <div>NEW</div>
 	KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette	chrome	6654505-00 <div>NEW</div>
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm	chrome	6651405-00
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette diameter 55 mm	chrome	6651305-00












ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no.
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 61 x 61 mm	chrome	6653405-00
 	KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette 61 x 61 mm	chrome	6653305-00
 	KLUDI A-QA shower arm DN 15 for head shower 1S and 3S without ball joint projection 230 mm	chrome	6235405-00
 	KLUDI A-QA shower arm DN 15 for head shower 1S and 3S without ball joint projection 130 mm	chrome	6235305-00
 	KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette diameter 55 mm	chrome	6651505-00







ACCESSORIES FOR ALL SHOWER RANGES

product		product description	surface	art. no.
		KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette 61 x 61 mm	chrome	6653505-00
		KLUDI A-QA fixed wall shower hook for hoses with conical nut with screws and dowels	chrome	6555105-00
		KLUDI A-QA wall supply DN 15 with wall-compensation ring	chrome	6554005-00
		KLUDI A-QA wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring	chrome	6554305-00
Spare parts		slider for wall rails and shower-sets with tube-diameter 23 mm	chrome	7486905-00



ACCESSORIES FOR ALL SHOWER RANGES

product	product description	surface	art. no.
 	slider for wall rails and shower-sets with tube-diameter 23 mm	chrome	7833305-00
 	KLUDI SIRENA / KLUDI ZENTA soap dish for KLUDI SIRENA / KLUDI ZENTA wall rail with tube-diameter 23 mm	transparent	6210121-00





Wastes



**Washbasin and
bidet wastes** 223



**Bath and shower
wastes** 230















WASHBASIN AND BIDET WASTES

product		product description	surface	art. no.
Basin		 <p>PUSH-OPEN waste lockable plug G 1 1/4 for wash basin with overflow waste flow rate >32 l/min overflow capacity approx 20 l/min</p>	chrome	1042405-00
		 <p>KLUDI shank valve with waste cap G 1 1/4 for wash basin without overflow</p>	chrome	1042805-00
		 <p>shank valve G 1 1/4 with overflow without ball chain and chainholder</p>	chrome	1042705-00
		 <p>universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated with ball chain and holder</p>	chromium nickel steel	1040235-00
		 <p>universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic white with ball chain and holder</p>	chromium nickel steel	1140235-00











WASHBASIN AND BIDET WASTES

product	product description	surface	art. no.
 	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic silver-grey without ball chain and chainholder	chromium nickel steel	1141635-00
 	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated	chromium nickel steel	1041135-00
 	Universal-sieve valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated	chromium nickel steel	1041535-00
 	design-bow lever G 1 1/4 x 32 mm with discharge-tube 330 mm with wall flange (escutcheon) adjustable drain pipe up to 120 mm with locker for cleaning according to DIN EN 274	chrome	1002005-00
 	bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274	chrome	1010505-00













WASHBASIN AND BIDET WASTES

product	product description	surface	art. no.
	 <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1025005-00
	 <p>P-trap G 1 1/4 G 1 1/4 x 32 mm adjustable drain pipe up to 120 mm with bent outlet 32 x 220 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1026505-00
	 <p>bottle trap G 1 1/4 G 1 1/4 x 32 mm with universal plug-valve brass with discharge-tube 32 x 200 mm with wall flange (escutcheon)</p>	chrome	1011105-00
	 <p>KLUDI place-saving bottle trap with wall flange (escutcheon) with bent outlet 32 mm according to DIN EN 274 G 1 1/4 x 32 mm</p>	chrome	1025505-00
	 <p>P-trap G 1 1/4 G 1 1/4 x 32 mm with adjustable thread and spout for water drainage G 3/4 with straight inlet with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274</p>	chrome	1036105-00













WASHBASIN AND BIDET WASTES

product	product description	surface	art. no.
Bidet  	bidet bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274	chrome	1032105-00
 	KLUDI bidet bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 290 mm with push-on rosette according to DIN EN 274	chrome	1032305-00
 	bidet P - trap G 1 1/4 x 32 mm with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274	chrome	1031105-00
Accessories  	pipe coupling with 2 threads for tube connection with 32 mm diameter	chrome	1043205-00
 	adjustable tube hose thread G 3/4 for connection of the drain hose from washing machines G 1 1/4 x 200 mm	chrome	1046205-00













WASHBASIN AND BIDET WASTES

product	product description	surface	art. no.
 	extension tube with o-ring for extension of adjustable and outlet pipes 32 x 125 mm	chrome	1049905-00
 	outlet tube straight with flanged rim 32 x 200 mm	chrome	84501605-00
 	outlet tube straight with flanged rim 32 x 250 mm	chrome	84506605-00
 	outlet tube straight with flanged rim 32 x 300 mm	chrome	84502505-00
 	outlet tube straight without edged flange 32 x 300 mm	chrome	84514605-00




WASHBASIN AND BIDET WASTES

product	product description	surface	art. no.
 	outlet tube 90° with corrugation 32 x 300 mm	chrome	84507205-00
 	brass rosette outside diameter 65 mm height 15 mm	chrome	81074605-00
 	brass rosette outside diameter 80 mm height 26 mm	chrome	81074705-00
 	brass rosette outside diameter 90 mm height 20 mm	chrome	81075405-00
 	floor tube 90° DN 32 G 1 1/4 x 220 x 680 mm	chrome	84500805-00





WASHBASIN AND BIDET WASTES

product	product description	surface	art. no.
 	tap rosette G 1/2 height 5 mm	chromium nickel steel	82027235-00
 	tap rosette G 1/2 height 10 mm	chrome	82027305-00
 	tap rosette G 1/2 height 15 mm	chrome	82027405-00
 	Plug G 3/8 to seal connections not in use involved with rosette	chrome	7034505-00
 	Plug G 1/2 to seal connections not in use involved with rosette	chrome	7034605-00



BATH- AND SHOWER WASTES

product	product description	surface	art. no.
Bath  	KLUDI ROTEXA MULTI filling, waste and overflow trim set flow class C s-pointer aerator M 24 x 1 filling unit with fastening screws and plug with big valve disc noise level I	chrome	7182605-00
 	KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set for water intake connection G 1/2 incl. sink-kit with attached bottle-trap 2 swivel-joints 50 mm water seal height without trim set noise level I approved acc. to DIN 19545	neutral	2131500-00
 	Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant	neutral	6115000-00
 	Nirosta-pressure hose G 1/2 x G 1/2 x 1000 mm for KLUDI ROTEXA MULTI hot water resistant	neutral	6115100-00
 	cover cap for tube interrupter DN 15 trim set for 1077205-00	chrome	82308505-00













BATH- AND SHOWER WASTES

product	product description	surface	art. no.
	 <p>KLUDI ROTEXA MULTI pipe interrupter DN 15 pre installation set with extension protected against back flow DIN-DVGW certified</p>	neutral	1077200-00
	 <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height</p>	chrome	2140605-00
	 <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with flexible overflow tube with attached bottle-trap 2 swivel-joints 50 mm water seal height</p>	chrome	2140705-00
	 <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 with bowden cable with flexible overflow tube for fitted dimensions up to 450 mm with valve - head part</p>	chrome	2140805-00
	 <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 bowden cable 850 mm long with flexible overflow tube 950 mm for special tubs with attached bottle-trap 2 swivel-joints with valve - head part</p>	chrome	2140905-00











BATH- AND SHOWER WASTES

product		product description	surface	art. no.
		KLUDI pop-up and overflow set trim set rosette plate and plug with big valve disc	chrome	7106605-00
		KLUDI pop-up and overflow set trim set rosette plate and plug with big valve disc	chrome gold plated 23 carat	7105505-00 7105545-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 pre installation set with bowden cable for bathtubs and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height according to DIN EN 274 approved according to LGA-Bayern	neutral	2104000-00
		KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 bowden cable 850 mm long with flexible overflow tube 950 mm for special tubs with attached bottle-trap 2 swivel-joints	neutral	2135300-00
		KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 for standard- and stepped bath tubs as well as deep showertubs SIMPLEX-head valve out of chromium nickel steel with fixed bottle trap 2 swivel-joints 50 mm water seal height with magnetic-plug according to DIN EN 274	chromium nickel steel	2123035-00













BATH- AND SHOWER WASTES

product	product description	surface	art. no.
	 <p>KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 for standard- and stepped bath tubs as well as deep showertubs SIMPLEX-head valve out of chromium nickel steel with fixed bottle trap 2 swivel-joints 50 mm water seal height with acrylic-rosette and simple plug according to DIN EN 274</p>	chromium nickel steel	2113035-00
	 <p>KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 with valve - head part made of chromium nickel steel with acrylic-rosette and simple plug according to DIN EN 274</p>	chromium nickel steel	2113335-00
Shower 	 <p>KLUDI TASSO 90 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern</p>	chrome	7137005-00
	 <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter with removable bottle trap cleanable approved acc. to DIN 19545/274 approved according to LGA-Bayern</p>	neutral	2109100-00
	 <p>KLUDI TASSO 50 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern</p>	chrome	7152005-00








BATH- AND SHOWER WASTES

product	product description	surface	art. no.
 	KLUDI TASSO 50 pop-up waste for flat shower tubs waste hole diameter Ø 52 mm with removable bottle trap according to DIN EN 274 approved according to LGA-Bayern	neutral	2152000-00
 	KLUDI TASSO PLUS pop-up waste with removable drain pipe trim set valve disc, drain tube and fastening piece according to DIN EN 274 approved according to LGA-Bayern	chrome	7162005-00
 	KLUDI TASSO PLUS pop-up waste pre installation set 50 mm water seal height self cleaning effect according to DIN EN 274	neutral	2162000-00
 	KLUDI TASSO standing waste with swiveling bottle trap 50 mm water seal height universal spout 45°, 40/50 mm	chrome	2111005-00
 	pop-up and overflow set G 1 1/2 for shower tubs with valve - head part made of chromium nickel steel	chromium nickel steel	2111535-00





BATH- AND SHOWER WASTES

product	product description	surface	art. no.
 	bottle trap G 1 1/2 for bath- and shower tubs with swiveling bottle trap 50 mm water seal height	plastic white	2138410-00
Accessories  	extension set for special tubs for 21315 and 21040 bowden cable 850 mm long 2 fixing brackets flexible tube 950 mm	neutral	7095600-00
 	eco plug with hair strainer and big valve disk	chrome	7060405-00
 	conversion set	neutral	7125600-00
 	bottle trap G 1 1/2 for bath- and shower tubs turnable 50 mm water seal height	plastic white	2138310-00



BATH- AND SHOWER WASTES

product	product description	surface	art. no.
 	outlet tube 45° G 1 1/2	plastic white	2144710-00



Hospital and care



KLUDI MEDI CARE
239




KLUDI PROVITA
246












KLUDI MEDI CARE

product	product description	surface	art. no.
Sink 	KLUDI MEDI CARE single lever sink mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IZ	chrome 	349080524
	KLUDI MEDI CARE single lever sink mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IZ	chrome 	349080534
Basin 	KLUDI MEDI CARE single lever basin mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ	chrome 	341150524
	KLUDI MEDI CARE single lever basin mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ	chrome 	341120524
	KLUDI MEDI CARE single lever basin mixer DN 15 clinic lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IZ	chrome 	341130524

















KLUDI MEDI CARE

product	product description		surface	art. no.
		KLUDI MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ	chrome 	341150534
		KLUDI MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ	chrome 	341120534
		KLUDI MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IZ	chrome 	341130534
		KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections projection 180 mm PA-IX 9573/IZ	chrome 	349220524
		KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 245 mm s-connections PA-IX 9573/IZ	chrome 	349200524










KLUDI MEDI CARE

product	product description		surface	art. no.
		KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 335 mm s-connections PA-IX 9573/IZ	chrome 	349240524
		KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 185 mm lockable S-connections PA-IX 9574/IZ	chrome 	349230524
		KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 250 mm lockable S-connections PA-IX 9574/IZ	chrome 	349210524
		KLUDI MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 340 mm lockable S-connections PA-IX 9574/IZ	chrome 	349250524
		KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	320040508 320040515









KLUDI MEDI CARE

product	product description	surface	art. no.
Bath 	 <p>KLUDI MEDI CARE thermostatic hospital mixer DN 15 wall fastening flow rate 8 l/min at 3 bar care-aerator M 24 x 1 temperature control handle hot water safety device 40 °C clinic lever shut-off valve dirt catcher sieves lockable S-connections PA-IX 9022/IZ</p>	chrome	350850564
Shower 	 <p>KLUDI PROVITA thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow flow class B dirt catcher sieves lockable S-connections P-IX 8049/IB</p>	chrome 	353300538
	 <p>KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles length of handle: 90° = 250 mm, 45° = 300 mm, left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Supraflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6150205-00











KLUDI MEDI CARE

product	product description	surface	art. no.
	 <p>KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles (hand hold length 300 mm and 45° angle), left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6150405-00
	 <p>KLUDI SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles (length of handle 250 mm und 90° angle), left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6150305-00
	 <p>KLUDI SIRENA CARE barrier free bath tub holder length of handle 250 and 300 mm, horizontal and 45° angle 50 mm projection fastening set with special dowels</p>	chrome	6150505-00









KLUDI MEDI CARE

product	product description	surface	art. no.
 	KLUDI SIRENA CARE barrier free bath tub holder length of handle 300 mm 50 mm projection fastening set with special dowels	chrome	6150605-00
Accessories  	KLUDI MEDI CARE angle valve thermostat for assembly on angle valves with 3/8" outlet flow rate 15 l/min at 3 bar adjustment of the maximum spout temperature covered under protection cap only possible with tool scald protection if cold water fails possibility of thermal disinfection	chrome	358450538
 	KLUDI MEDI CARE tube installation kit for KLUDI MEDI CARE angle valve thermostat 358450538 for angle valve with 200 mm centre to centre distance cold water-joint tube warm water connection tube with box nut T-connector with 3 end-load-bearing conical brass compression joint with length adjustment	chrome	7487905-00
 	KLUDI place-saving bottle trap with wall flange (escutcheon) with bent outlet 32 mm according to DIN EN 274 G 1 1/4 x 32 mm	chrome	1025505-00







KLUDI MEDI CARE

product		product description	surface	art. no.
Spare Parts		KLUDI MEDI CARE clinic lever	chrome	7694305-00
				
		KLUDI MEDI CARE care lever	chrome	7694205-00
				
		Thermostat clinic lever	chrome	7563805-00
				

246



KLUDI PROVITA








product	product description	surface	art. no.
	KLUDI PROVITA wall mounted single lever mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ	chrome 	335300500
	required accessories: KLUDI PROVITA clinic lever	chrome	7491005-00
	KLUDI PROVITA public lever	chrome	7493005-00
	KLUDI PROVITA wall mounted single lever mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 l/min at 3 bar PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ	chrome 	335320500
	required accessories: KLUDI PROVITA clinic lever	chrome	7491005-00
	KLUDI PROVITA public lever	chrome	7493005-00

248

Hospital and care







KLUDI PROVITA

product	product description		surface	art. no.
Bath  	KLUDI PROVITA concealed single lever bath and shower mixer concealed valve with functional unit autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC		chrome	336500500
	required accessories: KLUDI PROVITA clinic lever		chrome	7491005-00
	KLUDI PROVITA public lever		chrome	7493005-00
	KLUDI FLEXX.BOXX concealed body DN 20			88011
Shower  	KLUDI PROVITA thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow flow class B dirt catcher sieves lockable S-connections P-IX 8049/IB		chrome 	353300538
 	KLUDI PROVITA concealed single lever shower mixer concealed valve with functional unit ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC		chrome	336550500
	required accessories: KLUDI PROVITA clinic lever		chrome	7491005-00
	KLUDI PROVITA public lever		chrome	7493005-00
	KLUDI FLEXX.BOXX concealed body DN 20			88011



KLUDI PROVITA

product	product description		surface	art. no.
Accessories			chrome	7491005-00
		KLUDI PROVITA clinic lever projection 180 mm for KLUDI PROVITA-fittings 333300500, 333360500, 335300500, 335310500, 335320500, 335330500, 335360500, 335370500, 336600500, 338600500		
		KLUDI PROVITA public lever throat 120 mm for KLUDI PROVITA-fittings 333300500, 333360500, 335300500, 335310500, 335320500, 335330500, 335360500, 335370500, 336600500, 338600500		





Kitchen fittings



KLUDI ADLON
255



KLUDI E-GO
256



KLUDI TANGENTA
258



KLUDI MX
259



KLUDI L-INE
262



KLUDI L-INE S
264



KLUDI BINGO STAR
265



KLUDI BINGO STAR XS
267



KLUDI BOZZ
268



KLUDI ZENTA
269



KLUDI OBJEKTA
271



KLUDI TRENDO
273



KLUDI SCOPE
275



KLUDI LOGO NEO
277



KLUDI STANDARD
279













Accessories
287











KLUDI ADLON

product		product description	surface	art. no.
Sink	 	KLUDI ADLON sink mixer DN 15 cross handle single hole mounted flow class A swivelling spout (360°) cascade aerator M 22 x 1 ceramic headpart 180° copper tubes 10 mm	chrome	516060520
	 	KLUDI ADLON sink mixer DN 15 cross handles single hole mounted flow rate 5 l/min swivelling spout (360°) flow regulator M 22 x 1 ceramic headpart 180° for use with displacement heaters copper tube 8 mm	chrome  	516000520
Spare Parts	 	KLUDI ADLON handle with cowling „COLD“	chrome	7530005-00
	 	KLUDI ADLON handle with cowling „HOT“	chrome	7530105-00




KLUDI E-GO

product	product description	surface	art. no.
Sink 	KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted flow class A Caché-aerator M 21,5 x 1 ceramic cartridge with hot water limitation adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electric power supply via 230 V main adapter with magnet-cartridge-valve swivelling spout (360°) backflow preventer with dirt trap screens rapid installation set flexible hoses G 3/8 noise level I	chrome  	422000575
	KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted flow class A Caché-aerator M 21,5 x 1 ceramic cartridge with hot water limitation adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electronic unit with battery control device 6 V lithium battery CR-P2 with magnet-cartridge-valve swivelling spout (360°) backflow preventer with dirt trap screens rapid installation set flexible hoses G 3/8 noise level I	chrome  	422100575













KLUDI E-GO

product	product description	surface	art. no.
	 <p>KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted flow class Z Caché-aerator M 16,5 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation swivelling spout (360°) removable mouthpiece adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electric power supply via 230 V main adapter with magnet-cartridge-valve backflow preventer with dirt trap screens rapid installation set flexible hoses G 3/8 protected against back flow</p>	chrome    	422050575
	 <p>KLUDI E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted flow class Z Caché-aerator M 16,5 x 1 water flow regulator 8 l/min ceramic cartridge with hot water limitation swivelling spout (360°) removable mouthpiece adjustable temperature through lever setting optical object-detection automatic initial sensor measurement electronic unit with battery control device 6 V lithium battery CR-P2 with magnet-cartridge-valve backflow preventer with dirt trap screens rapid installation set flexible hoses G 3/8 protected against back flow</p>	chrome    	422150575
Spare Parts	<p>KLUDI E-GO lever for single lever sink mixer 42200, 42205, 42210, 42215</p>	chrome	7489505-00
			




















KLUDI TANGENTA

product	product description	surface	art. no.
Sink 	KLUDI TANGENTA single lever sink mixer DN 15 solid lever material: stainless steel single hole mounted flow class Z s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) with shank fastening flexible hoses G 3/8 noise level I	stainless steel brushed 	44904F875
	KLUDI TANGENTA single lever sink mixer DN 15 solid lever material: stainless steel single hole mounted flow class Z s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout protected against back flow with shank fastening flexible hoses G 3/8 noise level I	stainless steel brushed   	44991F875
	KLUDI TANGENTA single lever sink mixer DN 15 with pull-out hand spray solid lever material: stainless steel single hole mounted flow class Z aerator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) automatic diverter: shower/spray protected against back flow with shank fastening flexible hoses G 3/8 noise level I	stainless steel brushed  	44941F875
Accessories 	clamping screw wrench for KLUDI TANGENTA	neutral	92917000-00



KLUDI MX

product		product description	surface	art. no.
Sink		 <p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 18638/1A</p>	chrome mocca/chrome white/chrome	399040562 399048262 399049262
		 <p>KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters P-IX 18641/I</p>	chrome  	399050562
		 <p>KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 PA-IX 18645/1A</p>	chrome mocca/chrome white/chrome 	399060562 399068262 399069262
		 <p>KLUDI MX multi single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 for use with displacement heaters PA-IX 18646/I</p>	chrome   	399070562
		 <p>KLUDI MX single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 P-IX 18638/1A</p>	chrome 	399340562

260























KLUDI MX

product	product description	surface	art. no.
Spare Parts 	KLUDI kitchen showers automatic diverter: shower/spray s-pointer aerator M 24 x 1 flow class A for 33941, 33945, 39941, 39945	chrome mocca white	7403005-00 7403019-00 7403036-00
	KLUDI kitchen showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min for 33942, 33947, 39942	chrome	7811905-00
	KLUDI MX lever for single lever sink mixer 39904, 39905, 39906, 39907, 39934, 39941, 39942, 39945	chrome mocca white	7488405-00 7488419-00 7488436-00







KLUDI L-INE

product	product description	surface	art. no.
Sink 	 <p>KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I</p>	chrome 	428140577
	 <p>KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters</p>	chrome  	428190577
	 <p>KLUDI L-INE multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dish-washer rapid installation set flexible hoses G 3/8 noise level I</p>	chrome  	428160577
	 <p>KLUDI L-INE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8 noise level I</p>	chrome  	428170577
	 <p>KLUDI L-INE single lever sink mixer DN 15 solid lever single hole mounted flow class Z caché Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (220°), pull-out telescopic spout with horizontal guidance (245 – 315 mm) protected against back flow with shank fastening flexible hoses G 3/8 noise level I</p>	chrome   	428210577








KLUDI L-INE

product	product description	surface	art. no.
	KLUDI L-INE single lever sink mixer DN 15 solid lever two hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I	chrome 	428540577
	KLUDI L-INE single lever sink mixer DN 15 solid lever two hole mounted flow class A PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I	chrome	428530577
Spare Parts 	KLUDI L-INE lever for single lever sink mixer 42814, 42816, 42817, 42819, 42821, 42853, 42854	chrome	7489205-00























KLUDI L-INE S

product		product description	surface	art. no.
Sink			KLUDI L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge Laminar-flow regulator M 16 x 1 flow rate 7,1 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 with shank fastening	chrome 408030575
			KLUDI L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge flow regulator M 16 x 1 flow rate 8,2 l/min at 3 bar swivelling spout, pull-out spout protected against back flow flexible hoses G 3/8 with shank fastening	chrome matt black/chrome matt white/chrome  408510575 408518775 408519375















KLUDI BINGO STAR

product		product description	surface	art. no.
Sink		 <p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 9772/10</p>	chrome stainless steel look 	428030578 428039678
		 <p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	chrome stainless steel look  	428090578 428099678
		 <p>KLUDI BINGO STAR multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8</p>	chrome stainless steel look  	428360578 428369678
		 <p>KLUDI BINGO STAR single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 for installation beneath windows remaining socket height: 25 mm</p>	chrome stainless steel look  	428570578 428579678
		 <p>KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling (230°) pull-out spout flexible hoses G 3/8 protected against back flow</p>	chrome stainless steel look   	428510578 428519678










KLUDI BINGO STAR

product	product description	surface	art. no.
 	KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z pull-out hand spray automatic diverter: shower/spray ceramic cartridge with hot water limitation swivelling spout (230°) with shank fastening flexible hoses G 3/8 protected against back flow	chrome   	428520578
 	KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivel (360°) – removable spout protected against back flow rapid installation set flexible hoses G 3/8 noise level I	chrome  	428590578
 	KLUDI BINGO STAR 200 single lever sink mixer DN 15 semi-profi version solid lever single hole mounted flow class A cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling (220°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome  	428550578
Spare Parts 	KLUDI BINGO STAR lever for single lever sink mixer 42803, 42809, 42836, 42857, 42851, 42852, 42855, 42859	chrome stainless steel look	7303805-00 7303896-00











KLUDI BINGO STAR XS

product	product description		surface	art. no.
Sink			KLUDI BINGO STAR XS single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8	chrome  468030578 NEW
			KLUDI BINGO STAR XS single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling (230°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome matt black/chrome matt white/chrome   468510578 468518778 468519378 NEW












KLUDI BOZZ

product	product description		surface	art. no.
Sink	 	KLUDI BOZZ single lever sink mixer DN 15 solid lever single hole mounted flow class A PCA Caché-laminar-flow-regulator M 21,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set P-IX 9772/10	chrome	428030576
	 	KLUDI BOZZ single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling (230°) pull-out spout flexible hoses G 3/8 protected against back flow	chrome   	428510576
Spare Parts		KLUDI BOZZ lever for single lever mixer 38291, 38297, 38294, 38296, 38244, 38245, 38533, 38691, 38650, 38660, 38831, 42803, 42851, 38292, 38290	chrome	7461305-00






KLUDI ZENTA

product	product description	surface	art. no.
Sink 	KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge swivelling spout (360°) flexible hoses G 3/8 noise level I	chrome black/chrome white/chrome stainless steel look	389730575 389738675 389739175 389739675
	KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I	chrome  	389790575
	KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) with shank fastening flexible hoses G 3/8	chrome 	389840575
	KLUDI ZENTA single lever sink mixer DN 15 with pull-out hand spray solid lever single hole mounted flow class A aerator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) automatic diverter: shower/spray protected against back flow with shank fastening flexible hoses G 3/8	chrome  	389810575




















KLUDI ZENTA

product	product description	surface	art. no.
Spare Parts	KLUDI ZENTA lever for single lever sink mixer for 38973, 38979	chrome black/chrome white/chrome stainless steel look	7487205-00 7487286-00 7487291-00 7487296-00
			
 	KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38973, 38979	chrome	92069905-00

















KLUDI OBJEKTA

product		product description	surface	art. no.
Sink			KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 rapid installation set	chrome 325740575
			KLUDI OBJEKTA single lever sink mixer DN 15 for use with displacement heaters solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) flexible hoses G 3/8 rapid installation set	chrome   325750575
			KLUDI OBJEKTA multi single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	chrome  325760575
			KLUDI OBJEKTA multi single lever sink mixer DN 15 for use with displacement heaters solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	chrome    325770575
			KLUDI OBJEKTA single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome  325780575




















KLUDI OBJEKTA

product	product description	surface	art. no.
 	KLUDI OBJEKTA multi single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,1 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome  	325790575
 	KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 flow class Z swivelling (110°), pull-out hand shower automatic diverter: shower/spray protected against back flow flexible hoses G 3/8 with shank fastening	chrome    	325810575
 	KLUDI OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class B cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout Projection 115 mm s-connections	chrome	328810575
 	KLUDI OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class B cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 180 mm s-connections	chrome	328820575













KLUDI TREND

product		product description	surface	art. no.
Sink			KLUDI TREND single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) flexible hoses G 3/8 rapid installation set G 3/8	chrome stainless steel look 335740575 335749675
			KLUDI TREND single lever sink mixer DN 15 for use with displacement heaters solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) rapid installation set flexible hoses G 3/8	chrome stainless steel look   335750575 335759675
			KLUDI TREND multi single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	chrome stainless steel look  335760575 335769675
			KLUDI TREND multi single lever sink mixer DN 15 for use with displacement heaters single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	chrome    335770575
			KLUDI TREND single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome stainless steel look  335780575 335789675

















KLUDI TRENDO

product	product description	surface	art. no.
 	KLUDI TRENDO multi single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	chrome  	335790575
 	KLUDI TRENDO single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 16,5 x 1 flow class Z swivelling (110°), pull-out hand shower automatic diverter: shower/spray protected against back flow copper tubes 10 mm with shank fastening	chrome stainless steel look  	335810575 335819675
Spare Parts 	KLUDI TRENDO pull-out hand spray	chrome stainless steel look	7451805-00 7451896-00
	KLUDI TRENDO lever for single lever sink mixer 33574, 33575, 33576, 33577, 33578, 33579, 33581	chrome stainless steel look	7301805-00 7301896-00










KLUDI SCOPE

product		product description	surface	art. no.
Sink		 <p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/IO</p>	chrome stainless steel look	339330575 339339675
		 <p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19451/I</p>	chrome stainless steel look  	339390575 339399675
		 <p>KLUDI SCOPE XL single lever sink mixer DN 15 solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/IO</p>	chrome stainless steel look	339300575 339309675
		 <p>KLUDI SCOPE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 noise level I P-IX 19449/IO</p>	chrome stainless steel look 	339380575 339389675
		 <p>KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout protected against back flow with shank fastening copper tubes 10 mm noise level I</p>	chrome stainless steel look 	339310575 339319675



KLUDI SCOPE


product	product description	surface	art. no.
 	KLUDI SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout with shank fastening copper tube 8 mm for use with displacement heaters	chrome   	339320575
Spare Parts	KLUDI SCOPE spout	chrome stainless steel look	7501005-00 7501096-00
			
	KLUDI SCOPE lever for single lever sink mixer 33933, 33939, 33930, 33938	chrome stainless steel look	7842105-00 7842196-00



Kitchen fittings















KLUDI LOGO NEO

product	product description		surface	art. no.	
Spare Parts			KLUDI LOGO NEO lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290	chrome	7495005-00



















KLUDI STANDARD

product	product description	surface	art. no.
Sink 	KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 copper tubes 10 mm PA-IX 3105/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	316230508 316230515
	KLUDI STANDARD sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 copper tube 8 mm for use with displacement heaters P-IX 3606/I handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome  	319110508 319110515
	KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 one connection for washing machine or dishwasher copper tubes 10 mm PA-IX 3102/IA	chrome 	317100515
	KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 one connection for washing machine or dishwasher for use with displacement heaters copper tube 8/10 mm PA-IX 7727/I	chrome   	317300515
	KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 two connections for washing machine and dishwasher copper tubes 10 mm PA-IX 3664/IA DIN-DVGW-AT-2177	chrome 	317110515




















KLUDI STANDARD

product	product description	surface	art. no.
	 <p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	316580508 316580515
	 <p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow rate 5 l/min swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8571/I handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome  	319210508 319210515
	 <p>KLUDI STANDARD sink mixer DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic</p>	chrome chrome	316560508 316560515
	 <p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling spout (360°) aerator M 22 x 1 one connection for washing machine or dishwasher copper tubes 10 mm PA-IX 3102/IA DIN-DVGW-AT-2177</p>	chrome 	317030515
	 <p>KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling spout (360°) flow regulator M 22 x 1 one connection for washing machine or dishwasher copper tube 8/10 mm for use with displacement heaters PA-IX 7727/I</p>	chrome   	317230515













KLUDI STANDARD

product	product description	surface	art. no.
 	KLUDI STANDARD multi sink mixer DN 15 handle Terralux plastic single hole mounted flow class A swivelling spout (360°) aerator M 22 x 1 two connections for washing machine and dishwasher copper tubes 10 mm PA-IX 3664/IA	chrome 	317010515
 	KLUDI STANDARD sink mixer DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8571/I	chrome  	319200515
 	KLUDI STANDARD temperature regulating mixer for basin and sink DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters PA-IX 8101/I	chrome  	319180515
 	KLUDI STANDARD temperature regulating mixer for basin and sink DN 15 handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters PA-IX 8101/I	chrome  	319190515
 	KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA handle Ø8 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	310520508 310520515













KLUDI STANDARD

product		product description	surface	art. no.
		KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	310530508 310530515
		KLUDI STANDARD wall mounted sink mixer DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	310550508 310550515
		special wall mounted sink mixer DN 15 handle Terralux plastic wall fastening swivelling tube spout (360°) distance from center to center 45 mm flow class A aerator M 22 x 1 P-IX 4085/IIA	chrome	314530515
		KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 2524/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	304050508 304050515
		KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue PA-IX 2524/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	304090508 304090515












KLUDI STANDARD

product		product description	surface	art. no.
		KLUDI STANDARD bibcock DN 15 flow class A aerator M 22 x 1 marking: blue/red P-IX 2585/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	300150508 300150515
		KLUDI STANDARD bibcock DN 15 handle Terralux plastic wall fastening hose thread M 22 x 1 marking: blue/red	chrome	300230515
		KLUDI STANDARD bibcock DN 15 handle Terralux metal wall fastening spout fitting G 3/4 marking: blue/red	chrome	300250508
Spare Parts				
		KLUDI STANDARD handle 08 handle Terralux metal marking: blue	chrome	7542105-00
		KLUDI STANDARD handle 08 handle Terralux metal marking red	chrome	7542205-00








KLUDI STANDARD

product	product description	surface	art. no.
 	KLUDI STANDARD handle 15 handle Terralux plastic marking: blue	chrome	7636005-00
 	KLUDI STANDARD handle 15 handle Terralux plastic marking: red	chrome	7636105-00
 	KLUDI STANDARD handle 01 handle Trias marking: blue	chrome	7558505-00
 	KLUDI STANDARD handle 01 handle Trias marking: red	chrome	7558605-00
	Swivelling casted spout with grub screw fixing projection 200 mm aerator M 24 x 1/1A for Standard Multi mixer	chrome	7540705-00




KLUDI STANDARD

product	product description	surface	art. no.
	Swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for Standard Multi mixer for low pressure mixer	chrome	7540805-00
	Swivelling casted spout with grub screw fixing projection 200 mm aerator M 24 x 1/1A for mixer 31623	chrome	7540905-00
	Swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for mixer 31911	chrome	7541005-00
	HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing aerator M 22 x 1/A	chrome	7540405-00
	HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing with flow aerator M 22 x 1/ND for low pressure mixer	chrome	7540605-00





KLUDI STANDARD

product	product description	surface	art. no.
	HU tube spout 200 mm turnable aerator M 22 x 1/IA with swivel nut G 3/4 for 31656, 31657, 31658	chrome	7541305-00
	HU tube spout 200 mm turnable with flow aerator M 22 x 1/ND with swivel nut G 3/4 for low pressure mixer 31901, 31919, 31921	chrome	7541805-00
	s-spout G 3/4 x 150 mm	chrome	7556705-00



ACCESSOIRES

product	product description	surface	art. no.
Accessoires 	KLUDI dirt filter for angle stop valve DN 10 with filter element with removable screw connection G 3/8 x G 3/8 	chrome	7303005-10






Spare parts and accessories



Cartridge navigator
290



Gasket kit navigator
292















Spare parts and accessories 294



Cartridge Navigator

Are you looking for the right cartridge for a fitting?

The Cartridge Navigator will give you the answer. A dot indicates the standard cartridge for the relevant range. Products with other cartridges are listed in the table with their article number.










Bathroom	High pressure							Low pressure				
Article number	7486800-00	7661900-00	7560500-00	7494700-00	7560700-00	7565400-00	7685600-00	7459800-00	7520100-00	7436600-00	7480500-00	7412900-00
Cartridge size	K25	K28	K35	KJ35	K36	K36C	K41	K41	K46	KK46	K35	K41
												
KLUDI AMBA		•					•					
KLUDI AMEO					•							
KLUDI BALANCE			•				•					
KLUDI BINGO STAR			•									
KLUDI BOZZ			•								•	
KLUDI E2		•					•					
For KLUDI FLEXX.BOXX 88077/88075 and trim set for 88011							•					
JOOP!			•				•					
KLUDI LOGO NEO	•		•		•	•					•	
KLUDI MEDI CARE										•		
KLUDI MEDI MIX									•			
KLUDI MX							•					•
KLUDI NEW WAVES		•	•									
KLUDI OBJEKTA MIX NEW							•		•			•
KLUDI OBJEKTA	•		•				•				•	
KLUDI O-CEAN			•	•	•		•					
KLUDI PROVITA								•				
KLUDI PURE&EASY					•		•					
KLUDI PURE&SOLID					•		•					
KLUDI PURE&STYLE					•		•					
KLUDI Q-BEO			•				•					
KLUDI ZENTA			•		•	•	•				•	



Kitchen

High pressure

Low pressure

Article number	7486800-00	7560500-00	7560700-00	7685600-00	7475000-00	7520100-00	7302600-00	7480500-00	7412900-00
Cartridge size	K25	K35	K36	K41	K40	K46	K25	K35	K41
									
KLUDI BINGO STAR		•						•	
KLUDI BINGO STAR XS		•						•	
KLUDI BOZZ		•							
KLUDI E-GO					•				
JOOP!		•							
KLUDI KOMET		•						•	
KLUDI L-INE		•						•	
KLUDI L-INE S	•								
KLUDI LOGO NEO		•						•	
KLUDI MX				•					•
KLUDI NEW WAVES		•							
KLUDI OBJEKTA MIX NEW		•		•				•	
KLUDI OBJEKTA		•		•				•	
KLUDI SCOPE		•						•	
KLUDI TANGENTA		•							
KLUDI TRENDO STAR		•						•	
KLUDI ZENTA	•		•				•		
KLUDI ZIP		•							



Gasket kit Navigator






Are you looking for the right gasket kit for a KLUDI kitchen fitting? The Gasket kit Navigator will give you the answer. And this is how it works: choose the article number for the relevant kitchen mixer in the vertical column. The mixer tap marked with a dot indicates the matching gasket kit.

		GASKET KIT			
	Article number	7425300-00	7301900-00	7316700-00	7317800-00
KLUDI ADLON	516060520				
	516000520				
KLUDI BINGO STAR	428030578		•		
	428090578		•		
	428360578		•		
	428570578		•		
KLUDI BINGO STAR XS	468030578		•		
	468510578		•		
KLUDI KOMET	337940562				
	337950562				
	337960562				
	337970562				
	337980562				
	337930562				
	337990562				
	337910562				
	337920562				
KLUDI LOGO NEO	379130575				
	379190575				
KLUDI MEDI CARE	349080524				
	341130524				
	349220524				
	349250524				
	349080534				
	349200524				
	349240524				
	349230524				
	349210524				
KLUDI MX	399040562				
	399050562				
	399060562				
	399070562				
	399340562				
	399410562				
	399420562				
KLUDI OBJEKTA	399450562				
	338830575				
MIX NEW	338890575				
	337610575				
KLUDI SCOPE	339330575				
	339390575				
	339300575				
	339380575				
	339310575				
	339320575				
KLUDI TANGENTA	44904F875			•	
	44991F875				•
	44941F875				•
KLUDI TREND0 STAR	339740575				
	339750575				
	339760575				
	339770575				
	339810575				
	339780575				
KLUDI ZENTA	339790575				
	389730575				
	389790575				

[illegible]








SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
Spare Parts 	gasket kit kitchen mixers series KLUDI MIX / KLUDI OBJEKTA till 12/2002	neutral	7531200-00
	gasket kit kitchen mixers series KLUDI TRENDO STAR/KLUDI KLUDI OBJEKTA MIX NEW	neutral	7432900-00
	gasket kit kitchen mixers series KLUDI MIX from 01/2003	neutral	7683700-00
	gasket kit kitchen mixers series KLUDI KOMET / KLUDI TRENDO	neutral	7548400-00
	gasket kit kitchen mixers series KLUDI LOGO	neutral	7599700-00








SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	gasket kit kitchen mixers series KLUDI MX	neutral	7812200-00
	Classical lift-cone headpart G 3/8 with handle Terralux plastic marking: blue according to DIN EN 200	chrome	110010515
	Classical lift-cone headpart G 3/8 with handle Terralux plastic marking: red according to DIN EN 200	chrome	110020515
	Classical lift-cone headpart G 1/2 with handle Terralux plastic marking: blue/red according to DIN EN 200	chrome	111030515
	Classical lift-cone headpart G 3/8 with handle Trias metal marking: blue according to DIN EN 200	chrome	110010501








SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	Classical lift-cone headpart G 3/8 with handle Trias metal marking: red according to DIN EN 200	chrome	110020501
	Classical lift-cone headpart G 1/2 with handle Trias metal marking: blue according to DIN EN 200	chrome	110030501
	Classical lift-cone headpart G 1/2 with handle Trias metal marking: red according to DIN EN 200	chrome	110040501
	Classical lift-cone headpart G 1/2 with handle Terralux metal marking: blue according to DIN EN 200	chrome	110030508
	Classical lift-cone headpart G 1/2 with handle Terralux metal marking: red according to DIN EN 200	chrome	110040508



SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	Classical lift-cone headpart G 1/2 according to DIN EN 200	neutral	7521800-00
	ceramic headpart G 1/2 with ceramic discs 90° right-locking according to DIN EN 200	neutral	7505400-00
	ceramic headpart G 1/2 with ceramic discs 90° left-locking according to DIN EN 200	neutral	7505500-00
	ceramic headpart G 3/8 90° right-locking	neutral	7444000-00
	ceramic headpart G 3/8 90° left-locking	neutral	7444100-00



SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	ceramic-headpart G 1/2 x 180°	neutral	7502500-00
	Classical lift-cone headpart G 1/2 for concealed valves DN 15 according to DIN EN 200	neutral	7557000-00
	Classical lift-cone headpart G 3/4 for concealed valves DN 20 according to DIN EN 200	neutral	7557100-00
	head part G 3/8 according to DIN EN 200	neutral	7552600-00
 	cartridge 46 mm with ceramic discs for compression- and depressurized fittings according to DIN EN 817	neutral	7520100-00













SPARE PARTS AND ACCESSORIES

product		product description	surface	art. no.
		cartridge 46 mm ECO with ceramic discs with pre-adjustable hot water limitation flow rate and hot-water notch according to DIN EN 817	neutral	7640000-00
		cartridge 41 mm with ceramic discs according to DIN EN 817	neutral	7685600-00
		cartridge 41 mm with ceramic discs for low pressure mixer according to DIN EN 817	neutral	7412900-00
		cartridge 41 mm for clinic fittings with ceramic discs according to DIN EN 817	neutral	7459800-00
		cartridge 35 mm with ceramic discs for compression fittings according to DIN EN 817	neutral	7560500-00




SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
 	control unit K 35 mm with ceramic discs for low pressure mixers according to DIN EN 817	neutral	7480500-00
 	cartridge 36 mm with ceramic discs for compression fittings according to DIN EN 817	neutral	7560700-00
 	cartridge 25 mm with ceramic discs according to DIN EN 817	neutral	7486800-00
 	KLUDI E-GO cartridge 40 mm	neutral	7475000-00
 	cartridge for single lever mixer KLUDI MEDI CARE with coupling	neutral	7436600-00








SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
 	KLUDI O-CEAN joystick ceramic cartridge with ceramic discs according to DIN EN 817	neutral	7494700-00
 	cartridge 28 mm with ceramic discs according to DIN EN 817	neutral	7661900-00
 	temperature control unit for wall mounted thermostat 35200, 35205, 35260, 35400, 35401, 57420, according to DIN EN 1111	neutral	7672900-00
 	temperature control unit for concealed thermostatic mixer (spare part for 7587000-00) 35156, 35158, KLUDI FLEXX.BOX 88066, according to DIN EN 1111	neutral	7480900-00
 	temperature control unit for concealed thermostat G 3/4 according to DIN EN 1111	neutral	7492700-00



SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
 	temperature control unit for wall mounted thermostat 35100, 35101 according to DIN EN 1111	neutral	7447000-00
	kitchen showers automatic diverter: shower/spray cascade aerator M 24 x 1 flow class A 33901, 33955, 31834, 31738	chrome	7506805-00
	kitchen showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min 33902, 33957, 31923, 31745	chrome	7566705-00
Accessories 	s-pointer aerator male thread M 24 x 1A swivelling spray insert flow 13 l/min, at 3 bar	chrome	7437005-00
	s-pointer eco-aerator male thread M 24 x 1Z swivelling spray insert flow rate 7,5 - 9,0 l/min at 3 bar	chrome	7483905-00








SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	flow regulator male thread M 24 x 1 ND for low pressure mixer	chrome	7520505-00
	cascade aerator male thread M 24 x 1A flow 13 l/min, at 3 bar	chrome	7641605-00
	PCA s-pointer aerator M 24 x 1 male thread M 24 x 1A flow rate 6 l/min	chrome	7339005-00
	ball joint for bidet mixer without aerator M 24 x 1A outside screw thread	chrome	7537505-00
	pop-up waste G 1 1/4 for basin-/bidet mixers complete chrome plated	chrome	7526005-00








SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	s-connection G 1/2 x G 3/4 with shut-off and push-on rosette	chrome	7589505-00
	s-connections G 1/2 x G 3/4		7655204-00
	installation wrench for cartridge 7520100-00 from 09/2005	neutral	92907300-00
	clamping screw wrench for cartridge 7520100-00 till 08/2005	neutral	92903200-00
	clamping screw wrench for cartridge 7560500-00	neutral	92907700-00



SPARE PARTS AND ACCESSORIES

product	product description	surface	art. no.
	clamping screw wrench for cartridge 7685600-00	neutral	92912800-00
	KLUDI WAGA / KLUDI ROTEXA installation wrench pop-up wastes for pre-installation	neutral	83027400-00
	KLUDI TASSO 90 (21095), KLUDI TASSO 50, KLUDI TASSO PLUS installation wrench for pre-installation	neutral	83028800-00
	KLUDI Universal fitting wrench for aerator M 18 x 1, M 22 x 1, M 24 x 1, M 28 x 1, M 16,5 x 1 Caché® TT, Caché® TJ, Caché® TF, Caché® JR, Caché® STD	neutral	7488300-00
	KLUDI Caché-aerator male thread M 16,5 x 1Z flow rate 8,4 l/min at 3 bar	neutral	7426600-00



General Terms and Conditions of Sale of Kludi GmbH & Co. KG

Article 1 General – Scope

- (1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co. KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their application. These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation. If the ordering party accepts services/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale.
- (2) All agreements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the respective contract. The respective contract document shall be presumed to be complete and accurate. Where there exist between Kludi and the ordering party other unilateral or multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly agreed.
- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis companies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases.

Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party. Verbal information shall not be binding, unless an explicit agreement has been made to the contrary.

Article 3 Quotation, quotation documents

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB), Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement. The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation.
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any time.
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute quality specifications or possible uses of the goods supplied by Kludi.

Specifications from Kludi shall not constitute guarantees of shelf life or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the intended use.

- (5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estimates and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned provisions of this Para. 5 shall in particular apply to written documents marked „confidential“; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

Article 4 Prices, payment conditions

- (1) Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply „ex works“ and exclusive of packaging and transportation; the latter will be invoiced separately.
- (2) The statutory value-added tax is not included in the prices; it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the Agreement on the European Economic Area shall be subject to an agreed carriage-paid limit of Euro 750.00 per individual order, and a small-quantity surcharge of Euro 6.00 for individual orders with a value under Euro 50.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price. For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South America and North America, a carriage-paid limit of EURO 500,00 shall apply per individual order, and a small-quantity surcharge of EURO 500,00 for individual orders with a value under EURO 500,00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.
- (4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days after the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchase price within 10 days after the invoice date, an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- (5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para. 1, Para. 2 of the German Civil Code (BGB)). If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly reserved. In the case of bilateral commercial transactions, Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.
- (6) In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further deliveries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention where the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim



derives from the same contractual relationship.

Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be entitled first to offset the payment against the cost, then against the interest, and finally against the principal demand.

- (8) All customs duties, taxes, levies etc. incurred outside the Federal Republic of Germany shall be paid by the ordering party.

Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly agreed. The delivery time specified by Kludi shall only begin after all technical questions have been clarified and Kludi has given an additional explicit delivery time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- (2) Compliance with delivery obligations on the part of Kludi shall furthermore be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of all documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by sub-suppliers).
- (4) Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party. It shall be permitted for partial deliveries to be invoiced separately.
- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensation of any losses incurred by Kludi as a result, including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment.
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB). Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract. Subject to proper and timely deliveries by sub-suppliers.
- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contract for which Kludi is responsible, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lump-sum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.

- (11) The limitations/exclusions of liability described in Para. 7-10 of this Article shall not apply in the event of death, injury or damage to health.

Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation, the delivery shall be agreed as „ex works“. The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accepted; this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate inspection of the goods required by Article 377 of the German Commercial Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no longer be entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as follows:

- (1) Claims for defects shall not exist in cases of only minor deviation from the agreed quality or – in the absence of an agreement – from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, incorrect installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract, or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences. Incorrect use, in relation to which no claims for compensation of defects shall be possible, shall in particular include the installation of the object of purchase or parts thereof in other products, or the installation of third-party components into the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative has explicitly been agreed.
- (2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance).
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a reasonable period.
- (4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispensable because
- a) the supplementary performance is conclusively rejected by Kludi,



- b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or
- c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be entitled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in conjunction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure.
- (5) The expenditures required for the purpose of supplementary performance, and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.
- (6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process.
- (7) The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.
- (8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period; the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee, or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.
- The statutory regulations regarding suspension of expiry, suspension, and recommencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product, the warranty period shall however end at the time when it would have ended for the defective product.
- (9) Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspondingly.
- (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

Article 8 Returns

- (1) Returns of the purchased product shall be excluded, except in cases under Article 7.
- (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward.
- (3) If in individual cases and after prior explicit agreement Kludi exceptionally agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the goods.
- (4) The ordering party shall bear the transportation risk and transport costs.

Article 9 Retention of title

- (1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If there are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods.
- (2) Processing of the ROT goods shall take place on behalf of Kludi as the manufacturer in the meaning of Article 950 of the German Civil Code (BGB), without obligation for Kludi. The processed goods shall constitute ROT goods in the meaning of Para. 1. Where the ROT goods are processed, aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the other goods used. If the title of Kludi lapses upon aggregation or mixing, the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in safekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.
- (3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code (BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.
- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the purchase price for his customer, he shall be obliged to retain the title to the ROT goods under the same conditions as Kludi has retained the title to the delivery of the ROT goods. The ordering party shall however not be obliged to also retain the title in relation to the receivables to which he will be entitled from his customer in future. Resale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from



Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. Kludi themselves shall also be entitled to notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.

- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

Article 10 Use of image data, text, videos, and/or other print and digital media

- (1) The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user:
 - a) The brand name „Kludi“ must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
 - b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the right to make further specifications.
 - c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.
 - d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website www.kludi.com.
 - e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.
 - f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.
 - g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.
- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format:
© KLUDI GmbH & Co. KG, Menden, Germany
- (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.

- (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

Article 11 Compensation of damages / exclusion of liability

- (1) Any claims by the ordering party for compensation of damage – for whatever legal reason – shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of non-compliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

Article 12 Applicable law, jurisdiction, place of fulfilment

- (1) Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015



NOTES

Pictograms



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



Eco

Saves at least 40 % water.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Low pressure

Fitting suitable for under-counter water heaters.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Mains operated

Electronic fitting for 230 V AC connection.



HotStop

Fitting with anti-scald limiter at 38 °C.



Showering hygiene

Quick and easy to drain remaining water from the hand spray. No dripping.



Scald protection

Thermostatic body independent of temperature.



Cool-Start

The middle position of the handle allows cold water to flow. The hot water is turned on by moving the lever to the left.

Copyright 2018
Kludi GmbH & Co. KG, Menden
(Germany)

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent.

Kludi GmbH & Co. KG continuously endeavours to develop and improve all its products. They are subject to technical modifications that may result at any time from changes and ongoing development. Consequently no legal claims can be made on the basis of the details, illustrations, descriptions and dimensions given in this catalogue.

No liability for misprints and errors.

Printed in Germany.



99202241803/VO/01/18

Kludi GmbH & Co. KG
P.O. Box 25 60 · 58685 Menden
Am Vogelsang 31–33 · 58706 Menden
Germany

T +49 2373 904-193
F +49 2373 904-540
E international-sales@kludi.com