



TERMA

SINCE 1990

HEATING PRODUCTS PRICELIST
2017/2018



Heating Products Pricelist

Gdańsk 2017

Table of Contents

Cast Iron Radiators



Bart
Bart **18**



Oxford
Oxford **22**



Kaszub
Kaszub **20**




Plain
Plain **24**

Radiators



Aero
Aero H **30**
Aero HG **30**
Aero V **31**



Cane
Cane **38**



Alex
Alex **32**
Alex One **33**



Case Slim
Case Slim **39**



Angus
Angus DW **34**
Angus H **35**
Angus V **36**



City
City **41**
City One **42**



Bone
Bone DW **36**
Bone **37**
Bone One **37**



Cyklon
Cyklon H **43**
Cyklon V **43**

Colours 9.

Legend 14.


Connections 106.

Electric radiators 110.

Electric radiators with heating elements 136.

Delfin

Delfin **44**



Incorner

Incorner **57**



Mantis

Mantis **66**
Mantis One **66**



Dexter

Dexter **45**
Dexter One **46**
Dexter Pro **47**
Dexter Pro One **48**



Intra

Intra **57**
Intra M **58**



Marlin

Marlin **67**
Marlin One **68**



Diamond

Diamond **49**



Kioto

Kioto **59**
Kioto One **59**



Michelle

Michelle **69**



Domi

Domi **50**



Lena

Lena **60**



Mike

Mike **70**
Mike One **71**




Easy

Easy **51**
Easy DW **51**
Easy One **52**



Lima

Lima **62**
Lima One **64**



Nemo

Nemo **72**



Fiona

Fiona **53**
Fiona One **55**



Lukka

Lukka **65**



Outcorner

Outcorner **73**



Pająk
Pająk **74**



Quadrus
Quadrus Bold **80**
Quadrus Bold One **80**
Quadrus Slim **81**
Quadrus Slim One **81**



Tune
Tune HSD **95**
Tune VWD **96**
Tune VWS **97**




Perła
Perła **75**



Retro
Retro **82**
Retro S **82**



Tytus
Tytus **98**
Tytus One **99**




Pier
Pier **76**



Ribbon
Ribbon HSD **83**
Ribbon HWS **84**
Ribbon T **85**
Ribbon V **86**
Ribbon V E **86**



Vivo
Vivo **100**
Vivo ONE **101**



PLC
PLC V **77**
PLC H **77**



Sherwood
Sherwood H **87**
Sherwood V **88**



Warp
Warp S **102**
Warp T **103**
Warp T One **103**
Warp T Bold **104**
Warp T Bold One **104**



POC 2
POC 2 **78**



Simple
Simple **89**
Simple One **90**
Simple DW **91**




ZigZag
ZigZag **105**



Pola
Pola **79**
Pola One **79**



Triga
Triga **92**
Triga AN **93**
Triga ANC **93**
Triga AW **94**
Triga M **94**



Spiro
Spiro **105**

Heating elements



ONE **144**



DRY **153**



KTX 4 **145**



MEG **154**



KTX4 BLUE **146**



REG 3 **155**



KTX 3 **147**



REG 2 **156**



KTX 2 **148**



SIM **157**



KTX 1 **149**



TS 1 **158**



MOA **150**
MOA IR **151**



TTIR1 **159**



MOA BLUE **152**



DTIR1 **159**

Shelves and hangers

EASY shelf	163
SIMPLE shelf	163
TRIGA shelf	164
TRIGA shelf with towel rail.....	164
TRIGA towel rail.....	165
HANDY GRIP hanger	165
HANDY VIP hanger.....	166
KUKA hanger	166
SPARK hanger.....	166

Valve sets

Dexter regulating valve set.....	173
Dexter thermostatic valve set	173
Angled regulating valve set.....	174
Star angled regulating valve set	174
Angled thermostatic valve set.....	175
3-axis regulating valve set.....	175

Valves and accessories

Integrated thermostatic T-piece valve.....	181
Integrated thermostatic valve with immersion tube	182
Integrated thermostatic valve	183
Integrated lockshield valve.....	184
3-axis thermostatic valve.....	184
3-axis regulating valve	185
Angled thermostatic valve.....	185
3-axis lockshield valve.....	186
Angled regulating valve.....	186
Angled lockshield valve.....	187
Straight thermostatic valve	187
Straight regulating valve	188
Straight lockshield valve T-piece	189
Lockshield valve integrated with T-piece.....	189
Adapter for alupex – 24 x 19	190
Adapter for alupex – 3/4"	190
Adapter for alupex – M22 x 1,5	190
Adapter for copper – 24 x 19.....	191
Adapter for copper – 3/4".....	191
Adapter for copper – M22 x 1,5	191
Adapter for steel – 24 x 19	192
Adapter for steel – M22 x 1,5	192
ETNA thermostatic head.....	192
NOBLE thermostatic head	193
SLIM thermostatic head.....	193

Bathroom Accessories

Straight handrail	208
Handrail with 90° bend	209
Handrail with 125° bend	210
Horizontal handrail.....	211
Vertical, floor support handrail	212
Wall-mounted support handrail.....	213

Information

Structure of configuration code for water and dual fuel radiators.	220
Configuration code structure. Radiators for dual fuel installations with built in (integrated) ONE heating element.	221
Configuration code structure. Oil filled electric only radiators with built in (integrated) ONE heating element.	222
Configuration code structure. Oil filled electric only radiators.....	223

ZIP H hanger	167
ZIP V hanger.....	167
Curved towel rail hanger – BASIC.....	168
Straight towel rail hanger – BASIC.....	168
Happy Shark hanger	169
Happy Rabbit hanger.....	169
SIMPLE hanger.....	170
YO! hanger	170
Case Slim towel rail	171

3-axis thermostatic valve set.....	176
3-axis thermostatic valve and lockshield set integrated with T-piece	176
Integrated thermostatic valve set	177
Integrated thermostatic valve set with immersion tube	178
Integrated lockshield valve set.....	179

Threaded cap.....	193
Nut spacer	194
Bleed valve.....	194
Pipe-masking set	194
Integrated pipe-masking set	195
Michelle towel rail collector masking cover	195
Long brush	196
Ribbon brush	196
Angled regulating valve set with Artistic lever	197
Angled regulating valve set "Classic Art"	198
Angled regulating valve set "Minimalist"	198
Angled thermostatic regulating valve set "Artistic"	199
Angled thermostatic regulating valve set "Wood".....	199
Pipe cover and shroud double set "Artistic"	200
Pipe cover and shroud double set.....	200
AluPEX adapter reducer – 24x19	201
Steel adapter reducer – 24x19	201
Copper adapter reducer – 24 x 19	202
Bleed valve.....	202
Reducing bush 5/4" x 1/2"	203
Blanking plug 5/4"	203
Joining nipple 5/4"	204
Gasket	204
Wall bracket.....	205
Cast iron radiator joining key	205

Free standing floor handrail	214
Wall-mounted horizontal handrail	215
Wall-mounted handrail with hanger	216
Wall-mounted folding handrail	217
Wall-mounted folding handrail with hanger	218

Configuration code structure. Dry, electric only radiators with heating wire.....	224
Configuration code structure for customizable accessories.	225
Configuration code structure. Heating elements.....	226
Contact information.....	227
Breakdown of sales regions.	227






Colours

The printed reproduction of some colours may vary slightly from those seen on the actual products. For a more exact colour selection it is always best to ask for a matching colour chip sample. These are available from our Sales Managers and trading partners.

RAL colours

RAL: CODE:	1000 100	1001 101	1002 102	1003 103	1004 104	1005 105	1006 106	1007 107	1011 111	1012 112	1013 113	1014 114	1015 115	1016 116
1017 117	1018 118	1019 119	1020 120	1021 121	1023 123	1024 124	1027 127	1028 128	1032 132	1033 133	1034 134	1037 137	2000 200	2001 201
2002 202	2003 203	2004 204	2008 208	2009 209	2010 210	2011 211	2012 212	3000 300	3001 301	3002 302	3003 303	3004 304	3005 305	3007 307
3009 309	3011 311	3012 312	3013 313	3014 314	3015 315	3016 316	3017 317	3018 318	3020 320	3022 322	3027 327	3028 328	3031 331	4001 401
4002 402	4003 403	4004 404	4005 405	4006 406	4007 407	4008 408	4009 409	4010 410	5000 500	5001 501	5002 502	5003 503	5004 504	5005 505
5007 507	5008 508	5009 509	5010 510	5011 511	5012 512	5013 513	5014 514	5015 515	5017 517	5018 518	5019 519	5020 520	5021 521	5022 522
5023 523	5024 524	6000 600	6001 601	6002 602	6003 603	6004 604	6005 605	6006 606	6007 607	6008 608	6009 609	6010 610	6011 611	6012 612
6013 613	6014 614	6015 615	6016 616	6017 617	6018 618	6019 619	6020 620	6021 621	6022 622	6024 624	6025 625	6026 626	6027 627	6028 628
6029 629	6032 632	6033 633	6034 634	7000 700	7001 701	7002 702	7003 703	7004 704	7005 705	7006 706	7008 708	7009 709	7010 710	7011 711
7012 712	7013 713	7015 715	7016 716	7021 721	7022 722	7023 723	7024 724	7026 726	7030 730	7031 731	7032 732	7033 733	7034 734	7035 735
7036 736	7037 737	7038 738	7039 739	7040 740	7042 742	7043 743	7044 744	7045 745	7046 746	7047 747	8000 800	8001 801	8002 802	8003 803
8004 804	8007 807	8008 808	8011 811	8012 812	8014 814	8015 815	8016 816	8017 817	8019 819	8022 822	8023 823	8024 824	8025 825	8028 828
9001 901	9002 902	9003 903	9004 904	9006 906	9007 907	9010 910	9011 911	9016 916	9017 917	9018 918				

Special colours palette

	Name: heban CODE: IHE		 black pepper CPE	 metallic black MBC
 black crocodile BLC	 soft 9005 S95	 mat 9005 9M5	 gloss 9005 9P5	
 sparkling grey RGY	 metallic grey MGR	 granite GRA	 modern grey DGR	
 storm sky SSK	 winter sky WSK	 graphite GRP	 salt & pepper SPP	
 diamond silver DIS	 silver gloss SPO	 silver matt SMA	 metallic silver MSI	
 vibrant brown OVb	 metallic stone MST	 sparkling gravel RGR	 metallic beige MBE	
 african bronze IAZ	 noble brown INB	 antique copper AMI	 copper COP	




Plated finishes

Cast Iron Product Colour

In addition to 192 standard RAL colours, we offer special colour and special decorative finishes. Upon client's request, we are able to provide radiators and accessories in individually chosen finish.

Special colours palette



Decorative finishes




* exposed ornament can be finished in any one special colour from the special colour palette

** special finish offered in both painted and galvanic finishes (Galvanic Copper, group 5)

*** special finish offered in both painted and galvanic finishes (Galvanic Brass, group 5)

Special coatings



A white, anti-bacterial coating (RAL 9016) containing Silver compounds. The release of Silver ions destroy bacteria and inhibits the growth of mould and fungi. The use of this coating is recommended in particular on the products installed in bathrooms. The cost of application is the same as the antibacterial coating and equal to our standard Paint surcharge.



Each product can be additionally protected with epoxy primer, which increases the corrosion resistance of the product. Priming the product with epoxy primer allows for more freedom of installation areas subject to contact with water (in the vicinity of a bathtub, a toilet or a shower, etc.) However, the primer does not protect the product, where there is danger of direct exposure of the radiator's surface to a stream of water. Price for the epoxy primer service is fixed at €40 net, regardless of the radiator type. Handles, handrails and support rails are primed with epoxy primer as standard.

Radiators with the colour The price includes in the price

There are 190 RAL and special Terma colours that are available at no extra cost with the exception of chrome and zinc coatings.

Radiators carrying a 25% surcharge for the colour

List of colours offered at no extra cost. For other colours a surcharge of 25% is applicable, with the exception of zinc primer coating offered at a fixed cost and chromeplating finish which is always quoted separately.

			Name	Model standard colours - offered at no extra cost
Aero H	Lukka	Sherwood H	Alex	RAL 9016, metallic grey, metallic black
Aero HG	Mantis	Sherwood V	Alex One	RAL 9016, metallic grey, metallic black
Aero V	Mantis One	Simple	Bone	RAL 9016, metallic grey, metallic black
Angus DW	Michelle	Simple DW	Bone DW	RAL 9016, metallic grey, metallic black
Angus H	Mike	Simple One	Bone One	RAL 9016, metallic grey, metallic black
Angus V	Mike One	Spiro	Dexter	RAL 9016, metallic grey, metallic black, silver matt
Cane	Nemo	Triga	Dexter One	RAL 9016, metallic grey, metallic black, silver matt
Case Slim	Outcorner	Triga AN	Dexter Pro	RAL 9016, metallic grey, metallic black, silver matt
City	Pajak*	Triga ANC	Dexter Pro One	RAL 9016, metallic grey, metallic black, silver matt
City One	Perla	Triga AW	Domi	RAL 9016, metallic grey, metallic black
Cyklon H	Pier	Triga M	Fiona	RAL 9016, metallic grey, metallic black
Cyklon V	PLC H	Tune HSD	Fiona One	RAL 9016, metallic grey, metallic black
Delfin	PLC V	Tune VWD	Lena	RAL 9016, metallic grey, metallic black
Diamond	Pola	Tune VWS	Marlin	RAL 9016, metallic grey, metallic black
Easy	Pola One	Vivo	Marlin One	RAL 9016, metallic grey, metallic black
Easy DW	Quadrus Bold	Vivo ONE	POC 2	RAL 9016, metallic grey, metallic black
Easy One	Quadrus Bold One	Warp S	Tytus	RAL 9016, metallic grey, metallic black
Incorner	Quadrus Slim	Warp T	Tytus One	RAL 9016, metallic grey, metallic black
Intra	Quadrus Slim One	Warp T One		
Intra M	Ribbon HSD	Warp T Bold		
Kioto	Ribbon HWS	Warp T Bold One		
Kioto One	Ribbon V	ZigZag		
Lima	Retro			
Lima One	Retro S			

*only raw copper

Legend




Radiator available in a water version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes fitted with a heating wire or prefilled with a heating medium and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.
The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.



chrome.



Nickel.



Satin.



White.



Black.



Price includes: radiator sold with set of bushes (3 x reducing bushes and 1 x blanking plug), bleed valve, wall brackets and straps.

Production time: up to 10 working days. 20 working days for various galvanic and polished finishes.
Delivery time: 3 – 5 working days in Europe.

Connections:



We recommend:



Angled regulating valve set and lockshield valve – Anthracite
TGERAN002: 237 EUR
Valve sets: p. 197.



Groups:

1. raw metal, metal alive
2. RAL colour selection, special colour selection
3. shaded burnish, full burnish
4. antique brass, antique copper,
5. galvanic copper, galvanic brass, polished

The below are only radiators up to 17 sections big. However, it is possible to order bigger radiators. Radiators made up of 13 sections and more are delivered in two or more batteries.

Width [mm]	75°/65°/20°C [W]	55°/45°/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 222. ▶
Price [EUR]										
580 mm – wall-mounted										
80	73	39	1	81	86	96	103	121	WGBRB058008	INSERT CODE
278	218	116	3	242	259	287	309	363	WGBRB058027	INSERT CODE
360	291	154	4	323	345	382	412	483	WGBRB058036	INSERT CODE
442	364	193	5	404	431	478	515	604	WGBRB058044	INSERT CODE
524	436	232	6	484	517	573	618	725	WGBRB058052	INSERT CODE
606	509	270	7	565	603	669	721	846	WGBRB058060	INSERT CODE
688	582	309	8	646	689	764	824	967	WGBRB058068	INSERT CODE
770	654	347	9	726	776	860	927	1 088	WGBRB058077	INSERT CODE
852	727	386	10	807	862	956	1 030	1 209	WGBRB058085	INSERT CODE
934	800	425	11	888	948	1 051	1 133	1 329	WGBRB058093	INSERT CODE
1016	872	463	12	969	1 034	1 147	1 236	1 450	WGBRB058101	INSERT CODE
1098	945	502	13	1 049	1 120	1 242	1 339	1 571	WGBRB058109	INSERT CODE
1180	1018	540	14	1 130	1 206	1 338	1 442	1 692	WGBRB058118	INSERT CODE
1262	1091	579	15	1 211	1 293	1 433	1 545	1 813	WGBRB058126	INSERT CODE
1344	1163	618	16	1 292	1 379	1 529	1 648	1 934	WGBRB058134	INSERT CODE

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 222. ▶
Price [EUR]										
1426	1236	656	17	1 372	1 465	1 624	1 751	2 055	WGBRB058142	INSERT CODE

640 mm – free-standing

80	73	39	1	81	86	96	103	121	WGBRF064008	INSERT CODE
278	218	116	3	242	259	287	309	363	WGBRF064027	INSERT CODE
360	291	154	4	323	345	382	412	483	WGBRF064036	INSERT CODE
442	364	193	5	404	431	478	515	604	WGBRF064044	INSERT CODE
524	436	232	6	484	517	573	618	725	WGBRF064052	INSERT CODE
606	509	270	7	565	603	669	721	846	WGBRF064060	INSERT CODE
688	582	309	8	646	689	764	824	967	WGBRF064068	INSERT CODE
770	654	347	9	726	776	860	927	1 088	WGBRF064077	INSERT CODE
852	727	386	10	807	862	956	1 030	1 209	WGBRF064085	INSERT CODE
934	800	425	11	888	948	1 051	1 133	1 329	WGBRF064093	INSERT CODE
1016	872	463	12	969	1 034	1 147	1 236	1 450	WGBRF064101	INSERT CODE
1098	945	502	13	1 049	1 120	1 242	1 339	1 571	WGBRF064109	INSERT CODE
1180	1018	540	14	1 130	1 206	1 338	1 442	1 692	WGBRF064118	INSERT CODE
1262	1091	579	15	1 211	1 293	1 433	1 545	1 813	WGBRF064126	INSERT CODE
1344	1163	618	16	1 292	1 379	1 529	1 648	1 934	WGBRF064134	INSERT CODE
1426	1236	656	17	1 372	1 465	1 624	1 751	2 055	WGBRF064142	INSERT CODE



Price includes: radiator sold with set of bushes (3 x reducing bushes and 1 x blanking plug), bleed valve, wall brackets and straps.

Production time: up to 10 working days. 20 working days for various galvanic and polished finishes.
Delivery time: 3 – 5 working days in Europe.

Connections:



We recommend:



Angled regulating valve set and lockshield valve – Anthracite
TGERANT01: 206 EUR
Valve sets: p. 197.



Groups:

1. raw metal, metal alive
2. RAL colour selection, special colour selection
3. shaded burnish, full burnish
4. antique brass, antique copper
special finish with exposed ornament
5. galvanic copper, galvanic brass

The below are only radiators up to 17 sections big. However, it is possible to order bigger radiators. Radiators made up of 13 sections and more are delivered in two or more batteries.

Width [mm]	75°/65°/20°C [W]	55°/45°/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										
Height 660 mm – wall-mounted										
80	120	65	1	146	153	171	189	218	WGKAB066008	INSERT CODE
278	361	195	3	438	460	513	567	653	WGKAB066027	INSERT CODE
360	481	260	4	584	613	684	757	871	WGKAB066036	INSERT CODE
442	602	325	5	730	767	855	946	1 089	WGKAB066044	INSERT CODE
524	722	391	6	876	920	1 026	1 135	1 306	WGKAB066052	INSERT CODE
606	842	456	7	1 022	1 074	1 197	1 324	1 524	WGKAB066060	INSERT CODE
688	962	521	8	1 168	1 227	1 368	1 513	1 742	WGKAB066068	INSERT CODE
770	1083	586	9	1 314	1 380	1 539	1 702	1 960	WGKAB066077	INSERT CODE
852	1203	651	10	1 459	1 534	1 710	1 891	2 177	WGKAB066085	INSERT CODE
934	1323	716	11	1 605	1 687	1 881	2 081	2 395	WGKAB066093	INSERT CODE
1016	1444	781	12	1 751	1 840	2 052	2 270	2 613	WGKAB066101	INSERT CODE
1098	1564	846	13	1 897	1 994	2 223	2 459	2 830	WGKAB066109	INSERT CODE
1180	1684	911	14	2 043	2 147	2 395	2 648	3 048	WGKAB066118	INSERT CODE
1262	1805	976	15	2 189	2 300	2 566	2 837	3 266	WGKAB066126	INSERT CODE
1344	1925	1041	16	2 335	2 454	2 737	3 026	3 484	WGKAB066134	INSERT CODE
1426	2045	1107	17	2 481	2 607	2 908	3 215	3 701	WGKAB066142	INSERT CODE

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										
Height 720 mm – free-standing										
80	120	65	1	146	153	171	189	218	WGKAF072008	INSERT CODE
278	361	195	3	438	460	513	567	653	WGKAF072027	INSERT CODE
360	481	260	4	584	613	684	757	871	WGKAF072036	INSERT CODE
442	602	325	5	730	767	855	946	1 089	WGKAF072044	INSERT CODE
524	722	391	6	876	920	1 026	1 135	1 306	WGKAF072052	INSERT CODE
606	842	456	7	1 022	1 074	1 197	1 324	1 524	WGKAF072060	INSERT CODE
688	962	521	8	1 168	1 227	1 368	1 513	1 742	WGKAF072068	INSERT CODE
770	1083	586	9	1 314	1 380	1 539	1 702	1 960	WGKAF072077	INSERT CODE
852	1203	651	10	1 459	1 534	1 710	1 891	2 177	WGKAF072085	INSERT CODE
934	1323	716	11	1 605	1 687	1 881	2 081	2 395	WGKAF072093	INSERT CODE
1016	1444	781	12	1 751	1 840	2 052	2 270	2 613	WGKAF072101	INSERT CODE
1098	1564	846	13	1 897	1 994	2 223	2 459	2 830	WGKAF072109	INSERT CODE
1180	1684	911	14	2 043	2 147	2 395	2 648	3 048	WGKAF072118	INSERT CODE
1262	1805	976	15	2 189	2 300	2 566	2 837	3 266	WGKAF072126	INSERT CODE
1344	1925	1041	16	2 335	2 454	2 737	3 026	3 484	WGKAF072134	INSERT CODE
1426	2045	1107	17	2 481	2 607	2 908	3 215	3 701	WGKAF072142	INSERT CODE



Price includes: radiator sold with set of bushes (3 x reducing bushes and 1 x blanking plug), bleed valve, wall brackets and straps.

Production time: up to 10 working days. 20 working days for various galvanic and polished finishes.
Delivery time: 3 – 5 working days in Europe.

Connections:



We recommend:



Angled regulating valve set and lockshield valve – Anthracite
TGERANT01: 206 EUR
Valve sets: p. 197.



Groups:

1. raw metal, metal alive
2. RAL colour selection, special colour selection
3. shaded burnish, full burnish
4. antique brass, antique copper
special finish with exposed ornament
5. galvanic copper, galvanic brass

The below are only radiators up to 17 sections big. However, it is possible to order bigger radiators. Radiators made up of 13 sections and more are delivered in two or more batteries.

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										

Height 410 mm – wall-mounted

80	86	44	1	108	114	120	142	154	WGOXB041008	INSERT CODE
278	257	133	3	323	341	360	425	463	WGOXB041027	INSERT CODE
360	343	177	4	430	455	480	567	617	WGOXB041036	INSERT CODE
442	429	222	5	538	568	600	709	771	WGOXB041044	INSERT CODE
524	515	266	6	645	682	720	851	925	WGOXB041052	INSERT CODE
606	601	310	7	753	796	840	993	1 080	WGOXB041060	INSERT CODE
688	686	355	8	860	909	960	1 134	1 234	WGOXB041068	INSERT CODE
770	772	399	9	968	1 023	1 080	1 276	1 388	WGOXB041077	INSERT CODE
852	858	443	10	1 076	1 137	1 200	1 418	1 542	WGOXB041085	INSERT CODE
934	944	488	11	1 183	1 250	1 320	1 560	1 697	WGOXB041093	INSERT CODE
1016	1030	532	12	1 291	1 364	1 440	1 702	1 851	WGOXB041101	INSERT CODE
1098	1115	577	13	1 398	1 478	1 560	1 843	2 005	WGOXB041109	INSERT CODE
1180	1201	621	14	1 506	1 591	1 680	1 985	2 159	WGOXB041118	INSERT CODE
1262	1287	665	15	1 613	1 705	1 800	2 127	2 314	WGOXB041126	INSERT CODE
1344	1373	710	16	1 721	1 819	1 920	2 269	2 468	WGOXB041134	INSERT CODE
1426	1459	754	17	1 828	1 932	2 040	2 411	2 622	WGOXB041142	INSERT CODE

Height 470 mm – free-standing

80	86	44	1	108	114	120	142	154	WGOXF047008	INSERT CODE
278	257	133	3	323	341	360	425	463	WGOXF047027	INSERT CODE
360	343	177	4	430	455	480	567	617	WGOXF047036	INSERT CODE
442	429	222	5	538	568	600	709	771	WGOXF047044	INSERT CODE
524	515	266	6	645	682	720	851	925	WGOXF047052	INSERT CODE
606	601	310	7	753	796	840	993	1 080	WGOXF047060	INSERT CODE
688	686	355	8	860	909	960	1 134	1 234	WGOXF047068	INSERT CODE
770	772	399	9	968	1 023	1 080	1 276	1 388	WGOXF047077	INSERT CODE

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										
852	858	443	10	1 076	1 137	1 200	1 418	1 542	WGOXF047085	INSERT CODE
934	944	488	11	1 183	1 250	1 320	1 560	1 697	WGOXF047093	INSERT CODE
1016	1030	532	12	1 291	1 364	1 440	1 702	1 851	WGOXF047101	INSERT CODE
1098	1115	577	13	1 398	1 478	1 560	1 843	2 005	WGOXF047109	INSERT CODE
1180	1201	621	14	1 506	1 591	1 680	1 985	2 159	WGOXF047118	INSERT CODE
1262	1287	665	15	1 613	1 705	1 800	2 127	2 314	WGOXF047126	INSERT CODE
1344	1373	710	16	1 721	1 819	1 920	2 269	2 468	WGOXF047134	INSERT CODE
1426	1459	754	17	1 828	1 932	2 040	2 411	2 622	WGOXF047142	INSERT CODE

Height 660 mm – wall-mounted

80	143	76	1	144	154	163	194	211	WGOXB066008	INSERT CODE
278	429	227	3	433	463	489	582	632	WGOXB066027	INSERT CODE
360	572	303	4	578	617	652	776	843	WGOXB066036	INSERT CODE
442	715	379	5	722	771	815	970	1 054	WGOXB066044	INSERT CODE
524	858	454	6	867	925	978	1 164	1 264	WGOXB066052	INSERT CODE
606	1001	530	7	1 011	1 080	1 141	1 358	1 475	WGOXB066060	INSERT CODE
688	1144	606	8	1 155	1 234	1 304	1 552	1 686	WGOXB066068	INSERT CODE
770	1287	682	9	1 300	1 388	1 467	1 745	1 897	WGOXB066077	INSERT CODE
852	1430	757	10	1 444	1 542	1 630	1 939	2 107	WGOXB066085	INSERT CODE
934	1573	833	11	1 589	1 697	1 793	2 133	2 318	WGOXB066093	INSERT CODE
1016	1716	909	12	1 733	1 851	1 956	2 327	2 529	WGOXB066101	INSERT CODE
1098	1859	985	13	1 877	2 005	2 119	2 521	2 740	WGOXB066109	INSERT CODE
1180	2002	1060	14	2 022	2 159	2 282	2 715	2 950	WGOXB066118	INSERT CODE
1262	2145	1136	15	2 166	2 314	2 444	2 909	3 161	WGOXB066126	INSERT CODE
1344	2288	1212	16	2 311	2 468	2 607	3 103	3 372	WGOXB066134	INSERT CODE
1426	2431	1288	17	2 455	2 622	2 770	3 297	3 583	WGOXB066142	INSERT CODE

Height 710 mm – free-standing

80	143	76	1	144	154	163	194	211	WGOXF071008	INSERT CODE
278	429	227	3	433	463	489	582	632	WGOXF071027	INSERT CODE
360	572	303	4	578	617	652	776	843	WGOXF071036	INSERT CODE
442	715	379	5	722	771	815	970	1 054	WGOXF071044	INSERT CODE
524	858	454	6	867	925	978	1 164	1 264	WGOXF071052	INSERT CODE
606	1001	530	7	1 011	1 080	1 141	1 358	1 475	WGOXF071060	INSERT CODE
688	1144	606	8	1 155	1 234	1 304	1 552	1 686	WGOXF071068	INSERT CODE
770	1287	682	9	1 300	1 388	1 467	1 745	1 897	WGOXF071077	INSERT CODE
852	1430	757	10	1 444	1 542	1 630	1 939	2 107	WGOXF071085	INSERT CODE
934	1573	833	11	1 589	1 697	1 793	2 133	2 318	WGOXF071093	INSERT CODE
1016	1716	909	12	1 733	1 851	1 956	2 327	2 529	WGOXF071101	INSERT CODE
1098	1859	985	13	1 877	2 005	2 119	2 521	2 740	WGOXF071109	INSERT CODE
1180	2002	1060	14	2 022	2 159	2 282	2 715	2 950	WGOXF071118	INSERT CODE
1262	2145	1136	15	2 166	2 314	2 444	2 909	3 161	WGOXF071126	INSERT CODE
1344	2288	1212	16	2 311	2 468	2 607	3 103	3 372	WGOXF071134	INSERT CODE
1426	2431	1288	17	2 455	2 622	2 770	3 297	3 583	WGOXF071142	INSERT CODE

Plain



Price includes: radiator sold with set of bushes (3 x reducing bushes and 1 x blanking plug), bleed valve, wall brackets and straps.

Production time: up to 10 working days. 20 working days for various galvanic and polished finishes.
Delivery time: 3 – 5 working days in Europe.

Connections:



We recommend:



Angled regulating valve set and lockshield valve – Anthracite

TGERAN002: 237 EUR

Valve sets: p. 197.



Groups:

1. raw metal, metal alive
2. RAL colour selection, special colour selection
3. shaded burnish, full burnish
4. antique brass, antique copper,
5. galvanic copper, galvanic brass, polished

The below are only radiators up to 17 sections big. However, it is possible to order bigger radiators. Radiators made up of 13 sections and more are delivered in two or more batteries.

Width [mm]	75°/65°/20°C [W]	55°/45°/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										

Height 460 mm – wall-mounted

80	86	46	1	100	106	116	129	148	WGPLB046008	INSERT CODE
278	259	137	3	300	317	349	388	444	WGPLB046027	INSERT CODE
360	345	183	4	401	422	466	517	592	WGPLB046036	INSERT CODE
442	432	228	5	501	528	582	647	740	WGPLB046044	INSERT CODE
524	518	274	6	601	634	699	776	887	WGPLB046052	INSERT CODE
606	604	320	7	701	739	815	906	1 035	WGPLB046060	INSERT CODE
688	690	365	8	801	845	932	1 035	1 183	WGPLB046068	INSERT CODE
770	777	411	9	901	950	1 048	1 164	1 331	WGPLB046077	INSERT CODE
852	863	457	10	1 001	1 056	1 165	1 294	1 479	WGPLB046085	INSERT CODE
934	949	503	11	1 101	1 161	1 281	1 423	1 627	WGPLB046093	INSERT CODE
1016	1036	548	12	1 202	1 267	1 398	1 552	1 775	WGPLB046101	INSERT CODE
1098	1122	594	13	1 302	1 373	1 514	1 682	1 923	WGPLB046109	INSERT CODE
1180	1208	640	14	1 402	1 478	1 631	1 811	2 071	WGPLB046118	INSERT CODE
1262	1295	685	15	1 502	1 584	1 747	1 941	2 219	WGPLB046126	INSERT CODE
1344	1381	731	16	1 602	1 689	1 864	2 070	2 367	WGPLB046134	INSERT CODE
1426	1467	777	17	1 702	1 795	1 980	2 199	2 515	WGPLB046142	INSERT CODE

Height 520 mm – free-standing

80	86	46	1	100	106	116	129	148	WGPLF052008	INSERT CODE
278	259	137	3	300	317	349	388	444	WGPLF052027	INSERT CODE
360	345	183	4	401	422	466	517	592	WGPLF052036	INSERT CODE
442	432	228	5	501	528	582	647	740	WGPLF052044	INSERT CODE
524	518	274	6	601	634	699	776	887	WGPLF052052	INSERT CODE
606	604	320	7	701	739	815	906	1 035	WGPLF052060	INSERT CODE
688	690	365	8	801	845	932	1 035	1 183	WGPLF052068	INSERT CODE
770	777	411	9	901	950	1 048	1 164	1 331	WGPLF052077	INSERT CODE

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										
852	863	457	10	1 001	1 056	1 165	1 294	1 479	WGPLF052085	INSERT CODE
934	949	503	11	1 101	1 161	1 281	1 423	1 627	WGPLF052093	INSERT CODE
1016	1036	548	12	1 202	1 267	1 398	1 552	1 775	WGPLF052101	INSERT CODE
1098	1122	594	13	1 302	1 373	1 514	1 682	1 923	WGPLF052109	INSERT CODE
1180	1208	640	14	1 402	1 478	1 631	1 811	2 071	WGPLF052118	INSERT CODE
1262	1295	685	15	1 502	1 584	1 747	1 941	2 219	WGPLF052126	INSERT CODE
1344	1381	731	16	1 602	1 689	1 864	2 070	2 367	WGPLF052134	INSERT CODE
1426	1467	777	17	1 702	1 795	1 980	2 199	2 515	WGPLF052142	INSERT CODE

Height 560 mm – wall-mounted

80	103	54	1	108	116	126	142	169	WGPLB056008	INSERT CODE
278	308	163	3	324	348	377	426	508	WGPLB056027	INSERT CODE
360	410	217	4	432	464	503	568	677	WGPLB056036	INSERT CODE
442	513	271	5	540	580	628	710	846	WGPLB056044	INSERT CODE
524	615	325	6	648	696	754	852	1 016	WGPLB056052	INSERT CODE
606	718	379	7	756	812	880	994	1 185	WGPLB056060	INSERT CODE
688	820	434	8	864	928	1 005	1 136	1 354	WGPLB056068	INSERT CODE
770	923	488	9	972	1 045	1 131	1 278	1 524	WGPLB056077	INSERT CODE
852	1025	542	10	1 080	1 161	1 257	1 420	1 693	WGPLB056085	INSERT CODE
934	1128	596	11	1 188	1 277	1 382	1 562	1 862	WGPLB056093	INSERT CODE
1016	1230	650	12	1 296	1 393	1 508	1 704	2 032	WGPLB056101	INSERT CODE
1098	1333	705	13	1 404	1 509	1 634	1 846	2 201	WGPLB056109	INSERT CODE
1180	1435	759	14	1 512	1 625	1 759	1 988	2 370	WGPLB056118	INSERT CODE
1262	1538	813	15	1 620	1 741	1 885	2 130	2 539	WGPLB056126	INSERT CODE
1344	1640	867	16	1 728	1 857	2 011	2 272	2 709	WGPLB056134	INSERT CODE
1426	1743	921	17	1 836	1 973	2 136	2 414	2 878	WGPLB056142	INSERT CODE

Height 620 mm – free-standing

80	103	54	1	108	116	126	142	169	WGPLF062008	INSERT CODE
278	308	163	3	324	348	377	426	508	WGPLF062027	INSERT CODE
360	410	217	4	432	464	503	568	677	WGPLF062036	INSERT CODE
442	513	271	5	540	580	628	710	846	WGPLF062044	INSERT CODE
524	615	325	6	648	696	754	852	1 016	WGPLF062052	INSERT CODE
606	718	379	7	756	812	880	994	1 185	WGPLF062060	INSERT CODE
688	820	434	8	864	928	1 005	1 136	1 354	WGPLF062068	INSERT CODE
770	923	488	9	972	1 045	1 131	1 278	1 524	WGPLF062077	INSERT CODE
852	1025	542	10	1 080	1 161	1 257	1 420	1 693	WGPLF062085	INSERT CODE
934	1128	596	11	1 188	1 277	1 382	1 562	1 862	WGPLF062093	INSERT CODE
1016	1230	650	12	1 296	1 393	1 508	1 704	2 032	WGPLF062101	INSERT CODE
1098	1333	705	13	1 404	1 509	1 634	1 846	2 201	WGPLF062109	INSERT CODE

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
				Price [EUR]						
1180	1435	759	14	1 512	1 625	1 759	1 988	2 370	WGPLF062118	INSERT CODE
1262	1538	813	15	1 620	1 741	1 885	2 130	2 539	WGPLF062126	INSERT CODE
1344	1640	867	16	1 728	1 857	2 011	2 272	2 709	WGPLF062134	INSERT CODE
1426	1743	921	17	1 836	1 973	2 136	2 414	2 878	WGPLF062142	INSERT CODE

Height 660 mm – wall-mounted

80	124	66	1	131	141	151	171	200	WGPLB066008	INSERT CODE
278	372	198	3	393	423	454	512	601	WGPLB066027	INSERT CODE
360	496	265	4	524	564	606	682	802	WGPLB066036	INSERT CODE
442	620	331	5	656	705	757	853	1 002	WGPLB066044	INSERT CODE
524	744	397	6	787	846	908	1 024	1 203	WGPLB066052	INSERT CODE
606	868	463	7	918	987	1 060	1 194	1 403	WGPLB066060	INSERT CODE
688	992	529	8	1 049	1 127	1 211	1 365	1 604	WGPLB066068	INSERT CODE
770	1116	595	9	1 180	1 268	1 363	1 535	1 804	WGPLB066077	INSERT CODE
852	1240	661	10	1 311	1 409	1 514	1 706	2 005	WGPLB066085	INSERT CODE
934	1364	728	11	1 442	1 550	1 665	1 877	2 205	WGPLB066093	INSERT CODE
1016	1488	794	12	1 573	1 691	1 817	2 047	2 406	WGPLB066101	INSERT CODE
1098	1612	860	13	1 704	1 832	1 968	2 218	2 606	WGPLB066109	INSERT CODE
1180	1736	926	14	1 836	1 973	2 120	2 388	2 807	WGPLB066118	INSERT CODE
1262	1860	992	15	1 967	2 114	2 271	2 559	3 007	WGPLB066126	INSERT CODE
1344	1984	1058	16	2 098	2 255	2 422	2 730	3 208	WGPLB066134	INSERT CODE
1426	2108	1124	17	2 229	2 396	2 574	2 900	3 408	WGPLB066142	INSERT CODE

Height 720 mm – free-standing

80	124	66	1	131	141	151	171	200	WGPLF072008	INSERT CODE
278	372	198	3	393	423	454	512	601	WGPLF072027	INSERT CODE
360	496	265	4	524	564	606	682	802	WGPLF072036	INSERT CODE
442	620	331	5	656	705	757	853	1 002	WGPLF072044	INSERT CODE
524	744	397	6	787	846	908	1 024	1 203	WGPLF072052	INSERT CODE
606	868	463	7	918	987	1 060	1 194	1 403	WGPLF072060	INSERT CODE
688	992	529	8	1 049	1 127	1 211	1 365	1 604	WGPLF072068	INSERT CODE
770	1116	595	9	1 180	1 268	1 363	1 535	1 804	WGPLF072077	INSERT CODE
852	1240	661	10	1 311	1 409	1 514	1 706	2 005	WGPLF072085	INSERT CODE
934	1364	728	11	1 442	1 550	1 665	1 877	2 205	WGPLF072093	INSERT CODE
1016	1488	794	12	1 573	1 691	1 817	2 047	2 406	WGPLF072101	INSERT CODE
1098	1612	860	13	1 704	1 832	1 968	2 218	2 606	WGPLF072109	INSERT CODE
1180	1736	926	14	1 836	1 973	2 120	2 388	2 807	WGPLF072118	INSERT CODE
1262	1860	992	15	1 967	2 114	2 271	2 559	3 007	WGPLF072126	INSERT CODE

Width [mm]	75/65/20°C [W]	55/45/20°C [W]	Number of sections	Group 1	Group 2	Group 3	Group 4	Group 5	Product Code	Conf. code p. 220. ▶
Price [EUR]										
1344	1984	1058	16	2 098	2 255	2 422	2 730	3 208	WGPLF072134	INSERT CODE
1426	2108	1124	17	2 229	2 396	2 574	2 900	3 408	WGPLF072142	INSERT CODE

Height 860 mm – wall-mounted

80	161	86	1	148	158	173	203	228	WGPLB086008	INSERT CODE
278	483	258	3	443	474	519	609	685	WGPLB086027	INSERT CODE
360	644	344	4	591	632	692	812	914	WGPLB086036	INSERT CODE
442	805	429	5	738	790	865	1 016	1 142	WGPLB086044	INSERT CODE
524	966	515	6	886	948	1 038	1 219	1 370	WGPLB086052	INSERT CODE
606	1127	601	7	1 034	1 106	1 211	1 422	1 599	WGPLB086060	INSERT CODE
688	1288	687	8	1 182	1 264	1 384	1 625	1 827	WGPLB086068	INSERT CODE
770	1449	773	9	1 329	1 422	1 557	1 828	2 056	WGPLB086077	INSERT CODE
852	1610	859	10	1 477	1 579	1 730	2 031	2 284	WGPLB086085	INSERT CODE
934	1771	945	11	1 625	1 737	1 903	2 234	2 513	WGPLB086093	INSERT CODE
1016	1932	1031	12	1 772	1 895	2 076	2 437	2 741	WGPLB086101	INSERT CODE
1098	2093	1116	13	1 920	2 053	2 249	2 640	2 969	WGPLB086109	INSERT CODE
1180	2254	1202	14	2 068	2 211	2 422	2 843	3 198	WGPLB086118	INSERT CODE
1262	2415	1288	15	2 215	2 369	2 595	3 047	3 426	WGPLB086126	INSERT CODE
1344	2576	1374	16	2 363	2 527	2 768	3 250	3 655	WGPLB086134	INSERT CODE
1426	2737	1460	17	2 511	2 685	2 941	3 453	3 883	WGPLB086142	INSERT CODE

Height 920 mm – free-standing

80	161	86	1	148	158	173	203	228	WGPLF092008	INSERT CODE
278	483	258	3	443	474	519	609	685	WGPLF092027	INSERT CODE
360	644	344	4	591	632	692	812	914	WGPLF092036	INSERT CODE
442	805	429	5	738	790	865	1 016	1 142	WGPLF092044	INSERT CODE
524	966	515	6	886	948	1 038	1 219	1 370	WGPLF092052	INSERT CODE
606	1127	601	7	1 034	1 106	1 211	1 422	1 599	WGPLF092060	INSERT CODE
688	1288	687	8	1 182	1 264	1 384	1 625	1 827	WGPLF092068	INSERT CODE
770	1449	773	9	1 329	1 422	1 557	1 828	2 056	WGPLF092077	INSERT CODE
852	1610	859	10	1 477	1 579	1 730	2 031	2 284	WGPLF092085	INSERT CODE
934	1771	945	11	1 625	1 737	1 903	2 234	2 513	WGPLF092093	INSERT CODE
1016	1932	1031	12	1 772	1 895	2 076	2 437	2 741	WGPLF092101	INSERT CODE
1098	2093	1116	13	1 920	2 053	2 249	2 640	2 969	WGPLF092109	INSERT CODE
1180	2254	1202	14	2 068	2 211	2 422	2 843	3 198	WGPLF092118	INSERT CODE
1262	2415	1288	15	2 215	2 369	2 595	3 047	3 426	WGPLF092126	INSERT CODE
1344	2576	1374	16	2 363	2 527	2 768	3 250	3 655	WGPLF092134	INSERT CODE
1426	2737	1460	17	2 511	2 685	2 941	3 453	3 883	WGPLF092142	INSERT CODE


Aero H



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections: For SX connection, we recommend:



3-axis thermostatic valve, chrome

WRZTCG1-CR: 139 EUR

WRZTCG2-CR: 139 EUR

Valve sets: page 172.



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.



HANDY VIP hanger,
chrome

TGWCR005: 15 EUR

Shelves and hangers:
page 162.



Yolhanger, assorted
colours

WRWYOY001: 3 EUR

Shelves and hangers:
page 170.



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
325	900	290	160	509	-	WGARH032090	INSERT CODE
325	1200	388	214	535	-	WGARH032120	INSERT CODE
325	1500	485	267	560	-	WGARH032150	INSERT CODE
325	1800	582	320	598	-	WGARH032180	INSERT CODE
410	1200	480	265	560	-	WGARH041120	INSERT CODE
410	1500	600	330	585	-	WGARH041150	INSERT CODE
410	1800	720	396	636	-	WGARH041180	INSERT CODE


Aero HG



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections: For SX connection, we recommend:



3-axis thermostatic valve, chrome

WRZTCG1-CR: 139 EUR

WRZTCG2-CR: 139 EUR

Valve sets: page 172.



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.



HANDY VIP hanger,
chrome

TGWCR005: 15 EUR

Shelves and hangers:
page 162.



Yolhanger, assorted
colours

WRWYOY001: 3 EUR

Shelves and hangers:
page 170.



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
370	900	290	160	499	-	WGARG037090	INSERT CODE
370	1200	388	214	524	-	WGARG037120	INSERT CODE
370	1500	485	267	550	-	WGARG037150	INSERT CODE
370	1800	582	320	588	-	WGARG037180	INSERT CODE
455	1200	480	265	550	-	WGARG045120	INSERT CODE
455	1500	600	330	575	-	WGARG045150	INSERT CODE
455	1800	720	396	626	-	WGARG045180	INSERT CODE

Aero V




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valve, chrome



WRZTCG1-CR: 139 EUR



WRZTCG2-CR: 139 EUR

Valve sets: [page 172](#).

Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: [194](#).

HANDY VIP hanger,
chrome

TGWCR005: 15 EUR

Shelves and hangers:
[page 162](#).




Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220 ▶
900	325	286	149	514	-	WGARV090032	INSERT CODE
1200	325	366	190	539	-	WGARV120032	INSERT CODE
1200	410	458	237	565	-	WGARV120041	INSERT CODE
1500	325	446	229	565	-	WGARV150032	INSERT CODE
1500	410	558	286	590	-	WGARV150041	INSERT CODE
1800	325	526	268	603	-	WGARV180032	INSERT CODE
1800	410	657	334	642	-	WGARV180041	INSERT CODE




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators

– [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

[Valve sets: page 172](#).



Pipe-masking set, chrome

TGPCR001: 22 EUR

[Pipe-masking sets: page 193](#).



Yo!hanger, assorted colours

WRWYOY001: 3 EUR

[Shelves and hangers: page 170](#).



MOA heating element, chrome

WEMOA*: 94 EUR

[Heating elements: page 143](#).

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65/20°C [W]	55 45/20°C [W]	[W]	75 65/20°C [W]	55 45/20°C [W]	[W]					
540	300	180	99	200	126	64	120	139	161	242	WGALE054030	INSERT CODE
540	400	238	129	200	167	85	200	143	165	261	WGALE054040	INSERT CODE
540	500	299	161	300	209	107	200	147	170	279	WGALE054050	INSERT CODE
540	600	355	190	400	249	127	300	151	176	296	WGALE054060	INSERT CODE
760	300	257	137	300	180	92	200	151	176	295	WGALE076030	INSERT CODE
760	400	330	177	300	231	118	200	157	183	320	WGALE076040	INSERT CODE
760	500	412	220	400	288	147	300	164	191	345	WGALE076050	INSERT CODE
760	600	481	257	600	337	172	400	174	204	371	WGALE076060	INSERT CODE
1140	300	362	194	400	253	129	300	177	208	394	WGALE114030	INSERT CODE
1140	400	479	194	400	335	171	400	188	222	437	WGALE114040	INSERT CODE
1140	500	591	313	600	414	211	400	200	236	477	WGALE114050	INSERT CODE
1140	600	711	380	800	498	254	600	214	254	516	WGALE114060	INSERT CODE
1580	500	793	425	800	555	283	600	234	279	609	WGALE158050	INSERT CODE
1580	600	949	508	1000	664	339	600	249	298	662	WGALE158060	INSERT CODE
1580	700	1104	591	1000	773	394	800	265	318	719	WGALE158070	INSERT CODE
1580	800	1253	670	1200	-	-	-	832	1 040	-	WGALE158080	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Alex One



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets:
[page 193](#).



Programmer TTIR1

TGRTBI001: 97 EUR


Heating elements, TTIR1 and DTIR1:
[page 143](#).



Yo!hanger, assorted colours


WRWYOY001: 3 EUR

Shelves and hangers:
[page 170](#).



Electric radiators

— [page 136](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
760	300	257	137	300	180	92	200	230	255	374	WZALN076030	INSERT CODE
760	400	330	177	300	231	118	200	236	262	399	WZALN076040	INSERT CODE
760	500	412	220	400	288	147	300	243	271	424	WZALN076050	INSERT CODE
760	600	481	257	600	337	172	400	253	283	450	WZALN076060	INSERT CODE
1140	300	362	194	400	253	129	300	256	286	473	WZALN114030	INSERT CODE
1140	400	479	257	400	335	171	400	267	301	515	WZALN114040	INSERT CODE
1140	500	591	313	600	414	211	400	279	315	556	WZALN114050	INSERT CODE
1140	600	711	380	800	498	254	600	293	333	595	WZALN114060	INSERT CODE
1580	500	793	425	800	555	283	600	313	358	688	WZALN158050	INSERT CODE
1580	600	949	508	1000	664	339	600	329	377	741	WZALN158060	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black


Angus DW (division wall)




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators
– **page 110.**



For ZX, Y1, Y8, YL and YP connections, we recommend:



Integrated straight thermostatic
valves set, chrome

WRZT5G3-CR: 143 EUR

WRZT5G4-CR: 143 EUR

Valve sets: [page 172.](#)



Integrated pipe-masking set,
chrome

TGPCR002: 34 EUR

Pipe-masking sets: [page 193.](#)



ZIP V 30 hanger, chrome
WRWZIP012: 39 EUR

Shelves and hangers: [page 162.](#)



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
1140	360	421	224	400	465	-	WGANS114036	INSERT CODE
1300	440	557	293	600	504	-	WGANS130044	INSERT CODE
1460	520	711	372	800	569	-	WGANS146052	INSERT CODE
1620	600	905	472	1000	620	-	WGANS162060	INSERT CODE
1780	680	1116	580	1200	697	-	WGANS178068	INSERT CODE

Angus H




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:

Height [mm] 360÷680:



Height [mm] 600÷680:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR


Valve sets: [page 172](#).



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



ZIP V 30 hanger, chrome

WRWZIP012: 39 EUR

Shelves and hangers: [page 162](#).

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220
360	1 140	416	227	400	369	-	WGANH036114	INSERT CODE
440	1 300	538	292	600	421	-	WGANH044130	INSERT CODE
520	1 460	680	366	800	500	-	WGANH052146	INSERT CODE
600	1 620	841	449	800	552	-	WGANH060162	INSERT CODE
680	1 780	1022	540	1000	631	-	WGANH068178	INSERT CODE


Angus V



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: page 172.



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.




ZIP V 30 hanger, chrome

WRWZIP012: 39 EUR

Shelves and hangers: page 162.



Electric radiators – page 110.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1140	360	421	224	400	369	-	WGANG114036	INSERT CODE
1300	440	557	293	600	421	-	WGANG130044	INSERT CODE
1460	520	711	372	800	500	-	WGANG146052	INSERT CODE
1620	600	905	472	1000	552	-	WGANG162060	INSERT CODE
1780	680	1116	580	1200	631	-	WGANG178068	INSERT CODE

Bone DW (division wall)



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators

– page 110.



For ZX and Z1 connections, we recommend:



Integrated straight thermostatic
valves set

WRZT5G3-CR: 143 EUR

WRZT5G4-CR: 143 EUR

Valve sets: page 172.



Integrated pipe-masking set,
chrome

TGPCR002: 34 EUR

Pipe-masking sets: page 193.



ZIP H 20 hanger, chrome

WRWZIP010: 36 EUR

Shelves and hangers: page 162.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1610	500	607	323	600	336	407	-	WGBSD161050	INSERT CODE
1910	500	764	404	800	365	442	-	WGBSD191050	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Bone




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set, chrome

TGPCR001: 22 EUR

Pipe-masking sets: [page 194](#).



ZIP H 20 hanger, chrome

WRWZIP010: 36 EUR

Shelves and hangers: [page 162](#).



Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
760	500	320	173	300	224	121	200	191	225	362	WGBON076050	INSERT CODE
760	600	384	208	400	269	145	300	196	231	389	WGBON076060	INSERT CODE
1260	500	503	271	600	352	190	400	218	259	445	WGBON126050	INSERT CODE
1260	600	603	325	600	422	227	400	227	269	501	WGBON126060	INSERT CODE
1510	500	607	323	600	425	226	400	248	296	599	WGBON151050	INSERT CODE
1510	600	728	387	800	510	271	600	258	308	669	WGBON151060	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Bone One



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators

– [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: [page 193](#).



ZIP H 20 hanger, chrome

WRWZIP010: 36 EUR

Shelves and hangers: [page 162](#).




Programmer

TTIR1

TGRTBI001: 97 EUR

Heating elements, TTIR1 and DTIR1: [page 143](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
760	500	320	173	300	224	121	200	270	304	440	WZBNN076050	INSERT CODE
760	600	384	208	400	269	145	300	275	311	468	WZBNN076060	INSERT CODE
1260	500	503	271	600	352	190	400	297	338	524	WZBNN126050	INSERT CODE
1260	600	603	325	600	422	227	400	306	349	580	WZBNN126060	INSERT CODE
1510	500	607	323	600	425	226	400	327	375	678	WZBNN151050	INSERT CODE
1510	600	728	387	800	510	271	600	337	387	748	WZBNN151060	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Cane




Colour included
in the price


Price includes: The radiator is sold with an integrated, angled thermostatic valve, SLIM thermostatic head and adapters for installation (Alupex Ø 16x2 and copper Ø 15).
All valve components are finished in chrome.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).




For Z1, Z8, Y1, Y8 connections, we recommend:



MOA heating element IR, chrome
WEMOR*: 105 EUR
[Heating elements: page 143.](#)



Programmer TTIR1
TGRTBI001: 97 EUR
[Heating elements, TTIR1 and DTIR1: page 143.](#)



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR
[Pipe-masking sets: page 193.](#)



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
1300	390	569	300	600	870	-	WGCAN130039	INSERT CODE
1600	390	670	354	800	966	-	WGCAN160039	INSERT CODE
1900	390	768	405	800	1 062	-	WGCAN190039	INSERT CODE

Case Slim




Colour included
in the price

Price includes: For connections ZX, Z1 and Z8 the radiator is sold with an integrated, angled thermostatic valve, SLIM thermostatic head and adapters for installation (Alupex Ø 16x2 and copper Ø 15). For SX connection, please consult the manufacturer for the best choice of a valve set. All valve components are finished in chrome.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set, chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).




Case towel rail

The first hanger bought with the radiator is available at a bonus price of 1 EUR, each next at a regular price.

Please specify the colour (p. 171), when you place an order.



Electric radiators – [page 110](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220
METAL								
585	900	438	229	400	958	-	WGCSS058090	INSERT CODE
585	1100	536	281	600	1 032	-	WGCSS058110	INSERT CODE
585	1300	634	332	600	1 108	-	WGCSS058130	INSERT CODE
1360	420	422	219	400	667	-	WGCSS136042	INSERT CODE
1360	520	523	271	600	710	-	WGCSS136052	INSERT CODE
1360	620	624	324	600	752	-	WGCSS136062	INSERT CODE
1585	420	470	243	400	699	-	WGCSS158042	INSERT CODE
1585	520	580	300	600	746	-	WGCSS158052	INSERT CODE
1585	620	693	358	800	796	-	WGCSS158062	INSERT CODE
1810	420	516	266	600	729	-	WGCSS181042	INSERT CODE
1810	520	639	330	600	782	-	WGCSS181052	INSERT CODE
1810	620	762	393	800	838	-	WGCSS181062	INSERT CODE
GLASS								
					RAL colours			
585	900	438	229	400	1 113	-	WGCSG058090	INSERT CODE
585	1100	536	281	600	941	-	WGCSG058110	INSERT CODE
585	1300	634	332	600	1 029	-	WGCSG058130	INSERT CODE
1360	420	422	219	400	775	-	WGCSG136042	INSERT CODE
1360	520	523	271	600	843	-	WGCSG136052	INSERT CODE
1360	620	624	324	600	909	-	WGCSG136062	INSERT CODE
1585	420	470	243	400	824	-	WGCSG158042	INSERT CODE
1585	520	580	300	600	900	-	WGCSG158052	INSERT CODE
1585	620	693	358	800	979	-	WGCSG158062	INSERT CODE
1810	420	516	266	600	871	-	WGCSG181042	INSERT CODE
1810	520	639	330	600	957	-	WGCSG181052	INSERT CODE
1810	620	762	393	800	1 046	-	WGCSG181062	INSERT CODE
MIRROR								
For Mirror choose RAL or special finish that will be visible on the sides of the radiator.								
585	900	438	229	400	777	-	WGCSM058090	INSERT CODE
585	1100	536	281	600	846	-	WGCSM058110	INSERT CODE

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
585	1300	634	332	600	917	-	WGCSM058130	INSERT CODE
1360	420	422	219	400	709	-	WGCSM136042	INSERT CODE
1360	520	523	271	600	762	-	WGCSM136052	INSERT CODE
1360	620	624	324	600	812	-	WGCSM136062	INSERT CODE
1585	420	470	243	400	748	-	WGCSM158042	INSERT CODE
1585	520	580	300	600	805	-	WGCSM158052	INSERT CODE
1585	620	693	358	800	866	-	WGCSM158062	INSERT CODE
1810	420	516	266	600	784	-	WGCSM181042	INSERT CODE
1810	520	639	330	600	849	-	WGCSM181052	INSERT CODE
1810	620	762	393	800	917	-	WGCSM181062	INSERT CODE
GLASS GRAPHICS		For Glass Graphics choose RAL or special finish that will be visible on the sides of the radiator.						
585	900	438	229	400	855	-	WGCSPO58090	INSERT CODE
585	1100	536	281	600	941	-	WGCSPO58110	INSERT CODE
585	1300	634	332	600	1 029	-	WGCSPO58130	INSERT CODE
1360	420	422	219	400	775	-	WGCSPO136042	INSERT CODE
1360	520	523	271	600	843	-	WGCSPO136052	INSERT CODE
1360	620	624	324	600	909	-	WGCSPO136062	INSERT CODE
1585	420	470	243	400	824	-	WGCSPO158042	INSERT CODE
1585	520	580	300	600	900	-	WGCSPO158052	INSERT CODE
1585	620	693	358	800	979	-	WGCSPO158062	INSERT CODE
1810	420	516	266	600	871	-	WGCSPO181042	INSERT CODE
1810	520	639	330	600	957	-	WGCSPO181052	INSERT CODE
1810	620	762	393	800	1 046	-	WGCSPO181062	INSERT CODE
CONCRETE		Textured finish (finish code: CRC)						
585	900	438	229	400	1 147	-	WGCSB058090	INSERT CODE
585	1100	536	281	600	1 262	-	WGCSB058110	INSERT CODE
585	1300	634	332	600	1 378	-	WGCSB058130	INSERT CODE
1360	420	422	219	400	817	-	WGCSB136042	INSERT CODE
1360	520	523	271	600	896	-	WGCSB136052	INSERT CODE
1360	620	624	324	600	973	-	WGCSB136062	INSERT CODE
1585	420	470	243	400	874	-	WGCSB158042	INSERT CODE
1585	520	580	300	600	962	-	WGCSB158052	INSERT CODE
1585	620	693	358	800	1 054	-	WGCSB158062	INSERT CODE
1810	420	516	266	600	928	-	WGCSB181042	INSERT CODE
1810	520	639	330	600	1 029	-	WGCSB181052	INSERT CODE
1810	620	762	393	800	1 132	-	WGCSB181062	INSERT CODE




Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:


Height [mm] 510÷1860



Height [mm] 780-1860:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



Pipe-masking set,
chrome

TGPCR001: 22 EUR

[Pipe-masking sets: 194.](#)



KTX4 BLUE heating element,
chrome

WEKB4*: 128 EUR

[Heating elements: page 143.](#)



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
510	500	304	164	300	259	-	WGCIT051050	INSERT CODE
510	600	362	195	400	268	-	WGCIT051060	INSERT CODE
780	500	455	245	400	289	-	WGCIT078050	INSERT CODE
780	600	541	291	600	303	-	WGCIT078060	INSERT CODE
1050	500	600	323	600	317	-	WGCIT105050	INSERT CODE
1050	600	714	384	800	335	-	WGCIT105060	INSERT CODE
1320	500	739	397	800	347	-	WGCIT132050	INSERT CODE
1320	600	879	473	800	366	-	WGCIT132060	INSERT CODE
1590	500	887	476	800	377	-	WGCIT159050	INSERT CODE
1590	600	1055	566	1000	400	-	WGCIT159060	INSERT CODE
1860	500	1032	553	1000	409	-	WGCIT186050	INSERT CODE
1860	600	1227	657	1200	439	-	WGCIT186060	INSERT CODE


City One



Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators

– [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome



WRZT5G5-CR: 149 EUR



WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking
set, chrome

TGPCR002: 34 EUR


Pipe-masking sets:
[page 193](#).



Programmer TTIR1

TGRTBI001: 97 EUR

Heating elements, TTIR1
and DTIR1: [page 143](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
780	500	455	245	400	369	-	WZCIN078050	INSERT CODE
780	600	541	291	600	382	-	WZCIN078060	INSERT CODE
1050	500	600	323	600	396	-	WZCIN105050	INSERT CODE
1050	600	714	384	800	414	-	WZCIN105060	INSERT CODE
1320	500	739	397	800	426	-	WZCIN132050	INSERT CODE
1320	600	879	473	800	445	-	WZCIN132060	INSERT CODE
1590	500	887	476	800	455	-	WZCIN159050	INSERT CODE
1590	600	1055	566	1000	479	-	WZCIN159060	INSERT CODE
1860	500	1032	553	1000	488	-	WZCIN186050	INSERT CODE

Cyklon H



Colour included
in the price

Price includes: The radiator is sold with an integrated, angled thermostatic valve with immersion tube, SLIM thermostatic head and adapters for installation (Alupex Ø 16x2 and copper Ø 15).
All valve components are finished in chrome.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



We recommend:



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: page 193.



KUKA 70 hanger, chrome

WRWKUK002: 39 EUR

Shelves and hangers: page 162.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
410	1000	408	212	872	-	WGCYH041100	INSERT CODE
410	1300	497	255	919	-	WGCYH041130	INSERT CODE
410	1600	587	298	965	-	WGCYH041160	INSERT CODE
495	1000	490	249	909	-	WGCYH049100	INSERT CODE
495	1300	597	299	975	-	WGCYH049130	INSERT CODE
495	1600	704	349	1 025	-	WGCYH049160	INSERT CODE
580	1300	697	342	1 025	-	WGCYH058130	INSERT CODE
580	1600	821	399	1 108	-	WGCYH058160	INSERT CODE

Cyklon V



Colour included
in the price

Price includes: The radiator is sold with an integrated, angled thermostatic valve, SLIM thermostatic head and adapters for installation (Alupex Ø 16x2 and copper Ø 15).
All valve components are finished in chrome.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



We recommend:



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: page 193.



KUKA 70 hanger, chrome

WRWKUK002: 39 EUR

Shelves and hangers: page 162.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1600	410	704	375	870	-	WGCYV160041	INSERT CODE
1600	495	845	451	930	-	WGCYV160049	INSERT CODE
1900	410	832	439	940	-	WGCYV190041	INSERT CODE
1900	495	999	528	1 000	-	WGCYV190049	INSERT CODE
1900	580	1166	616	1 070	-	WGCYV190058	INSERT CODE



Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:


Height [mm] 440÷1800



Height [mm] 440÷640



Height [mm] 1800÷2000



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR


Valve sets: page 172.



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.



Electric radiators (Height [mm] 440÷640) – page 110.




Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
440	820	705	370	800	244	-	WGDLF044082	INSERT CODE
440	1020	885	465	800	263	-	WGDLF044102	INSERT CODE
440	1220	1061	556	1000	288	-	WGDLF044122	INSERT CODE
540	820	846	442	800	248	-	WGDLF054082	INSERT CODE
540	1020	1057	552	1000	276	-	WGDLF054102	INSERT CODE
540	1220	1264	661	1200	327	-	WGDLF054122	INSERT CODE
640	820	986	514	1000	293	-	WGDLF064082	INSERT CODE
640	1020	1233	644	1200	327	-	WGDLF064102	INSERT CODE
640	1220	1458	760	1500	361	-	WGDLF064122	INSERT CODE
1800	500	1403	717	-	446	-	WGDLF180050	INSERT CODE
1800	580	1623	830	-	501	-	WGDLF180058	INSERT CODE
2000	500	1556	802	-	490	-	WGDLF200050	INSERT CODE
2000	580	1774	909	-	557	-	WGDLF200058	INSERT CODE

Dexter




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators — page 110.



For SX connection, we recommend:



Dexter regulating valve set, chrome
 TGERCD1-CR: 125 EUR
 TGERCD2-CR: 125 EUR



ZIP H 10 hanger, chrome
 WRWZIP008: 110 EUR
Shelves and hangers: page 162.



Pipe-masking set, chrome
 TGPCR001: 22 EUR
Pipe-masking sets: page 193.



Dexter thermostatic valve set, chrome
 TGETCG6-CR: 176 EUR
 TGETCG7-CR: 176 EUR
Valve sets: page 172.

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
860	400	323	174	300	225	117	200	203	239	436	WGDEX086040	INSERT CODE
860	500	394	212	400	281	147	300	208	247	457	WGDEX086050	INSERT CODE
860	600	464	250	400	337	176	400	215	256	489	WGDEX086060	INSERT CODE
1220	400	440	237	400	298	155	300	234	279	585	WGDEX122040	INSERT CODE
1220	500	541	291	600	373	194	400	242	289	606	WGDEX122050	INSERT CODE
1220	600	640	344	600	448	233	400	254	304	649	WGDEX122060	INSERT CODE
1760	400	618	332	600	421	218	400	305	368	705	WGDEX176040	INSERT CODE
1760	500	762	409	800	526	273	600	317	382	734	WGDEX176050	INSERT CODE
1760	600	906	487	1000	631	327	600	331	400	790	WGDEX176060	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black, Silver Mat

Dexter One



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve set with immersion tube, chrome



WRZT5G5-CR: 149 EUR



WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets:
[page 193](#).



Programmer TTIR1
TGRTBI001: 97 EUR

Heating elements, TTIR1 and
DTIR1:
[page 143](#).



Electric radiators

— [page 136](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221 ▶
		75/65/20°C [W]	55/45/20°C [W]	[W]	75/65/20°C [W]	55/45/20°C [W]	[W]					
860	400	323	174	300	225	117	200	282	319	515	WZDEN086040	INSERT CODE
860	500	394	212	400	281	147	300	287	326	536	WZDEN086050	INSERT CODE
860	600	464	250	400	337	176	400	294	335	568	WZDEN086060	INSERT CODE
1220	400	440	237	400	298	155	300	313	358	664	WZDEN122040	INSERT CODE
1220	500	541	291	600	373	194	400	322	369	685	WZDEN122050	INSERT CODE
1220	600	640	344	600	448	233	400	333	383	727	WZDEN122060	INSERT CODE
1760	400	618	332	600	421	218	400	384	447	784	WZDEN176040	INSERT CODE
1760	500	762	409	800	526	273	600	396	461	813	WZDEN176050	INSERT CODE
1760	600	906	487	1000	631	327	600	410	479	869	WZDEN176060	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black, Silver Mat

Dexter Pro



Price includes: Two angled lockshield valves with G1/2" internal thread. NOBLE TRV head - white or silver for corresponding colour radiators and chrome for other colours.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For Z8 and Z1 connections, we recommend:



One heating element, trapezium profile, chrome
WEOTL*: 110 EUR
WEOTP*: 110 EUR
Heating elements: page 143.



ZIP H 10 hanger, chrome
WRWZIP008: 110 EUR
Shelves and hangers: page 162.



Programmer TTIR1
TGRTBI001: 97 EUR
Heating elements, TTIR1 and DTIR1: page 143.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
860	400	326	173	300	308	372	-	WGDEP086040	INSERT CODE
860	500	408	216	400	315	381	-	WGDEP086050	INSERT CODE
860	600	488	259	600	322	390	-	WGDEP086060	INSERT CODE
1220	400	429	232	400	338	409	-	WGDEP122040	INSERT CODE
1220	500	536	289	600	349	423	-	WGDEP122050	INSERT CODE
1220	600	645	348	600	364	441	-	WGDEP122060	INSERT CODE
1760	400	601	323	600	395	480	-	WGDEP176040	INSERT CODE
1760	500	751	403	800	409	498	-	WGDEP176050	INSERT CODE
1760	600	900	483	1000	431	526	-	WGDEP176060	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black, Silver Mat

Dexter Pro One



Price includes: Two angled lockshield valves with G1/2" internal thread. NOBLE TRV head - white or silver for corresponding colour radiators and chrome for other colours.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Towel rail has a built-in One heating element.

Connections:



We recommend:



ZIP H 10 hanger, chrome
WRWZIP008: 110 EUR

Shelves and hangers: page 162.



Programmer TTIR1
TGRTBI001: 97 EUR

Heating elements, TTIR1 and DTIR1: page 143.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
860	400	326	173	300	387	451	-	WZDPN086040	INSERT CODE
860	500	408	216	400	394	460	-	WZDPN086050	INSERT CODE
860	600	488	259	600	401	469	-	WZDPN086060	INSERT CODE
1220	400	429	232	400	417	488	-	WZDPN122040	INSERT CODE
1220	500	536	289	600	428	502	-	WZDPN122050	INSERT CODE
1220	600	645	348	600	443	520	-	WZDPN122060	INSERT CODE
1760	400	601	323	600	474	559	-	WZDPN176040	INSERT CODE
1760	500	751	403	800	488	576	-	WZDPN176050	INSERT CODE
1760	600	900	483	1000	510	605	-	WZDPN176060	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black, Silver Mat


Diamond



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: [194](#).




SPARK hanger

Spark 1 – WRWSP1025: 42 EUR

Spark 2 – WRWSP2025: 42 EUR


Spark 3 – WRWSP3025: 42 EUR

Shelves and hangers: [page 162](#).



Electric radiators

– [page 110](#).




Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220
		75/65/20°C [W]	55/45/20°C [W]	 [W]	75/65/20°C [W]	55/45/20°C [W]	 [W]				
880	400	270	146	300	189	102	200	296	596	WGDIM088040	INSERT CODE
880	500	320	174	300	224	122	200	301	617	WGDIM088050	INSERT CODE
880	600	367	199	400	257	139	300	308	641	WGDIM088060	INSERT CODE
1120	400	340	184	400	238	129	200	338	666	WGDIM112040	INSERT CODE
1120	500	400	217	400	280	152	300	345	695	WGDIM112050	INSERT CODE
1120	600	461	249	400	323	174	300	353	726	WGDIM112060	INSERT CODE
1360	400	410	221	400	287	155	300	381	739	WGDIM136040	INSERT CODE
1360	500	484	261	600	339	183	400	389	774	WGDIM136050	INSERT CODE
1360	600	554	299	600	388	209	400	398	808	WGDIM136060	INSERT CODE
1600	400	480	259	400	336	181	400	420	811	WGDIM160040	INSERT CODE
1600	500	563	304	600	394	213	400	429	849	WGDIM160050	INSERT CODE
1600	600	647	349	600	453	244	400	440	892	WGDIM160060	INSERT CODE




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



Pipe-masking set, chrome
TGPCR001: 22 EUR
[Pipe-masking sets: 194.](#)



Yolhanger, assorted colours
WRWYOY001: 3 EUR
[Shelves and hangers: page 170.](#)



Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65/20°C [W]	55 45/20°C [W]	☺ [W]	75 65/20°C [W]	55 45/20°C [W]	☺ [W]					
786	400	296	161	300	207	106	200	147	170	331	WGDOM078040	INSERT CODE
786	500	369	199	400	258	132	300	153	178	359	WGDOM078050	INSERT CODE
786	600	435	235	400	305	155	300	162	189	386	WGDOM078060	INSERT CODE
1116	400	413	222	400	289	147	300	168	196	428	WGDOM111040	INSERT CODE
1116	500	513	274	600	359	183	400	179	211	469	WGDOM111050	INSERT CODE
1116	600	620	331	600	434	221	400	191	225	511	WGDOM111060	INSERT CODE
1479	400	533	284	600	373	190	400	197	232	497	WGDOM147040	INSERT CODE
1479	500	663	346	600	464	237	400	214	254	552	WGDOM147050	INSERT CODE
1479	600	800	425	800	560	286	600	234	279	622	WGDOM147060	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Easy




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



EASY solid wood shelf

WRPEAS020 BUK: 35 EUR

WRPEAS020 DAB: 38 EUR

WRPEAS020 TEK: 75 EUR

[Shelves and hangers: page 162.](#)



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
640	200	124	68	120	87	44	120	210	293	WGEAS064020	INSERT CODE
960	200	187	102	200	131	67	120	236	366	WGEAS096020	INSERT CODE
1280	200	251	136	300	176	90	200	275	438	WGEAS128020	INSERT CODE
1600	200	314	170	300	220	112	200	313	508	WGEAS160020	INSERT CODE
1920	200	378	204	400	-	-	-	353	-	WGEAS192020	INSERT CODE

Easy DW (division wall)



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For O1 connection, we recommend:



Integrated straight thermostatic valves set, chrome

WRZT5G7-CR: 149 EUR

[Valve sets: page 172.](#)



Integrated pipe-masker set, chrome

TGPCR002: 34 EUR

[Pipe-masker sets: page 193.](#)



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1660	200	314	170	300	393	-	WGEAW166020	INSERT CODE
1980	200	378	204	400	432	-	WGEAW198020	INSERT CODE

Easy One



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Towel rail has a built-in One heating element.

Connections:



Electric radiators – [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome




WRZT5G5-CR: 149 EUR



WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-mask set, chrome
TGPCR002: 34 EUR

Pipe-mask sets: [page 193](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).


Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
		75/65/20°C [W]	55/45/20°C [W]	[W]	75/65/20°C [W]	55/45/20°C [W]	[W]				
960	200	187	102	200	131	67	120	315	445	WZEAN096020	INSERT CODE
1280	200	251	136	300	176	90	200	354	517	WZEAN128020	INSERT CODE
1600	200	314	170	300	220	112	200	393	586	WZEAN160020	INSERT CODE
1920	200	378	204	400	-	-	-	432	-	WZEAN192020	INSERT CODE

Fiona




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



Pipe-masking set, chrome
TGPCR001: 22 EUR

[Pipe-masking sets: 194.](#)



Yohanger, assorted colours
WRWYOY001: 3 EUR

[Shelves and hangers: page 170.](#)



Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
660	400	241	128	300	169	90	200	146	170	332	WGFIN066040	INSERT CODE
660	430	255	136	300	179	95	200	147	172	340	WGFIN066043	INSERT CODE
660	480	280	149	300	196	104	200	149	174	352	WGFIN066048	INSERT CODE
660	500	289	154	300	202	108	200	150	176	358	WGFIN066050	INSERT CODE
660	530	304	162	300	212	113	200	152	179	366	WGFIN066053	INSERT CODE
660	580	327	175	300	229	123	200	154	182	382	WGFIN066058	INSERT CODE
660	600	336	180	400	235	126	200	155	183	386	WGFIN066060	INSERT CODE
660	630	350	188	400	245	132	300	157	185	394	WGFIN066063	INSERT CODE
660	680	373	200	400	261	140	300	159	189	407	WGFIN066068	INSERT CODE
900	400	322	172	300	225	120	200	156	184	383	WGFIN090040	INSERT CODE
900	430	342	182	400	240	127	300	158	187	392	WGFIN090043	INSERT CODE
900	480	375	200	400	262	140	300	161	191	409	WGFIN090048	INSERT CODE
900	500	388	206	400	272	144	300	162	193	416	WGFIN090050	INSERT CODE
900	530	407	217	400	285	152	300	164	195	426	WGFIN090053	INSERT CODE
900	580	438	234	400	307	164	300	166	200	455	WGFIN090058	INSERT CODE
900	600	451	241	400	316	169	300	167	201	459	WGFIN090060	INSERT CODE
900	630	469	251	400	329	176	300	171	205	471	WGFIN090063	INSERT CODE
900	680	500	267	600	350	187	400	173	209	487	WGFIN090068	INSERT CODE
1140	400	405	216	400	284	151	300	170	202	456	WGFIN114040	INSERT CODE
1140	430	430	228	400	301	160	300	171	204	467	WGFIN114043	INSERT CODE
1140	480	471	250	400	329	175	300	174	208	486	WGFIN114048	INSERT CODE
1140	500	487	259	600	341	181	400	175	210	493	WGFIN114050	INSERT CODE
1140	530	511	272	600	358	190	400	177	214	507	WGFIN114053	INSERT CODE
1140	580	550	293	600	385	205	400	182	220	535	WGFIN114058	INSERT CODE
1140	600	566	301	600	396	211	400	183	222	542	WGFIN114060	INSERT CODE
1140	630	589	314	600	413	220	400	187	227	557	WGFIN114063	INSERT CODE
1140	680	628	335	600	440	235	400	191	232	576	WGFIN114068	INSERT CODE
1380	400	488	260	600	342	182	400	182	217	508	WGFIN138040	INSERT CODE
1380	430	518	275	600	363	193	400	183	220	521	WGFIN138043	INSERT CODE
1380	480	568	301	600	397	211	400	188	227	546	WGFIN138048	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65/20°C [W]	55 45/20°C [W]	 [W]	75 65/20°C [W]	55 45/20°C [W]	 [W]					
1380	500	587	311	600	411	218	400	189	229	557	WGFIN138050	INSERT CODE
1380	530	616	327	600	431	229	400	193	234	572	WGFIN138053	INSERT CODE
1380	580	664	352	600	465	246	400	197	241	610	WGFIN138058	INSERT CODE
1380	600	683	363	800	478	254	400	198	243	619	WGFIN138060	INSERT CODE
1380	630	711	378	800	498	265	600	202	248	636	WGFIN138063	INSERT CODE
1380	680	757	402	800	530	281	600	206	254	661	WGFIN138068	INSERT CODE
1620	400	573	304	600	401	213	400	194	233	567	WGFIN162040	INSERT CODE
1620	430	608	322	600	426	225	400	197	238	584	WGFIN162043	INSERT CODE
1620	480	666	353	600	466	247	400	202	245	612	WGFIN162048	INSERT CODE
1620	500	689	365	800	482	256	600	203	248	623	WGFIN162050	INSERT CODE
1620	530	723	383	800	506	268	600	204	251	639	WGFIN162053	INSERT CODE
1620	580	779	413	800	545	289	600	209	258	683	WGFIN162058	INSERT CODE
1620	600	801	424	800	561	297	600	211	261	695	WGFIN162060	INSERT CODE
1620	630	834	442	800	584	309	600	216	267	713	WGFIN162063	INSERT CODE
1620	680	889	471	1000	622	330	600	221	274	742	WGFIN162068	INSERT CODE
1860	400	660	350	600	-	-	-	203	246	-	WGFIN186040	INSERT CODE
1860	430	700	370	800	-	-	-	207	252	-	WGFIN186043	INSERT CODE
1860	480	767	405	800	-	-	-	212	260	-	WGFIN186048	INSERT CODE
1860	500	793	419	800	-	-	-	214	263	-	WGFIN186050	INSERT CODE
1860	530	832	440	800	-	-	-	218	269	-	WGFIN186053	INSERT CODE
1860	580	897	474	1000	-	-	-	224	278	-	WGFIN186058	INSERT CODE
1860	600	922	487	1000	-	-	-	226	281	-	WGFIN186060	INSERT CODE
1860	630	960	507	1000	-	-	-	230	286	-	WGFIN186063	INSERT CODE
1860	680	1023	541	1000	-	-	-	235	294	-	WGFIN186068	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Fiona One




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators

– [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-marking set, chrome

TGPCR002: 34 EUR

Pipe-marking sets:
[page 193](#).



Programmer TTIR1

TGRTBI001: 97 EUR

Heating elements, TTIR1 and DTIR1:
[page 143](#).



Volhanger, assorted colours

WRWYOY001: 3 EUR

Shelves and hangers:
[page 170](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
900	400	305	162	400	214	113	200	235	263	462	WZFIE090040	INSERT CODE
900	430	342	182	400	240	127	300	237	265	471	WZFIE090043	INSERT CODE
900	480	375	200	400	262	140	300	240	270	488	WZFIE090048	INSERT CODE
900	500	382	203	400	267	142	300	241	272	494	WZFIE090050	INSERT CODE
900	530	407	217	400	285	152	300	243	275	505	WZFIE090053	INSERT CODE
900	580	438	234	400	307	164	300	245	278	534	WZFIE090058	INSERT CODE
900	600	458	244	400	321	171	300	246	280	538	WZFIE090060	INSERT CODE
900	630	469	251	400	329	176	300	249	284	550	WZFIE090063	INSERT CODE
900	680	500	267	400	350	187	300	252	288	566	WZFIE090068	INSERT CODE
1140	400	385	204	400	270	143	300	249	281	535	WZFIE114040	INSERT CODE
1140	430	430	228	400	301	160	300	250	283	546	WZFIE114043	INSERT CODE
1140	480	471	250	400	329	175	300	253	287	565	WZFIE114048	INSERT CODE
1140	500	481	256	400	337	179	400	254	289	572	WZFIE114050	INSERT CODE
1140	530	511	272	600	358	190	400	256	293	586	WZFIE114053	INSERT CODE
1140	580	550	293	600	385	205	400	261	299	614	WZFIE114058	INSERT CODE
1140	600	577	307	600	404	215	400	262	301	621	WZFIE114060	INSERT CODE
1140	630	589	314	600	413	220	400	266	306	636	WZFIE114063	INSERT CODE
1140	680	628	335	600	440	235	400	270	311	655	WZFIE114068	INSERT CODE
1380	400	464	246	600	325	172	400	261	296	587	WZFIE138040	INSERT CODE
1380	430	518	275	600	363	193	400	262	299	600	WZFIE138043	INSERT CODE
1380	480	568	301	600	397	211	400	266	306	625	WZFIE138048	INSERT CODE
1380	500	580	308	600	406	216	400	268	308	636	WZFIE138050	INSERT CODE
1380	530	616	327	600	431	229	400	272	313	652	WZFIE138053	INSERT CODE
1380	580	664	352	600	465	246	400	276	320	690	WZFIE138058	INSERT CODE
1380	600	696	370	600	487	259	400	278	322	698	WZFIE138060	INSERT CODE
1380	630	711	378	800	498	265	600	281	327	715	WZFIE138063	INSERT CODE
1380	680	757	402	800	530	281	600	285	333	740	WZFIE138068	INSERT CODE
1620	400	543	287	800	380	201	400	273	312	646	WZFIE162040	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
		75 65 20°C [W]	55 45 20°C [W]	 [W]	75 65 20°C [W]	55 45 20°C [W]	 [W]					
1620	430	608	322	600	426	225	400	276	317	663	WZFI162043	INSERT CODE
1620	480	666	353	600	466	247	400	281	324	691	WZFI162048	INSERT CODE
1620	500	679	359	600	475	251	600	282	327	702	WZFI162050	INSERT CODE
1620	530	723	383	800	506	268	600	284	329	718	WZFI162053	INSERT CODE
1620	580	779	413	800	545	289	600	288	337	762	WZFI162058	INSERT CODE
1620	600	815	432	800	571	302	600	290	340	774	WZFI162060	INSERT CODE
1620	630	834	442	800	584	309	600	295	346	792	WZFI162063	INSERT CODE
1620	680	889	471	800	622	330	600	299	353	821	WZFI162068	INSERT CODE
1860	400	623	329	800	-	-	-	282	325	-	WZFI186040	INSERT CODE
1860	430	700	370	800	-	-	-	286	330	-	WZFI186043	INSERT CODE
1860	480	767	405	800	-	-	-	291	339	-	WZFI186048	INSERT CODE
1860	500	778	411	800	-	-	-	293	342	-	WZFI186050	INSERT CODE
1860	530	832	440	800	-	-	-	297	347	-	WZFI186053	INSERT CODE
1860	580	897	474	1000	-	-	-	303	357	-	WZFI186058	INSERT CODE
1860	600	934	493	1000	-	-	-	305	360	-	WZFI186060	INSERT CODE
1860	630	960	507	1000	-	-	-	308	365	-	WZFI186063	INSERT CODE
1860	680	1023	541	1000	-	-	-	314	373	-	WZFI186068	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Incorner




Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:


Height [mm] 465÷1545:



Height [mm] 735÷1545



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).

Pipe-masking set, chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220 ▶
465	350	284	153	300	230	-	WGQIN046035	INSERT CODE
735	350	415	223	400	253	-	WGQIN073035	INSERT CODE
1005	350	546	293	600	265	-	WGQIN100035	INSERT CODE
1275	350	677	363	800	288	-	WGQIN127035	INSERT CODE
1545	350	808	433	800	323	-	WGQIN154035	INSERT CODE


Intra



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valve, chrome

WRZTCG1-CR: 139 EUR

WRZTCG2-CR: 139 EUR

Valve sets: [page 172](#).

Pipe-masking set, chrome

TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



ZIP V 20 hanger, chrome

WRWZIP011: 36 EUR

Shelves and hangers: [page 162](#).



Height [mm]	Width [mm]	Powder paint		Plating		RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220 ▶
		75 65 20°C [W]	55 45 20°C [W]	75 65 20°C [W]	55 45 20°C [W]				
1700	410	660	346	462	242	452	795	WGINB170041	INSERT CODE
1700	530	858	450	601	315	480	955	WGINB170053	INSERT CODE
1700	650	1056	554	739	387	521	1 103	WGINB170065	INSERT CODE
1900	410	756	388	-	-	480	-	WGINB190041	INSERT CODE
1900	530	982	506	-	-	507	-	WGINB190053	INSERT CODE
1900	650	1209	612	-	-	548	-	WGINB190065	INSERT CODE


Intra M



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valve, chrome

WRZTCG1-CR: 139 EUR

WRZTCG2-CR: 139 EUR

Valve sets: page 172.



Pipe-masking set, chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.



ZIP V 20 hanger, chrome

WRWZIP011: 36 EUR

Shelves and hangers: page 162.



Height [mm]	Width [mm]	Powder paint		Plating		RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65 20°C [W]	55 45 20°C [W]	75 65 20°C [W]	55 45 20°C [W]				
1700	440	528	277	370	192	534	796	WGINT170044	INSERT CODE
1700	540	660	346	462	240	562	910	WGINT170054	INSERT CODE
1700	640	925	485	647	337	603	1 124	WGINT170064	INSERT CODE
1900	440	600	308	-	-	562	-	WGINT190044	INSERT CODE
1900	540	762	392	-	-	589	-	WGINT190054	INSERT CODE
1900	640	995	503	-	-	630	-	WGINT190064	INSERT CODE

Kioto



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

Valve sets: page 172.



VTGPCR001: 22 EUR
Pipe-masking sets: page 193.



Electric radiators – page 110.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
555	480	324	176	300	303	-	WGKIO055048	INSERT CODE
870	480	476	255	400	332	-	WGKIO087048	INSERT CODE
1185	480	628	336	600	376	-	WGKIO118048	INSERT CODE
1500	480	780	415	800	420	-	WGKIO150048	INSERT CODE
1815	480	932	496	1000	464	-	WGKIO181048	INSERT CODE


Kioto One



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve set with immersion tube, chrome

WRZT5G5-CR: 149 EUR
WRZT5G6-CR: 149 EUR

Valve sets: page 172.




Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Electric radiators – page 136.



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to page 136.


Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
870	480	476	255	400	411	-	WZKIN087048	INSERT CODE
1185	480	628	336	600	455	-	WZKIN118048	INSERT CODE
1500	480	780	415	800	499	-	WZKIN150048	INSERT CODE
1815	480	932	496	1000	543	-	WZKIN181048	INSERT CODE

Lena



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



Electric radiators – [page 110](#).



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

Pipe masking set, chrome
TGPCR001: 22 EUR

Yolhanger, assorted colours
WRWYOY001: 3 EUR

WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

[Pipe masking sets: page 193.](#)

[Shelves and hangers: page 170.](#)

[Valve sets: page 172.](#)



Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]					
660	400	243	131	300	170	92	200	145	169	336	WGLEN066040	INSERT CODE
660	436	262	141	300	183	99	200	147	173	346	WGLEN066043	INSERT CODE
660	486	287	154	300	201	108	200	149	175	357	WGLEN066048	INSERT CODE
660	500	294	158	300	206	111	200	150	176	360	WGLEN066050	INSERT CODE
660	536	312	168	300	218	118	200	153	180	371	WGLEN066053	INSERT CODE
660	586	337	181	400	236	127	200	155	183	386	WGLEN066058	INSERT CODE
660	600	343	185	400	240	130	200	155	184	389	WGLEN066060	INSERT CODE
660	636	361	194	400	253	136	300	157	186	398	WGLEN066063	INSERT CODE
660	686	385	207	400	270	145	300	159	189	410	WGLEN066068	INSERT CODE
900	400	326	175	300	228	123	200	157	185	388	WGLEN090040	INSERT CODE
900	436	351	189	400	246	132	300	158	188	399	WGLEN090043	INSERT CODE
900	486	385	207	400	270	145	300	161	192	415	WGLEN090048	INSERT CODE
900	500	394	212	400	276	148	300	162	194	421	WGLEN090050	INSERT CODE
900	536	418	225	400	293	158	300	164	197	432	WGLEN090053	INSERT CODE
900	586	451	242	400	316	169	300	167	200	460	WGLEN090058	INSERT CODE
900	600	460	247	400	322	173	300	168	202	464	WGLEN090060	INSERT CODE
900	636	484	260	600	339	182	400	171	206	478	WGLEN090063	INSERT CODE
900	686	516	277	600	361	194	400	174	210	492	WGLEN090068	INSERT CODE
1140	400	409	219	400	286	153	300	171	203	461	WGLEN114040	INSERT CODE
1140	436	440	236	400	308	165	300	172	205	475	WGLEN114043	INSERT CODE
1140	486	483	259	600	338	181	400	174	210	495	WGLEN114048	INSERT CODE
1140	500	495	265	600	347	186	400	175	211	501	WGLEN114050	INSERT CODE
1140	536	525	281	600	368	197	400	178	215	515	WGLEN114053	INSERT CODE
1140	586	566	303	600	396	212	400	183	221	541	WGLEN114058	INSERT CODE
1140	600	578	310	600	405	217	400	183	223	547	WGLEN114060	INSERT CODE
1140	636	607	325	600	425	228	400	188	228	563	WGLEN114063	INSERT CODE
1140	686	648	347	600	454	243	400	191	234	584	WGLEN114068	INSERT CODE
1380	400	493	264	600	345	185	400	182	218	516	WGLEN138040	INSERT CODE
1380	436	530	284	600	371	199	400	183	221	531	WGLEN138043	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	 [W]	75 65 20°C [W]	55 45 20°C [W]	 [W]					
1380	486	582	311	600	407	218	400	188	228	555	WGLEN138048	INSERT CODE
1380	500	596	319	600	417	223	400	189	230	562	WGLEN138050	INSERT CODE
1380	536	632	338	600	442	237	400	194	236	581	WGLEN138053	INSERT CODE
1380	586	682	365	800	477	256	400	198	242	621	WGLEN138058	INSERT CODE
1380	600	696	372	800	487	260	600	199	244	626	WGLEN138060	INSERT CODE
1380	636	731	391	800	512	274	600	203	249	645	WGLEN138063	INSERT CODE
1380	686	780	417	800	546	292	600	207	255	669	WGLEN138068	INSERT CODE
1620	400	577	308	600	404	216	400	194	234	575	WGLEN162040	INSERT CODE
1620	436	621	332	600	435	232	400	198	239	595	WGLEN162043	INSERT CODE
1620	486	682	364	800	477	255	400	202	247	622	WGLEN162048	INSERT CODE
1620	500	698	373	800	489	261	600	204	249	631	WGLEN162050	INSERT CODE
1620	536	741	396	800	519	277	600	205	252	649	WGLEN162053	INSERT CODE
1620	586	799	427	800	559	299	600	210	259	694	WGLEN162058	INSERT CODE
1620	600	815	435	800	571	305	600	211	261	700	WGLEN162060	INSERT CODE
1620	636	857	457	800	600	320	600	216	268	723	WGLEN162063	INSERT CODE
1620	686	914	488	1000	640	342	600	221	276	752	WGLEN162068	INSERT CODE
1860	400	663	354	600	-	-	-	204	248	-	WGLEN186040	INSERT CODE
1860	436	714	381	800	-	-	-	207	254	-	WGLEN186043	INSERT CODE
1860	486	783	417	800	-	-	-	213	262	-	WGLEN186048	INSERT CODE
1860	500	802	427	800	-	-	-	214	264	-	WGLEN186050	INSERT CODE
1860	536	851	453	800	-	-	-	219	271	-	WGLEN186053	INSERT CODE
1860	586	918	489	1000	-	-	-	225	279	-	WGLEN186058	INSERT CODE
1860	600	937	499	1000	-	-	-	226	282	-	WGLEN186060	INSERT CODE
1860	636	984	524	1000	-	-	-	230	288	-	WGLEN186063	INSERT CODE
1860	686	1050	559	1000	-	-	-	236	296	-	WGLEN186068	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Lima




Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:

Height [mm] 300÷1700:




Height [mm] 500÷1700:



Height [mm] 820÷1700:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Yo!hanger, assorted
colours
WRWYOY001: 3 EUR

Shelves and hangers:
[page 170](#).



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220 ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
300	1000	290	159	-	203	104	-	178	397	WGLIM030100	INSERT CODE
300	1200	347	191	-	243	124	-	189	411	WGLIM030120	INSERT CODE
300	1400	405	223	-	284	145	-	197	438	WGLIM030140	INSERT CODE
500	300	144	79	120	101	51	120	145	370	WGLIM050030	INSERT CODE
500	400	192	105	200	134	69	120	150	384	WGLIM050040	INSERT CODE
500	500	241	131	200	169	86	200	158	397	WGLIM050050	INSERT CODE
500	600	282	153	300	197	101	200	168	425	WGLIM050060	INSERT CODE
500	700	324	176	300	227	116	200	171	438	WGLIM050070	INSERT CODE
500	1000	482	262	-	337	172	-	184	452	WGLIM050100	INSERT CODE
500	1200	578	314	-	405	206	-	197	494	WGLIM050120	INSERT CODE
500	1400	675	367	-	473	241	-	210	535	WGLIM050140	INSERT CODE
820	300	244	132	300	171	87	200	168	425	WGLIM082030	INSERT CODE
820	400	325	175	300	228	116	200	176	438	WGLIM082040	INSERT CODE
820	500	406	218	400	284	145	300	184	452	WGLIM082050	INSERT CODE
820	600	477	256	400	334	170	400	194	466	WGLIM082060	INSERT CODE
820	700	547	293	600	383	195	400	210	494	WGLIM082070	INSERT CODE
1140	300	345	185	400	242	123	300	197	466	WGLIM114030	INSERT CODE
1140	400	460	247	400	322	164	300	207	480	WGLIM114040	INSERT CODE
1140	500	574	308	600	402	205	400	223	494	WGLIM114050	INSERT CODE
1140	600	675	361	800	473	241	400	236	521	WGLIM114060	INSERT CODE
1140	700	776	415	800	543	277	600	251	562	WGLIM114070	INSERT CODE
1460	300	449	240	400	314	160	300	210	521	WGLIM146030	INSERT CODE
1460	400	599	319	600	419	214	400	223	535	WGLIM146040	INSERT CODE
1460	500	748	399	800	524	267	600	236	548	WGLIM146050	INSERT CODE
1460	600	879	468	800	615	314	600	249	576	WGLIM146060	INSERT CODE

Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	 [W]	75 65 20°C [W]	55 45 20°C [W]	 [W]				
1460	700	1009	537	1000	706	360	800	277	603	WGLIM146070	INSERT CODE
1700	300	527	280	600	369	188	400	249	562	WGLIM170030	INSERT CODE
1700	400	703	374	800	492	251	600	262	576	WGLIM170040	INSERT CODE
1700	500	878	466	800	615	313	600	275	603	WGLIM170050	INSERT CODE
1700	600	1031	547	1000	722	368	800	298	658	WGLIM170060	INSERT CODE
1700	700	1183	628	1200	828	422	800	327	714	WGLIM170070	INSERT CODE


Lima One



Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators

– [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-ma-
sking set, chrome

TGPCR002: 34 EUR

*Pipe-masking sets:
[page 193](#).*



Yolhanger, assorted
colours

WRWYOY001: 3 EUR

*Shelves and hangers:
[page 170](#).*



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).


Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221 ▶
		75/65/20°C [W]	55/45/20°C [W]	[W]	75/65/20°C [W]	55/45/20°C [W]	[W]				
820	300	244	132	300	171	87	200	247	504	WZLIE082030	INSERT CODE
820	400	325	175	300	228	116	200	255	518	WZLIE082040	INSERT CODE
820	500	406	218	400	284	145	200	263	531	WZLIE082050	INSERT CODE
820	600	477	256	400	334	170	300	273	545	WZLIE082060	INSERT CODE
820	700	547	293	600	383	195	300	289	573	WZLIE082070	INSERT CODE
1140	300	345	185	400	242	123	200	276	545	WZLIE114030	INSERT CODE
1140	400	460	247	400	322	164	300	286	559	WZLIE114040	INSERT CODE
1140	500	574	308	600	402	205	400	302	573	WZLIE114050	INSERT CODE
1140	600	675	361	800	473	241	400	315	600	WZLIE114060	INSERT CODE
1140	700	776	415	800	543	277	500	330	641	WZLIE114070	INSERT CODE
1460	300	449	240	400	314	160	300	289	600	WZLIE146030	INSERT CODE
1460	400	599	319	600	419	214	400	302	614	WZLIE146040	INSERT CODE
1460	500	748	399	800	524	267	500	315	627	WZLIE146050	INSERT CODE
1460	600	879	468	800	615	314	600	328	655	WZLIE146060	INSERT CODE
1460	700	1009	537	1000	706	360	700	356	683	WZLIE146070	INSERT CODE
1700	300	527	280	600	369	188	300	328	641	WZLIE170030	INSERT CODE
1700	400	703	374	800	492	251	400	341	655	WZLIE170040	INSERT CODE
1700	500	878	466	800	615	313	600	354	683	WZLIE170050	INSERT CODE
1700	600	1031	547	1000	722	368	700	377	737	WZLIE170060	INSERT CODE



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

Valve sets: page 172.



Pipe-masking set, chrome
TGPCR001: 22 EUR

Pipe-masking sets:
page 193.




ZIP H 10 hanger, chrome
WRWZIP008: 110 EUR

Shelves and hangers: page 162.



Electric radiators

— page 110.



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
940	400	344	186	400	267	-	WGW51094040	INSERT CODE
940	500	428	231	400	279	-	WGW51094050	INSERT CODE
940	600	502	271	600	291	-	WGW51094060	INSERT CODE
1180	400	435	234	400	287	-	WGW51118040	INSERT CODE
1180	500	538	288	600	302	-	WGW51118050	INSERT CODE
1180	600	629	337	600	318	-	WGW51118060	INSERT CODE
1420	400	526	283	600	307	-	WGW51142040	INSERT CODE
1420	500	633	340	600	326	-	WGW51142050	INSERT CODE
1420	600	756	406	800	344	-	WGW51142060	INSERT CODE
1660	400	617	331	600	327	-	WGW51166040	INSERT CODE
1660	500	758	405	800	349	-	WGW51166050	INSERT CODE
1660	600	883	470	800	370	-	WGW51166060	INSERT CODE


Mantis




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome


WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
860	440	351	185	400	205	-	WGEMAT086044	INSERT CODE
860	540	423	223	400	219	-	WGEMAT086054	INSERT CODE
1260	440	502	266	600	246	-	WGEMAT126044	INSERT CODE
1260	540	605	319	600	260	-	WGEMAT126054	INSERT CODE
1560	440	615	326	600	274	-	WGEMAT156044	INSERT CODE
1560	540	742	391	800	362	-	WGEMAT156054	INSERT CODE


Mantis One




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators – [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZTSG5-CR: 149 EUR
WRZTSG6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: [page 193](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).


Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
860	440	351	185	400	284	-	WZMAE086044	INSERT CODE
860	540	423	223	400	298	-	WZMAE086054	INSERT CODE
1260	440	502	266	600	325	-	WZMAE126044	INSERT CODE
1260	540	605	319	600	339	-	WZMAE126054	INSERT CODE
1560	440	615	326	600	353	-	WZMAE156044	INSERT CODE
1560	540	742	391	800	440	-	WZMAE156054	INSERT CODE

Marlin




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



Pipe-masking set, chrome

TGPCR001: 22 EUR


[Pipe-masking sets: page 193.](#)



Wieszak punktowy ZIP H 10, chrome

WRWZIP008: 110 EUR

[Shelves and hangers: page 162.](#)



Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75/65/20°C [W]	55/45/20°C [W]	[W]	75/65/20°C [W]	55/45/20°C [W]	[W]					
600	430	244	134	300	156	84	120	161	188	340	WGMAR060043	INSERT CODE
600	530	301	165	300	192	104	200	168	197	360	WGMAR060053	INSERT CODE
600	630	358	196	400	228	124	200	177	208	379	WGMAR060063	INSERT CODE
780	430	319	172	300	211	112	200	177	208	379	WGMAR078043	INSERT CODE
780	530	393	212	400	260	137	300	184	217	401	WGMAR078053	INSERT CODE
780	630	467	252	400	310	163	300	193	228	426	WGMAR078063	INSERT CODE
1185	430	467	251	400	323	162	300	210	249	490	WGMAR118043	INSERT CODE
1185	530	576	309	600	398	199	400	219	260	522	WGMAR118053	INSERT CODE
1185	630	685	367	800	473	237	600	227	271	554	WGMAR118063	INSERT CODE
1680	430	653	351	600	462	217	600	271	326	611	WGMAR168043	INSERT CODE
1680	530	805	433	800	570	267	600	285	343	659	WGMAR168053	INSERT CODE
1680	630	957	514	1000	677	317	800	300	361	706	WGMAR168063	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Marlin One




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators
— [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

[Valve sets: page 172](#).



Integrated pipe-masking set,
chrome

TGPCR002: 34 EUR

[Pipe-masking sets: page 193](#).



Programmer TTIR1

TGRTBI001: 97 EUR

[Heating elements, TTIR1 and
DTIR1:
page 143](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
		75/65/20°C [W]	55/45/20°C [W]	[W]	75/65/20°C [W]	55/45/20°C [W]	[W]					
600	430	244	134	300	156	84	120	240	267	419	WZMRN060043	INSERT CODE
600	530	301	165	300	192	104	200	248	276	438	WZMRN060053	INSERT CODE
600	630	358	196	400	228	124	200	256	286	458	WZMRN060063	INSERT CODE
780	430	319	172	300	211	112	200	256	286	458	WZMRN078043	INSERT CODE
780	530	393	212	400	260	137	300	263	296	480	WZMRN078053	INSERT CODE
780	630	467	252	400	310	163	300	272	307	505	WZMRN078063	INSERT CODE
1185	430	467	251	400	323	162	300	289	328	569	WZMRN118043	INSERT CODE
1185	530	576	309	600	398	199	400	298	339	601	WZMRN118053	INSERT CODE
1185	630	685	367	800	473	237	600	306	350	633	WZMRN118063	INSERT CODE
1680	430	653	351	600	462	217	600	350	405	690	WZMRN168043	INSERT CODE
1680	530	805	433	800	570	267	600	364	422	738	WZMRN168053	INSERT CODE
1680	630	957	514	1000	677	317	800	379	440	785	WZMRN168063	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black

Michelle



Pipes and collector masking cover available in one colour/finish or combination of two different colours/finishes.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For YL and YP connections, we recommend:



Integrated thermostatic T-piece valve, chrome

TGZTCR022: 121 EUR

TGZTCR021: 121 EUR

Valves and accessories: page 180.



Slim thermostatic head, Chrome

TGGCR001: 41 EUR

Valves and accessories: page 180.



Integrated pipe-masking set, chrome


TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Electric radiators

– [page 110](#).



Height [mm]	Width [mm]	Powder paint			Plating			Radiator paint finish, masking cover paint finish * Price [EUR]	Radiator chrome finish, masking cover paint finish * Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
780	400	365	196	400	256	130	300	332	588	WGMIC078040	INSERT CODE
780	500	455	244	400	319	162	300	343	639	WGMIC078050	INSERT CODE
780	600	533	286	600	373	190	400	353	688	WGMIC078060	INSERT CODE
1200	400	580	310	600	406	207	400	397	794	WGMIC120040	INSERT CODE
1200	500	721	386	800	505	257	600	414	873	WGMIC120050	INSERT CODE
1200	600	845	452	800	592	302	600	429	955	WGMIC120060	INSERT CODE
1620	400	805	429	800	564	287	600	459	1 010	WGMIC162040	INSERT CODE
1620	500	1000	533	1000	700	357	800	477	1 120	WGMIC162050	INSERT CODE
1620	600	1172	624	1200	820	418	800	500	1 230	WGMIC162060	INSERT CODE

* Extra cost for chrome collector masking cover:

height 780 mm – 134 EUR
height 1200 mm – 205 EUR
height 1620 mm – 277 EUR




Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:

Height [mm] 435÷1635, Width [mm] 230÷530:



Height [mm] 435÷1635, Width [mm] 430÷530:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR


WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe masking set,
chrome
TGPCR001: 22 EUR

*Pipe masking sets:
[page 193](#).*



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
435	430	203	106	200	142	72	120	122	222	WGMIK043043	INSERT CODE
435	530	245	128	300	171	87	200	136	272	WGMIK043053	INSERT CODE
460	230	122	64	120	85	44	120	154	324	WGMIK046023	INSERT CODE
710	230	185	97	200	130	66	120	168	375	WGMIK071023	INSERT CODE
735	430	337	176	400	236	120	200	183	425	WGMIK073043	INSERT CODE
735	530	406	213	400	284	145	300	197	475	WGMIK073053	INSERT CODE
960	230	247	130	300	173	88	200	163	273	WGMIK096023	INSERT CODE
1035	430	466	245	400	326	167	300	174	305	WGMIK103043	INSERT CODE
1035	530	563	295	600	394	201	400	185	371	WGMIK103053	INSERT CODE
1210	230	308	162	300	216	110	200	196	403	WGMIK121023	INSERT CODE
1335	430	593	312	600	415	212	400	207	447	WGMIK133043	INSERT CODE
1335	530	715	376	800	501	255	600	218	491	WGMIK133053	INSERT CODE
1460	230	367	193	400	257	131	300	218	535	WGMIK146023	INSERT CODE
1635	430	716	377	800	501	256	600	240	600	WGMIK163043	INSERT CODE
1635	530	864	454	800	605	308	600	240	622	WGMIK163053	INSERT CODE
1710	230	425	224	400	298	152	300	262	699	WGMIK171023	INSERT CODE


Mike One



Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators

– [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR


Pipe-masking sets:
[page 193](#).



Programmer TTIR1

TGRTBI001: 97 EUR

Heating elements, TTIR1 and
DTIR1:
[page 143](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221 ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
710	230	185	97	200	130	66	120	215	351	WZMIN071023	INSERT CODE
735	430	337	176	400	236	120	200	264	450	WZMIN073043	INSERT CODE
735	530	406	213	400	284	145	300	275	482	WZMIN073053	INSERT CODE
960	230	247	130	300	173	88	200	233	403	WZMIN096023	INSERT CODE
1035	430	466	245	400	326	167	300	286	527	WZMIN103043	INSERT CODE
1035	530	563	295	600	394	201	400	297	570	WZMIN103053	INSERT CODE
1210	230	308	162	300	216	110	200	248	454	WZMIN121023	INSERT CODE
1335	430	593	312	600	415	212	400	297	614	WZMIN133043	INSERT CODE
1335	530	715	376	800	501	255	600	319	679	WZMIN133053	INSERT CODE
1460	230	367	193	400	257	131	300	262	504	WZMIN146023	INSERT CODE
1635	430	716	377	800	501	256	600	319	701	WZMIN163043	INSERT CODE
1635	530	864	454	800	605	308	600	340	778	WZMIN163053	INSERT CODE
1710	230	425	224	400	298	152	300	276	554	WZMIN171023	INSERT CODE


Nemo



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:




For AX connection, we recommend:



Angled integrated thermostatic
valves set, chrome
WRZTCG3-CR: 129 EUR
Valve sets: page 172.



Pipe-masking set, chrome
TGPCR001: 22 EUR
Pipe-masking sets: 194.



Electric radiators – [page 110](#).



Height [mm]	Width [mm]	75°/65°/20°C [W]	55°/45°/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
300	645	375	199	400	220	-	WGNEM030064	INSERT CODE
300	915	533	282	600	264	-	WGNEM030091	INSERT CODE
300	1185	690	365	800	308	-	WGNEM030118	INSERT CODE
300	1455	847	448	800	351	-	WGNEM030145	INSERT CODE
300	1725	1004	532	1000	394	-	WGNEM030172	INSERT CODE
530	375	364	190	400	204	-	WGNEM053037	INSERT CODE
530	645	626	327	600	266	-	WGNEM053064	INSERT CODE
530	915	888	464	800	330	-	WGNEM053091	INSERT CODE
530	1185	1150	600	1200	394	-	WGNEM053118	INSERT CODE
530	1455	1412	737	1500	457	-	WGNEM053145	INSERT CODE
530	1725	1675	875	1500	520	-	WGNEM053172	INSERT CODE

Outcorner




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.


Delivery time: 3-5 working days.

Connections:


Height [mm] 465÷1545:



Height [mm] 735÷1545:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set, chrome

TGPCR001: 22 EUR

Pipe-masking sets: [194](#).




Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220 ▶
465	300	294	160	300	207	-	WGQON046030	INSERT CODE
735	300	421	228	400	230	-	WGQON073030	INSERT CODE
1005	300	547	294	600	253	-	WGQON100030	INSERT CODE
1275	300	673	361	800	276	-	WGQON127030	INSERT CODE
1545	300	799	428	800	299	-	WGQON154030	INSERT CODE




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Radiator available only in copper.



Connections:



Electric radiators – [page 110](#).



Price includes:



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	Raw copper only Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
1000	431	300	165	300	981	-	WGPAJ100043	INSERT CODE
1000	531	339	184	400	1 020	-	WGPAJ100053	INSERT CODE
1000	631	380	205	400	1 061	-	WGPAJ100063	INSERT CODE
1400	431	368	199	400	1 021	-	WGPAJ140043	INSERT CODE
1400	531	424	227	400	1 051	-	WGPAJ140053	INSERT CODE
1400	631	480	256	600	1 076	-	WGPAJ140063	INSERT CODE
1800	431	437	234	400	1 058	-	WGPAJ180043	INSERT CODE
1800	531	510	272	600	1 098	-	WGPAJ180053	INSERT CODE
1800	631	582	310	600	1 140	-	WGPAJ180063	INSERT CODE

Please note that the size of electric Pajak differs from the water Pajak size, please see page 110.

Perta



Colour included
in the price

Price includes: Two angled lockshield valves with G1/2" external thread. NOBLE TRV head - white or silver for corresponding colour radiators and chrome for other colours.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



We recommend:



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

[Pipe-masking sets: page 193](#).



Height [mm]	Width [mm]	Powder paint		Plating		RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65 20°C [W]	55 45 20°C [W]	75 65 20°C [W]	55 45 20°C [W]				
960	500	337	178	229	119	706	882	WGP096050	INSERT CODE
960	600	371	198	252	134	725	899	WGP096060	INSERT CODE
1360	500	478	253	325	168	797	954	WGP136050	INSERT CODE
1360	600	528	282	359	190	826	982	WGP136060	INSERT CODE
1760	500	630	334	419	218	855	1 024	WGP176050	INSERT CODE
1760	600	704	377	488	260	884	1 052	WGP176060	INSERT CODE

Pier



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valve

WRZTCG1-CR: 139 EUR

WRZTCG2-CR: 139 EUR

Valve sets: page 172.



Pipe-masking set

TGPCR001: 22 EUR

Pipe-masking sets: page 193.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
1380	410	564	303	-	382	-	WGB19138041	INSERT CODE
1680	410	687	360	-	409	-	WGB19168041	INSERT CODE
1800	580	1025	532	-	516	-	WGB19180058	INSERT CODE

PLC V



Colour included
in the price

Price includes: 50mm angled, integrated thermostatic valve with SLIM TRV head and connection adapters (Alupex Ø 16x2 and copper Ø 15).
All accessories supplied in chrome finish.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:

Width [mm] 263



Width [mm] 463÷663:



We recommend:



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1580	263	331	169	1 264	-	WGPLV158026	INSERT CODE
1600	463	613	312	1 596	-	WGPLV160046	INSERT CODE
1600	663	894	456	1 966	-	WGPLV160066	INSERT CODE
1780	263	373	190	1 319	-	WGPLV178026	INSERT CODE
1800	463	690	352	1 689	-	WGPLV180046	INSERT CODE
1800	663	1007	514	2 058	-	WGPLV180066	INSERT CODE

PLC H



Colour included
in the price

Price includes: angled lockshield valve, thermostatic angled valve with SLIM TRV head and connection adapters (Alupex Ø 16x2 and copper Ø 15).
All accessories supplied in chrome finish.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



We recommend:



Pipe-masking set
TGPCR001: 22 EUR

Pipe-masking sets: page 193.




Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
263	1600	341	174	1 628	-	WGPLH026160	INSERT CODE
463	1600	622	317	1 854	-	WGPLH046160	INSERT CODE

POC 2




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



Pipe-masking set, chrome
TGPCR001: 22 EUR

[Pipe-masking sets: page 193.](#)



Yo!hanger, assorted colours
WRWYOY001: 3 EUR

[Shelves and hangers: page 170.](#)



Height [mm]	Width [mm]	75 65 20°C [W]	55 45 20°C [W]	[W]	Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
600	450	308	167	300	170	200	-	WGZUL060045	INSERT CODE
600	500	342	185	400	174	204	-	WGZUL060050	INSERT CODE
600	600	410	222	400	181	212	-	WGZUL060060	INSERT CODE
840	450	443	239	400	191	225	-	WGZUL084045	INSERT CODE
840	500	493	266	600	198	234	-	WGZUL084050	INSERT CODE
840	600	590	318	600	205	242	-	WGZUL084060	INSERT CODE
840	700	690	372	800	215	255	-	WGZUL084070	INSERT CODE
1040	450	556	299	600	206	244	-	WGZUL104045	INSERT CODE
1040	500	618	332	600	211	251	-	WGZUL104050	INSERT CODE
1040	600	743	399	800	218	259	-	WGZUL104060	INSERT CODE
1040	700	866	465	800	225	268	-	WGZUL104070	INSERT CODE
1240	450	669	359	800	222	264	-	WGZUL124045	INSERT CODE
1240	500	744	399	800	229	272	-	WGZUL124050	INSERT CODE
1240	600	893	479	1000	239	285	-	WGZUL124060	INSERT CODE
1240	700	1041	559	1000	249	298	-	WGZUL124070	INSERT CODE
1400	500	844	452	800	263	315	-	WGZUL140050	INSERT CODE
1400	600	1013	543	1000	277	332	-	WGZUL140060	INSERT CODE
1400	700	1182	633	1200	294	354	-	WGZUL140070	INSERT CODE

* RAL 9016, Metallic Grey, Metallic Black


Pola



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: page 172.



Pipe-masking set,
chrome
TGPCR001: 22 EUR


Pipe-masking sets: 194.



Yo!hanger, assorted
colours
WRWYOY001: 3 EUR
Shelves and hangers:
page 170.




Electric radiators – page 110.



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	☺ [W]	75 65 20°C [W]	55 45 20°C [W]	☺ [W]				
780	500	392	211	400	274	140	300	184	477	WGPAL078050	INSERT CODE
780	600	471	254	400	330	168	300	193	519	WGPAL078060	INSERT CODE
1180	500	638	342	600	447	228	400	227	589	WGPAL118050	INSERT CODE
1180	600	766	411	800	536	273	600	242	632	WGPAL118060	INSERT CODE
1580	500	883	473	800	618	315	600	261	815	WGPAL158050	INSERT CODE
1580	600	1061	568	1000	743	379	800	294	871	WGPAL158060	INSERT CODE


Pola One



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: page 172.



Integrated pipe-masking
set, chrome
TGPCR002: 34 EUR

Pipe-masking sets:
page 193.



Yo!hanger, assorted
colours
WRWYOY001: 3 EUR
Shelves and hangers:
page 170.



Electric radiators – page 136.



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to page 136.

Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
		75 65 20°C [W]	55 45 20°C [W]	☺ [W]	75 65 20°C [W]	55 45 20°C [W]	☺ [W]				
780	500	392	211	400	274	140	300	263	555	WZPAN078050	INSERT CODE
780	600	471	254	400	330	168	300	272	598	WZPAN078060	INSERT CODE
1180	500	638	342	600	447	228	400	306	668	WZPAN118050	INSERT CODE
1180	600	766	411	800	536	273	600	322	710	WZPAN118060	INSERT CODE
1580	500	883	473	800	618	315	600	340	894	WZPAN158050	INSERT CODE
1580	600	1061	568	1000	743	379	800	373	950	WZPAN158060	INSERT CODE


Quadrus Bold



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: page 172.




Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.

Electric radiators – page 110.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
870	450	531	285	600	356	-	WGQBA087045	INSERT CODE
870	600	708	380	800	386	-	WGQBA087060	INSERT CODE
1185	450	835	446	800	401	-	WGQBA118045	INSERT CODE
1185	600	1113	594	1000	447	-	WGQBA118060	INSERT CODE


Quadrus Bold One



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: page 172.




Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: page 193.

Electric radiators – page 136.



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to page 136.

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
870	450	531	285	600	435	-	WZQBN087045	INSERT CODE
870	600	708	380	800	465	-	WZQBN087060	INSERT CODE
1185	450	835	446	800	480	-	WZQBN118045	INSERT CODE
1185	600	1113	594	1000	525	-	WZQBN118060	INSERT CODE


Quadrus Slim



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: page 172.




Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: 194.



Electric radiators – page 110.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
870	450	409	217	400	282	-	WGQUS087045	INSERT CODE
870	600	559	296	600	298	-	WGQUS087060	INSERT CODE
1185	450	537	278	600	313	-	WGQUS118045	INSERT CODE
1185	600	733	379	800	343	-	WGQUS118060	INSERT CODE


Quadrus Slim One




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators – page 136.



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: page 172.



Integrated pipe-masking set, chro-
me

TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
870	450	409	217	400	362	-	WZQSN087045	INSERT CODE
870	600	559	296	600	377	-	WZQSN087060	INSERT CODE
1185	450	537	278	600	392	-	WZQSN118045	INSERT CODE
1185	600	733	379	800	422	-	WZQSN118060	INSERT CODE

Retro



Colour included
in the price

Price includes: angled regulating valves set STAR with connection adapters (alupex Ø 16x2 and copper Ø15).
All accessories supplied in chrome finish.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators
– [page 110](#).



Price includes:



Star angled regulating valve set, chrome
[Valve sets: page 172.](#)

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR
[Pipe-masking sets: page 193.](#)



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
430	504	115	63	120	81	44	120	308	387	WGRE1043050	INSERT CODE
800	504	210	114	200	147	80	120	351	488	WGRE1080050	INSERT CODE
1170	504	308	165	300	216	116	200	398	587	WGRE1117050	INSERT CODE
1540	504	405	216	400	284	151	300	442	704	WGRE1154050	INSERT CODE

Retro S



Colour included
in the price

Price includes: angled regulating valves set STAR with connection adapters (alupex Ø 16x2 and copper Ø15).
All accessories supplied in chrome finish.

Production time: up to 10 working days for paint finish; up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Price includes:



Star angled regulating valve set, chrome
[Valve sets: page 172.](#)

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR
[Pipe-masking sets: page 193.](#)



Height [mm]	Width [mm]	Powder paint		Plating		RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65 20°C [W]	55 45 20°C [W]	75 65 20°C [W]	55 45 20°C [W]				
875	504	200	109	140	71	371	494	WGR1S087050	INSERT CODE
1060	504	240	131	168	86	391	549	WGR1S106050	INSERT CODE
1245	504	283	153	198	101	415	608	WGR1S124050	INSERT CODE
1430	504	325	175	228	116	437	660	WGR1S143050	INSERT CODE


Ribbon HSD



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



We recommend:



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: page 193.


Price includes:

For YL and YP connections - 50mm angled integrated TRV valve with SLIM TRV head plus connection adapters (alupex Ø 16x2 and copper Ø 15).

For VL and VP connections - 50mm angled integrated lockshield valve and SLIM TRV head plus connection adapters (alupex Ø 16x2 and copper Ø 15).

All accessories supplied in chrome finish.

Ribbon dusting brush is also included with each radiator.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
190	1540	1207	683	982	-	WGHSD019154	INSERT CODE
190	1740	1364	772	1 067	-	WGHSD019174	INSERT CODE
190	1940	1420	803	1 265	-	WGHSD019194	INSERT CODE
290	1540	1609	909	1 322	-	WGHSD029154	INSERT CODE
290	1740	1818	1028	1 407	-	WGHSD029174	INSERT CODE
290	1940	2027	1146	1 549	-	WGHSD029194	INSERT CODE

Ribbon HWS



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



We recommend:



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.

Price includes:

For YL and YP connections - 50mm angled integrated TRV valve with SLIM TRV head plus connection adapters (alupex Ø 16x2 and copper Ø 15).

For VL and VP connections - 50mm angled integrated lockshield valve and SLIM TRV head plus connection adapters (alupex Ø 16x2 and copper Ø 15).

All accessories supplied in chrome finish.

Ribbon dusting brush is also included with each radiator.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
290	1540	802	411	802	-	WGHWS029154	INSERT CODE
290	1740	906	464	829	-	WGHWS029174	INSERT CODE
290	1940	1010	517	909	-	WGHWS029194	INSERT CODE
390	1540	990	504	936	-	WGHWS039154	INSERT CODE
390	1740	1119	570	990	-	WGHWS039174	INSERT CODE
390	1940	1248	636	1 097	-	WGHWS039194	INSERT CODE
490	1540	1329	670	1 124	-	WGHWS049154	INSERT CODE
490	1740	1501	757	1 205	-	WGHWS049174	INSERT CODE
490	1940	1673	844	1 312	-	WGHWS049194	INSERT CODE

Ribbon T



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.


Connections:



Electric radiators – [page 110](#).

Price includes:

Each radiator comes with Ribbon radiator dusting
brush.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
930	500	625	332	600	372	-	WGR2T093050	INSERT CODE
930	600	766	409	800	402	-	WGR2T093060	INSERT CODE
1210	500	803	424	800	452	-	WGR2T121050	INSERT CODE
1210	600	968	510	1000	495	-	WGR2T121060	INSERT CODE
1490	500	981	515	1000	506	-	WGR2T149050	INSERT CODE
1490	600	1171	608	1200	555	-	WGR2T149060	INSERT CODE
1770	500	1160	605	1200	571	-	WGR2T177050	INSERT CODE
1770	600	1373	707	1500	628	-	WGR2T177060	INSERT CODE

Ribbon V



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.


Connections:



Price includes: 50mm angled
integrated TRV valve with SLIM
TRV head plus connection adapters
(alupex Ø 16x2 and copper Ø 15).

All accessories are supplied in
chrome finish.

Each radiator comes with Ribbon
radiator dusting brush.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1720	290	660	330	799	-	WGRI172029	INSERT CODE
1720	390	872	436	895	-	WGRI172039	INSERT CODE
1920	390	989	499	933	-	WGRI192039	INSERT CODE
1920	490	1240	626	1 086	-	WGRI192049	INSERT CODE

Ribbon V E



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:

Electric radiators – [page 110](#).



Price includes: each radiator comes with
Ribbon radiator dusting brush.



Height [mm]	Width [mm]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1800	290	600	*	-	WLRVE180029	INSERT CODE
1800	390	800	*	-	WLRVE180039	INSERT CODE
1800	490	1000	*	-	WLRVE180049	INSERT CODE

* price: page 110.

Sherwood H




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



We recommend:




Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.



KUKA 50 hanger, chrome
WRWKUK001: 39 EUR

Shelves and hangers: page 162.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
330	1000	429	222	747	-	WGSTH033100	INSERT CODE
330	1300	558	289	816	-	WGSTH033130	INSERT CODE
330	1600	687	356	902	-	WGSTH033160	INSERT CODE
330	1900	816	422	1 022	-	WGSTH033190	INSERT CODE
440	1300	701	364	885	-	WGSTH044130	INSERT CODE
440	1600	863	448	971	-	WGSTH044160	INSERT CODE
440	1900	1025	532	1 091	-	WGSTH044190	INSERT CODE
540	1600	1057	557	1 057	-	WGSTH054160	INSERT CODE
540	1900	1255	661	1 177	-	WGSTH054190	INSERT CODE

Sherwood V



Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.

Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



We recommend:



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: [page 193](#).




KUKA 50 hanger, chrome
WRWKUK001: 39 EUR

Shelves and hangers: [page 162](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
1000	330	478	242	600	753	-	WGSTV100033	INSERT CODE
1300	330	602	303	600	822	-	WGSTV130033	INSERT CODE
1300	440	803	404	800	909	-	WGSTV130044	INSERT CODE
1600	330	727	365	800	892	-	WGSTV160033	INSERT CODE
1600	440	969	486	1000	979	-	WGSTV160044	INSERT CODE
1600	540	1190	597	1200	1 031	-	WGSTV160054	INSERT CODE
1900	330	851	427	800	1 066	-	WGSTV190033	INSERT CODE
1900	440	1135	569	1200	1 101	-	WGSTV190044	INSERT CODE
1900	540	1393	698	1500	1 187	-	WGSTV190054	INSERT CODE

Simple




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.


Delivery time: 3-5 working days.

Connections:


Height [mm] 480÷1920:



Height [mm] 720÷1920:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: page 172.



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: 194.



SIMPLE solid wood shelf

WRPSIM050 BUK: 47 EUR (Beech)

WRPSIM050 DAB: 53 EUR (Oak)

WRPSIM050 TEK: 126 EUR (Teak)

Shelves and hangers: page 162.



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
480	500	173	100	200	121	70	120	210	319	WGSIM048050	INSERT CODE
600	500	217	123	200	152	86	120	236	360	WGSIM060050	INSERT CODE
720	500	262	145	300	183	102	200	249	396	WGSIM072050	INSERT CODE
840	500	306	167	300	214	117	200	262	443	WGSIM084050	INSERT CODE
960	500	351	189	400	246	132	300	275	486	WGSIM096050	INSERT CODE
1 080	500	396	211	400	277	148	300	288	528	WGSIM108050	INSERT CODE
1 200	500	440	234	400	308	164	300	313	570	WGSIM120050	INSERT CODE
1 440	500	529	271	600	370	190	400	340	673	WGSIM144050	INSERT CODE
1 680	500	618	308	600	433	216	400	392	750	WGSIM168050	INSERT CODE
1 920	500	707	343	800	-	-	-	418	-	WGSIM192050	INSERT CODE

Simple One




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.


Delivery time: 3-5 working days.

Towel rail has a built-in One heating element.

Connections:



Electric radiators – [page 136](#).



For S1, S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome



WRZT5G5-CR: 149 EUR



WRZT5G6-CR: 149 EUR

[Valve sets: page 172.](#)



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

[Pipe-masking sets: page 193.](#)



SIMPLE solid wood shelf

WRPSIM050 BUK: 47 EUR (Beech)

WRPSIM050 DAB: 53 EUR (Oak)

WRPSIM050 TEK: 126 EUR (Teak)

[Shelves and hangers: page 162.](#)

Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
		75/65/20°C [W]	55/45/20°C [W]	 [W]	75/65/20°C [W]	55/45/20°C [W]	 [W]				
720	500	262	145	300	183	102	200	328	475	WZSIE072050	INSERT CODE
840	500	306	167	300	214	117	200	341	522	WZSIE084050	INSERT CODE
960	500	351	189	400	246	132	300	354	565	WZSIE096050	INSERT CODE
1080	500	396	211	400	277	148	300	367	607	WZSIE108050	INSERT CODE
1200	500	440	234	400	308	164	300	393	649	WZSIE120050	INSERT CODE
1440	500	529	271	600	370	190	400	419	752	WZSIE144050	INSERT CODE
1680	500	618	308	600	433	216	400	471	829	WZSIE168050	INSERT CODE
1920	500	707	343	800	-	-	-	497	-	WZSIE192050	INSERT CODE

Simple DW (division wall)



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For ZX and Z1 connections, we recommend:



Integrated straight thermostatic
valves set, chrome

WRZT5G3-CR: 143 EUR
WRZT5G4-CR: 143 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set,
chrome

TGPCR002: 34 EUR

Pipe-masking sets: [page 193](#).

Electric radiators – [page 110](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
1515	500	529	271	600	408	-	WGSDW151050	INSERT CODE
1755	500	618	308	600	435	-	WGSDW175050	INSERT CODE
1995	500	707	343	800	462	-	WGSDW199050	INSERT CODE

Triga




Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:


Height [mm] 560÷1900:



Height [mm] 560÷610:




Height [mm] 900÷1900:




Electric radiators – [page 110](#).

Height [mm] 900÷1900:



Height 560 mm÷610:



We recommend:



TRIGA solid wood shelf 680 mm

WRPTRG068 BUK: 90 EUR (Beech)

WRPTRG068 DAB: 93 EUR (Oak)

WRPTRG068 TEK: 207 EUR (Teak)

[Shelves and hangers: page 162.](#)



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
560	480	356	192	400	453	-	WGTRG056048	INSERT CODE
560	680	504	272	600	539	-	WGTRG056068	INSERT CODE
560	880	652	352	600	624	-	WGTRG056088	INSERT CODE
560	1080	800	431	800	724	-	WGTRG056108	INSERT CODE
560	1280	948	511	1000	838	-	WGTRG056128	INSERT CODE
610	480	391	210	400	482	-	WGTRG061048	INSERT CODE
610	680	554	298	600	553	-	WGTRG061068	INSERT CODE
610	880	717	385	800	624	-	WGTRG061088	INSERT CODE
610	1080	880	473	800	767	-	WGTRG061108	INSERT CODE
610	1280	1043	560	1000	881	-	WGTRG061128	INSERT CODE
900	380	459	242	400	410	-	WGTRG090038	INSERT CODE
900	480	580	306	600	482	-	WGTRG090048	INSERT CODE
900	580	701	370	800	553	-	WGTRG090058	INSERT CODE
900	680	821	433	800	653	-	WGTRG090068	INSERT CODE
1300	380	652	339	600	496	-	WGTRG130038	INSERT CODE
1300	480	824	429	800	567	-	WGTRG130048	INSERT CODE
1300	580	996	518	1000	653	-	WGTRG130058	INSERT CODE
1300	680	1168	608	1200	724	-	WGTRG130068	INSERT CODE
1700	380	850	437	800	539	-	WGTRG170038	INSERT CODE
1700	480	1074	552	1000	610	-	WGTRG170048	INSERT CODE
1700	580	1298	667	1200	696	-	WGTRG170058	INSERT CODE
1700	680	1521	781	1500	795	-	WGTRG170068	INSERT CODE
1900	380	961	492	1000	582	-	WGTRG190038	INSERT CODE
1900	480	1202	615	1200	653	-	WGTRG190048	INSERT CODE
1900	580	1442	737	1500	753	-	WGTRG190058	INSERT CODE
1900	680	1682	860	1500	852	-	WGTRG190068	INSERT CODE

Triga AN



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For ZX connection, we recommend:



Angled integrated thermostatic valves
set, chrome

WRZT5G1-CR: 141 EUR
WRZT5G2-CR: 141 EUR

Valve sets: page 172.



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Electric radiators – page 110.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1700	280	953	492	1000	745	-	WGVER170028	INSERT CODE
1900	280	1053	548	1000	801	-	WGVER190028	INSERT CODE

Triga ANC



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:




For YL and YP connections, we recommend:



Angled integrated thermostatic valves
set, chrome

WRZT5G1-CR: 141 EUR
WRZT5G2-CR: 141 EUR

Valve sets: page 172.



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1700	280	953	492	1000	935	-	WGVEC170028	INSERT CODE
1900	280	1053	548	1000	1 052	-	WGVEC190028	INSERT CODE

Triga AW



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For ZX connection, we recommend:



Angled integrated thermostatic valves
set, chrome

WRZT5G1-CR: 141 EUR

WRZT5G2-CR: 141 EUR

Valve sets: page 172.



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR

Pipe-masking sets: page 193.



Electric radiators – page 110.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1700	430	1122	583	1200	935	-	WGVRA170043	INSERT CODE
1900	430	1255	652	1200	1 052	-	WGVRA190043	INSERT CODE


Triga M



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: page 172.




Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: 194.



Electric radiators – page 110.




Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
1700	680	646	332	600	604	-	WGTRL170068	INSERT CODE
1700	780	850	437	800	673	-	WGTRL170078	INSERT CODE
1700	880	1074	552	1000	755	-	WGTRL170088	INSERT CODE
1900	680	721	369	800	645	-	WGTRL190068	INSERT CODE
1900	780	961	492	1000	714	-	WGTRL190078	INSERT CODE
1900	880	1202	615	1200	811	-	WGTRL190088	INSERT CODE

Tune HSD



Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.


Connections: For YL and YP connections, we recommend:



Integrated straight thermostatic valves set, chrome
WRZT5G3-CR: 143 EUR
WRZT5G4-CR: 143 EUR
Valve sets: page 172.



Integrated pipe-masking set, chrome
TGPCR002: 34 EUR
Pipe-masking sets: page 193.



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220. ▶
300	1000	421	229	373	-	WGTUH030100	INSERT CODE
300	1400	589	320	393	-	WGTUH030140	INSERT CODE
390	1000	564	305	414	-	WGTUH039100	INSERT CODE
390	1400	790	428	445	-	WGTUH039140	INSERT CODE

Tune VWD




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.


Delivery time: 3-5 working days.

Connections:

Height [mm] 600÷1800:



Height [mm] 600:



Height [mm] 1800:



Electric radiators – [page 110](#).

For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
600	590	725	378	800	582	-	WGTUV060059	INSERT CODE
600	790	967	504	1000	717	-	WGTUV060079	INSERT CODE
600	990	1209	630	1200	851	-	WGTUV060099	INSERT CODE
600	1190	1450	756	1500	986	-	WGTUV060119	INSERT CODE
600	1390	1693	883	1500	1 120	-	WGTUV060139	INSERT CODE
600	1590	1934	1008	-	1 255	-	WGTUV060159	INSERT CODE
1800	290	967	489	1000	492	-	WGTUV180029	INSERT CODE
1800	490	1612	815	1500	627	-	WGTUV180049	INSERT CODE
1800	690	2257	1141	-	806	-	WGTUV180069	INSERT CODE

Tune VWS




Colour included
in the price


Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:

Height [mm] 600÷1800:



Height [mm] 600:



Height [mm] 1800:



Electric radiators – [page 110](#).



For SX connection, we recommend:



Angled integrated thermostatic valves set, chrome

WRZT5G1-CR: 141 EUR

WRZT5G2-CR: 141 EUR

Valve sets: [page 172](#).

Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets:

[page 193](#).




Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
600	590	450	240	400	378	-	WGTSV060059	INSERT CODE
600	790	602	321	600	437	-	WGTSV060079	INSERT CODE
600	990	752	401	800	497	-	WGTSV060099	INSERT CODE
600	1190	902	481	1000	569	-	WGTSV060119	INSERT CODE
600	1390	1053	561	1000	628	-	WGTSV060139	INSERT CODE
600	1590	1203	641	1200	688	-	WGTSV060159	INSERT CODE
1800	290	608	305	600	366	-	WGTSV180029	INSERT CODE
1800	490	1014	509	1000	497	-	WGTSV180049	INSERT CODE
1800	690	1420	713	1500	593	-	WGTSV180069	INSERT CODE




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an option of installing a heating element through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

[Valve sets: page 172.](#)



Pipe-masking set, chrome
TGPCR001: 22 EUR

[Pipe-masking sets: 194.](#)



Yohanger, assorted colours
WRWYOY001: 3 EUR

[Shelves and hangers: page 170.](#)



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
820	440	533	288	600	225	268	-	WGTYT082044	INSERT CODE
820	540	645	348	600	241	288	-	WGTYT082054	INSERT CODE
820	640	755	407	800	253	303	-	WGTYT082064	INSERT CODE
1020	440	666	358	600	257	308	-	WGTYT102044	INSERT CODE
1020	540	806	433	800	273	328	-	WGTYT102054	INSERT CODE
1020	640	943	507	1000	293	353	-	WGTYT102064	INSERT CODE
1260	440	828	444	800	293	353	-	WGTYT126044	INSERT CODE
1260	540	1002	537	1000	313	378	-	WGTYT126054	INSERT CODE
1260	640	1173	628	1200	337	407	-	WGTYT126064	INSERT CODE
1420	440	930	497	1000	313	378	-	WGTYT142044	INSERT CODE
1420	540	1126	602	1200	333	403	-	WGTYT142054	INSERT CODE
1420	640	1317	704	1200	361	437	-	WGTYT142064	INSERT CODE
1780	440	1167	623	1200	357	433	-	WGTYT178044	INSERT CODE
1780	540	1412	753	1500	384	467	-	WGTYT178054	INSERT CODE
1780	640	1652	881	1500	413	502	-	WGTYT178064	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black

Tytus One




Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators – [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: [page 193](#).



Yolhanger, assorted colours

WRWYOY001: 3 EUR

Shelves and hangers: [page 170](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
820	440	533	288	600	304	347	-	WZTYN082044	INSERT CODE
820	540	645	348	600	320	367	-	WZTYN082054	INSERT CODE
820	640	755	407	800	332	382	-	WZTYN082064	INSERT CODE
1020	440	666	358	600	336	387	-	WZTYN102044	INSERT CODE
1020	540	806	433	800	352	407	-	WZTYN102054	INSERT CODE
1020	640	943	507	1000	372	432	-	WZTYN102064	INSERT CODE
1260	440	828	444	800	372	432	-	WZTYN126044	INSERT CODE
1260	540	1002	537	1000	392	457	-	WZTYN126054	INSERT CODE
1420	440	930	497	1000	392	457	-	WZTYN142044	INSERT CODE


* RAL 9016, Metallic Grey, Metallic Black



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



For SX connection, we recommend:



3-axis thermostatic valves set with
an option of installing a heating
element through the valve, chrome

WRZTCG4-CR: 145 EUR
WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets:
[page 193](#).



HAPPY SHARK hanger


300 mm – WRWH1A024: 14 EUR
400 mm – WRWH1A034: 14 EUR
500 mm – WRWH1A044: 14 EUR
600 mm – WRWH1A054: 14 EUR

Shelves and hangers: [page 162](#).



Electric radiators

– [page 110](#).



HAPPY RABBIT hanger

300 mm – WRWH1B024: 14 EUR
400 mm – WRWH1B034: 14 EUR
500 mm – WRWH1B044: 14 EUR
600 mm – WRWH1B054: 14 EUR

Shelves and hangers: [page 162](#).

Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
		75 65 20°C [W]	55 45 20°C [W]	 [W]	75 65 20°C [W]	55 45 20°C [W]	 [W]				
670	300	185	100	200	130	70	120	152	245	WGVOV067030	INSERT CODE
670	400	230	124	200	161	87	200	161	278	WGVOV067040	INSERT CODE
670	500	275	148	300	193	104	200	172	312	WGVOV067050	INSERT CODE
670	600	320	172	300	224	120	200	186	345	WGVOV067060	INSERT CODE
910	300	240	130	200	168	91	200	168	300	WGVOV091030	INSERT CODE
910	400	295	159	300	207	111	200	179	343	WGVOV091040	INSERT CODE
910	500	350	189	400	245	132	300	191	386	WGVOV091050	INSERT CODE
910	600	405	218	400	284	153	300	209	433	WGVOV091060	INSERT CODE
1150	300	300	162	300	210	113	200	185	355	WGVOV115030	INSERT CODE
1150	400	366	197	400	256	138	300	198	407	WGVOV115040	INSERT CODE
1150	500	433	233	400	303	163	300	212	464	WGVOV115050	INSERT CODE
1150	600	501	269	600	351	188	400	233	516	WGVOV115060	INSERT CODE
1390	300	356	192	400	249	134	300	201	410	WGVOV139030	INSERT CODE
1390	400	434	234	400	304	164	300	215	472	WGVOV139040	INSERT CODE
1390	500	512	275	600	358	193	400	232	538	WGVOV139050	INSERT CODE
1390	600	590	316	600	413	221	400	257	603	WGVOV139060	INSERT CODE
1630	300	414	223	400	290	156	300	217	461	WGVOV163030	INSERT CODE
1630	400	503	270	600	352	189	400	234	541	WGVOV163040	INSERT CODE
1630	500	592	318	600	414	223	400	253	616	WGVOV163050	INSERT CODE
1630	600	681	365	800	477	256	400	281	691	WGVOV163060	INSERT CODE


Vivo ONE




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators
— [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome



WRZT5G5-CR: 149 EUR



WRZT5G6-CR: 149 EUR

[Valve sets: page 172.](#)



Integrated pipe-masking
set, chrome

TGPCR002: 34 EUR

[Pipe-masking sets: page 193.](#)



HAPPY SHARK hanger

300 mm – WRWH1A024: 14 EUR

400 mm – WRWH1A034: 14 EUR

500 mm – WRWH1A044: 14 EUR

600 mm – WRWH1A054: 14 EUR

[Shelves and hangers: page 162.](#)



HAPPY RABBIT hanger

300 mm – WRWH1B024: 14 EUR

400 mm – WRWH1B034: 14 EUR

500 mm – WRWH1B044: 14 EUR

600 mm – WRWH1B054: 14 EUR

[Shelves and hangers: page 162.](#)

Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
		75 65 20°C [W]	55 45 20°C [W]	[W]	75 65 20°C [W]	55 45 20°C [W]	[W]				
670	300	185	100	100	130	70	100	231	324	WZVON067030	INSERT CODE
670	400	230	124	200	161	87	100	240	357	WZVON067040	INSERT CODE
670	500	275	148	200	193	104	100	251	391	WZVON067050	INSERT CODE
670	600	320	172	300	224	120	200	265	424	WZVON067060	INSERT CODE
910	300	240	130	200	168	91	100	247	379	WZVON091030	INSERT CODE
910	400	295	159	200	207	111	200	258	422	WZVON091040	INSERT CODE
910	500	350	189	300	245	132	200	270	464	WZVON091050	INSERT CODE
910	600	405	218	400	284	153	200	288	512	WZVON091060	INSERT CODE
1150	300	300	162	300	210	113	200	264	434	WZVON115030	INSERT CODE
1150	400	366	197	300	256	138	200	276	486	WZVON115040	INSERT CODE
1150	500	433	233	400	303	163	300	292	543	WZVON115050	INSERT CODE
1150	600	501	269	500	351	188	300	312	595	WZVON115060	INSERT CODE
1390	300	356	192	300	249	134	200	280	490	WZVON139030	INSERT CODE
1390	400	434	234	400	304	164	300	294	551	WZVON139040	INSERT CODE
1390	500	512	275	500	358	193	300	312	617	WZVON139050	INSERT CODE
1390	600	590	316	500	413	221	400	336	683	WZVON139060	INSERT CODE
1630	300	414	223	400	290	156	200	296	540	WZVON163030	INSERT CODE
1630	400	503	270	500	352	189	300	313	620	WZVON163040	INSERT CODE
1630	500	592	318	500	414	223	400	332	695	WZVON163050	INSERT CODE
1630	600	681	365	600	477	256	400	360	579	WZVON163060	INSERT CODE

Warp S



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators
— [page 110](#).



For GD connection, we recommend:



Integrated thermostatic T-piece
valve, chrome



TGZTCR022: 121 EUR



TGZTCR021: 121 EUR

Valves and accessories: page 180.



Slim thermostatic head,
Chrome

TGGCR001: 41 EUR

Valves and accessories: page 180.



Integrated pipe-masking set,
chrome

TGPCR002: 34 EUR

Pipe-masking sets: page 193.

180°



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
655	500	450	241	400	256	-	WGWS065050	INSERT CODE
655	600	506	271	600	281	-	WGWS065060	INSERT CODE
1110	500	764	406	800	365	-	WGWS111050	INSERT CODE
1110	600	857	456	800	403	-	WGWS111060	INSERT CODE
1695	500	1167	620	1200	511	-	WGWS169050	INSERT CODE
1695	600	1310	696	1200	572	-	WGWS169060	INSERT CODE


Warp T




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome

TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220.
655	500	325	176	300	200	-	WGWAT065050	INSERT CODE
655	600	383	208	400	211	-	WGWAT065060	INSERT CODE
1110	500	553	298	600	277	-	WGWAT111050	INSERT CODE
1110	600	650	350	600	290	-	WGWAT111060	INSERT CODE
1695	500	846	453	800	374	-	WGWAT169050	INSERT CODE
1695	600	1000	535	1000	396	-	WGWAT169060	INSERT CODE


Warp T One




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.
Towel rail has a built-in One heating element.

Connections:



Electric radiators – [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets: [page 193](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221.
655	500	325	176	300	279	-	WZWWTN065050	INSERT CODE
655	600	383	208	400	290	-	WZWWTN065060	INSERT CODE
1110	500	553	298	600	356	-	WZWWTN111050	INSERT CODE
1110	600	650	350	600	369	-	WZWWTN111060	INSERT CODE
1695	500	846	453	800	453	-	WZWWTN169050	INSERT CODE
1695	600	1000	535	1000	475	-	WZWWTN169060	INSERT CODE


Warp T Bold




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220 ▶
655	500	460	249	400	238	-	WGWTB065050	INSERT CODE
655	600	545	294	600	257	-	WGWTB065060	INSERT CODE
1110	500	780	419	800	343	-	WGWTB111050	INSERT CODE
1110	600	924	491	1000	369	-	WGWTB111060	INSERT CODE
1695	500	1190	636	1200	477	-	WGWTB169050	INSERT CODE
1695	600	1410	746	1500	520	-	WGWTB169060	INSERT CODE


Warp T Bold One




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 136](#).



For S1 and S8 connections, we recommend:



Angled integrated thermostatic valve
set with immersion tube, chrome

WRZT5G5-CR: 149 EUR

WRZT5G6-CR: 149 EUR

Valve sets: [page 172](#).



Integrated pipe-ma-
sking set, chrome

TGPCR002: 34 EUR

Pipe-masking sets:
[page 193](#).



Programmer TTIR1
TGRTBI001: 97 EUR

Heating elements, TTIR1
and DTIR1:
[page 143](#).



Prices for empty radiators with built-in One heating element for dual fuel connections. Prices for all electric radiators filled with oil, please go to [page 136](#).

Height [mm]	Width [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221 ▶
655	500	460	249	400	318	-	WZWBN065050	INSERT CODE
655	600	545	294	600	336	-	WZWBN065060	INSERT CODE
1110	500	780	419	800	422	-	WZWBN111050	INSERT CODE
1110	600	924	491	1000	448	-	WZWBN111060	INSERT CODE


ZigZag




Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.

Connections:



Electric radiators – [page 110](#).



For SX connection, we recommend:



3-axis thermostatic valves set with an
option of installing a heating element
through the valve, chrome

WRZTCG4-CR: 145 EUR

WRZTCG5-CR: 145 EUR

Valve sets: [page 172](#).



Pipe-masking set,
chrome
TGPCR001: 22 EUR

Pipe-masking sets: [194](#).



Height [mm]	Width [mm]	Powder paint			Plating			RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220
		75° 65° 20°C [W]	55° 45° 20°C [W]	 [W]	75° 65° 20°C [W]	55° 45° 20°C [W]	 [W]				
600	500	248	134	300	174	94	200	274	404	WGZIG060050	INSERT CODE
835	500	320	172	300	224	120	200	301	491	WGZIG083050	INSERT CODE
1070	500	406	218	400	284	153	300	329	578	WGZIG107050	INSERT CODE
1310	500	490	263	600	343	184	400	370	664	WGZIG131050	INSERT CODE
1545	500	581	311	600	407	218	400	425	751	WGZIG154050	INSERT CODE
1780	500	627	335	600	439	235	400	494	839	WGZIG178050	INSERT CODE

Spiro



Colour included
in the price

Production time: up to 10 working days for paint finish;
up to 4 weeks for galvanised finish.
Delivery time: 3-5 working days.


Connections:



Height [mm]	Width [mm]	Powder Paint [W]	Galvanic finish [W]	RAL and Terma special colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 220
566	450	110	80	*	*	WSSPI056045	INSERT CODE
794	450	165	110	*	*	WSSPI079045	INSERT CODE
1062	450	205	130	*	*	WSSPI106045	INSERT CODE

* price: [page 110](#).

Connections



																																		water radiators								electric radiators							
		SX	S1	S8	ZX	Z1	Z8	ZS	YL	YP	Y1	Y8	Y2	Y7	VL	VP	V3	V6	V2	V7	LX	L6	L8	L7	5L	58	PX	P3	P1	P2	5P	51	O1	O8	LP	AX	GD	YX	E1	E8	E2	E7	EX						
	Aero H	●						●	●												●	●						●	●									●											
	Aero HG	●						●	●												●	●							●	●								●											
	Aero V	●			●																●	●						●	●									●											
	Alex (⇅ 540)	●			●	●	●														●	●	●				●	●														●	●						
	Alex (⇅ 760÷1580)	●			●	●	●														●	●	●		●	●	●	●																					
	Alex ONE	●	●	●																	●	●			●	●	●	●																					
	Angus DW	●			●				●	●	●	●									●	●	●			●	●	●	●																				
	Angus H (⇅ 360÷520)	●			●				●	●	●	●									●	●	●			●	●	●	●									●											
	Angus H (⇅ 600÷680)	●			●				●	●	●	●									●	●	●		●	●	●	●	●									●											
	Angus V	●			●				●	●	●	●									●	●	●		●	●	●	●	●									●											
	Bone	●			●	●	●														●	●	●		●	●	●	●	●																				
	Bone DW				●																●	●	●		●	●	●	●	●																				
	Bone One		●	●																		●				●	●	●																					
	Cane				●	●	●		●	●		●	●									●	●				●	●	●																				
	Case Slim	●			●	●	●		●	●												●					●	●	●																				
	City (⇅ 510)	●			●	●	●														●	●	●			●	●	●																					
	City (⇅ 780÷1860)	●			●	●	●														●	●	●		●	●	●	●																					
	City One		●	●																		●				●	●	●																					
	Cyklon H								●	●												●				●	●	●																					
	Cyklon V								●	●												●					●	●																					
	Delfin (⇅ 1800÷2000)	●			●				●	●												●					●	●										●	●										
	Delfin (⇅ 440÷640)	●			●				●	●			●	●	●	●			●	●		●					●	●									●	●					●	●					
	Dexter	●				●	●																																										
	Dexter One		●	●																																													
	Dexter Pro				●	●	●																																										
	Dexter Pro One				●	●	●																																										
	Diamond	●			●	●	●														●		●		●	●	●	●																					
	Domi	●			●	●	●															●		●		●	●	●																					
	Easy	●			●	●	●															●		●		●	●	●																					
	Easy DW																					●		●		●	●	●																					
	Easy One		●	●																		●		●		●	●	●																					
	Fiona	●			●	●	●															●		●		●	●	●																					
	Fiona One		●	●																		●		●		●	●	●																					
	Incorner (⇅ 465)	●																				●		●		●	●	●																					
	Incorner (⇅ 735÷1545)	●																				●		●		●	●	●																					
	Intra	●			●				●	●												●		●		●	●	●																					
	Intra M	●			●				●	●												●		●		●	●	●																					
	Kioto	●							●	●												●		●		●	●	●																					
	Kioto One		●	●																		●		●		●	●	●																					
	Lena	●			●	●	●															●		●		●	●	●																					
	Lima (⇅ 300)	●			●	●	●															●		●		●	●	●																					
	Lima (⇅ 500)	●			●	●	●															●		●		●	●	●																					
	Lima (⇅ 820÷1700)	●			●	●	●															●		●		●	●	●																					
	Lima One		●	●																		●		●		●	●	●																					
	Lukka	●			●	●	●															●		●		●	●	●																					
	Mantis	●			●	●	●															●		●		●	●	●																					
	Mantis One		●	●																		●		●		●	●	●																					
	Marlin	●			●	●	●															●		●		●	●	●																					
	Marlin One		●	●																		●		●		●	●	●																					
	Michelle							●	●													●		●		●	●	●																					
	Mike (⇅ 435)	●			●	●	●															●		●		●	●	●																					
	Mike (⇅ 735÷1635)	●			●	●	●															●		●		●	●	●																					
	Mike (⇅ 460; ↔ 230)	●			●	●	●															●		●		●	●	●																					
	Mike (↔ 230)	●			●	●	●															●		●		●	●	●																					
	Mike One		●	●																		●		●		●	●	●																					

Electric radiators

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Alex	540	300	200	120	208	229	310	213	234	316	229	251	332
Alex	540	400	200	200	212	234	330	217	240	335	234	256	351
Alex	540	500	300	200	217	240	349	222	245	354	239	262	370
Alex	540	600	400	300	222	247	368	228	252	373	244	268	389
Alex	760	300	300	200	222	246	366	227	251	371	244	268	388
Alex	760	400	300	200	229	254	392	234	260	397	250	276	413
Alex	760	500	400	300	237	265	418	243	270	423	259	287	440
Alex	760	600	600	400	249	279	446	254	284	451	270	300	468
Alex	1140	300	400	300	252	283	469	257	288	474	274	304	491
Alex	1140	400	400	400	265	299	514	271	304	519	287	321	535
Alex	1140	500	600	400	279	315	556	284	320	562	301	337	578
Alex	1140	600	800	600	295	335	597	300	340	603	317	357	619
Alex	1580	500	800	600	319	364	695	325	370	700	341	386	717
Alex	1580	600	1000	600	338	387	751	343	392	756	360	409	772
Alex	1580	700	1000	800	356	409	810	362	415	815	378	431	832
Alex	1580	800	1200	-	376	434	-	382	439	-	398	455	-
Angus H	360	1140	400	-	448	448	-	454	454	-	470	470	-
Angus H	440	1300	600	-	507	507	-	512	512	-	528	528	-
Angus H	520	1460	800	-	592	592	-	597	597	-	614	614	-
Angus H	600	1620	800	-	652	652	-	657	657	-	673	673	-
Angus H	680	1780	1000	-	738	738	-	744	744	-	760	760	-
Angus DW	1140	360	400	-	545	545	-	551	551	-	567	567	-
Angus DW	1300	440	600	-	590	590	-	595	595	-	611	611	-
Angus DW	1460	520	800	-	661	661	-	666	666	-	682	682	-
Angus DW	1620	600	1000	-	719	719	-	725	725	-	741	741	-
Angus DW	1780	680	1200	-	804	804	-	810	810	-	826	826	-
Angus V E	1140	360	400	-	448	448	-	454	454	-	470	470	-
Angus V E	1300	440	600	-	507	507	-	512	512	-	528	528	-
Angus V E	1460	520	800	-	592	592	-	597	597	-	614	614	-
Angus V E	1620	600	1000	-	652	652	-	657	657	-	674	674	-
Angus V E	1780	680	1200	-	739	739	-	744	744	-	760	760	-
Bone	760	500	300	200	264	298	434	269	303	439	285	319	456
Bone	760	600	400	300	270	305	463	275	311	469	292	327	485
Bone	1260	500	600	400	297	338	524	302	343	529	319	360	546
Bone	1260	600	600	400	307	350	582	313	356	587	329	372	604
Bone	1510	500	600	400	330	379	681	335	384	687	352	400	703
Bone	1510	600	800	600	342	393	754	347	398	759	364	415	775
Bone DW	1610	500	600	-	419	489	-	424	495	-	440	511	-
Bone DW	1910	500	800	-	451	529	-	457	534	-	473	551	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
189	210	292	197	218	300	181	203	284	169	191	272	WLALE054030	INSERT CODE
194	216	311	202	224	319	186	208	303	174	196	291	WLALE054040	INSERT CODE
198	221	330	206	229	338	190	214	322	179	202	311	WLALE054050	INSERT CODE
204	228	349	212	236	357	196	220	341	184	208	329	WLALE054060	INSERT CODE
203	228	347	211	236	355	196	220	340	184	208	328	WLALE076030	INSERT CODE
210	236	373	218	244	381	202	228	365	191	216	354	WLALE076040	INSERT CODE
219	246	400	227	254	408	211	238	392	199	227	380	WLALE076050	INSERT CODE
230	260	428	238	268	435	222	252	420	210	240	408	WLALE076060	INSERT CODE
233	264	451	241	272	459	226	256	443	214	244	431	WLALE114030	INSERT CODE
247	280	495	255	288	503	239	273	487	227	261	475	WLALE114040	INSERT CODE
260	297	538	268	305	546	252	289	530	241	277	518	WLALE114050	INSERT CODE
277	317	579	285	324	587	269	309	571	257	297	559	WLALE114060	INSERT CODE
301	346	676	309	354	684	293	338	668	281	326	657	WLALE158050	INSERT CODE
319	368	732	327	376	740	312	360	724	300	349	712	WLALE158060	INSERT CODE
338	391	792	346	399	799	330	383	784	318	371	772	WLALE158070	INSERT CODE
358	415	-	366	423	-	350	407	-	338	395	-	WLALE158080	INSERT CODE
430	430	-	438	438	-	422	422	-	410	410	-	WLANH036114	INSERT CODE
488	488	-	496	496	-	480	480	-	469	469	-	WLANH044130	INSERT CODE
573	573	-	581	581	-	566	566	-	554	554	-	WLANH052146	INSERT CODE
633	633	-	641	641	-	625	625	-	613	613	-	WLANH060162	INSERT CODE
720	720	-	728	728	-	712	712	-	700	700	-	WLANH068178	INSERT CODE
527	527	-	535	535	-	519	519	-	507	507	-	WLANS114036	WSTAW KOD
571	571	-	579	579	-	563	563	-	552	552	-	WLANS130044	WSTAW KOD
642	642	-	650	650	-	634	634	-	622	622	-	WLANS146052	WSTAW KOD
701	701	-	709	709	-	693	693	-	681	681	-	WLANS162060	WSTAW KOD
786	786	-	794	794	-	778	778	-	766	766	-	WLANS178068	WSTAW KOD
430	430	-	438	438	-	422	422	-	410	410	-	WLANG114036	INSERT CODE
488	488	-	496	496	-	480	480	-	468	468	-	WLANG130044	INSERT CODE
574	574	-	581	581	-	566	566	-	554	554	-	WLANG146052	INSERT CODE
633	633	-	641	641	-	625	625	-	614	614	-	WLANG162060	INSERT CODE
720	720	-	728	728	-	712	712	-	700	700	-	WLANG178068	INSERT CODE
245	279	416	253	287	424	237	271	408	225	260	396	WLBON076050	INSERT CODE
251	287	445	259	295	453	244	279	437	232	267	425	WLBON076060	INSERT CODE
278	319	506	286	327	513	270	311	498	259	300	486	WLBON126050	INSERT CODE
289	332	563	297	340	571	281	324	556	269	312	544	WLBON126060	INSERT CODE
312	360	663	320	368	671	304	352	655	292	340	643	WLBON151050	INSERT CODE
324	375	735	332	382	743	316	367	727	304	355	715	WLBON151060	INSERT CODE
400	471	-	408	479	-	392	463	-	380	451	-	WLBSD161050	INSERT CODE
433	511	-	441	518	-	425	503	-	413	491	-	WLBSD191050	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Cane	1300	390	600	-	955	955	-	960	960	-	976	976	-
Cane	1600	390	800	-	1 054	1 054	-	1 059	1 059	-	1 076	1 076	-
Cane	1900	390	800	-	1 154	1 154	-	1 159	1 159	-	1 175	1 175	-
METAL													
Case Slim	1360	420	400	-	732	-	-	736	-	-	749	-	-
Case Slim	1360	520	600	-	777	-	-	782	-	-	795	-	-
Case Slim	1360	620	600	-	821	-	-	826	-	-	839	-	-
Case Slim	1585	420	400	-	767	-	-	771	-	-	784	-	-
Case Slim	1585	520	600	-	816	-	-	821	-	-	834	-	-
Case Slim	1585	620	800	-	870	-	-	874	-	-	887	-	-
Case Slim	1810	420	600	-	798	-	-	803	-	-	816	-	-
Case Slim	1810	520	600	-	855	-	-	859	-	-	873	-	-
Case Slim	1810	620	800	-	915	-	-	919	-	-	932	-	-
GLASS													
Case Slim	1360	420	400	-	840	-	-	844	-	-	857	-	-
Case Slim	1360	520	600	-	910	-	-	915	-	-	928	-	-
Case Slim	1360	620	600	-	979	-	-	983	-	-	997	-	-
Case Slim	1585	420	400	-	892	-	-	896	-	-	909	-	-
Case Slim	1585	520	600	-	970	-	-	975	-	-	988	-	-
Case Slim	1585	620	800	-	1 052	-	-	1 057	-	-	1 070	-	-
Case Slim	1810	420	600	-	941	-	-	945	-	-	958	-	-
Case Slim	1810	520	600	-	1 031	-	-	1 035	-	-	1 048	-	-
Case Slim	1810	620	800	-	1 123	-	-	1 127	-	-	1 140	-	-
MIRROR													
Case Slim	1360	420	400	-	774	-	-	778	-	-	792	-	-
Case Slim	1360	520	600	-	829	-	-	833	-	-	847	-	-
Case Slim	1360	620	600	-	882	-	-	886	-	-	900	-	-
Case Slim	1585	420	400	-	815	-	-	820	-	-	833	-	-
Case Slim	1585	520	600	-	876	-	-	880	-	-	893	-	-
Case Slim	1585	620	800	-	940	-	-	944	-	-	957	-	-
Case Slim	1810	420	600	-	853	-	-	858	-	-	871	-	-
Case Slim	1810	520	600	-	922	-	-	927	-	-	940	-	-
Case Slim	1810	620	800	-	994	-	-	998	-	-	1 011	-	-
GLASS GRAPHICS													
Case Slim	1360	420	400	-	840	-	-	844	-	-	857	-	
Case Slim	1360	520	600	-	910	-	-	915	-	-	928	-	
Case Slim	1360	620	600	-	979	-	-	983	-	-	997	-	
Case Slim	1585	420	400	-	892	-	-	896	-	-	909	-	
Case Slim	1585	520	600	-	970	-	-	975	-	-	988	-	
Case Slim	1585	620	800	-	1 052	-	-	1 057	-	-	1 070	-	
Case Slim	1810	420	600	-	941	-	-	945	-	-	958	-	
Case Slim	1810	520	600	-	1 031	-	-	1 035	-	-	1 048	-	-
Case Slim	1810	620	800	-	1 123	-	-	1 127	-	-	1 140	-	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
936	936	-	944	944	-	928	928	-	916	916	-	WLCAN130039	INSERT CODE
1 036	1 036	-	1 044	1 044	-	1 028	1 028	-	1 016	1 016	-	WLCAN160039	INSERT CODE
1 135	1 135	-	1 143	1 143	-	1 127	1 127	-	1 116	1 116	-	WLCAN190039	INSERT CODE
717	-	-	723	-	-	710	-	-	701	-	-	WLCSS136042	INSERT CODE
763	-	-	769	-	-	756	-	-	747	-	-	WLCSS136052	INSERT CODE
806	-	-	813	-	-	800	-	-	790	-	-	WLCSS136062	INSERT CODE
752	-	-	758	-	-	745	-	-	736	-	-	WLCSS158042	INSERT CODE
801	-	-	808	-	-	795	-	-	785	-	-	WLCSS158052	INSERT CODE
855	-	-	861	-	-	848	-	-	839	-	-	WLCSS158062	INSERT CODE
783	-	-	790	-	-	777	-	-	767	-	-	WLCSS181042	INSERT CODE
840	-	-	847	-	-	834	-	-	824	-	-	WLCSS181052	INSERT CODE
900	-	-	906	-	-	893	-	-	884	-	-	WLCSS181062	INSERT CODE
825	-	-	831	-	-	818	-	-	809	-	-	WLCSG136042	INSERT CODE
895	-	-	902	-	-	889	-	-	879	-	-	WLCSG136052	INSERT CODE
964	-	-	971	-	-	958	-	-	948	-	-	WLCSG136062	INSERT CODE
877	-	-	883	-	-	870	-	-	861	-	-	WLCSG158042	INSERT CODE
955	-	-	962	-	-	949	-	-	940	-	-	WLCSG158052	INSERT CODE
1 038	-	-	1 044	-	-	1 031	-	-	1 022	-	-	WLCSG158062	INSERT CODE
926	-	-	932	-	-	919	-	-	910	-	-	WLCSG181042	INSERT CODE
1 016	-	-	1 022	-	-	1 009	-	-	1 000	-	-	WLCSS181052	INSERT CODE
1 108	-	-	1 114	-	-	1 102	-	-	1 092	-	-	WLCSS181062	INSERT CODE
759	-	-	766	-	-	753	-	-	743	-	-	WLCSM136042	INSERT CODE
814	-	-	821	-	-	808	-	-	798	-	-	WLCSM136052	INSERT CODE
867	-	-	874	-	-	861	-	-	851	-	-	WLCSM136062	INSERT CODE
800	-	-	807	-	-	794	-	-	784	-	-	WLCSM158042	INSERT CODE
861	-	-	867	-	-	854	-	-	845	-	-	WLCSM158052	INSERT CODE
925	-	-	931	-	-	918	-	-	909	-	-	WLCSM158062	INSERT CODE
838	-	-	845	-	-	832	-	-	823	-	-	WLCSM181042	INSERT CODE
908	-	-	914	-	-	901	-	-	892	-	-	WLCSM181052	INSERT CODE
979	-	-	985	-	-	973	-	-	963	-	-	WLCSM181062	INSERT CODE
825	-	-	831	-	-	818	-	-	809	-	-	WLCSP136042	INSERT CODE
895	-	-	902	-	-	889	-	-	879	-	-	WLCSP136052	INSERT CODE
964	-	-	971	-	-	958	-	-	948	-	-	WLCSP136062	INSERT CODE
877	-	-	883	-	-	870	-	-	861	-	-	WLCSP158042	INSERT CODE
955	-	-	962	-	-	949	-	-	940	-	-	WLCSP158052	INSERT CODE
1 038	-	-	1 044	-	-	1 031	-	-	1 022	-	-	WLCSP158062	INSERT CODE
926	-	-	932	-	-	919	-	-	910	-	-	WLCSP181042	INSERT CODE
1 016	-	-	1 022	-	-	1 009	-	-	1 000	-	-	WLCSP181052	INSERT CODE
1 108	-	-	1 114	-	-	1 102	-	-	1 092	-	-	WLCSP181062	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
CONCRETE													
Case Slim	1360	420	400	-	881	-	-	886	-	-	899	-	-
Case Slim	1360	520	600	-	963	-	-	967	-	-	981	-	-
Case Slim	1360	620	600	-	1 042	-	-	1 047	-	-	1 060	-	-
Case Slim	1585	420	400	-	941	-	-	945	-	-	959	-	-
Case Slim	1585	520	600	-	1 032	-	-	1 037	-	-	1 050	-	-
Case Slim	1585	620	800	-	1 127	-	-	1 132	-	-	1 145	-	-
Case Slim	1810	420	600	-	998	-	-	1 002	-	-	1 015	-	-
Case Slim	1810	520	600	-	1 102	-	-	1 106	-	-	1 120	-	-
Case Slim	1810	620	800	-	1 209	-	-	1 213	-	-	1 227	-	-
City	510	500	300	-	327	327	-	333	333	-	349	349	-
City	510	600	400	-	337	337	-	343	343	-	359	359	-
City	780	500	400	-	361	361	-	367	367	-	383	383	-
City	780	600	600	-	376	376	-	381	381	-	398	398	-
City	1050	500	600	-	392	392	-	397	397	-	414	414	-
City	1050	600	800	-	412	412	-	417	417	-	434	434	-
City	1320	500	800	-	424	424	-	429	429	-	446	446	-
City	1320	600	800	-	446	446	-	451	451	-	468	468	-
City	1590	500	800	-	458	458	-	463	463	-	480	480	-
City	1590	600	1000	-	483	483	-	488	488	-	505	505	-
City	1860	500	1000	-	494	494	-	499	499	-	515	515	-
City	1860	600	1200	-	527	527	-	532	532	-	549	549	-
Delfin	440	820	800	-	314	314	-	319	319	-	332	332	-
Delfin	440	1020	800	-	338	338	-	343	343	-	357	357	-
Delfin	440	1220	1000	-	367	367	-	372	372	-	385	385	-
Delfin	540	820	800	-	322	322	-	326	326	-	340	340	-
Delfin	540	1020	1000	-	355	355	-	359	359	-	373	373	-
Delfin	540	1220	1200	-	411	411	-	416	416	-	430	430	-
Delfin	640	820	1000	-	370	370	-	374	374	-	388	388	-
Delfin	640	1020	1200	-	410	410	-	415	415	-	428	428	-
Delfin	640	1220	1500	-	451	451	-	455	455	-	469	469	-
Dexter	860	400	400	200	274	311	508	279	316	513	296	333	529
Dexter	860	500	400	300	281	319	530	286	324	535	302	341	552
Dexter	860	600	600	400	289	329	562	294	334	568	310	351	584
Dexter	1220	400	400	300	309	354	660	314	359	665	331	376	682
Dexter	1220	500	600	400	319	366	683	324	371	688	341	388	704
Dexter	1220	600	800	400	332	382	726	337	387	732	353	403	748
Dexter	1760	400	600	400	386	449	786	391	454	792	408	471	808
Dexter	1760	500	800	600	400	465	816	405	471	822	421	487	838
Dexter	1760	600	1000	600	416	485	875	421	412	880	438	507	897
Diamond	880	400	300	200	367	367	667	372	372	672	389	389	689
Diamond	880	500	300	200	373	373	689	379	379	694	395	395	711
Diamond	880	600	400	300	381	381	715	387	387	720	403	403	736

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
866	-	-	873	-	-	860	-	-	850	-	-	WLCSB136042	INSERT CODE
948	-	-	954	-	-	942	-	-	932	-	-	WLCSB136052	INSERT CODE
1 028	-	-	1 034	-	-	1 021	-	-	1 012	-	-	WLCSB136062	INSERT CODE
926	-	-	932	-	-	920	-	-	910	-	-	WLCSB158042	INSERT CODE
1 017	-	-	1 024	-	-	1 011	-	-	1 001	-	-	WLCSB158052	INSERT CODE
1 112	-	-	1 119	-	-	1 106	-	-	1 096	-	-	WLCSB158062	INSERT CODE
983	-	-	989	-	-	976	-	-	967	-	-	WLCSB181042	INSERT CODE
1 087	-	-	1 094	-	-	1 081	-	-	1 071	-	-	WLCSB181052	INSERT CODE
1 194	-	-	1 201	-	-	1 188	-	-	1 178	-	-	WLCSB181062	INSERT CODE
309	309	-	317	317	-	301	301	-	289	289	-	WLCIT051050	INSERT CODE
319	319	-	327	327	-	311	311	-	299	299	-	WLCIT051060	INSERT CODE
343	343	-	351	351	-	335	335	-	323	323	-	WLCIT078050	INSERT CODE
358	358	-	366	366	-	350	350	-	338	338	-	WLCIT078060	INSERT CODE
374	374	-	381	381	-	366	366	-	354	354	-	WLCIT105050	INSERT CODE
393	393	-	401	401	-	386	386	-	374	374	-	WLCIT105060	INSERT CODE
406	406	-	414	414	-	398	398	-	386	386	-	WLCIT132050	INSERT CODE
428	428	-	436	436	-	420	420	-	408	408	-	WLCIT132060	INSERT CODE
439	439	-	447	447	-	432	432	-	420	420	-	WLCIT159050	INSERT CODE
465	465	-	473	473	-	457	457	-	445	445	-	WLCIT159060	INSERT CODE
475	475	-	483	483	-	467	467	-	456	456	-	WLCIT186050	INSERT CODE
508	508	-	516	516	-	501	501	-	489	489	-	WLCIT186060	INSERT CODE
299	299	-	305	305	-	292	292	-	282	282	-	WLDLF044082	INSERT CODE
323	323	-	329	329	-	316	316	-	306	306	-	WLDLF044102	INSERT CODE
352	352	-	358	358	-	345	345	-	335	335	-	WLDLF044122	INSERT CODE
307	307	-	313	313	-	300	300	-	290	290	-	WLDLF054082	INSERT CODE
339	339	-	346	346	-	333	333	-	323	323	-	WLDLF054102	INSERT CODE
396	396	-	402	402	-	389	389	-	379	379	-	WLDLF054122	INSERT CODE
354	354	-	361	361	-	348	348	-	338	338	-	WLDLF064082	INSERT CODE
395	395	-	401	401	-	388	388	-	378	378	-	WLDLF064102	INSERT CODE
435	435	-	442	442	-	429	429	-	419	419	-	WLDLF064122	INSERT CODE
256	293	489	263	301	497	248	285	481	236	273	469	WLDEX086040	INSERT CODE
262	301	511	270	309	519	254	293	503	242	281	492	WLDEX086050	INSERT CODE
270	311	544	278	318	552	262	303	536	251	291	524	WLDEX086060	INSERT CODE
291	336	642	299	344	650	283	328	634	271	316	622	WLDEX122040	INSERT CODE
301	348	664	308	356	672	293	340	656	281	328	644	WLDEX122050	INSERT CODE
313	363	708	321	371	716	305	355	700	294	343	688	WLDEX122060	INSERT CODE
368	431	768	376	438	776	360	423	760	348	411	748	WLDEX176040	INSERT CODE
381	447	798	389	455	806	373	439	790	361	427	778	WLDEX176050	INSERT CODE
397	467	857	405	474	864	389	459	849	378	447	837	WLDEX176060	INSERT CODE
349	349	648	357	357	656	341	341	640	329	329	629	WLDIM088040	INSERT CODE
355	355	671	363	363	679	347	347	663	335	335	651	WLDIM088050	INSERT CODE
363	363	696	371	371	704	355	355	688	343	343	677	WLDIM088060	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Diamond	1120	400	400	200	412	412	740	417	417	745	433	433	761
Diamond	1120	500	400	300	420	420	770	425	425	775	442	442	792
Diamond	1120	600	400	300	430	430	802	435	435	807	452	452	824
Diamond	1360	400	400	300	456	456	815	461	461	820	478	478	836
Diamond	1360	500	600	400	466	466	851	471	471	856	488	488	873
Diamond	1360	600	600	400	477	477	887	483	483	892	499	499	909
Diamond	1600	400	400	400	498	498	889	503	503	895	520	520	911
Diamond	1600	500	600	400	509	509	929	514	514	935	531	531	951
Diamond	1600	600	600	400	523	523	974	528	528	979	545	545	996
Domi	786	400	300	200	217	240	400	222	245	406	238	262	422
Domi	786	500	400	300	224	249	429	229	254	435	246	270	451
Domi	786	600	400	300	234	261	458	239	266	463	255	282	480
Domi	1116	400	400	300	241	269	501	246	275	506	263	291	523
Domi	1116	500	600	400	254	285	544	259	291	549	276	307	566
Domi	1116	600	600	400	267	302	587	273	307	592	289	323	609
Domi	1479	400	600	400	273	309	574	279	314	579	295	331	595
Domi	1479	500	600	400	293	333	631	298	338	636	315	355	653
Domi	1479	600	800	600	316	361	703	321	366	708	337	382	724
Easy	640	200	120	120	278	278	361	283	283	366	300	300	383
Easy	960	200	200	120	307	307	437	312	312	442	329	329	459
Easy	1280	200	300	200	349	349	512	354	354	518	371	371	534
Easy	1600	200	300	200	391	391	585	396	396	590	412	412	606
Easy	1920	200	400	-	433	433	-	438	438	-	454	454	-
Easy DW	1660	200	300	-	470	470	-	475	475	-	492	492	-
Easy DW	1980	200	400	-	512	512	-	517	517	-	534	534	-
Fiona	660	400	300	120	215	239	402	221	244	407	237	261	423
Fiona	660	430	300	200	217	242	411	222	247	416	239	264	432
Fiona	660	480	300	200	219	245	423	225	250	428	241	267	445
Fiona	660	500	300	200	220	247	429	226	252	434	242	268	451
Fiona	660	530	300	200	223	250	437	229	256	442	245	272	459
Fiona	660	580	300	200	226	254	454	231	259	459	248	276	475
Fiona	660	600	400	200	227	255	458	232	261	464	249	277	480
Fiona	660	630	400	300	229	258	467	234	263	472	251	280	488
Fiona	660	680	400	300	232	262	480	237	267	486	253	284	502
Fiona	900	400	300	200	229	256	455	234	262	460	250	278	477
Fiona	900	430	400	300	231	259	465	236	264	470	252	281	487
Fiona	900	480	400	300	235	265	483	240	270	488	256	287	504
Fiona	900	500	400	300	236	267	489	241	272	495	258	288	511
Fiona	900	530	400	300	238	270	500	243	275	505	260	292	522
Fiona	900	580	400	300	242	275	530	247	280	535	263	296	552
Fiona	900	600	400	300	243	276	534	248	282	540	264	298	556
Fiona	900	630	400	300	246	281	547	252	286	552	268	303	569
Fiona	900	680	600	400	250	286	564	255	291	569	272	308	586
Fiona	1140	400	400	300	245	277	530	250	282	536	267	299	552

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
393	393	721	401	401	729	385	385	713	373	373	701	WLDIM112040	INSERT CODE
401	401	752	409	409	760	394	394	744	382	382	732	WLDIM112050	INSERT CODE
411	411	784	419	419	792	403	403	776	392	392	764	WLDIM112060	INSERT CODE
438	438	796	446	446	804	430	430	788	418	418	776	WLDIM136040	INSERT CODE
447	447	833	455	455	840	440	440	825	428	428	813	WLDIM136050	INSERT CODE
459	459	869	467	467	877	451	451	861	439	439	849	WLDIM136060	INSERT CODE
480	480	871	488	488	879	472	472	863	460	460	851	WLDIM160040	INSERT CODE
491	491	911	498	498	919	483	483	903	471	471	891	WLDIM160050	INSERT CODE
504	504	956	512	512	963	496	496	948	485	485	936	WLDIM160060	INSERT CODE
198	222	382	206	229	390	190	214	374	179	202	362	WLDOM078040	INSERT CODE
205	230	411	213	238	419	198	222	403	186	210	391	WLDOM078050	INSERT CODE
215	242	440	223	250	448	207	234	432	196	222	420	WLDOM078060	INSERT CODE
222	251	483	230	259	491	215	243	475	203	231	463	WLDOM111040	INSERT CODE
236	267	526	244	275	533	228	259	518	216	247	506	WLDOM111050	INSERT CODE
249	283	569	257	291	577	241	275	561	229	263	549	WLDOM111060	INSERT CODE
255	291	555	263	299	563	247	283	547	235	271	535	WLDOM147040	INSERT CODE
275	315	613	283	323	621	267	307	605	255	295	593	WLDOM147050	INSERT CODE
297	342	684	305	350	692	289	334	676	277	322	664	WLDOM147060	INSERT CODE
260	260	343	268	268	350	252	252	335	240	240	323	WLEAS064020	INSERT CODE
289	289	419	297	297	427	281	281	411	269	269	399	WLEAS096020	INSERT CODE
331	331	494	338	338	502	323	323	486	311	311	474	WLEAS128020	INSERT CODE
372	372	566	380	380	574	364	364	558	353	353	546	WLEAS160020	INSERT CODE
414	414	-	422	422	-	406	406	-	394	394	-	WLEAS192020	INSERT CODE
452	452	-	460	460	-	444	444	-	432	432	-	WLEAW166020	INSERT CODE
494	494	-	501	501	-	486	486	-	474	474	-	WLEAW198020	INSERT CODE
197	221	383	205	229	391	189	213	375	177	201	363	WLFIN066040	INSERT CODE
199	223	392	207	231	400	191	215	384	179	204	372	WLFIN066043	INSERT CODE
201	227	405	209	235	412	193	219	397	181	207	385	WLFIN066048	INSERT CODE
202	228	410	210	236	418	194	220	402	182	208	391	WLFIN066050	INSERT CODE
205	232	419	213	240	427	197	224	411	185	212	399	WLFIN066053	INSERT CODE
208	236	435	216	244	443	200	228	427	188	216	415	WLFIN066058	INSERT CODE
209	237	440	217	245	448	201	229	432	189	217	420	WLFIN066060	INSERT CODE
211	240	448	218	247	456	203	232	440	191	220	428	WLFIN066063	INSERT CODE
213	243	462	221	251	470	205	236	454	193	224	442	WLFIN066068	INSERT CODE
210	238	437	218	246	445	202	230	429	190	218	417	WLFIN090040	INSERT CODE
212	241	447	220	249	454	204	233	439	192	221	427	WLFIN090043	INSERT CODE
216	246	464	224	254	472	208	238	456	196	227	445	WLFIN090048	INSERT CODE
217	248	471	225	256	479	209	240	463	198	228	451	WLFIN090050	INSERT CODE
220	251	481	228	259	489	212	243	474	200	232	462	WLFIN090053	INSERT CODE
223	256	511	231	264	519	215	248	504	203	236	492	WLFIN090058	INSERT CODE
224	258	516	232	266	524	216	250	508	204	238	496	WLFIN090060	INSERT CODE
228	263	528	236	270	536	220	255	520	208	243	509	WLFIN090063	INSERT CODE
232	268	545	239	275	553	224	260	538	212	248	526	WLFIN090068	INSERT CODE
227	258	512	234	266	520	219	250	504	207	239	492	WLFIN114040	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Fiona	1140	430	400	300	247	279	542	252	285	547	268	301	564
Fiona	1140	480	400	300	250	285	562	255	290	568	272	306	584
Fiona	1140	500	600	400	252	287	570	257	292	575	273	308	592
Fiona	1140	530	600	400	255	291	584	260	296	589	276	313	606
Fiona	1140	580	600	400	260	299	613	266	304	618	282	320	635
Fiona	1140	600	600	400	262	301	620	267	306	626	284	322	642
Fiona	1140	630	600	400	267	307	636	272	312	641	288	328	658
Fiona	1140	680	600	400	271	313	657	276	318	662	293	334	678
Fiona	1380	400	600	400	259	294	585	264	300	590	281	316	607
Fiona	1380	430	600	400	261	298	599	266	303	605	283	319	621
Fiona	1380	480	600	400	267	306	625	272	311	631	289	328	647
Fiona	1380	500	600	400	269	309	636	274	314	642	290	330	658
Fiona	1380	530	600	400	274	315	653	279	320	658	295	336	675
Fiona	1380	580	600	400	279	322	692	284	327	697	301	344	714
Fiona	1380	600	800	400	281	325	701	286	330	706	302	346	722
Fiona	1380	630	800	600	285	330	718	290	336	724	307	352	740
Fiona	1380	680	800	600	290	338	745	295	343	750	312	360	767
Fiona	1620	400	600	400	273	313	647	279	318	652	295	335	669
Fiona	1620	430	600	400	278	318	664	283	324	670	299	340	686
Fiona	1620	480	600	400	284	327	694	289	332	700	305	349	716
Fiona	1620	500	800	600	286	330	706	291	335	711	308	352	728
Fiona	1620	530	800	600	288	334	722	293	339	728	310	356	744
Fiona	1620	580	800	600	294	343	768	299	348	773	316	364	790
Fiona	1620	600	800	600	296	346	781	301	351	786	318	368	802
Fiona	1620	630	800	600	302	353	800	307	358	805	324	375	821
Fiona	1620	680	1000	600	308	362	829	313	367	835	330	383	851
Fiona	1860	400	600	-	285	328	-	291	334	-	307	350	-
Fiona	1860	430	800	-	290	335	-	295	340	-	312	357	-
Fiona	1860	480	800	-	297	345	-	302	350	-	319	367	-
Fiona	1860	500	800	-	299	349	-	305	354	-	321	370	-
Fiona	1860	530	800	-	304	355	-	310	360	-	326	377	-
Fiona	1860	580	1000	-	312	366	-	317	371	-	334	387	-
Fiona	1860	600	1000	-	314	369	-	320	375	-	336	391	-
Fiona	1860	630	1000	-	319	376	-	324	381	-	341	397	-
Fiona	1860	680	1000	-	326	385	-	331	391	-	348	407	-
Incorner	465	350	300	-	287	287	-	291	291	-	305	305	-
Incorner	735	350	400	-	312	312	-	317	317	-	330	330	-
Incorner	1005	350	600	-	326	326	-	331	331	-	344	344	-
Incorner	1275	350	800	-	351	351	-	356	356	-	370	370	-
Incorner	1545	350	800	-	388	388	-	393	393	-	407	407	-
Kioto	555	480	300	-	372	372	-	377	377	-	393	393	-
Kioto	870	480	400	-	405	405	-	410	410	-	426	426	-
Kioto	1185	480	600	-	452	452	-	457	457	-	474	474	-
Kioto	1500	480	800	-	499	499	-	505	505	-	521	521	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
228	261	524	236	269	532	220	253	516	209	241	504	WLFIN114043	INSERT CODE
232	266	544	240	274	552	224	258	536	212	247	524	WLFIN114048	INSERT CODE
233	268	551	241	276	559	225	260	543	213	249	532	WLFIN114050	INSERT CODE
236	273	565	244	280	573	228	265	558	216	253	546	WLFIN114053	INSERT CODE
242	280	595	250	288	603	234	272	587	222	260	575	WLFIN114058	INSERT CODE
243	282	602	251	290	610	236	274	594	224	263	582	WLFIN114060	INSERT CODE
248	288	618	256	296	626	240	280	610	228	268	598	WLFIN114063	INSERT CODE
252	294	638	260	302	646	245	286	630	233	274	618	WLFIN114068	INSERT CODE
241	276	567	248	284	574	233	268	559	221	256	547	WLFIN138040	INSERT CODE
242	279	581	250	287	589	234	271	573	223	259	561	WLFIN138043	INSERT CODE
248	287	607	256	295	615	240	279	599	229	268	587	WLFIN138048	INSERT CODE
250	290	618	258	298	626	242	282	610	230	270	598	WLFIN138050	INSERT CODE
255	296	634	263	304	642	247	288	627	235	277	615	WLFIN138053	INSERT CODE
260	304	674	268	312	681	252	296	666	241	284	654	WLFIN138058	INSERT CODE
262	306	682	270	314	690	254	298	674	242	286	662	WLFIN138060	INSERT CODE
266	312	700	274	320	708	258	304	692	247	292	680	WLFIN138063	INSERT CODE
272	320	726	280	327	734	264	312	718	252	300	707	WLFIN138068	INSERT CODE
255	294	628	263	302	636	247	286	620	235	275	609	WLFIN162040	INSERT CODE
259	300	646	267	308	654	251	292	638	239	280	626	WLFIN162043	INSERT CODE
265	309	676	273	317	684	257	301	668	246	289	656	WLFIN162048	INSERT CODE
267	312	687	275	320	695	259	304	680	248	292	668	WLFIN162050	INSERT CODE
269	315	704	277	323	712	262	308	696	250	296	684	WLFIN162053	INSERT CODE
276	324	750	284	332	757	268	316	742	256	304	730	WLFIN162058	INSERT CODE
278	327	762	286	335	770	270	320	754	258	308	742	WLFIN162060	INSERT CODE
283	335	781	291	342	789	276	327	773	264	315	761	WLFIN162063	INSERT CODE
290	343	811	298	351	819	282	335	803	270	324	791	WLFIN162068	INSERT CODE
267	310	-	275	318	-	259	302	-	247	290	-	WLFIN186040	INSERT CODE
271	316	-	279	324	-	264	308	-	252	297	-	WLFIN186043	INSERT CODE
279	326	-	286	334	-	271	318	-	259	307	-	WLFIN186048	INSERT CODE
281	330	-	289	338	-	273	322	-	261	310	-	WLFIN186050	INSERT CODE
286	337	-	294	345	-	278	329	-	266	317	-	WLFIN186053	INSERT CODE
294	347	-	301	355	-	286	339	-	274	327	-	WLFIN186058	INSERT CODE
296	351	-	304	359	-	288	343	-	276	331	-	WLFIN186060	INSERT CODE
301	357	-	309	365	-	293	349	-	281	337	-	WLFIN186063	INSERT CODE
308	367	-	316	375	-	300	359	-	288	347	-	WLFIN186068	INSERT CODE
271	271	-	278	278	-	265	265	-	255	255	-	WLQIN046035	INSERT CODE
297	297	-	303	303	-	290	290	-	280	280	-	WLQIN073035	INSERT CODE
311	311	-	317	317	-	304	304	-	294	294	-	WLQIN100035	INSERT CODE
336	336	-	343	343	-	329	329	-	319	319	-	WLQIN127035	INSERT CODE
373	373	-	380	380	-	366	366	-	356	356	-	WLQIN154035	INSERT CODE
353	353	-	361	361	-	345	345	-	334	334	-	WLKIO055048	INSERT CODE
386	386	-	394	394	-	378	378	-	366	366	-	WLKIO087048	INSERT CODE
433	433	-	441	441	-	426	426	-	414	414	-	WLKIO118048	INSERT CODE
481	481	-	489	489	-	473	473	-	461	461	-	WLKIO150048	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Kioto	1815	480	1000	-	547	547	-	552	552	-	568	568	-
Lena	660	400	300	200	215	239	406	220	244	411	237	261	428
Lena	660	436	300	200	218	243	416	223	248	421	239	265	438
Lena	660	486	300	200	220	246	428	225	251	434	242	268	450
Lena	660	500	300	200	221	247	432	226	252	437	242	269	453
Lena	660	536	300	200	224	251	442	229	257	447	246	273	464
Lena	660	586	400	200	227	255	458	232	260	463	248	277	480
Lena	660	600	400	200	227	256	461	233	261	467	249	278	483
Lena	660	636	400	300	229	259	471	235	264	476	251	281	492
Lena	660	686	400	300	232	263	483	237	268	488	254	284	505
Lena	900	400	300	200	229	258	461	234	263	466	251	279	482
Lena	900	436	400	300	231	261	472	237	266	478	253	282	494
Lena	900	486	400	300	235	266	489	241	271	494	257	288	510
Lena	900	500	400	300	236	268	495	242	273	500	258	289	517
Lena	900	536	400	300	239	271	507	244	276	512	261	293	529
Lena	900	586	400	300	242	276	536	247	281	541	264	297	557
Lena	900	600	400	300	243	277	540	249	283	545	265	299	562
Lena	900	636	600	400	247	282	554	252	288	559	269	304	575
Lena	900	686	600	400	251	287	569	256	292	575	272	309	591
Lena	1140	400	400	300	246	278	536	251	283	541	267	300	558
Lena	1140	436	400	300	248	281	551	253	286	556	269	303	573
Lena	1140	486	600	400	251	287	572	256	292	577	273	308	593
Lena	1140	500	600	400	252	288	578	258	294	583	274	310	600
Lena	1140	536	600	400	256	293	593	261	298	598	277	315	615
Lena	1140	586	600	400	261	300	620	266	305	625	283	322	642
Lena	1140	600	600	400	262	302	626	268	307	631	284	324	648
Lena	1140	636	600	400	267	308	643	273	313	649	289	330	665
Lena	1140	686	600	400	272	314	665	277	320	670	294	336	687
Lena	1380	400	600	400	260	296	593	265	301	599	282	318	615
Lena	1380	436	600	400	262	300	610	267	305	615	284	321	632
Lena	1380	486	600	400	268	308	635	273	313	640	290	329	657
Lena	1380	500	600	400	269	310	642	275	315	647	291	331	664
Lena	1380	536	600	400	275	317	662	280	322	667	296	338	683
Lena	1380	586	800	400	280	324	703	285	330	708	302	346	724
Lena	1380	600	800	600	281	326	709	287	332	714	303	348	731
Lena	1380	636	800	600	286	332	728	291	338	734	308	354	750
Lena	1380	686	800	600	291	340	753	296	345	758	313	361	775
Lena	1620	400	600	400	274	314	655	280	320	660	296	336	677
Lena	1620	436	600	400	279	321	676	284	326	682	301	343	698
Lena	1620	486	800	400	285	329	705	290	335	710	307	351	726
Lena	1620	500	800	600	287	332	714	292	337	719	308	354	736
Lena	1620	536	800	600	289	336	733	294	341	739	311	358	755
Lena	1620	586	800	600	295	345	780	301	350	785	317	367	802

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
528	528	-	536	536	-	520	520	-	509	509	-	WLKIO181048	INSERT CODE
196	221	388	204	229	396	188	213	380	177	201	368	WLLen066040	INSERT CODE
199	224	398	207	232	406	191	217	390	180	205	378	WLLen066043	INSERT CODE
202	228	410	209	236	418	194	220	402	182	208	390	WLLen066048	INSERT CODE
202	229	413	210	237	421	194	221	405	183	209	393	WLLen066050	INSERT CODE
206	233	424	213	241	432	198	225	416	186	213	404	WLLen066053	INSERT CODE
208	237	440	216	245	448	200	229	432	189	217	420	WLLen066058	INSERT CODE
209	238	443	217	246	451	201	230	435	189	218	423	WLLen066060	INSERT CODE
211	240	452	219	248	460	203	233	444	191	221	433	WLLen066063	INSERT CODE
214	244	465	222	252	473	206	236	457	194	224	445	WLLen066068	INSERT CODE
211	239	442	219	247	450	203	231	434	191	219	422	WLLen090040	INSERT CODE
213	242	454	221	250	462	205	234	446	193	222	434	WLLen090043	INSERT CODE
217	248	470	225	255	478	209	240	462	197	228	450	WLLen090048	INSERT CODE
218	249	476	226	257	484	210	241	468	198	229	457	WLLen090050	INSERT CODE
220	253	489	228	261	496	213	245	481	201	233	469	WLLen090053	INSERT CODE
224	257	517	232	265	525	216	249	509	204	238	497	WLLen090058	INSERT CODE
225	259	521	233	267	529	217	251	514	205	239	502	WLLen090060	INSERT CODE
229	264	535	237	272	543	221	256	527	209	244	516	WLLen090063	INSERT CODE
232	269	551	240	277	559	224	261	543	212	249	531	WLLen090068	INSERT CODE
227	259	518	235	267	525	219	252	510	207	240	498	WLLen114040	INSERT CODE
229	263	532	237	271	540	221	255	525	209	243	513	WLLen114043	INSERT CODE
233	268	553	241	276	561	225	260	545	213	248	533	WLLen114048	INSERT CODE
234	270	560	242	278	567	226	262	552	214	250	540	WLLen114050	INSERT CODE
237	274	575	245	282	583	229	266	567	217	255	555	WLLen114053	INSERT CODE
243	282	602	251	290	609	235	274	594	223	262	582	WLLen114058	INSERT CODE
244	283	608	252	291	616	236	276	600	224	264	588	WLLen114060	INSERT CODE
249	290	625	257	298	633	241	282	617	229	270	605	WLLen114063	INSERT CODE
253	296	647	261	304	654	245	288	639	234	276	627	WLLen114068	INSERT CODE
241	278	575	249	286	583	234	270	567	222	258	555	WLLen138040	INSERT CODE
243	281	591	251	289	599	236	273	583	224	262	572	WLLen138043	INSERT CODE
249	289	617	257	297	625	241	281	609	230	270	597	WLLen138048	INSERT CODE
251	291	624	259	299	631	243	283	616	231	272	604	WLLen138050	INSERT CODE
256	298	643	264	306	651	248	290	635	236	278	624	WLLen138053	INSERT CODE
261	306	684	269	314	692	254	298	676	242	286	664	WLLen138058	INSERT CODE
263	308	690	271	316	698	255	300	683	243	288	671	WLLen138060	INSERT CODE
267	314	710	275	322	718	260	306	702	248	294	690	WLLen138063	INSERT CODE
273	321	735	281	329	743	265	313	727	253	302	715	WLLen138068	INSERT CODE
256	296	637	264	304	645	248	288	629	236	276	617	WLLen162040	INSERT CODE
260	302	658	268	310	666	252	294	650	241	283	638	WLLen162043	INSERT CODE
266	311	686	274	319	694	259	303	678	247	291	666	WLLen162048	INSERT CODE
268	313	696	276	321	704	260	306	688	249	294	676	WLLen162050	INSERT CODE
271	318	715	279	326	723	263	310	707	251	298	695	WLLen162053	INSERT CODE
277	327	761	285	334	769	269	319	754	257	307	742	WLLen162058	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Lena	1620	600	800	600	297	347	786	302	352	792	319	369	808
Lena	1620	636	800	600	303	355	810	308	360	815	325	377	831
Lena	1620	686	1000	600	309	364	841	315	369	846	331	386	862
Lena	1860	400	600	-	286	331	-	292	336	-	308	352	-
Lena	1860	436	800	-	291	338	-	297	343	-	313	359	-
Lena	1860	486	800	-	298	348	-	304	353	-	320	369	-
Lena	1860	500	800	-	300	350	-	306	356	-	322	372	-
Lena	1860	536	800	-	306	358	-	311	363	-	327	379	-
Lena	1860	586	1000	-	313	368	-	319	374	-	335	390	-
Lena	1860	600	1000	-	315	371	-	321	376	-	337	393	-
Lena	1860	636	1000	-	320	378	-	326	384	-	342	400	-
Lena	1860	686	1000	-	328	388	-	333	394	-	349	410	-
Lima	500	300	120	120	212	212	437	218	218	443	234	234	459
Lima	500	400	200	120	218	218	452	224	224	457	240	240	474
Lima	500	500	200	200	227	227	467	233	233	472	249	249	489
Lima	500	600	300	200	239	239	495	244	244	501	260	260	517
Lima	500	700	300	200	242	242	510	248	248	515	264	264	532
Lima	820	300	300	200	239	239	496	244	244	501	261	261	518
Lima	820	400	300	200	249	249	511	254	254	516	270	270	533
Lima	820	500	400	300	258	258	527	264	264	532	280	280	549
Lima	820	600	400	400	271	271	542	276	276	548	292	292	564
Lima	820	700	600	400	288	288	572	293	293	577	310	310	593
Lima	1140	300	400	300	269	269	541	275	275	546	291	291	562
Lima	1140	400	400	300	284	284	557	290	290	562	306	306	578
Lima	1140	500	600	400	302	302	573	308	308	578	324	324	595
Lima	1140	600	800	400	318	318	603	323	323	608	340	340	625
Lima	1140	700	800	600	336	336	647	341	341	652	358	358	669
Lima	1460	300	400	300	288	288	599	293	293	604	310	310	621
Lima	1460	400	600	400	304	304	616	310	310	622	326	326	638
Lima	1460	500	800	600	321	321	633	326	326	638	342	342	655
Lima	1460	600	800	600	337	337	664	342	342	670	359	359	686
Lima	1460	700	1000	800	369	369	695	374	374	700	391	391	717
Lima	1700	300	600	400	330	330	643	335	335	648	351	351	665
Lima	1700	400	800	600	347	347	661	352	352	666	368	368	683
Lima	1700	500	800	600	364	364	692	369	369	698	385	385	714
Lima	1700	600	1000	800	391	391	751	396	396	756	412	412	773
Lima	1700	700	1200	800	423	423	810	429	429	815	445	445	832
Lukka	940	400	400	-	339	339	-	344	344	-	360	360	-
Lukka	940	500	400	-	352	352	-	358	358	-	374	374	-
Lukka	940	600	600	-	366	366	-	371	371	-	388	388	-
Lukka	1180	400	400	-	361	361	-	367	367	-	383	383	-
Lukka	1180	500	600	-	379	379	-	384	384	-	400	400	-
Lukka	1180	600	600	-	396	396	-	401	401	-	418	418	-
Lukka	1420	400	600	-	383	383	-	389	389	-	405	405	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
279	329	768	286	337	776	271	321	760	259	309	748	WLLN162060	INSERT CODE
285	337	791	293	345	799	277	329	783	265	317	772	WLLN162063	INSERT CODE
291	346	822	299	353	830	283	338	814	271	326	802	WLLN162068	INSERT CODE
268	312	-	276	320	-	260	304	-	248	292	-	WLLN186040	INSERT CODE
273	319	-	281	327	-	265	311	-	253	299	-	WLLN186043	INSERT CODE
280	329	-	288	337	-	272	321	-	260	309	-	WLLN186048	INSERT CODE
282	332	-	290	340	-	274	324	-	262	312	-	WLLN186050	INSERT CODE
287	339	-	295	347	-	279	331	-	268	320	-	WLLN186053	INSERT CODE
295	350	-	303	358	-	287	342	-	275	330	-	WLLN186058	INSERT CODE
297	353	-	305	361	-	289	345	-	277	333	-	WLLN186060	INSERT CODE
302	360	-	310	368	-	294	352	-	282	340	-	WLLN186063	INSERT CODE
309	370	-	317	378	-	301	362	-	289	350	-	WLLN186068	INSERT CODE
194	194	419	202	202	427	186	186	411	174	174	399	WLLIM050030	INSERT CODE
200	200	434	208	208	442	192	192	426	180	180	414	WLLIM050040	INSERT CODE
209	209	448	217	217	456	201	201	441	189	189	429	WLLIM050050	INSERT CODE
220	220	477	228	228	485	212	212	469	201	201	457	WLLIM050060	INSERT CODE
224	224	491	232	232	499	216	216	484	204	204	472	WLLIM050070	INSERT CODE
221	221	477	229	229	485	213	213	469	201	201	458	WLLIM082030	INSERT CODE
230	230	493	238	238	501	222	222	485	210	210	473	WLLIM082040	INSERT CODE
240	240	508	248	248	516	232	232	500	220	220	489	WLLIM082050	INSERT CODE
252	252	524	260	260	532	244	244	516	232	232	504	WLLIM082060	INSERT CODE
269	269	553	277	277	561	262	262	545	250	250	533	WLLIM082070	INSERT CODE
251	251	522	259	259	530	243	243	514	231	231	502	WLLIM114030	INSERT CODE
266	266	538	274	274	546	258	258	530	246	246	519	WLLIM114040	INSERT CODE
284	284	555	292	292	563	276	276	547	264	264	535	WLLIM114050	INSERT CODE
300	300	585	307	307	593	292	292	577	280	280	565	WLLIM114060	INSERT CODE
318	318	629	326	326	636	310	310	621	298	298	609	WLLIM114070	INSERT CODE
269	269	581	277	277	588	262	262	573	250	250	561	WLLIM146030	INSERT CODE
286	286	598	294	294	606	278	278	590	266	266	578	WLLIM146040	INSERT CODE
302	302	615	310	310	623	294	294	607	282	282	595	WLLIM146050	INSERT CODE
319	319	646	327	327	654	311	311	638	299	299	626	WLLIM146060	INSERT CODE
351	351	677	358	358	685	343	343	669	331	331	657	WLLIM146070	INSERT CODE
311	311	625	319	319	632	303	303	617	291	291	605	WLLIM170030	INSERT CODE
328	328	642	336	336	650	320	320	634	308	308	623	WLLIM170040	INSERT CODE
345	345	674	353	353	682	337	337	666	325	325	654	WLLIM170050	INSERT CODE
372	372	733	380	380	741	364	364	725	353	353	713	WLLIM170060	INSERT CODE
405	405	792	413	413	800	397	397	784	385	385	772	WLLIM170070	INSERT CODE
320	320	-	328	328	-	312	312	-	301	301	-	WLW51094040	INSERT CODE
334	334	-	342	342	-	326	326	-	314	314	-	WLW51094050	INSERT CODE
347	347	-	355	355	-	340	340	-	328	328	-	WLW51094060	INSERT CODE
343	343	-	351	351	-	335	335	-	323	323	-	WLW51118040	INSERT CODE
360	360	-	368	368	-	352	352	-	340	340	-	WLW51118050	INSERT CODE
377	377	-	385	385	-	369	369	-	358	358	-	WLW51118060	INSERT CODE
365	365	-	373	373	-	357	357	-	345	345	-	WLW51142040	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Lukka	1420	500	600	-	404	404	-	410	410	-	426	426	-
Lukka	1420	600	800	-	425	425	-	430	430	-	447	447	-
Lukka	1660	400	600	-	405	405	-	411	411	-	427	427	-
Lukka	1660	500	800	-	430	430	-	435	435	-	452	452	-
Lukka	1660	600	800	-	454	454	-	459	459	-	476	476	-
Mantis	860	440	400	-	278	278	-	283	283	-	299	299	-
Mantis	860	540	400	-	293	293	-	298	298	-	314	314	-
Mantis	1260	440	600	-	324	324	-	329	329	-	345	345	-
Mantis	1260	540	600	-	339	339	-	345	345	-	361	361	-
Mantis	1560	440	600	-	355	355	-	360	360	-	376	376	-
Mantis	1560	540	800	-	444	444	-	450	450	-	466	466	-
Marlin	600	430	300	120	229	255	408	234	261	413	250	277	430
Marlin	600	530	300	200	237	265	428	242	271	433	259	287	450
Marlin	600	630	400	200	246	276	447	251	282	453	267	298	469
Marlin	780	430	300	200	246	277	448	252	282	453	268	299	470
Marlin	780	530	400	300	254	287	471	260	292	476	276	309	493
Marlin	780	630	400	300	265	299	498	270	305	503	286	321	519
Marlin	1185	430	400	300	284	323	563	289	328	569	305	344	585
Marlin	1185	530	600	400	294	335	596	299	340	602	315	357	618
Marlin	1185	630	800	600	303	347	630	309	352	635	325	368	651
Marlin	1680	430	600	600	349	404	689	355	409	694	371	425	711
Marlin	1680	530	800	600	365	423	739	370	428	744	387	445	760
Marlin	1680	630	1000	800	382	443	788	387	448	794	403	465	810
Michelle	780	400	400	300	404	404	660	409	409	665	426	426	681
Michelle	780	500	400	300	416	416	713	422	422	718	438	438	735
Michelle	780	600	600	400	428	428	763	433	433	768	450	450	784
Michelle	1200	400	600	400	475	475	871	480	480	877	496	496	893
Michelle	1200	500	800	600	493	493	953	499	499	959	515	515	975
Michelle	1200	600	800	600	511	511	1 037	517	517	1 042	533	533	1 059
Michelle	1620	400	800	600	542	542	1 093	547	547	1 098	563	563	1 115
Michelle	1620	500	1000	800	563	563	1 206	569	569	1 211	585	585	1 228
Michelle	1620	600	1200	800	589	589	1 320	594	594	1 325	611	611	1 341
Mike	435	430	200	120	230	230	339	235	235	344	252	252	361
Mike	435	530	300	200	241	241	372	247	247	378	263	263	394
Mike	460	230	120	120	187	187	287	192	192	292	209	209	309
Mike	710	230	200	120	203	203	339	209	209	344	225	225	361
Mike	735	430	400	200	254	254	440	260	260	445	276	276	462
Mike	735	530	400	300	266	266	474	272	272	479	288	288	495
Mike	960	230	300	200	222	222	393	228	228	398	244	244	415
Mike	1035	430	400	400	279	279	519	284	284	525	301	301	541
Mike	1035	530	600	600	291	291	564	296	296	570	313	313	586
Mike	1210	230	300	200	239	239	445	244	244	450	261	261	467
Mike	1335	430	600	400	293	293	609	298	298	615	314	314	631

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
386	386	-	394	394	-	378	378	-	366	366	-	WLW51142050	INSERT CODE
406	406	-	414	414	-	399	399	-	387	387	-	WLW51142060	INSERT CODE
387	387	-	395	395	-	379	379	-	367	367	-	WLW51166040	INSERT CODE
411	411	-	419	419	-	404	404	-	392	392	-	WLW51166050	INSERT CODE
436	436	-	444	444	-	428	428	-	416	416	-	WLW51166060	INSERT CODE
259	259	-	267	267	-	251	251	-	239	239	-	WLMAT086044	INSERT CODE
274	274	-	282	282	-	266	266	-	255	255	-	WLMAT086054	INSERT CODE
305	305	-	313	313	-	297	297	-	285	285	-	WLMAT126044	INSERT CODE
321	321	-	329	329	-	313	313	-	301	301	-	WLMAT126054	INSERT CODE
336	336	-	344	344	-	328	328	-	316	316	-	WLMAT156044	INSERT CODE
426	426	-	434	434	-	418	418	-	406	406	-	WLMAT156054	INSERT CODE
210	237	389	218	245	397	202	229	382	190	217	370	WLMAR060043	INSERT CODE
218	247	409	226	255	417	210	239	401	199	227	390	WLMAR060053	INSERT CODE
227	258	429	235	266	437	219	250	421	208	238	409	WLMAR060063	INSERT CODE
228	259	430	236	266	437	220	251	422	208	239	410	WLMAR078043	INSERT CODE
236	268	453	244	276	461	228	261	445	216	249	433	WLMAR078053	INSERT CODE
246	281	479	254	289	487	238	273	471	226	261	459	WLMAR078063	INSERT CODE
265	304	545	273	312	553	257	296	537	245	284	525	WLMAR118043	INSERT CODE
275	316	578	283	324	586	267	308	570	255	297	558	WLMAR118053	INSERT CODE
285	328	611	293	336	619	277	320	603	265	308	592	WLMAR118063	INSERT CODE
331	385	671	339	393	678	323	377	663	311	365	651	WLMAR168043	INSERT CODE
347	405	720	355	412	728	339	397	712	327	385	700	WLMAR168053	INSERT CODE
363	425	770	371	432	778	355	417	762	343	405	750	WLMAR168063	INSERT CODE
386	386	641	393	393	649	378	378	633	366	366	622	WLMIC078040	INSERT CODE
398	398	694	406	406	702	390	390	686	378	378	675	WLMIC078050	INSERT CODE
409	409	744	417	417	752	401	401	736	390	390	724	WLMIC078060	INSERT CODE
456	456	853	464	464	861	448	448	845	436	436	833	WLMIC120040	INSERT CODE
475	475	935	483	483	943	467	467	927	455	455	915	WLMIC120050	INSERT CODE
493	493	1 018	501	501	1 026	485	485	1 011	473	473	999	WLMIC120060	INSERT CODE
523	523	1 074	531	531	1 082	515	515	1 067	504	504	1 055	WLMIC162040	INSERT CODE
545	545	1 188	553	553	1 196	537	537	1 180	525	525	1 168	WLMIC162050	INSERT CODE
570	570	1 301	578	578	1 309	563	563	1 293	551	551	1 281	WLMIC162060	INSERT CODE
211	211	321	219	219	329	203	203	313	192	192	301	WLMIK043043	INSERT CODE
223	223	354	231	231	362	215	215	346	203	203	334	WLMIK043053	INSERT CODE
169	169	269	177	177	277	161	161	261	149	149	249	WLMIK046023	INSERT CODE
185	185	320	193	193	328	177	177	312	165	165	301	WLMIK071023	INSERT CODE
236	236	422	244	244	430	228	228	414	216	216	402	WLMIK073043	INSERT CODE
248	248	455	256	256	463	240	240	447	228	228	435	WLMIK073053	INSERT CODE
204	204	375	212	212	383	196	196	367	184	184	355	WLMIK096023	INSERT CODE
260	260	501	268	268	509	253	253	493	241	241	481	WLMIK103043	INSERT CODE
273	273	546	281	281	554	265	265	538	253	253	526	WLMIK103053	INSERT CODE
220	220	427	228	228	434	212	212	419	201	201	407	WLMIK121023	INSERT CODE
274	274	591	282	282	599	266	266	583	254	254	571	WLMIK133043	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Mike	1335	530	800	600	316	316	677	321	321	682	338	338	699
Mike	1460	230	400	300	255	255	497	260	260	502	276	276	518
Mike	1635	430	800	600	317	317	700	323	323	705	339	339	721
Mike	1635	530	800	600	341	341	778	346	346	783	363	363	800
Mike	1710	230	400	300	271	271	549	276	276	554	293	293	570
Nemo	300	645	400	-	291	-	-	296	-	-	312	-	-
Nemo	300	915	600	-	338	-	-	343	-	-	359	-	-
Nemo	300	1185	800	-	385	-	-	390	-	-	407	-	-
Nemo	300	1455	800	-	432	-	-	437	-	-	453	-	-
Nemo	300	1725	1000	-	479	-	-	484	-	-	500	-	-
Nemo	530	375	400	-	273	-	-	278	-	-	295	-	-
Nemo	530	645	600	-	341	-	-	346	-	-	363	-	-
Nemo	530	915	800	-	409	-	-	415	-	-	431	-	-
Nemo	530	1185	1200	-	479	-	-	484	-	-	501	-	-
Nemo	530	1455	1500	-	547	-	-	552	-	-	569	-	-
Nemo	530	1725	1500	-	615	-	-	620	-	-	637	-	-
Outcorner	465	300	300	-	264	264	-	268	268	-	282	282	-
Outcorner	735	300	400	-	289	289	-	294	294	-	308	308	-
Outcorner	1005	300	600	-	315	315	-	319	319	-	333	333	-
Outcorner	1275	300	800	-	340	340	-	344	344	-	358	358	-
Outcorner	1545	300	800	-	366	366	-	370	370	-	384	384	-
Pajak E	923	431	300	-	1 051	-	-	1 056	-	-	1 072	-	-
Pajak E	923	531	400	-	1 090	-	-	1 095	-	-	1 112	-	-
Pajak E	923	631	400	-	1 131	-	-	1 137	-	-	1 153	-	-
Pajak E	1323	431	400	-	1 092	-	-	1 097	-	-	1 114	-	-
Pajak E	1323	531	400	-	1 123	-	-	1 128	-	-	1 145	-	-
Pajak E	1323	631	600	-	1 148	-	-	1 154	-	-	1 170	-	-
Pajak E	1723	431	400	-	1 132	-	-	1 137	-	-	1 154	-	-
Pajak E	1723	531	600	-	1 172	-	-	1 177	-	-	1 193	-	-
Pajak E	1723	631	600	-	1 214	-	-	1 220	-	-	1 236	-	-
POC 2	600	450	300	-	244	273	-	249	278	-	265	294	-
POC 2	600	500	400	-	248	278	-	253	283	-	269	299	-
POC 2	600	600	400	-	256	288	-	262	293	-	278	310	-
POC 2	840	450	400	-	268	302	-	273	307	-	289	324	-
POC 2	840	500	600	-	276	312	-	281	317	-	297	333	-
POC 2	840	600	600	-	285	323	-	290	328	-	307	344	-
POC 2	840	700	800	-	298	338	-	303	343	-	319	360	-
POC 2	1040	450	600	-	286	324	-	292	330	-	308	346	-
POC 2	1040	500	600	-	293	332	-	298	337	-	315	354	-
POC 2	1040	600	800	-	303	344	-	308	349	-	325	366	-
POC 2	1040	700	800	-	312	355	-	318	360	-	334	377	-
POC 2	1240	450	800	-	305	347	-	310	352	-	327	369	-
POC 2	1240	500	800	-	313	357	-	319	362	-	335	379	-
POC 2	1240	600	1000	-	327	373	-	332	379	-	349	395	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
298	298	658	306	306	666	290	290	650	278	278	639	WLMIK133053	INSERT CODE
236	236	478	244	244	486	228	228	470	216	216	458	WLMIK146023	INSERT CODE
299	299	681	307	307	689	291	291	673	279	279	662	WLMIK163043	INSERT CODE
323	323	760	330	330	768	315	315	752	303	303	740	WLMIK163053	INSERT CODE
252	252	530	260	260	538	244	244	522	233	233	510	WLMIK171023	INSERT CODE
272	-	-	280	-	-	264	-	-	253	-	-	WLNEM030064	WSTAW KOD
319	-	-	327	-	-	311	-	-	299	-	-	WLNEM030091	WSTAW KOD
367	-	-	375	-	-	359	-	-	347	-	-	WLNEM030118	WSTAW KOD
413	-	-	421	-	-	405	-	-	394	-	-	WLNEM030145	WSTAW KOD
460	-	-	468	-	-	452	-	-	440	-	-	WLNEM030172	WSTAW KOD
254	-	-	262	-	-	247	-	-	235	-	-	WLNEM053037	WSTAW KOD
323	-	-	331	-	-	315	-	-	303	-	-	WLNEM053064	WSTAW KOD
391	-	-	399	-	-	383	-	-	371	-	-	WLNEM053091	WSTAW KOD
460	-	-	468	-	-	452	-	-	441	-	-	WLNEM053118	WSTAW KOD
529	-	-	536	-	-	521	-	-	509	-	-	WLNEM053145	WSTAW KOD
597	-	-	605	-	-	589	-	-	577	-	-	WLNEM053172	WSTAW KOD
248	248	-	255	255	-	242	242	-	232	232	-	WLQON046030	INSERT CODE
274	274	-	280	280	-	267	267	-	257	257	-	WLQON073030	INSERT CODE
299	299	-	306	306	-	292	292	-	282	282	-	WLQON100030	INSERT CODE
325	325	-	331	331	-	318	318	-	308	308	-	WLQON127030	INSERT CODE
350	350	-	357	357	-	343	343	-	333	333	-	WLQON154030	INSERT CODE
1 032	-	-	1 040	-	-	1 024	-	-	1 012	-	-	WLP AJ092043	INSERT CODE
1 072	-	-	1 080	-	-	1 064	-	-	1 052	-	-	WLP AJ092053	INSERT CODE
1 113	-	-	1 121	-	-	1 105	-	-	1 093	-	-	WLP AJ092063	INSERT CODE
1 074	-	-	1 082	-	-	1 066	-	-	1 054	-	-	WLP AJ132043	INSERT CODE
1 105	-	-	1 113	-	-	1 097	-	-	1 085	-	-	WLP AJ132053	INSERT CODE
1 130	-	-	1 138	-	-	1 122	-	-	1 110	-	-	WLP AJ132063	INSERT CODE
1 113	-	-	1 121	-	-	1 105	-	-	1 094	-	-	WLP AJ172043	INSERT CODE
1 153	-	-	1 161	-	-	1 145	-	-	1 133	-	-	WLP AJ172053	INSERT CODE
1 196	-	-	1 204	-	-	1 188	-	-	1 176	-	-	WLP AJ172063	INSERT CODE
225	254	-	233	262	-	217	246	-	205	234	-	WLZUL060045	INSERT CODE
229	259	-	237	267	-	221	251	-	209	239	-	WLZUL060050	INSERT CODE
238	270	-	246	278	-	230	262	-	218	250	-	WLZUL060060	INSERT CODE
249	283	-	257	291	-	241	276	-	229	264	-	WLZUL084045	INSERT CODE
257	293	-	265	301	-	249	285	-	237	273	-	WLZUL084050	INSERT CODE
267	304	-	275	312	-	259	296	-	247	284	-	WLZUL084060	INSERT CODE
279	319	-	287	327	-	271	311	-	259	300	-	WLZUL084070	INSERT CODE
268	306	-	276	314	-	260	298	-	248	286	-	WLZUL104045	INSERT CODE
275	314	-	282	322	-	267	306	-	255	294	-	WLZUL104050	INSERT CODE
284	325	-	292	333	-	276	317	-	265	306	-	WLZUL104060	INSERT CODE
294	337	-	302	345	-	286	329	-	274	317	-	WLZUL104070	INSERT CODE
287	329	-	295	336	-	279	321	-	267	309	-	WLZUL124045	INSERT CODE
295	339	-	303	347	-	287	331	-	275	319	-	WLZUL124050	INSERT CODE
309	355	-	316	363	-	301	347	-	289	335	-	WLZUL124060	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
POC 2	1240	700	1000	-	341	390	-	346	395	-	363	411	-
POC 2	1400	500	800	-	351	403	-	356	408	-	372	425	-
POC 2	1400	600	1000	-	368	424	-	373	429	-	390	445	-
POC 2	1400	700	1200	-	389	449	-	394	454	-	411	471	-
Pola	780	500	400	300	257	257	550	262	262	555	279	279	572
Pola	780	600	400	300	268	268	594	273	273	599	290	290	615
Pola	1180	500	600	400	307	307	670	313	313	675	329	329	691
Pola	1180	600	800	600	326	326	714	331	331	720	347	347	736
Pola	1580	500	800	600	349	349	902	354	354	907	370	370	924
Pola	1580	600	1000	800	385	385	962	390	390	967	407	407	983
Perla E	1360	500	284	213	769	769	954	*Dry radiator with a heating cable.					
Perla E	1760	600	455	284	852	852	1 052	*Dry radiator with a heating cable.					
Ribbon V E	1800	290	600	-	634	634	-	639	639	-	656	656	-
Ribbon V E	1800	390	800	-	792	792	-	797	797	-	814	814	-
Ribbon V E	1800	490	1000	-	923	923	-	928	928	-	944	944	-
Ribbon T	930	500	600	-	444	444	-	449	449	-	466	466	-
Ribbon T	930	600	800	-	476	476	-	482	482	-	498	498	-
Ribbon T	1210	500	800	-	528	528	-	533	533	-	549	549	-
Ribbon T	1210	600	1000	-	572	572	-	578	578	-	594	594	-
Ribbon T	1490	500	1000	-	584	584	-	590	590	-	606	606	-
Ribbon T	1490	600	1200	-	635	635	-	641	641	-	-	-	-
Ribbon T	1770	500	1200	-	652	652	-	657	657	-	-	-	-
Ribbon T	1770	600	1500	-	-	-	-	-	-	-	-	-	-
Retro	430	504	120	120	361	361	441	366	366	445	379	379	458
Retro	800	504	200	120	407	407	543	411	411	547	424	424	561
Retro	1170	504	300	200	456	456	645	460	460	649	473	473	662
Retro	1540	504	400	300	502	502	764	506	506	768	520	520	781
Spiro	566	450	110	80	209	209	315	*Dry radiator with a heating cable.					
Spiro	794	450	165	110	228	228	370	*Dry radiator with a heating cable.					
Spiro	1062	450	205	130	248	248	424	*Dry radiator with a heating cable.					
Quadrus Bold	870	450	600	-	432	432	-	437	437	-	454	454	-
Quadrus Bold	870	600	800	-	465	465	-	471	471	-	487	487	-
Quadrus Bold	1185	450	800	-	482	482	-	487	487	-	504	504	-
Quadrus Bold	1185	600	1000	-	532	532	-	537	537	-	554	554	-
Quadrus Slim	870	450	400	-	354	354	-	359	359	-	375	375	-
Quadrus Slim	870	600	600	-	370	370	-	375	375	-	392	392	-
Quadrus Slim	1185	450	600	-	387	387	-	392	392	-	409	409	-
Quadrus Slim	1185	600	800	-	419	419	-	424	424	-	441	441	-
Sherwood V E	1000	330	600	-	834	834	-	839	839	-	855	855	-
Sherwood V E	1300	330	600	-	908	908	-	913	913	-	930	930	-
Sherwood V E	1300	440	800	-	1 004	1 004	-	1 010	1 010	-	1 026	1 026	-
Sherwood V E	1600	330	800	-	983	983	-	988	988	-	1 005	1 005	-
Sherwood V E	1600	440	1000	-	1 081	1 081	-	1 086	1 086	-	1 103	1 103	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
322	371	-	330	379	-	315	363	-	303	352	-	WLZUL124070	INSERT CODE
332	384	-	340	392	-	324	377	-	312	365	-	WLZUL140050	INSERT CODE
350	405	-	357	413	-	342	397	-	330	385	-	WLZUL140060	INSERT CODE
370	430	-	378	438	-	363	423	-	351	411	-	WLZUL140070	INSERT CODE
239	239	532	247	247	540	231	231	524	219	219	512	WLPAL078050	INSERT CODE
249	249	575	257	257	583	241	241	567	230	230	555	WLPAL078060	INSERT CODE
289	289	651	297	297	659	281	281	643	269	269	632	WLPAL118050	INSERT CODE
307	307	696	315	315	704	299	299	688	287	287	676	WLPAL118060	INSERT CODE
330	330	883	338	338	891	322	322	876	311	311	864	WLPAL158050	INSERT CODE
366	366	943	374	374	951	359	359	935	347	347	923	WLPAL158060	INSERT CODE
*Dry radiator with a heating cable.												WSPER136050	INSERT CODE
*Dry radiator with a heating cable.												WSPER176060	INSERT CODE
615	615	-	623	623	-	608	608	-	596	596	-	WLRVE180029	INSERT CODE
773	773	-	781	781	-	766	766	-	754	754	-	WLRVE180039	INSERT CODE
904	904	-	912	912	-	896	896	-	884	884	-	WLRVE180049	INSERT CODE
426	426	-	433	433	-	418	418	-	406	406	-	WLR2T093050	INSERT CODE
458	458	-	466	466	-	450	450	-	438	438	-	WLR2T093060	INSERT CODE
509	509	-	517	517	-	501	501	-	489	489	-	WLR2T121050	INSERT CODE
554	554	-	562	562	-	546	546	-	534	534	-	WLR2T121060	INSERT CODE
566	566	-	574	574	-	558	558	-	546	546	-	WLR2T149050	INSERT CODE
617	617	-	625	625	-	609	609	-	-	-	-	WLR2T149060	INSERT CODE
634	634	-	642	642	-	626	626	-	-	-	-	WLR2T177050	INSERT CODE
-	-	-	-	-	-	686	686	-	-	-	-	WLR2T177060	INSERT CODE
346	346	426	353	353	432	340	340	419	330	330	410	WLRE1043050	INSERT CODE
392	392	528	398	398	535	385	385	522	376	376	512	WLRE1080050	INSERT CODE
441	441	630	447	447	636	435	435	623	425	425	614	WLRE1117050	INSERT CODE
487	487	749	494	494	755	481	481	742	471	471	733	WLRE1154050	INSERT CODE
*Dry radiator with a heating cable.												WSSPI056045	INSERT CODE
*Dry radiator with a heating cable.												WSSPI079045	INSERT CODE
*Dry radiator with a heating cable.												WSSPI106045	INSERT CODE
413	413	-	421	421	-	406	406	-	394	394	-	WLQBA087045	INSERT CODE
447	447	-	455	455	-	439	439	-	427	427	-	WLQBA087060	INSERT CODE
464	464	-	472	472	-	456	456	-	444	444	-	WLQBA118045	INSERT CODE
513	513	-	521	521	-	506	506	-	494	494	-	WLQBA118060	INSERT CODE
335	335	-	343	343	-	327	327	-	315	315	-	WLQUS087045	INSERT CODE
352	352	-	360	360	-	344	344	-	332	332	-	WLQUS087060	INSERT CODE
368	368	-	376	376	-	360	360	-	349	349	-	WLQUS118045	INSERT CODE
401	401	-	409	409	-	393	393	-	381	381	-	WLQUS118060	INSERT CODE
815	815	-	823	823	-	807	807	-	796	796	-	WLSTV100033	INSERT CODE
890	890	-	898	898	-	882	882	-	870	870	-	WLSTV130033	INSERT CODE
986	986	-	994	994	-	978	978	-	966	966	-	WLSTV130044	INSERT CODE
964	964	-	972	972	-	957	957	-	945	945	-	WLSTV160033	INSERT CODE
1 063	1 063	-	1 071	1 071	-	1 055	1 055	-	1 043	1 043	-	WLSTV160044	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Sherwood V E	1600	540	1200	-	1 138	1 138	-	1 143	1 143	-	-	-	-
Sherwood V E	1900	330	800	-	1 162	1 162	-	1 167	1 167	-	-	-	-
Sherwood V E	1900	440	1200	-	1 210	1 210	-	1 215	1 215	-	1 232	1 232	-
Sherwood V E	1900	540	1500	-	-	-	-	-	-	-	-	-	-
Simple	480	500	200	120	279	279	388	284	284	393	301	301	410
Simple	600	500	200	120	306	306	431	312	312	436	328	328	452
Simple	720	500	300	200	321	321	469	326	326	474	343	343	490
Simple	840	500	300	200	336	336	517	341	341	523	357	357	539
Simple	960	500	400	300	350	350	562	356	356	567	372	372	583
Simple	1080	500	400	300	365	365	605	370	370	611	387	387	627
Simple	1200	500	400	300	392	392	649	398	398	654	414	414	670
Simple	1440	500	600	400	422	422	755	427	427	760	443	443	777
Simple	1680	500	600	400	477	477	836	482	482	841	499	499	857
Simple	1920	500	800	-	506	506	-	512	512	-	528	528	-
Simple DW	1515	500	600	-	490	490	-	495	495	-	512	512	-
Simple DW	1755	500	600	-	520	520	-	526	526	-	542	542	-
Simple DW	1995	500	800	-	551	551	-	556	556	-	573	573	-
Triga	560	480	400	-	535	535	-	540	540	-	556	556	-
Triga	560	680	600	-	628	628	-	633	633	-	650	650	-
Triga	560	880	600	-	721	721	-	726	726	-	743	743	-
Triga	560	1080	800	-	829	829	-	834	834	-	851	851	-
Triga	560	1280	1000	-	951	951	-	956	956	-	972	972	-
Triga	610	480	400	-	565	565	-	570	570	-	587	587	-
Triga	610	680	600	-	645	645	-	650	650	-	666	666	-
Triga	610	880	800	-	724	724	-	729	729	-	746	746	-
Triga	610	1080	800	-	875	875	-	880	880	-	897	897	-
Triga	610	1280	1000	-	998	998	-	1 003	1 003	-	1 019	1 019	-
Triga	900	380	400	-	497	497	-	503	503	-	519	519	-
Triga	900	480	600	-	575	575	-	580	580	-	596	596	-
Triga	900	580	800	-	652	652	-	657	657	-	674	674	-
Triga	900	680	800	-	758	758	-	763	763	-	780	780	-
Triga	1300	380	600	-	594	594	-	599	599	-	615	615	-
Triga	1300	480	800	-	673	673	-	679	679	-	695	695	-
Triga	1300	580	1000	-	768	768	-	773	773	-	790	790	-
Triga	1300	680	1200	-	848	848	-	853	853	-	-	-	-
Triga	1700	380	800	-	647	647	-	652	652	-	669	669	-
Triga	1700	480	1000	-	730	730	-	735	735	-	751	751	-
Triga	1700	580	1200	-	827	827	-	832	832	-	-	-	-
Triga	1700	680	1500	-	-	-	-	-	-	-	-	-	-
Triga	1900	380	1000	-	695	695	-	700	700	-	717	717	-
Triga	1900	480	1200	-	779	779	-	784	784	-	-	-	-
Triga	1900	580	1500	-	-	-	-	-	-	-	-	-	-
Triga	1900	680	1500	-	-	-	-	-	-	-	-	-	-
Triga AN	1700	280	1000	-	847	847	-	852	852	-	868	868	-

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
1 120	1 120	-	1 128	1 128	-	1 112	1 112	-	-	-	-	WLSTV160054	INSERT CODE
1 143	1 143	-	1 151	1 151	-	1 135	1 135	-	1 124	1 124	-	WLSTV190033	INSERT CODE
1 191	1 191	-	1 199	1 199	-	1 183	1 183	-	-	-	-	WLSTV190044	INSERT CODE
-	-	-	-	-	-	1 276	1 276	-	-	-	-	WLSTV190054	INSERT CODE
260	260	369	268	268	377	252	252	362	241	241	350	WLSIM048050	INSERT CODE
288	288	412	296	296	420	280	280	404	268	268	393	WLSIM060050	INSERT CODE
303	303	450	311	311	458	295	295	442	283	283	430	WLSIM072050	INSERT CODE
317	317	499	325	325	507	309	309	491	298	298	479	WLSIM084050	INSERT CODE
332	332	543	340	340	551	324	324	535	312	312	523	WLSIM096050	INSERT CODE
347	347	587	354	354	595	339	339	579	327	327	567	WLSIM108050	INSERT CODE
374	374	630	382	382	638	366	366	622	354	354	610	WLSIM120050	INSERT CODE
403	403	736	411	411	744	395	395	729	383	383	717	WLSIM144050	INSERT CODE
459	459	817	466	466	825	451	451	809	439	439	797	WLSIM168050	INSERT CODE
488	488	-	496	496	-	480	480	-	468	468	-	WLSIM192050	INSERT CODE
472	472	-	480	480	-	464	464	-	452	452	-	WLSDW151050	INSERT CODE
502	502	-	510	510	-	494	494	-	482	482	-	WLSDW175050	INSERT CODE
532	532	-	540	540	-	525	525	-	513	513	-	WLSDW199050	INSERT CODE
516	516	-	524	524	-	508	508	-	497	497	-	WLTRG056048	INSERT CODE
609	609	-	617	617	-	602	602	-	590	590	-	WLTRG056068	INSERT CODE
703	703	-	711	711	-	695	695	-	683	683	-	WLTRG056088	INSERT CODE
810	810	-	818	818	-	802	802	-	791	791	-	WLTRG056108	INSERT CODE
932	932	-	940	940	-	924	924	-	912	912	-	WLTRG056128	INSERT CODE
546	546	-	554	554	-	539	539	-	527	527	-	WLTRG061048	INSERT CODE
626	626	-	634	634	-	618	618	-	606	606	-	WLTRG061068	INSERT CODE
706	706	-	714	714	-	698	698	-	686	686	-	WLTRG061088	INSERT CODE
857	857	-	865	865	-	849	849	-	837	837	-	WLTRG061108	INSERT CODE
979	979	-	987	987	-	971	971	-	959	959	-	WLTRG061128	INSERT CODE
479	479	-	487	487	-	471	471	-	459	459	-	WLTRG090038	INSERT CODE
556	556	-	564	564	-	548	548	-	536	536	-	WLTRG090048	INSERT CODE
634	634	-	642	642	-	626	626	-	614	614	-	WLTRG090058	INSERT CODE
739	739	-	747	747	-	732	732	-	720	720	-	WLTRG090068	INSERT CODE
575	575	-	583	583	-	567	567	-	555	555	-	WLTRG130038	INSERT CODE
655	655	-	663	663	-	647	647	-	635	635	-	WLTRG130048	INSERT CODE
749	749	-	757	757	-	741	741	-	730	730	-	WLTRG130058	INSERT CODE
830	830	-	837	837	-	822	822	-	-	-	-	WLTRG130068	INSERT CODE
628	628	-	636	636	-	621	621	-	609	609	-	WLTRG170038	INSERT CODE
711	711	-	719	719	-	703	703	-	692	692	-	WLTRG170048	INSERT CODE
808	808	-	816	816	-	800	800	-	-	-	-	WLTRG170058	INSERT CODE
-	-	-	-	-	-	912	912	-	-	-	-	WLTRG170068	INSERT CODE
677	677	-	685	685	-	669	669	-	657	657	-	WLTRG190038	INSERT CODE
761	761	-	768	768	-	753	753	-	-	-	-	WLTRG190048	INSERT CODE
-	-	-	-	-	-	865	865	-	-	-	-	WLTRG190058	INSERT CODE
-	-	-	-	-	-	978	978	-	-	-	-	WLTRG190068	INSERT CODE
828	828	-	836	836	-	820	820	-	808	808	-	WLVER170028	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Triga AN	1900	280	1000	-	906	906	-	912	912	-	928	928	-
Triga ANC	1700	280	1000	-	1 036	1 036	-	1 041	1 041	-	1 058	1 058	-
Triga ANC	1900	280	1000	-	1 158	1 158	-	1 163	1 163	-	1 180	1 180	-
Triga AW	1700	430	1200	-	1 045	1 045	-	1 050	1 050	-	-	-	-
Triga AW	1900	430	1200	-	1 168	1 168	-	1 173	1 173	-	-	-	-
Triga M	1700	680	600	-	702	702	-	707	707	-	723	723	-
Triga M	1700	780	800	-	782	782	-	787	787	-	804	804	-
Triga M	1700	880	1000	-	876	876	-	881	881	-	898	898	-
Triga M	1900	680	800	-	747	747	-	752	752	-	769	769	-
Triga M	1900	780	1000	-	828	828	-	834	834	-	850	850	-
Triga M	1900	880	1200	-	938	938	-	943	943	-	-	-	-
Tune VWD	600	590	800	-	661	661	-	666	666	-	679	679	-
Tune VWD	600	790	1000	-	806	806	-	810	810	-	823	823	-
Tune VWD	600	990	1200	-	950	950	-	954	954	-	-	-	-
Tune VWD	600	1190	1500	-	-	-	-	-	-	-	-	-	-
Tune VWD	600	1390	1500	-	-	-	-	-	-	-	-	-	-
Tune VWD	1800	290	1000	-	584	584	-	588	588	-	601	601	-
Tune VWD	1800	490	1500	-	-	-	-	-	-	-	-	-	-
Tune VWS	600	590	400	-	444	444	-	448	448	-	461	461	-
Tune VWS	600	790	600	-	509	509	-	513	513	-	526	526	-
Tune VWS	600	990	800	-	573	573	-	578	578	-	591	591	-
Tune VWS	600	1190	1000	-	650	650	-	655	655	-	668	668	-
Tune VWS	600	1390	1000	-	715	715	-	719	719	-	733	733	-
Tune VWS	600	1590	1200	-	780	780	-	784	784	-	-	-	-
Tune VWS	1800	290	600	-	437	437	-	442	442	-	455	455	-
Tune VWS	1800	490	1000	-	583	583	-	587	587	-	600	600	-
Tune VWS	1800	690	1500	-	-	-	-	-	-	-	-	-	-
Tytus	820	440	600	-	306	349	-	311	354	-	328	370	-
Tytus	820	540	600	-	325	372	-	330	377	-	347	393	-
Tytus	820	640	800	-	340	390	-	345	395	-	362	411	-
Tytus	1020	440	600	-	343	394	-	348	399	-	365	416	-
Tytus	1020	540	800	-	363	418	-	368	423	-	385	440	-
Tytus	1020	640	1000	-	387	447	-	393	452	-	409	469	-
Tytus	1260	440	800	-	384	443	-	389	449	-	405	465	-
Tytus	1260	540	1000	-	409	473	-	414	479	-	430	495	-
Tytus	1260	640	1200	-	437	508	-	443	513	-	-	-	-
Tytus	1420	440	1000	-	408	473	-	413	478	-	430	494	-
Tytus	1420	540	1200	-	433	503	-	439	508	-	-	-	-
Tytus	1420	640	1200	-	467	544	-	472	549	-	-	-	-
Tytus	1780	440	1200	-	460	535	-	465	541	-	-	-	-
Tytus	1780	540	1500	-	-	-	-	-	-	-	-	-	-
Tytus	1780	640	1500	-	-	-	-	-	-	-	-	-	-
Vivo	670	300	200	120	219	219	312	224	224	317	241	241	334

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
888	888	-	896	896	-	880	880	-	868	868	-	WLVER190028	INSERT CODE
1 018	1 018	-	1 026	1 026	-	1 010	1 010	-	998	998	-	WLVEC170028	INSERT CODE
1 140	1 140	-	1 148	1 148	-	1 132	1 132	-	1 120	1 120	-	WLVEC190028	INSERT CODE
1 027	1 027	-	1 035	1 035	-	1 019	1 019	-	-	-	-	WLVRA170043	INSERT CODE
1 150	1 150	-	1 158	1 158	-	1 142	1 142	-	-	-	-	WLVRA190043	INSERT CODE
683	683	-	691	691	-	675	675	-	663	663	-	WLTRL170068	INSERT CODE
763	763	-	771	771	-	755	755	-	744	744	-	WLTRL170078	INSERT CODE
858	858	-	865	865	-	850	850	-	838	838	-	WLTRL170088	INSERT CODE
729	729	-	736	736	-	721	721	-	709	709	-	WLTRL190068	INSERT CODE
810	810	-	818	818	-	802	802	-	790	790	-	WLTRL190078	INSERT CODE
919	919	-	927	927	-	911	911	-	-	-	-	WLTRL190088	INSERT CODE
646	646	-	653	653	-	640	640	-	630	630	-	WLTUV060059	INSERT CODE
791	791	-	797	797	-	784	784	-	775	775	-	WLTUV060079	INSERT CODE
935	935	-	941	941	-	929	929	-	-	-	-	WLTUV060099	INSERT CODE
-	-	-	-	-	-	1 073	1 073	-	-	-	-	WLTUV060119	INSERT CODE
-	-	-	-	-	-	1 217	1 217	-	-	-	-	WLTUV060139	INSERT CODE
569	569	-	575	575	-	563	563	-	553	553	-	WLTUV180029	INSERT CODE
-	-	-	-	-	-	725	725	-	-	-	-	WLTUV180049	INSERT CODE
429	429	-	435	435	-	423	423	-	413	413	-	WLTSV060059	INSERT CODE
494	494	-	500	500	-	487	487	-	478	478	-	WLTSV060079	INSERT CODE
559	559	-	565	565	-	552	552	-	543	543	-	WLTSV060099	INSERT CODE
635	635	-	642	642	-	629	629	-	619	619	-	WLTSV060119	INSERT CODE
700	700	-	707	707	-	694	694	-	684	684	-	WLTSV060139	INSERT CODE
765	765	-	771	771	-	758	758	-	-	-	-	WLTSV060159	INSERT CODE
422	422	-	429	429	-	416	416	-	406	406	-	WLTSV180029	INSERT CODE
568	568	-	574	574	-	561	561	-	552	552	-	WLTSV180049	INSERT CODE
-	-	-	-	-	-	671	671	-	-	-	-	WLTSV180069	INSERT CODE
287	330	-	295	338	-	280	322	-	268	310	-	WLTYT082044	INSERT CODE
306	353	-	314	361	-	299	345	-	287	333	-	WLTYT082054	INSERT CODE
322	371	-	330	379	-	314	363	-	302	352	-	WLTYT082064	INSERT CODE
324	375	-	332	383	-	317	368	-	305	356	-	WLTYT102044	INSERT CODE
345	400	-	353	407	-	337	392	-	325	380	-	WLTYT102054	INSERT CODE
369	428	-	377	436	-	361	421	-	349	409	-	WLTYT102064	INSERT CODE
365	425	-	373	433	-	357	417	-	345	405	-	WLTYT126044	INSERT CODE
390	455	-	398	463	-	382	447	-	370	435	-	WLTYT126054	INSERT CODE
419	490	-	427	497	-	411	482	-	-	-	-	WLTYT126064	INSERT CODE
389	454	-	397	462	-	381	446	-	370	434	-	WLTYT142044	INSERT CODE
415	485	-	423	493	-	407	477	-	-	-	-	WLTYT142054	INSERT CODE
449	525	-	457	533	-	441	518	-	-	-	-	WLTYT142064	INSERT CODE
441	517	-	449	525	-	433	509	-	-	-	-	WLTYT178044	INSERT CODE
-	-	-	-	-	-	468	-	-	-	-	-	WLTYT178054	INSERT CODE
-	-	-	-	-	-	503	-	-	-	-	-	WLTYT178064	INSERT CODE
201	201	294	209	209	302	193	193	286	181	181	274	WLVOV067030	INSERT CODE

* see page 13.

			Power output [W]		MEG prices			MOA/DRY prices (MOA IR: +40 EUR, MOA BLUE: +90 EUR)			ONE prices (External heating elements)		
Name	Height [mm]	Width [mm]	Paint	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome
Vivo	670	400	200	200	229	229	346	234	234	351	251	251	368
Vivo	670	500	300	200	240	240	380	246	246	386	262	262	402
Vivo	670	600	300	200	255	255	414	260	260	420	277	277	436
Vivo	910	300	200	200	237	237	369	242	242	374	258	258	391
Vivo	910	400	300	200	248	248	413	254	254	418	270	270	434
Vivo	910	500	400	300	262	262	456	267	267	461	284	284	478
Vivo	910	600	400	300	280	280	504	286	286	510	302	302	526
Vivo	1150	300	300	200	255	255	426	261	261	431	277	277	448
Vivo	1150	400	400	300	269	269	479	274	274	484	291	291	501
Vivo	1150	500	400	300	285	285	537	291	291	542	307	307	558
Vivo	1150	600	600	400	307	307	590	312	312	595	329	329	612
Vivo	1390	300	400	300	273	273	483	278	278	488	295	295	504
Vivo	1390	400	400	300	289	289	545	294	294	551	311	311	567
Vivo	1390	500	600	400	307	307	613	313	313	618	329	329	634
Vivo	1390	600	600	400	333	333	680	338	338	685	355	355	701
Vivo	1630	300	400	300	291	291	535	296	296	540	313	313	557
Vivo	1630	400	600	400	309	309	616	315	315	622	331	331	638
Vivo	1630	500	600	400	330	330	693	336	336	698	352	352	715
Vivo	1630	600	800	400	359	359	770	365	365	775	381	381	791
Warp S	655	500	400	-	330	330	-	335	335	-	351	351	-
Warp S	655	600	600	-	357	357	-	362	362	-	378	378	-
Warp S	1110	500	800	-	447	447	-	452	452	-	469	469	-
Warp S	1110	600	800	-	488	488	-	493	493	-	510	510	-
Warp S	1695	500	1200	-	604	604	-	609	609	-	-	-	-
Warp S	1695	600	1200	-	670	670	-	675	675	-	-	-	-
Warp T	655	500	300	-	270	270	-	275	275	-	292	292	-
Warp T	655	600	400	-	282	282	-	287	287	-	304	304	-
Warp T	1110	500	600	-	353	353	-	358	358	-	374	374	-
Warp T	1110	600	600	-	367	367	-	373	373	-	389	389	-
Warp T	1695	500	800	-	457	457	-	463	463	-	479	479	-
Warp T	1695	600	1000	-	482	482	-	487	487	-	504	504	-
Warp T Bold	655	500	400	-	312	312	-	318	318	-	334	334	-
Warp T Bold	655	600	600	-	333	333	-	338	338	-	355	355	-
Warp T Bold	1110	500	800	-	425	425	-	431	431	-	447	447	-
Warp T Bold	1110	600	1000	-	455	455	-	460	460	-	477	477	-
Warp T Bold	1695	500	1200	-	571	571	-	576	576	-	-	-	-
Warp T Bold	1695	600	1500	-	-	-	-	-	-	-	-	-	-
ZigZag	600	500	300	200	346	346	476	351	351	481	367	367	497
ZigZag	835	500	300	200	376	376	566	382	382	571	398	398	587
ZigZag	1070	500	400	300	407	407	656	412	412	662	429	429	678
ZigZag	1310	500	600	400	452	452	746	457	457	751	473	473	768
ZigZag	1545	500	600	400	510	510	836	515	515	841	532	532	858
ZigZag	1780	500	600	400	582	582	927	587	587	932	604	604	948

* see page 13.

REG 2 prices			REG 3 prices			SIM prices			Terma Split class I prices (requires KTX controller)			Product Code	Conf. code p. 223. ▶
Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome	Standard colours*	Other colours	Chrome		
211	211	328	219	219	336	203	203	320	191	191	308	WLVOV067040	INSERT CODE
222	222	362	230	230	370	214	214	354	202	202	342	WLVOV067050	INSERT CODE
237	237	396	244	244	404	229	229	388	217	217	376	WLVOV067060	INSERT CODE
218	218	350	226	226	358	210	210	343	198	198	331	WLVOV091030	INSERT CODE
230	230	394	238	238	402	222	222	386	210	210	374	WLVOV091040	INSERT CODE
243	243	438	251	251	446	236	236	430	224	224	418	WLVOV091050	INSERT CODE
262	262	486	270	270	494	254	254	478	242	242	466	WLVOV091060	INSERT CODE
237	237	407	245	245	415	229	229	399	217	217	388	WLVOV115030	INSERT CODE
251	251	460	259	259	468	243	243	453	231	231	441	WLVOV115040	INSERT CODE
267	267	518	275	275	526	259	259	510	247	247	498	WLVOV115050	INSERT CODE
289	289	571	297	297	579	281	281	563	269	269	552	WLVOV115060	INSERT CODE
255	255	464	263	263	472	247	247	456	235	235	444	WLVOV139030	INSERT CODE
270	270	527	278	278	535	263	263	519	251	251	507	WLVOV139040	INSERT CODE
289	289	594	297	297	602	281	281	586	269	269	574	WLVOV139050	INSERT CODE
315	315	661	322	322	669	307	307	653	295	295	642	WLVOV139060	INSERT CODE
272	272	516	280	280	524	265	265	509	253	253	497	WLVOV163030	INSERT CODE
291	291	598	299	299	606	283	283	590	271	271	578	WLVOV163040	INSERT CODE
312	312	675	320	320	682	304	304	667	292	292	655	WLVOV163050	INSERT CODE
341	341	751	349	349	759	333	333	743	321	321	731	WLVOV163060	INSERT CODE
311	311	-	319	319	-	303	303	-	291	291	-	WLWAS065050	INSERT CODE
338	338	-	346	346	-	330	330	-	318	318	-	WLWAS065060	INSERT CODE
429	429	-	437	437	-	421	421	-	409	409	-	WLWAS111050	INSERT CODE
470	470	-	478	478	-	462	462	-	450	450	-	WLWAS111060	INSERT CODE
586	586	-	594	594	-	578	578	-	-	-	-	WLWAS169050	INSERT CODE
652	652	-	659	659	-	644	644	-	-	-	-	WLWAS169060	INSERT CODE
252	252	-	260	260	-	244	244	-	232	232	-	WLWAT065050	INSERT CODE
264	264	-	271	271	-	256	256	-	244	244	-	WLWAT065060	INSERT CODE
334	334	-	342	342	-	326	326	-	314	314	-	WLWAT111050	INSERT CODE
349	349	-	357	357	-	341	341	-	329	329	-	WLWAT111060	INSERT CODE
439	439	-	447	447	-	431	431	-	419	419	-	WLWAT169050	INSERT CODE
464	464	-	472	472	-	456	456	-	444	444	-	WLWAT169060	INSERT CODE
294	294	-	302	302	-	286	286	-	274	274	-	WLWTB065050	INSERT CODE
314	314	-	322	322	-	307	307	-	295	295	-	WLWTB065060	INSERT CODE
407	407	-	415	415	-	399	399	-	387	387	-	WLWTB111050	INSERT CODE
436	436	-	444	444	-	428	428	-	417	417	-	WLWTB111060	INSERT CODE
552	552	-	560	560	-	545	545	-	533	533	-	WLWTB169050	INSERT CODE
-	-	-	-	-	-	592	592	-	-	-	-	WLWTB169060	INSERT CODE
327	327	457	335	335	465	319	319	449	307	307	437	WLZIG060050	INSERT CODE
358	358	547	366	366	555	350	350	539	338	338	528	WLZIG083050	INSERT CODE
389	389	638	397	397	646	381	381	630	369	369	618	WLZIG107050	INSERT CODE
433	433	728	441	441	736	425	425	720	413	413	708	WLZIG131050	INSERT CODE
491	491	818	499	499	826	484	484	810	472	472	798	WLZIG154050	INSERT CODE
564	564	908	572	572	916	556	556	900	544	544	888	WLZIG178050	INSERT CODE

* see page 13.

Electric radiators

with built-in heating element

Name	Height [mm]	Width [mm]	Power output [W]		Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
			Paint	Chrome					
Alex One	760	300	300	200	239	264	383	WWALN076030	INSERT CODE
Alex One	760	400	300	200	246	272	409	WWALN076040	INSERT CODE
Alex One	760	500	400	300	255	282	435	WWALN076050	INSERT CODE
Alex One	760	600	600	400	266	296	463	WWALN076060	INSERT CODE
Alex One	1140	300	400	300	269	300	486	WWALN114030	INSERT CODE
Alex One	1140	400	400	400	283	316	531	WWALN114040	INSERT CODE
Alex One	1140	500	600	400	296	332	573	WWALN114050	INSERT CODE
Alex One	1140	600	800	600	312	352	615	WWALN114060	INSERT CODE
Alex One	1580	500	800	600	337	382	712	WWALN158050	INSERT CODE
Alex One	1580	600	1000	600	355	404	768	WWALN158060	INSERT CODE
Bone One	760	500	300	200	281	315	451	WWBNN076050	INSERT CODE
Bone One	760	600	400	300	287	323	481	WWBNN076060	INSERT CODE
Bone One	1260	500	600	400	314	355	541	WWBNN126050	INSERT CODE
Bone One	1260	600	600	400	325	368	599	WWBNN126060	INSERT CODE
Bone One	1510	500	600	400	347	396	698	WWBNN151050	INSERT CODE
Bone One	1510	600	800	600	359	410	771	WWBNN151060	INSERT CODE
City One	780	500	400	-	379	379	-	WWCIN078050	INSERT CODE
City One	780	600	600	-	393	393	-	WWCIN078060	INSERT CODE
City One	1050	500	600	-	409	409	-	WWCIN105050	INSERT CODE
City One	1050	600	800	-	429	429	-	WWCIN105060	INSERT CODE
City One	1320	500	800	-	441	441	-	WWCIN132050	INSERT CODE
City One	1320	600	800	-	463	463	-	WWCIN132060	INSERT CODE
City One	1590	500	800	-	475	475	-	WWCIN159050	INSERT CODE
City One	1590	600	1000	-	500	500	-	WWCIN159060	INSERT CODE
City One	1860	500	1000	-	511	511	-	WWCIN186050	INSERT CODE
Dexter One	860	400	400	200	291	328	525	WWDEN086040	INSERT CODE
Dexter One	860	500	400	300	298	336	547	WWDEN086050	INSERT CODE
Dexter One	860	600	600	400	306	346	580	WWDEN086060	INSERT CODE
Dexter One	1220	400	400	300	326	371	677	WWDEN122040	INSERT CODE
Dexter One	1220	500	600	400	336	383	700	WWDEN122050	INSERT CODE
Dexter One	1220	600	800	400	349	399	744	WWDEN122060	INSERT CODE
Dexter One	1760	400	600	400	403	466	804	WWDEN176040	INSERT CODE
Dexter One	1760	500	800	600	417	482	834	WWDEN176050	INSERT CODE
Dexter One	1760	600	1000	600	433	502	892	WWDEN176060	INSERT CODE

* see page 13.

Name	Height [mm]	Width [mm]	Power output [W]		Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
			Paint	Chrome					
Easy One	960	200	200	120	324	324	454	WWEAN096020	INSERT CODE
Easy One	1280	200	300	200	366	366	530	WWEAN128020	INSERT CODE
Easy One	1600	200	300	200	408	408	602	WWEAN160020	INSERT CODE
Easy One	1920	200	400	-	450	450	-	WWEAN192020	INSERT CODE
Fiona One	900	400	400	200	246	274	472	WWFIE090040	INSERT CODE
Fiona One	900	430	400	300	248	276	482	WWFIE090043	INSERT CODE
Fiona One	900	480	400	300	252	282	500	WWFIE090048	INSERT CODE
Fiona One	900	500	400	300	253	284	507	WWFIE090050	INSERT CODE
Fiona One	900	530	400	300	255	287	517	WWFIE090053	INSERT CODE
Fiona One	900	580	400	300	259	292	547	WWFIE090058	INSERT CODE
Fiona One	900	600	400	300	260	293	552	WWFIE090060	INSERT CODE
Fiona One	900	630	400	300	264	298	564	WWFIE090063	INSERT CODE
Fiona One	900	680	400	300	267	303	581	WWFIE090068	INSERT CODE
Fiona One	1140	400	400	300	262	294	548	WWFIE114040	INSERT CODE
Fiona One	1140	430	400	300	264	297	559	WWFIE114043	INSERT CODE
Fiona One	1140	480	400	300	267	302	580	WWFIE114048	INSERT CODE
Fiona One	1140	500	400	400	269	304	587	WWFIE114050	INSERT CODE
Fiona One	1140	530	600	400	272	308	601	WWFIE114053	INSERT CODE
Fiona One	1140	580	600	400	278	316	630	WWFIE114058	INSERT CODE
Fiona One	1140	600	600	400	279	318	638	WWFIE114060	INSERT CODE
Fiona One	1140	630	600	400	284	324	653	WWFIE114063	INSERT CODE
Fiona One	1140	680	600	400	288	330	674	WWFIE114068	INSERT CODE
Fiona One	1380	400	600	400	276	312	602	WWFIE138040	INSERT CODE
Fiona One	1380	430	600	400	278	315	617	WWFIE138043	INSERT CODE
Fiona One	1380	480	600	400	284	323	643	WWFIE138048	INSERT CODE
Fiona One	1380	500	600	400	286	326	654	WWFIE138050	INSERT CODE
Fiona One	1380	530	600	400	291	332	670	WWFIE138053	INSERT CODE
Fiona One	1380	580	600	400	296	339	709	WWFIE138058	INSERT CODE
Fiona One	1380	600	600	400	298	342	718	WWFIE138060	INSERT CODE
Fiona One	1380	630	800	600	302	347	735	WWFIE138063	INSERT CODE
Fiona One	1380	680	800	600	308	355	762	WWFIE138068	INSERT CODE
Fiona One	1620	400	800	400	291	330	664	WWFIE162040	INSERT CODE
Fiona One	1620	430	600	400	295	336	682	WWFIE162043	INSERT CODE
Fiona One	1620	480	600	400	301	345	712	WWFIE162048	INSERT CODE
Fiona One	1620	500	600	600	303	347	723	WWFIE162050	INSERT CODE
Fiona One	1620	530	800	600	305	351	740	WWFIE162053	INSERT CODE
Fiona One	1620	580	800	600	311	360	785	WWFIE162058	INSERT CODE
Fiona One	1620	600	800	600	313	363	798	WWFIE162060	INSERT CODE
Fiona One	1620	630	800	600	319	370	817	WWFIE162063	INSERT CODE
Fiona One	1620	680	800	600	325	379	847	WWFIE162068	INSERT CODE
Fiona One	1860	400	800	-	303	346	-	WWFIE186040	INSERT CODE
Fiona One	1860	430	800	-	307	352	-	WWFIE186043	INSERT CODE
Fiona One	1860	480	800	-	314	362	-	WWFIE186048	INSERT CODE

* see page 13.

Name	Height [mm]	Width [mm]	Power output [W]		Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
			Paint	Chrome					
Fiona One	1860	500	800	-	317	366	-	WWFIE186050	INSERT CODE
Fiona One	1860	530	800	-	322	372	-	WWFIE186053	INSERT CODE
Fiona One	1860	580	1000	-	329	383	-	WWFIE186058	INSERT CODE
Fiona One	1860	600	1000	-	332	387	-	WWFIE186060	INSERT CODE
Fiona One	1860	630	1000	-	336	393	-	WWFIE186063	INSERT CODE
Fiona One	1860	680	1000	-	343	403	-	WWFIE186068	INSERT CODE
Kioto One	870	480	400	-	422	422	-	WWKIN087048	INSERT CODE
Kioto One	1185	480	600	-	469	469	-	WWKIN118048	INSERT CODE
Kioto One	1500	480	800	-	517	517	-	WWKIN150048	INSERT CODE
Kioto One	1815	480	1000	-	564	564	-	WWKIN181048	INSERT CODE
Lima One	820	300	300	200	257	257	513	WWLIE082030	INSERT CODE
Lima One	820	400	300	200	266	266	528	WWLIE082040	INSERT CODE
Lima One	820	500	400	300	276	276	544	WWLIE082050	INSERT CODE
Lima One	820	600	400	400	288	288	560	WWLIE082060	INSERT CODE
Lima One	820	700	600	400	305	305	589	WWLIE082070	INSERT CODE
Lima One	1140	300	400	300	286	286	558	WWLIE114030	INSERT CODE
Lima One	1140	400	400	300	302	302	574	WWLIE114040	INSERT CODE
Lima One	1140	500	600	400	320	320	590	WWLIE114050	INSERT CODE
Lima One	1140	600	800	400	335	335	620	WWLIE114060	INSERT CODE
Lima One	1140	700	800	600	353	353	664	WWLIE114070	INSERT CODE
Lima One	1460	300	400	300	305	305	616	WWLIE146030	INSERT CODE
Lima One	1460	400	600	400	322	322	633	WWLIE146040	INSERT CODE
Lima One	1460	500	800	600	338	338	650	WWLIE146050	INSERT CODE
Lima One	1460	600	800	600	354	354	681	WWLIE146060	INSERT CODE
Lima One	1460	700	1000	800	386	386	713	WWLIE146070	INSERT CODE
Lima One	1700	300	600	400	347	347	660	WWLIE170030	INSERT CODE
Lima One	1700	400	800	600	364	364	678	WWLIE170040	INSERT CODE
Lima One	1700	500	800	600	381	381	710	WWLIE170050	INSERT CODE
Lima One	1700	600	1000	800	408	408	768	WWLIE170060	INSERT CODE
Mantis One	860	440	400	-	295	295	-	WWMAE086044	INSERT CODE
Mantis One	860	540	400	-	310	310	-	WWMAE086054	INSERT CODE
Mantis One	1260	440	600	-	341	341	-	WWMAE126044	INSERT CODE
Mantis One	1260	540	600	-	356	356	-	WWMAE126054	INSERT CODE
Mantis One	1560	440	600	-	372	372	-	WWMAE156044	INSERT CODE
Mantis One	1560	540	800	-	462	462	-	WWMAE156054	INSERT CODE
Marlin One	780	430	300	200	264	294	465	WWMRN078043	INSERT CODE
Marlin One	780	530	400	300	272	304	488	WWMRN078053	INSERT CODE
Marlin One	780	630	400	300	282	316	515	WWMRN078063	INSERT CODE
Marlin One	1185	430	400	300	301	340	581	WWMRN118043	INSERT CODE
Marlin One	1185	530	600	400	311	352	614	WWMRN118053	INSERT CODE
Marlin One	1185	630	800	600	320	364	647	WWMRN118063	INSERT CODE
Marlin One	1680	430	600	600	367	421	706	WWMRN168043	INSERT CODE
Marlin One	1680	530	800	600	383	440	756	WWMRN168053	INSERT CODE

* see page 13.

Name	Height [mm]	Width [mm]	Power output [W]		Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
			Paint	Chrome					
Marlin One	1680	630	1000	800	399	460	806	WWMRN168063	INSERT CODE
Mike One	710	230	200	120	221	221	356	WWMIN071023	INSERT CODE
Mike One	735	430	400	200	272	272	457	WWMIN073043	INSERT CODE
Mike One	735	530	400	300	284	284	491	WWMIN073053	INSERT CODE
Mike One	960	230	300	200	239	239	410	WWMIN096023	INSERT CODE
Mike One	1035	430	400	300	296	296	537	WWMIN103043	INSERT CODE
Mike One	1035	530	600	400	308	308	582	WWMIN103053	INSERT CODE
Mike One	1210	230	300	200	256	256	462	WWMIN121023	INSERT CODE
Mike One	1335	430	600	400	310	310	627	WWMIN133043	INSERT CODE
Mike One	1335	530	800	400	333	333	694	WWMIN133053	INSERT CODE
Mike One	1460	230	400	600	272	272	514	WWMIN146023	INSERT CODE
Mike One	1635	430	800	600	335	335	717	WWMIN163043	INSERT CODE
Mike One	1635	530	800	600	358	358	795	WWMIN163053	INSERT CODE
Mike One	1710	230	400	300	288	288	566	WWMIN171023	INSERT CODE
Pola One	780	500	400	300	274	274	567	WWPAN078050	INSERT CODE
Pola One	780	600	400	300	285	285	611	WWPAN078060	INSERT CODE
Pola One	1180	500	600	400	325	325	687	WWPAN118050	INSERT CODE
Pola One	1180	600	800	600	343	343	732	WWPAN118060	INSERT CODE
Pola One	1580	500	800	600	366	366	919	WWPAN158050	INSERT CODE
Pola One	1580	600	1000	800	402	402	979	WWPAN158060	INSERT CODE
Quadrus Bold One	870	450	600	-	449	449	-	WWQBN087045	INSERT CODE
Quadrus Bold One	870	600	800	-	483	483	-	WWQBN087060	INSERT CODE
Quadrus Bold One	1185	450	800	-	500	500	-	WWQBN118045	INSERT CODE
Quadrus Bold One	1185	600	1000	-	549	549	-	WWQBN118060	INSERT CODE
Quadrus Slim One	870	450	400	-	371	371	-	WWQSN087045	INSERT CODE
Quadrus Slim One	870	600	600	-	387	387	-	WWQSN087060	INSERT CODE
Quadrus Slim One	1185	450	600	-	404	404	-	WWQSN118045	INSERT CODE
Quadrus Slim One	1185	600	800	-	437	437	-	WWQSN118060	INSERT CODE
Simple One	720	500	300	200	338	338	486	WWSIE072050	INSERT CODE
Simple One	840	500	300	200	353	353	535	WWSIE084050	INSERT CODE
Simple One	960	500	400	300	368	368	579	WWSIE096050	INSERT CODE
Simple One	1080	500	400	300	382	382	623	WWSIE108050	INSERT CODE
Simple One	1200	500	400	300	410	410	666	WWSIE120050	INSERT CODE
Simple One	1440	500	600	400	439	439	772	WWSIE144050	INSERT CODE
Simple One	1680	500	600	400	494	494	853	WWSIE168050	INSERT CODE
Simple One	1920	500	800	-	524	524	-	WWSIE192050	INSERT CODE
Tytus One	820	440	600	-	323	366	-	WWTYN082044	INSERT CODE
Tytus One	820	540	600	-	342	389	-	WWTYN082054	INSERT CODE
Tytus One	820	640	800	-	357	407	-	WWTYN082064	INSERT CODE
Tytus One	1020	440	600	-	360	411	-	WWTYN102044	INSERT CODE
Tytus One	1020	540	800	-	380	435	-	WWTYN102054	INSERT CODE
Tytus One	1020	640	1000	-	404	464	-	WWTYN102064	INSERT CODE
Tytus One	1260	440	800	-	401	461	-	WWTYN126044	INSERT CODE

* see page 13.

Name	Height [mm]	Width [mm]	Power output [W]		Standard colours* Price [EUR]	Other colours Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 221. ▶
			Paint	Chrome					
Tytus One	1260	540	1000	-	426	491	-	WWTYN126054	INSERT CODE
Tytus One	1420	440	1000	-	425	490	-	WWTYN142044	INSERT CODE
Vivo One	670	300	200	120	237	237	329	WWVON067030	INSERT CODE
Vivo One	670	400	200	200	247	247	363	WWVON067040	INSERT CODE
Vivo One	670	500	300	200	258	258	398	WWVON067050	INSERT CODE
Vivo One	670	600	300	200	272	272	432	WWVON067060	INSERT CODE
Vivo One	910	300	200	200	254	254	386	WWVON091030	INSERT CODE
Vivo One	910	400	300	200	266	266	430	WWVON091040	INSERT CODE
Vivo One	910	500	400	300	279	279	473	WWVON091050	INSERT CODE
Vivo One	910	600	400	300	298	298	522	WWVON091060	INSERT CODE
Vivo One	1150	300	300	200	273	273	443	WWVON115030	INSERT CODE
Vivo One	1150	400	400	300	286	286	496	WWVON115040	INSERT CODE
Vivo One	1150	500	400	300	303	303	554	WWVON115050	INSERT CODE
Vivo One	1150	600	600	400	324	324	607	WWVON115060	INSERT CODE
Vivo One	1390	300	400	300	291	291	500	WWVON139030	INSERT CODE
Vivo One	1390	400	400	300	306	306	562	WWVON139040	INSERT CODE
Vivo One	1390	500	600	400	325	325	630	WWVON139050	INSERT CODE
Vivo One	1390	600	600	400	350	350	697	WWVON139060	INSERT CODE
Vivo One	1630	300	400	300	308	308	552	WWVON163030	INSERT CODE
Vivo One	1630	400	600	400	327	327	633	WWVON163040	INSERT CODE
Vivo One	1630	500	600	400	347	347	710	WWVON163050	INSERT CODE
Vivo One	1630	600	800	400	377	377	787	WWVON163060	INSERT CODE
Warp T One	655	500	300	-	287	287	-	WWWTN065050	INSERT CODE
Warp T One	655	600	400	-	299	299	-	WWWTN065060	INSERT CODE
Warp T One	1110	500	600	-	370	370	-	WWWTN111050	INSERT CODE
Warp T One	1110	600	600	-	385	385	-	WWWTN111060	INSERT CODE
Warp T One	1695	500	800	-	475	475	-	WWWTN169050	INSERT CODE
Warp T One	1695	600	1000	-	499	499	-	WWWTN169060	INSERT CODE
Warp T Bold One	655	500	400	-	330	330	-	WWWBN065050	INSERT CODE
Warp T Bold One	655	600	600	-	350	350	-	WWWBN065060	INSERT CODE
Warp T Bold One	1110	500	800	-	443	443	-	WWWBN111050	INSERT CODE
Warp T Bold One	1110	600	1000	-	472	472	-	WWWBN111060	INSERT CODE

* see page 13.



Name	White Price [EUR]	Chrome Price [EUR]	Paint Price [EUR]	Product Code
ONE D left	98	110	107	WEODLINSERT CODE KONFIG.
ONE D right	98	110	107	WEODPINSERT CODE KONFIG.
ONE 30x30	98	110	107	WEOKXINSERT CODE KONFIG.
ONE 30x40	98	110	107	WEOPXINSERT CODE KONFIG.
ONE T left	98	110	107	WEOTLINSERT CODE KONFIG.
ONE T right	98	110	107	WEOTPINSERT CODE KONFIG.

Configurations table:

Product code example: **WE****ODL****04****T****CRO****W**

Model code Element power code Packaging code Colour or finish code Cable type and plug code

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE ODL ONE D left	01 120	T Tube	916 White	W Straight cable with plug
ODP ONE D right	02 200		CRO Chrome	P Straight cable without plug
OKX ONE 30x30	03 300		or other colour, see colour palette p. 9	U Spiral cable with plug
OPX ONE 30x40	04 400			
OTL ONE T left	06 600			
OTP ONE T right	08 800			
	10 1000			

We recommend:



Programmer DTIR1
TGRDSI002: 63 EUR
DTIR1: page 159.



Programmer TTIR1
TGRBTI001: 97 EUR
TTIR1: page 159.



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
KTX 4 controller	76	89	83	83	WEKT4INSERT CODE KONFIG.
KTX 4 controller + Terma Split class I	99	112	106	106	WEKT4INSERT CODE KONFIG.

Configurations table:

Order code example:



Code elements highlighted in blue.

Model	Power of heating element [W]	Packaging	Colour	Cable Type
WE KT4 KTX 4	controller only	K Box	916 White	W Straight cable with plug
WE KT4 KTX 4	01 120 02 200 03 300 04 400 06 600 08 800 10 1000	T Tube	SMA Silver CRO Chrome 905 Black	P Straight cable without plug U Spiral cable with plug S Without cable (connection block under a masking cover)

We recommend:



Programmer DTIR1
TGRDSI002: 63 EUR
DTIR1: page 159.



Programmer TTIR1
TGRTBI001: 97 EUR
TTIR1: page 159.



Terma Split class I
WETS1*: 47 EUR
page 158.

KTX4 BLUE



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
KTX4 BLUE controller	116	128	122	122	WEKB4INSERT CODE KONFIG.
KTX4 BLUE controller + Terma Split class I	139	151	145	145	WEKB4INSERT CODE KONFIG.

Configurations table:

Order code example:

Controller only **WEKB4** **K** **SMA** **W** Controller + heating rod set **WEKB4** **04** **T** **SMA** **W**

Model code Colour or finish code Packaging code Cable type and plug code Model code Element power code Colour or finish code Packaging code Cable type and plug code

Code elements highlighted in blue.

Model	Power of heating element [W]	Packaging	Colour	Cable Type
WE KB4 KTX4 BLUE	controller only	K Box	916 White	W Straight cable with plug
WE KB4 KTX4 BLUE	01 120	T Tube	SMA Silver	P Straight cable without plug
	02 200		CRO Chrome	U Spiral cable with plug
	03 300		905 Black	S Without cable (connection block under a masking cover)
	04 400			
	06 600			
	08 800			
	10 1000			

We recommend:



Terma Split class I
WETS1*: 47 EUR
page 158.

Control application available:



KTX 3



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
KTX 3 controller	76	89	83	83	WEKT3INSERT CODE KONFIG.
KTX 3 controller + Terma Split class I	99	112	106	106	WEKT3INSERT CODE KONFIG.

Configurations table:

Order code example:



Code elements highlighted in blue.


Model		Power of heating element [W]	Packaging	Colour	Cable Type
WE	KT3 KTX 3	controller only	K Box	916 White	W Straight cable with plug
WE	KT3 KTX 3	01 120	T Tube	SMA Silver	P Straight cable without plug
		02 200		CRO Chrome	U Spiral cable with plug
		03 300		905 Black	S Without cable (connection block under a masking cover)
		04 400			
		06 600			
		08 800			
		10 1000			

We recommend:



Terma Split class I
WETS1*: 47 EUR
page 158.

KTX 2



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
KTX 2 controller	66	75	72	72	WEKT2INSERT CODE KONFIG.
KTX 2 controller + Terma Split class I	89	98	94	94	WEKT2INSERT CODE KONFIG.

Configurations table:

Order code example:

Controller only **WEKT2** **K** **SMA** **W**
Model code Colour or finish code Packaging code Cable type and plug code

Controller + heating rod set **WEKT2** **04** **T** **SMA** **W**
Model code Element power code Colour or finish code Packaging code Cable type and plug code

Code elements highlighted in blue.

Model	Power of heating element [W]	Packaging	Colour	Cable Type
WE KT2 KTX 2	controller only	K Box	916 White	W Straight cable with plug
WE KT2 KTX 2	01 120	T Tube	SMA Silver	P Straight cable without plug
	02 200		CRO Chrome	U Spiral cable with plug
	03 300		905 Black	S Without cable (connection block under a masking cover)
	04 400			
	06 600			
	08 800			
	10 1000			

We recommend:



Terma Split class I
WETS1*: 47 EUR
page 158.

KTX 1



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
KTX 1 controller	59	63	60	60	WEKT1INSERT CODE KONFIG.
KTX 1 controller + Terma Split class I	82	86	83	83	WEKT1INSERT CODE KONFIG.

Configurations table:

Order code example:

Controller only **WEKT1**^{Model code}**K**^{Packaging code}**SMA**^{Colour or finish code}**W**^{Cable type and plug code}

Controller + heating rod set **WEKT1**^{Model code}**04**^{Element power code}**T**^{Packaging code}**SMA**^{Colour or finish code}**W**^{Cable type and plug code}

Code elements highlighted in blue.

Model		Power of heating element [W]	Packaging	Colour	Cable Type
WE	KT1 KTX 1	controller only	K Box	916 White	W Straight cable with plug
WE	KT1 KTX 1	01 120	T Tube	SMA Silver	P Straight cable without plug
		02 200		CRO Chrome	U Spiral cable with plug
		03 300		905 Black	S Without cable (connection block under a masking cover)
		04 400			
		06 600			
		08 800			
		10 1000			

We recommend:



Terma Split class I
WETS1*: 47 EUR
page 158.

MOA



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
MOA	86	94	89	89	WEMOAINSERT CODE KONFIG.
MOA + T-piece	89	98	93	93	WEMATINSERT CODE KONFIG.

Configurations table:

Product code example: **WE**^{Element power code}**MAT**^{Model code}**04**^{Packaging code}**T**^{Colour or finish code}**SMA**^{Cable type and plug code}**W**

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE MOA MOA	01 120	F Foil sleeve	916 White	W Straight cable with plug
MAT MOA + T-piece	02 200	T Tube	SMA Silver	M Straight cable without plug with masking cover
	03 300		CRO Chrome	U Spiral cable with plug
	04 400		905 Black	
	06 600			
	08 800			
	10 1000			
	12 1200			



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
MOA IR	95	105	99	99	WEMOR ^{INSERT CODE KONFIG.}
MOA IR + T-piece	99	109	103	103	WEMRT ^{INSERT CODE KONFIG.}

Configurations table:

Product code example: ^{Element power code}WE^{Colour or finish code}MRT⁰⁴^{Packaging code}TSMA^{Cable type and plug code}W

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE MOR MOA IR	01 120	F Foil sleeve	916 White	W Straight cable with plug
MRT MOA IR + T-piece	02 200	T Tube	SMA Silver	M Straight cable without plug with masking cover
	03 300		CRO Chrome	U Spiral cable with plug
	04 400		905 Black	
	06 600			
	08 800			
	10 1000			
	12 1200			

We recommend:



Programmer DTIR1
TGRDSI002: 63 EUR
DTIR1: page 159.



Programmer TTIR1
TGRTBI001: 97 EUR
TTIR1: page 159.

MOA BLUE (available from 2017.12)



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
MOA BLUE	125	133	128	128	WEMOBINSERT CODE KONFIG.
MOA BLUE + T-piece	128	137	132	132	WEMBTINSERT CODE KONFIG.

Configurations table:

Product code example: **WE** **MBT** **04** **T** **SMA** **W**

Model code Element power code Packaging code Colour or finish code Cable type and plug code

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE MOB MOA BLUE	01 120	F Foil sleeve	916 White	W Straight cable with plug
WE MBT MOA BLUE + T-piece	02 200	T Tube	SMA Silver	M Straight cable without plug with masking cover
	03 300		CRO Chrome	U Spiral cable with plug
	04 400		905 Black	
	06 600			
	08 800			
	10 1000			
	12 1200			

Control application available:



DRY



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
DRY	86	94	89	89	WEDRYINSERT CODE KONFIG.
DRY + T-piece	89	98	93	93	WEDYTINSERT CODE KONFIG.

Configurations table:

Product code example: **WE****DYT****04** **T****SMA****W**

Model code Element power code Packaging code Colour or finish code Cable type and plug code

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE DRY DRY DYT DRY + T-piece	01 120 02 200 03 300 04 400 06 600 08 800 10 1000 12 1200	F Foil sleeve T Tube	916 White SMA Silver CRO Chrome 905 Black	W Straight cable with plug M Straight cable without plug with masking cover U Spiral cable with plug

MEG



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
MEG	82	88	84	84	WEMEGINSERT CODE KONFIG.
MEG + T-piece	86	92	88	88	WEMGTINSERT CODE KONFIG.

Configurations table:

Product code example: **WE** **MEG** **04** **T** **SMA** **W**

Model code Element power code Packaging code Colour or finish code Cable type and plug code

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE MEG MEG	01 120	F Foil sleeve	916 White	W Straight cable with plug
MGT MEG + T-piece	02 200	T Tube	SMA Silver	M Straight cable without plug with masking cover
	03 300		CRO Chrome	U Spiral cable with plug
	04 400		905 Black	
	06 600			
	08 800			
	10 1000			
	12 1200			

REG 3



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
REG 3	72	76	74	74	WER3GINSERT CODE KONFIG.
REG 3 + T-piece	75	80	78	78	WER3TINSERT CODE KONFIG.

Configurations table:

Product code example: **WE**^{Model code}**R3G**^{Element power code}**04**^{Packaging code}**T**^{Colour or finish code}**SMA**^{Cable type and plug code}**W**

Code elements highlighted in blue.

Model		Power [W]	Packaging	Colour	Cable Type
WE	R3G REG 3	01 120	F Foil sleeve	916 White	W Straight cable with plug
	R3T REG 3 + T-piece	02 200	T Tube	SMA Silver	P Straight cable without plug
		03 300		CRO Chrome	U Spiral cable with plug
		04 400		905 Black	
		06 600			
		08 800			
		10 1000			
		12 1200			

REG 2



Name	White Price [EUR]	Chrome Price [EUR]	Black Price [EUR]	Silver Price [EUR]	Product Code
REG 2	65	68	66	66	WER2GINSERT CODE KONFIG.
REG 2 + T-piece	69	72	70	70	WER2TINSERT CODE KONFIG.

Configurations table:

Product code example: **WE**^{Model code}**R2G**^{Element power code}**04**^{Packaging code}**T**^{Colour or finish code}**SMA**^{Cable type and plug code}**W**

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE R2G REG 2	01 120	F Foil sleeve	916 White	W Straight cable with plug
R2T REG 2 + T-piece	02 200	T Tube	SMA Silver	P Straight cable without plug
	03 300		CRO Chrome	R Straight cable and plug with on/off switch
	04 400		905 Black	U Spiral cable with plug
	06 600			T Spiral cable with plug and on/off switch
	08 800			
	10 1000			
	12 1200			



Name	Price [EUR]	Product Code
SIM 120 W	55	WESIM01INSERT CODE KONFIG.
SIM 200 W	55	WESIM02INSERT CODE KONFIG.
SIM 300 W	55	WESIM03INSERT CODE KONFIG.
SIM 400 W	55	WESIM04INSERT CODE KONFIG.
SIM 600 W	55	WESIM06INSERT CODE KONFIG.
SIM 800 W	55	WESIM08INSERT CODE KONFIG.
SIM 1000 W	59	WESIM10INSERT CODE KONFIG.
SIM 1200 W	59	WESIM12INSERT CODE KONFIG.
SIM 1500 W	59	WESIM15INSERT CODE KONFIG.
SIM with plug 120 W	61	WESIM01INSERT CODE KONFIG.
SIM with plug 200 W	61	WESIM02INSERT CODE KONFIG.
SIM with plug 300 W	61	WESIM03INSERT CODE KONFIG.
SIM with plug 400 W	61	WESIM04INSERT CODE KONFIG.
SIM with plug 600 W	61	WESIM06INSERT CODE KONFIG.
SIM with plug 800 W	61	WESIM08INSERT CODE KONFIG.
SIM with plug 1000 W	65	WESIM10INSERT CODE KONFIG.
SIM with plug 1200 W	65	WESIM12INSERT CODE KONFIG.
SIM with plug 1500 W	65	WESIM15INSERT CODE KONFIG.

Configurations table:

Product code example: **WE****SIM****04****T****INX****W**

Model code
Element power code
Packaging code
Colour or finish code
Cable type and plug code

Code elements highlighted in blue.

Model	Power [W]	Packaging	Colour	Cable Type
WE SIM SIM	01 120 02 200 03 300 04 400 06 600 08 800 10 1000 12 1200 15 1500	F Foil sleeve	INX stainless steel	R Straight cable and plug with on/off switch P Straight cable without plug

Terma Split class I

Terma Split heating rod for KTX1, KTX2, KTX3, KTX4 and KTX4 Blue controllers.



Name	Price [EUR]	Product Code
Terma Split class I	47	WETS1INSERT CODE KONFIG.

Configurations table:

Product code example: WE^{Model code}TS1^{Element power code}04^{Packaging code} K^{Split plug code}---D

Code elements highlighted in blue.

Model		Power [W]	Packaging	Colour	Split connector
WE	TS1 Terma Split class I	01 120	K Box	--- N/A	D Terma Split class I
		02 200			
		03 300			
		04 400			
		06 600			
		08 800			
		10 1000			

TTIR1

External infrared controller for MOA IR, ONE and KTX4.



Power	Communication module	Casing ingress protection	Colour	Price [EUR]	Product Code
2 x LR03 (AAA)	IR	IP 30	White	97	TGRTBI001

DTIR1

External infrared controller for MOA IR, ONE and KTX4.



Power	Communication module	Casing ingress protection	Colour	Price [EUR]	Product Code
2 x LR03 (AAA)	IR	IP 30	White	61	TGRDBI001
2 x LR03 (AAA)	IR	IP 30	Silver	63	TGRDSI002

Shelves and hangers

EASY shelf



Available material: 

Dedicated to the radiator: Easy.

Size	Material	Price [EUR]	Product Code and Configuration
200 mm	Beech	35	WRPEAS020 BUK
200 mm	Oak	38	WRPEAS020 DAB
200 mm	Teak	75	WRPEAS020 TEK

SIMPLE shelf



Available material: 

Dedicated to the radiator: Simple.

Size	Material	Price [EUR]	Product Code and Configuration
500 mm	Beech	47	WRPSIM050 BUK
500 mm	Oak	53	WRPSIM050 DAB
500 mm	Teak	126	WRPSIM050 TEK

TRIGA shelf



Available material:    Mounting brackets: 

Dedicated to the radiator: Triga.

Size	Material	Price [EUR]	Product Code and Configuration
380 mm	Beech	78	WRPTRG038 BUK
380 mm	Oak	80	WRPTRG038 DAB
380 mm	Teak	144	WRPTRG038 TEK
480 mm	Beech	82	WRPTRG048 BUK
480 mm	Oak	84	WRPTRG048 DAB
480 mm	Teak	173	WRPTRG048 TEK
580 mm	Beech	85	WRPTRG058 BUK
580 mm	Oak	89	WRPTRG058 DAB
580 mm	Teak	191	WRPTRG058 TEK
680 mm	Beech	90	WRPTRG068 BUK
680 mm	Oak	93	WRPTRG068 DAB
680 mm	Teak	207	WRPTRG068 TEK

TRIGA shelf with towel rail



Available material:    Mounting brackets: 

Dedicated to the radiator: Triga.

Size	Material	Price [EUR]	Product Code and Configuration
380 mm	Beech	83	WRQTRG038 BUK
380 mm	Oak	85	WRQTRG038 DAB
380 mm	Teak	160	WRQTRG038 TEK
480 mm	Beech	85	WRQTRG048 BUK
480 mm	Oak	88	WRQTRG048 DAB
480 mm	Teak	184	WRQTRG048 TEK
580 mm	Beech	88	WRQTRG058 BUK
580 mm	Oak	91	WRQTRG058 DAB
580 mm	Teak	208	WRQTRG058 TEK
680 mm	Beech	92	WRQTRG068 BUK
680 mm	Oak	96	WRQTRG068 DAB
680 mm	Teak	231	WRQTRG068 TEK

TRIGA towel rail



Available material:    Mounting brackets: 

Dedicated to the radiator: Triga.

Size	Material	Price [EUR]	Product Code and Configuration
380 mm	Beech	78	WRRTRG038 BUK
380 mm	Oak	79	WRRTRG038 DAB
380 mm	Teak	142	WRRTRG038 TEK
480 mm	Beech	81	WRRTRG048 BUK
480 mm	Oak	84	WRRTRG048 DAB
480 mm	Teak	170	WRRTRG048 TEK
580 mm	Beech	85	WRRTRG058 BUK
580 mm	Oak	88	WRRTRG058 DAB
580 mm	Teak	190	WRRTRG058 TEK
680 mm	Beech	88	WRRTRG068 BUK
680 mm	Oak	92	WRRTRG068 DAB
680 mm	Teak	204	WRRTRG068 TEK

HANDY GRIP hanger



Colour options:  

Dedicated to the radiator with round tubular Profiles..
Set includes two hangers.

Colour	Price [EUR]	Product Code
White	12	TGWBI010
Chrome	15	TGWCR008

HANDY VIP hanger



Colour options: ● ○

Dedicated to the radiator with round tubular Profiles.
Set includes two hangers.

Colour	Price [EUR]	Product Code
White	12	TGWB1005
Chrome	15	TGWC005

KUKA hanger



Colour options: ●

70/11 mm suitable for all Cyklon models. Can also be used for Sherwood V and Sherwood H produced until July 2016.
50/10 mm suitable for Sherwood V and Sherwood H produced from July 2016.

Size	Material	Price [EUR]	Product Code	Conf. code p. 225. ▶
50/10 mm	Chrome	39	WRWKUK001	INSERT CODE
70/11 mm	Chrome	39	WRWKUK002	INSERT CODE

SPARK hanger



Spark 1



Spark 2



Spark 3

Colour options: ●

Dedicated to the radiator Diamond.

Version	Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
Spark 1	25 mm	Chrome	42	WRWSP1025	INSERT CODE
Spark 2	25 mm	Chrome	42	WRWSP2025	INSERT CODE
Spark 3	25 mm	Chrome	42	WRWSP3025	INSERT CODE

ZIP H hanger



Colour options: ●

Dedicated to the radiator:

Zip H 10 – Dexter, Dexter Pro, City, Kioto, Lukka, Marlin, Mantis, Incorner, Solo, Outcorner, Quadrus Slim, Quadrus Bold, Warp S, Warp T, Warp T Bold, Vivo.

Zip H 20 – Bone.

Size	Material	Price [EUR]	Product Code	Conf. code p. 225. ▶
10 mm	Chrome	36	WRWZIP008	INSERT CODE
20 mm	Chrome	36	WRWZIP010	INSERT CODE

ZIP V hanger



Colour options: ●

Dedicated to the radiator:

Zip V 20 – Intra, Intra M

Zip V 30 – Angus, Easy, Triga (AW, AN), Sherwood, Simple, ZigZag.

Zip V 40 – Triga.

Size	Material	Price [EUR]	Product Code	Conf. code p. 225. ▶
20 mm	Chrome	36	WRWZIP011	INSERT CODE
30 mm	Chrome	39	WRWZIP012	INSERT CODE
40 mm	Chrome	39	WRWZIP013	INSERT CODE

Curved towel rail hanger – BASIC



Colour options: ●○

Designed for curved, round pipe towel rails.
Two widths available: 400 and 500 mm.

Dedicated to the radiator with curved round tubes (LENA, DOMI, DEXTER).

Size	Material	Price [EUR]	Product Code and Configuration
Ø16/L340 mm	White	20	TGWBI004
Ø16/L430 mm	White	20	TGWBI002
Ø16/L340 mm	Chrome	26	TGWCR004
Ø16/L430 mm	Chrome	26	TGWCR002

Straight towel rail hanger – BASIC



Colour options: ●○

Designed for straight, round pipe towel rails.
Two widths available: 400 and 500 mm.

Dedicated to the radiator with straight round bars (FIONA, MIKE).

Size	Material	Price [EUR]	Product Code and Configuration
Ø16/L370 mm	White	20	TGWBI003
Ø16/L460 mm	White	20	TGWBI001
Ø16/L370 mm	Chrome	26	TGWCR003
Ø16/L460 mm	Chrome	26	TGWCR001

HAPPY SHARK hanger

 Colour included
in the price



Colour options: RAL and Terma special colours only.

Dedicated to the radiator: Vivo.

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
300 mm	RAL and Terma special colours only.	14	WRWH1A024	INSERT CODE
400 mm	RAL and Terma special colours only.	14	WRWH1A034	INSERT CODE
500 mm	RAL and Terma special colours only.	14	WRWH1A044	INSERT CODE
600 mm	RAL and Terma special colours only.	14	WRWH1A054	INSERT CODE

HAPPY RABBIT hanger

 Colour included
in the price




Colour options: RAL and Terma special colours only.

Dedicated to the radiator: Vivo.

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
300 mm	RAL and Terma special colours only.	14	WRWH1B024	INSERT CODE
400 mm	RAL and Terma special colours only.	14	WRWH1B034	INSERT CODE
500 mm	RAL and Terma special colours only.	14	WRWH1B044	INSERT CODE
600 mm	RAL and Terma special colours only.	14	WRWH1B054	INSERT CODE

SIMPLE hanger




Colour options: RAL and Terma special colours only.

Dedicated to the radiator Simple.

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
500 mm	RAL and Terma special colours only.	17	WRWSIM004	INSERT CODE


YO! hanger

Recommended for: Aero H, Aero HG, Alex, Domi, Fiona, Lena, Lima, POC 2, Pola, Tytus.



Colour	Price [EUR]	Product Code
RAL 8025 – Brown	3	WRWYOY001 SBRZ
RAL 3028 – Red	3	WRWYOY001 SCZE
RAL 6038 – Green	3	WRWYOY001 SZIE
RAL 1018 – Yellow	3	WRWYOY001 SZOL
RAL 7042 – Grey	3	WRWYOY001 SSZA
RAL 5005 – Blue	3	WRWYOY001 SNIE
RAL 9016 – White	3	WRWYOY001 SBIA
RAL 9005 – Black	3	WRWYOY001 SCZA

CASE SLIM towel rail



Colour options: ●, RAL

Dedicated to the radiator Case Slim.

Size	Width [mm]	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
420 mm	448	Paint	31	WRRCSS042	INSERT CODE
520 mm	548	Paint	31	WRRCSS052	INSERT CODE
620 mm	648	Paint	33	WRRCSS062	INSERT CODE
420 mm	448	Chrome	40	WRRCSS042	INSERT CODE
520 mm	548	Chrome	42	WRRCSS052	INSERT CODE
620 mm	648	Chrome	45	WRRCSS062	INSERT CODE

Valve sets

Dexter regulating valve set

for DEXTER towel rail



Available versions:



The left or right-hand version determines the position of the thermostatic insert or regulating valve with male thread.

Colour options: ○●●

Connections: 

Price includes: Regulating valve, lockshield valve, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR

Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	left	White	123	TGERCD2-BI
GZ 1/2" – Ø16x2, Ø15	left	Chrome	125	TGERCD1-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	176	TGERCD1-ST
GZ 1/2" – Ø16x2, Ø15	right	White	123	TGERCD1-BI
GZ 1/2" – Ø16x2, Ø15	right	Chrome	125	TGERCD2-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	176	TGERCD2-ST

Dexter thermostatic valve set

for DEXTER towel rail



Available versions:



The left or right-hand version determines the position of the thermostatic insert or regulating valve with male thread.

Colour options: ○●●

Connections: 

Price includes: Thermostatic valve, lockshield valve, SLIM thermostatic head, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR


Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	left	White	172	TGETCG1-BI
GZ 1/2" – Ø16x2, Ø15	left	Chrome	176	TGETCG6-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	233	TGETCG1-ST
GZ 1/2" – Ø16x2, Ø15	right	White	172	TGETCG2-BI
GZ 1/2" – Ø16x2, Ø15	right	Chrome	176	TGETCG7-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	233	TGETCG2-ST

Angled regulating valve set



Colour options: ●●



Price includes: Regulating valve, lockshield valve, Adapter for alupex Ø 16x2 and copper Ø 15.

We recomend:




Pipe-masking set, chrome
TGPCR001: 22 EUR
Masking sets: page 195.

Size	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	Chrome	88	WRZRCK1-CR
GZ 1/2" – Ø16x2, Ø15	Satin	114	WRZRCK1-ST

Star angled regulating valve set



Colour options: ●



Price includes: Regulating valves, Adapter for alupex Ø 16x2 and copper Ø 15.

We recomend:



Pipe-masking set, chrome
TGPCR001: 22 EUR
Masking sets: page 195.


Dedicated to the radiator: Retro, Retro S.

Size	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	Chrome	146	TGERSTCR01

Angled thermostatic valve set



Colour options: ●●



Price includes: Thermostatic valve, lockshield valve, SLIM thermostatic head, SLIM Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR
Masking sets: page 195.

Size	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	Chrome	129	WRZTCG3-CR
GZ 1/2" – Ø16x2, Ø15	Satin	180	WRZTCG3-ST

3-axis regulating valve set




Available versions:



The left or right-hand version determines the position of the thermostatic insert or regulating valve with male thread.

Colour options: ●●



Price includes: Regulating valve, lockshield valve, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR
Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	left	Chrome	88	WRZRC31-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	114	WRZRC31-ST
GZ 1/2" – Ø16x2, Ø15	right	Chrome	88	WRZRC32-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	114	WRZRC32-ST

3-axis thermostatic valve set



Available versions:



Colour options: ● ●

Connections:

Price includes: Thermostatic valve, lockshield valve, SLIM thermostatic head, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR

Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	left	Chrome	139	WRZTCG1-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	176	WRZTCG8-ST
GZ 1/2" – Ø16x2, Ø15	right	Chrome	139	WRZTCG2-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	176	WRZTCG9-ST

3-axis thermostatic valve and lockshield set integrated with T-piece



Available versions:



Colour options: ● ●

Connections:

Price includes: Thermostatic valve, lockshield valve, SLIM thermostatic head, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Pipe-masking set, chrome
TGPCR001: 22 EUR


Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	left	Chrome	145	WRZTCG4-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	199	WRZTCG4-ST
GZ 1/2" – Ø16x2, Ø15	right	Chrome	145	WRZTCG5-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	199	WRZTCG5-ST


Integrated thermostatic valve set



Available versions:



Colour options: ● ●



Price includes: Integrated thermostatic valve, SLIM SLIM thermostatic head, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
Angled valve – 90°				
GZ 1/2" – Ø16x2, Ø15	left	Chrome	141	WRZT5G1-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	197	WRZT5G1-ST
GZ 1/2" – Ø16x2, Ø15	right	Chrome	141	WRZT5G2-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	197	WRZT5G2-ST
Inline valve				
GZ 1/2" – Ø16x2, Ø15	left	Chrome	143	WRZT5G3-CR
GZ 1/2" – Ø16x2, Ø15	left	Satin	197	WRZT5G3-ST
GZ 1/2" – Ø16x2, Ø15	right	Chrome	143	WRZT5G4-CR
GZ 1/2" – Ø16x2, Ø15	right	Satin	197	WRZT5G4-ST

Integrated thermostatic valve set with immersion tube



Available versions:



Colour options: ● ●

Connections: S1 S8 SX O1 O8

Price includes: Integrated thermostatic valve, SLIM thermostatic head, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Integrated pipe-masking set, chrome

TGPCR002: 34 EUR

Masking sets: page 195.

Size	Position	Colour	Price [EUR]	Product Code
Angled valve – 90°				
GZ 1/2"-Ø16x2, Ø15	left	Chrome	149	WRZT5G5-CR
GZ 1/2"-Ø16x2, Ø15	left	Satin	209	WRZT5G5-ST
GZ 1/2"-Ø16x2, Ø15	right	Chrome	149	WRZT5G6-CR
GZ 1/2"-Ø16x2, Ø15	right	Satin	209	WRZT5G6-ST
Inline valve				
GZ 1/2"-Ø16x2, Ø15	-	Chrome	149	WRZT5G7-CR
GZ 1/2"-Ø16x2, Ø15	-	Satin	209	WRZT5G7-ST

Integrated lockshield valve set



Colour options: ● ●

Connections: VL VP V3 V6 V7 V2

Price includes: Integrated lockshield valve, SLIM thermostatic head, Adapter for alupex Ø 16x2 and copper Ø 15.

We recommend:



Integrated pipe-masking set,
chrome
TGPCR002: 34 EUR
Masking sets: page 195.

Size	Colour	Price [EUR]	Product Code
Angled valve – 90°			
GW 3/4" (GZ 1/2") – Ø16x2, Ø15	Chrome	107	WRZOSSC1-CR
GW 3/4" (GZ 1/2") – Ø16x2, Ø15	Satin	140	WRZOSSC1-ST
Inline valve			
GW 3/4" (GZ 1/2") – Ø16x2, Ø15	Chrome	107	WRZOSSC2-CR
GW 3/4" (GZ 1/2") – Ø16x2, Ø15	Satin	135	WRZOSSC2-ST

Valves and accessories

Integrated thermostatic T-piece valve



Angled valve – 90°

Available versions:



left



right

Colour options: ☐ ☐ ☐

Do not forget to buy:



Adapter for alupex 24x19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24x19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.



NOBLE thermostatic head, chrome
TGGCR004: 29 EUR

Valves and accessories: page 193.

Size	Position	Colour	Price [EUR]	Product Code
Angled valve – 90°				
GZ 1/2"-GW 1/2"- GZ24-19	left	White	129	TGZTBI013
GZ 1/2"-GW 1/2"- GZ24-19	left	Chrome	121	TGZTCR022
GZ 1/2"-GW 1/2"- GZ24-19	left	Satin	162	TGZTST020
GZ 1/2"-GW 1/2"- GZ24-19	right	White	129	TGZTBI014
GZ 1/2"-GW 1/2"- GZ24-19	right	Chrome	121	TGZTCR021
GZ 1/2"-GW 1/2"- GZ24-19	right	Satin	162	TGZTST021

Integrated thermostatic valve with immersion tube



Angled valve – 90°

Available versions:



left



right

Colour options: ☐ ☒ ☐ ☐

Do not forget to buy:



Adapter for alupex 3/4", chrome
TGACR015: 10 EUR

Valves and accessories: page 190.



Adapter for copper 3/4", chrome
TGACR018: 10 EUR

Valves and accessories: page 191.



NOBLE thermostatic head, chrome
TGGCR004: 29 EUR

Valves and accessories: page 193.

Size	Position	Colour	Price [EUR]	Product Code
Angled valve – 90°				
GZ 1/2"-GZ 3/4"	left	White	87	TGZTBI008
GZ 1/2"-GZ 3/4"	left	Black	122	TGZTCZ006
GZ 1/2"-GZ 3/4"	left	Chrome	87	TGZTCR019
GZ 1/2"-GZ 3/4"	left	Satin	123	TGZTST017
GZ 1/2"-GZ 3/4"	right	White	87	TGZTBI009
GZ 1/2"-GZ 3/4"	right	Black	122	TGZTCZ007
GZ 1/2"-GZ 3/4"	right	Chrome	87	TGZTCR018
GZ 1/2"-GZ 3/4"	right	Satin	123	TGZTST016
Inline valve				
GZ 1/2"-GZ 3/4"	-	White	89	TGZTBI010
GZ 1/2"-GZ 3/4"	-	Chrome	81	TGZTCR18
GZ 1/2"-GZ 3/4"	-	Satin	109	TGZTST018

Integrated thermostatic valve



Available versions:



Colour options: ☐ ☒ ☐ ☐

Do not forget to buy:



Adapter for alupex 24x19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24x19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.



NOBLE thermostatic head, chrome
TGGCR004: 29 EUR

Valves and accessories: page 193.

Size	Position	Colour	Price [EUR]	Product Code
Angled valve – 90°				
GZ 1/2"-GZ 24-19	left	White	79	TGZTBI011
GZ 1/2"-GZ 24-19	left	Chrome	78	TGZTCR005
GZ 1/2"-GZ 24-19	left	Satin	104	TGZTST005
GZ 1/2"-GZ 24-19	left	Black	96	TGZTCZ001
GZ 1/2"-GZ 24-19	right	White	79	TGZTBI012
GZ 1/2"-GZ 24-19	right	Chrome	78	TGZTCR006
GZ 1/2"-GZ 24-19	right	Satin	104	TGZTST006
GZ 1/2"-GZ 24-19	right	Black	96	TGZTCZ002
Inline valve				
GZ 1/2"-GZ 24-19	left	Chrome	81	TGZTCR013
GZ 1/2"-GZ 24-19	left	Satin	104	TGZTST012
GZ 1/2"-GZ 24-19	right	Chrome	81	TGZTCR014
GZ 1/2"-GZ 24-19	right	Satin	104	TGZTST013

Integrated lockshield valve



Colour options: ●●

Do not forget to buy:



Adapter for alupex M22x1,5, chrome
TGACR011: 10 EUR
Valves and accessories: page 190.



Adapter for copper M22x1,5, chrome
TGACR006: 10 EUR
Valves and accessories: page 191.



NOBLE thermostatic head, chrome
TGGCR004: 29 EUR
Valves and accessories: page 193.

Size	Colour	Price [EUR]	Product Code
Angled valve – 90°			
GW 3/4" (GZ 1/2")-GZ M22x1,5	Chrome	46	TGEOCR001
GW 3/4" (GZ 1/2")-GZ M22x1,5	Satin	63	TGEOST001
Inline valve			
GW 3/4" (GZ 1/2")-GZ M22x1,5	Chrome	46	TGEOCR002
GW 3/4" (GZ 1/2")-GZ M22x1,5	Satin	63	TGEOST002

3-axis thermostatic valve



Available versions:



left



right

Colour options: ○●●●

Do not forget to buy:



Adapter for alupex 24x19, chrome
TGACR019: 10 EUR
Valves and accessories: page 190.



Adapter for copper 24x19, chrome
TGACR003: 10 EUR
Valves and accessories: page 191.




NOBLE thermostatic head, chrome
TGGCR004: 29 EUR
Valves and accessories: page 193.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	left	White	41	TGZTBI002
GZ 1/2"-GZ 24-19	left	Black	57	TGZTCZ003
GZ 1/2"-GZ 24-19	left	Chrome	41	TGZTCR002
GZ 1/2"-GZ 24-19	left	Satin	57	TGZTST002
GZ 1/2"-GZ 24-19	right	White	41	TGZTBI003
GZ 1/2"-GZ 24-19	right	Black	57	TGZTCZ004
GZ 1/2"-GZ 24-19	right	Chrome	41	TGZTCR004
GZ 1/2"-GZ 24-19	right	Satin	57	TGZTST004

3-axis regulating valve



Available versions:



Colour options: ○ ● ● ●

Do not forget to buy:



Adapter for alupex 24×19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24×19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	left	White	40	TGZRB1002
GZ 1/2"-GZ 24-19	left	Black	49	TGZRCZ002
GZ 1/2"-GZ 24-19	left	Chrome	35	TGZRCR002
GZ 1/2"-GZ 24-19	left	Satin	44	TGZRST002
GZ 1/2"-GZ 24-19	right	White	40	TGZRB1004
GZ 1/2"-GZ 24-19	right	Black	49	TGZRCZ003
GZ 1/2"-GZ 24-19	right	Chrome	35	TGZRCR004
GZ 1/2"-GZ 24-19	right	Satin	44	TGZRST004

Angled thermostatic valve



Colour options: ○ ● ● ●

Do not forget to buy:



Adapter for alupex 24×19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24×19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.



NOBLE thermostatic head, chrome
TGGCR004: 29 EUR

Valves and accessories: page 193.

Size	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	White	39	TGZTB1005
GZ 1/2"-GZ 24-19	Black	54	TGZTCZ005
GZ 1/2"-GZ 24-19	Chrome	37	TGZTCR009
GZ 1/2"-GZ 24-19	Satin	57	TGZTST009

3-axis lockshield valve



Available versions:



Colour options: ○ ● ● ●

Do not forget to buy:



Adapter for alupex 24×19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24×19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	left	White	40	TGZOBI002
GZ 1/2"-GZ 24-19	left	Black	49	TGZOCZ002
GZ 1/2"-GZ 24-19	left	Chrome	35	TGZOCR002
GZ 1/2"-GZ 24-19	left	Satin	48	TGZOST002
GZ 1/2"-GZ 24-19	right	White	40	TGZOBI004
GZ 1/2"-GZ 24-19	right	Black	49	TGZOCZ003
GZ 1/2"-GZ 24-19	right	Chrome	35	TGZOCR004
GZ 1/2"-GZ 24-19	right	Satin	48	TGZOST004

Angled regulating valve



Colour options: ○ ● ● ●

Do not forget to buy:



Adapter for alupex 24×19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24×19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	White	35	TGZRB1006
GZ 1/2"-GZ 24-19	Black	46	TGZRCZ001
GZ 1/2"-GZ 24-19	Chrome	35	TGZRCR006
GZ 1/2"-GZ 24-19	Satin	42	TGZRST006

Angled lockshield valve



Colour options: ☐ ☒ ☐ ☐

Do not forget to buy:



Adapter for alupex 24×19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24×19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	White	35	TGZOBI006
GZ 1/2"-GZ 24-19	Black	45	TGZOCZ001
GZ 1/2"-GZ 24-19	Chrome	35	TGZOCR013
GZ 1/2"-GZ 24-19	Satin	44	TGZOST006

Straight thermostatic valve



Colour options: ☐ ☒ ☐ ☐

Do not forget to buy:



Adapter for alupex 24×19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24×19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.



NOBLE thermostatic head, chrome
TGGCR004: 29 EUR

Valves and accessories: page 193.

Size	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	White	39	TGZTBI006
GZ 1/2"-GZ 24-19	Chrome	37	TGZTCR015
GZ 1/2"-GZ 24-19	Satin	57	TGZTST019

Straight regulating valve



Colour options: ☐ ☒ ☐

Do not forget to buy:



Adapter for alupex 24x19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24x19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Colour	Price [EUR]	Product Code
GZ 1/2" – GZ 24 × 19	White	35	TGZRBI007
GZ 1/2" – GZ 24 × 19	Chrome	35	TGZRCR009
GZ 1/2" – GZ 24 × 19	Satin	42	TGZRST007

Straight lockshield valve



Colour options: ☐ ☒ ☐

Do not forget to buy:



Adapter for alupex 24x19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24x19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Colour	Price [EUR]	Product Code
GZ 1/2"-GZ 24-19	White	35	TGZOBI007
GZ 1/2"-GZ 24-19	Chrome	35	TGZOBR008
GZ 1/2"-GZ 24-19	Satin	44	TGZOST012

T-piece



Colour options: ☐ ☒ ☐ ☐

Size	Colour	Price [EUR]	Product Code
GZ 1/2" – GW 1/2" – GW 1/2"	White	7	WRT1C2 916
GZ 1/2" – GW 1/2" – GW 1/2"	Chrome	8	WRT1C2 CRO
GZ 1/2" – GW 1/2" – GW 1/2"	Satin	7	WRT1C2 SMA

Lockshield valve integrated with T-piece



Colour options: ☐ ☒ ☐ ☐

Do not forget to buy:



Adapter for alupex 24x19, chrome
TGACR019: 10 EUR

Valves and accessories: page 190.



Adapter for copper 24x19, chrome
TGACR003: 10 EUR

Valves and accessories: page 191.

Size	Position	Colour	Price [EUR]	Product Code
GZ 1/2"-GW 1/2"-GZ 24-19	left	White	51	TGZOBI009
GZ 1/2"-GW 1/2"-GZ 24-19	left	Black	66	TGZOCZ004
GZ 1/2"-GW 1/2"-GZ 24-19	left	Chrome	46	TGZOCR010
GZ 1/2"-GW 1/2"-GZ 24-19	left	Satin	61	TGZOST008
GZ 1/2"-GW 1/2"-GZ 24-19	right	White	51	TGZOBI010
GZ 1/2"-GW 1/2"-GZ 24-19	right	Black	66	TGZOCZ005
GZ 1/2"-GW 1/2"-GZ 24-19	right	Chrome	46	TGZOCR012
GZ 1/2"-GW 1/2"-GZ 24-19	right	Satin	61	TGZOST010

Adapter for alupex – 24 × 19



Colour options: ●●●

Size	Colour	Price [EUR]	Product Code
GW 24-19-Ø16x2	Chrome	10	TGACR019
GW 24-19-Ø16x2	Satin	12	TGAST017
GW 24-19-Ø16x2	Black	13	TGACZ001

Adapter for alupex – 3/4"



Adapter for an integrated thermostatic valve with immersion tube.

Colour options: ●●●

Size	Colour	Price [EUR]	Product Code
GW 3/4"-Ø16x2	Chrome	10	TGACR015
GW 3/4"-Ø16x2	Satin	12	TGAST015
GW 3/4"-Ø16x2	Black	13	TGACZ005

Adapter for alupex – M22 × 1,5



Adapter for integrated lockshield valve.

Colour options: ●●

Size	Colour	Price [EUR]	Product Code
GW M22x1,5-Ø16x2	Chrome	10	TGACR011
GW M22x1,5-Ø16x2	Satin	12	TGAST011

Adapter for copper – 24 × 19



Colour options: ● ●

Size	Colour	Price [EUR]	Product Code
GW 24-19-Ø15	Chrome	10	TGACR003
GW 24-19-Ø15	Satin	12	TGAST003

Adapter for copper – 3/4"



Colour options: ● ●

Size	Colour	Price [EUR]	Product Code
GW 3/4"-Ø15	Chrome	10	TGACR018
GW 3/4"-Ø15	Satin	12	TGAST014

Adapter for copper – M22 × 1,5



Adapter for integrated lockshield valve.

Colour options: ● ●

Size	Colour	Price [EUR]	Product Code
GW M22x1,5-Ø15	Chrome	10	TGACR006
GW M22x1,5-Ø15	Satin	12	TGAST006

Adapter for steel – 24 × 19



Colour options: ☒ ☐

Size	Colour	Price [EUR]	Product Code
GW 24-19-GW 1/2"	Chrome	10	TGACR007
GW 24-19-GW 1/2"	Satin	12	TGAST007

Adapter for steel – M22 × 1,5



Colour options: ☒ ☐

Size	Colour	Price [EUR]	Product Code
GW M22x1,5-GW 1/2"	Chrome	10	TGACR012
GW M22x1,5-GW 1/2"	Satin	12	TGAST012

ETNA thermostatic head



Colour options: ☐ ☒

Size	Colour	Price [EUR]	Product Code
M30x1,5	White	15	TGGBI002
M30x1,5	Chrome	29	TGGCR002

NOBLE thermostatic head



Colour options: ☐ ☒ ☐ ☐

Size	Colour	Price [EUR]	Product Code
M30x1,5	White	23	TGGBI007
M30x1,5	Black	33	TGGCZ001
M30x1,5	Chrome	29	TGGCR004

SLIM thermostatic head



Colour options: ☐ ☒ ☐ ☐

Size	Colour	Price [EUR]	Product Code
M30x1,5	White	39	TGGBI001
M30x1,5	Black	55	TGGCZ002
M30x1,5	Chrome	41	TGGCR001
M30x1,5	Satin	64	TGGST001

Threaded cap



Colour options: ☒ ☐

Size	Colour	Price [EUR]	Product Code
GZ 1/2"	Chrome	5	MMEHYKR0001
GZ 1/2"	Satin	6	TGIKST001

Nut spacer



Colour options: ☒ ☐

Size	Colour	Price [EUR]	Product Code
GW 1/2"-GZ 1/2"	Chrome	7	TGUCR001
GW 24-19-GZ 24-19	Chrome	7	TGUCR002
GW 1/2"-GZ 1/2"	Satin	10	TGUST001
GW 24-19-GZ 24-19	Satin	10	TGUST002

Bleed valve



Colour options: ☒ ☐ ☐

Size	Colour	Price [EUR]	Product Code
GZ 1/2"	Chrome	7	WRZ0001-CR
GZ 1/2"	White	9	WRZ0001-BI
GZ 1/4"	Stainless steel	5	MMEHYOD0005


Pipe-masking set



Colour options: ☒ ☐ ☒ ☐

Size	Colour	Price [EUR]	Product Code
Ø18/Ø55/L70 mm	Chrome	22	TGPCR001
Ø18/Ø55/L70 mm	Satin	30	TGPST001
Ø18/Ø55/L70 mm	Black	31	TGPCZ001
Ø18/Ø55/L70 mm	White	31	TGPBI001

Integrated pipe-masking set



Colour options: ●●●●○

Size	Colour	Price [EUR]	Product Code
50 mm	Chrome	34	TGPCR002
50 mm	Satin	49	TGPST003
50 mm	Black	50	TGPCZ002
50 mm	White	50	TGPBI005

Michelle towel rail collector masking cover



Colour options: ●RAL

Dedicated to the radiator Michelle.

Size [mm]	Positioning	Paint Price [EUR]	Chrome Price [EUR]	Product Code	Conf. code p. 225. ▶
780	left	39	173	WRCMIC078L	INSERT CODE
1200	left	49	254	WRCMIC120L	INSERT CODE
1620	left	72	349	WRCMIC162L	INSERT CODE
780	right	39	173	WRCMIC078P	INSERT CODE
1200	right	49	254	WRCMIC120P	INSERT CODE
1620	right	72	349	WRCMIC162P	INSERT CODE

Long brush



Material: beech and natural bristles

Size	Price [EUR]	Product Code
1000 mm	14	TGI007

Ribbon brush



Material: beech and natural bristles

Size	Price [EUR]	Product Code
-	18	TGI008

Cast iron valves and accessories

Angled regulating valve set "Classic Art"



Colour options: ●●●

Price includes: angled regulating valve with lever, angled lockshield valve, adapters (PEX/AluPEX, steel, copper).

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
GZ 1/2"-Ø16x2, Ø15, GW 1/2"	Anthracite	206	TGERANT01	-
GZ 1/2"-Ø16x2, Ø15, GW 1/2"	Brushed bronze	216	TGERANT03	-
GZ 1/2"-Ø16x2, Ø15, GW 1/2"	Matching radiator colour (special colours palette and RAL palette)	217	WRZRRAW01	INSERT CODE

Angled regulating valve set "Minimalist"



Colour options: ●●●●●

Price includes: angled regulating valve, angled lockshield valve, adapters (PEX/AluPEX, copper).

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
GZ 1/2" – Ø16x2, Ø15	Anthracite	237	TGERAN002	-
GZ 1/2" – Ø16x2, Ø15	Brushed bronze	237	TGERBR002	-
GZ 1/2" – Ø16x2, Ø15	Brushed copper	237	TGERME003	-
GZ 1/2" – Ø16x2, Ø15	Satin nickel	237	TGERST005	-
GZ 1/2" – Ø16x2, Ø15	Matching radiator colour (special colours palette and RAL palette)	242	WRZRRAW03	INSERT CODE

Angled thermostatic regulating valve set "Artistic"



Colour options: 

Price includes: angled thermostatic regulating valve, angled lockshield valve, adapters (PEX/AluPEX, copper).

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225.
GZ 1/2" – Ø16x2, Ø15	Anthracite	193	TGETAN002	-
GZ 1/2" – Ø16x2, Ø15	Brushed bronze	178	TGETBR003	-
GZ 1/2" – Ø16x2, Ø15	Matching radiator colour (special colours palette and RAL palette)	197	WRZTKAR01	INSERT CODE

Angled thermostatic regulating valve set "Wood"



Colour options: 

Price includes: angled thermostatic regulating valve, angled lockshield valve, adapters (PEX/AluPEX, copper).

Size	Colour	Price [EUR]	Product Code
GZ 1/2" – Ø16x2, Ø15	Brushed bronze	216	TGETBR002
GZ 1/2" – Ø16x2, Ø15	Satin nickel	216	TGETST005
GZ 1/2" – Ø16x2, Ø15	Brushed copper	216	TGETME001


Pipe cover and shroud double set "Artistic"



Colour options: ●●

Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
Anthracite	64	TGPAN001	-
Brushed bronze	51	TGPBR001	-
Matching radiator colour (special colours palette and RAL palette)	67	WRMRAW01	INSERT CODE

Pipe cover and shroud double set



Colour options: ●●●●●●

Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
Brushed bronze	41	TGPBR002	-
Brushed copper	41	TGPME001	-
Satin nickel	41	TGPNI001	-
Anthracite	37	TGPAN002	-
White	31	TGPBI001	-
Brass	27	TGPMS001	-
Matching radiator colour (special colours palette and RAL palette)	47	WRMRAW02	INSERT CODE

AluPEX adapter reducer – 24x19



Colour options:

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
GW 24-19-Ø16x2	Satin nickel	13	TGAST019	-
GW 24-19-Ø16x2	Brushed bronze	13	TGABS006	-
GW 24-19-Ø16x2	Anthracite	16	TGAAN001	-
GW 24-19-Ø16x2	Brushed copper	13	TGAME001	-
GW 24-19-Ø16x2	Brass	9	TGAMS001	-
GW 24-19-Ø16x2	Matching radiator colour (special colours palette and RAL palette)	17	WRAADAP01	INSERT CODE

Steel adapter reducer – 24x19



Colour options:

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
GW 24-19-GW 1/2"	Satin nickel	17	TGAST020	-
GW 24-19-GW 1/2"	Brushed bronze	17	TGABS005	-
GW 24-19-GW 1/2"	Anthracite	20	TGAAN003	-
GW 24-19-GW 1/2"	Brushed copper	18	TGAME003	-
GW 24-19-GW 1/2"	Brass	13	TGAMS003	-
GW 24-19-GW 1/2"	Matching radiator colour (special colours palette and RAL palette)	21	WRAADAP02	INSERT CODE

Copper adapter reducer – 24 × 19



Colour options:    

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
GW 24-19-Ø15	Satin nickel	13	TGAST018	-
GW 24-19-Ø15	Brushed bronze	10	TGABS003	-
GW 24-19-Ø15	Anthracite	13	TGAAN002	-
GW 24-19-Ø15	Brushed copper	13	TGAME002	-
GW 24-19-Ø15	Brass	13	TGAMS002	-
GW 24-19-Ø15	Matching radiator colour (special colours palette and RAL palette)	14	WRAADAP03	INSERT CODE

Bleed valve



Colour options:  

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
1/2"	Anthracite	8	MMEHYOD0008	-
1/2"	Brass	8	MMEHYOD0009	-
1/2"	Matching radiator colour (special colours palette and RAL palette)	10	PLVODP01	INSERT CODE

Reducing bush 5/4" × 1/2"



Matching radiator colour.

Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
5/4"	left	6	PLVKOR-Z01	INSERT CODE
5/4"	right	6	PLVKOR-Z02	INSERT CODE

Blanking plug 5/4"



Matching radiator colour.


Size	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
5/4"	left	6	PLVKOR-Z03	INSERT CODE
5/4"	right	6	PLVKOR-Z04	INSERT CODE

Joining nipple 5/4"



Material	Price [EUR]	Product Code
cast iron	4	MMECSGZ0011
steel	3	MMECSGZ0018

Gasket



Size	Price [EUR]	Product Code
5/4"; gr.1,5mm	2	MTSININ0053

Wall bracket



Radiator	Colour	Price [EUR]	Product Code	Conf. code p. 225. ▶
Oxford	Matching radiator colour (special colours palette and RAL palette)	12	PLV-HAK-220	INSERT CODE
Plain and Kaszub	Matching radiator colour (special colours palette and RAL palette)	12	PLV-HAK-180	INSERT CODE
Bart	Matching radiator colour (special colours palette and RAL palette)	12	PLV-HAK-070	INSERT CODE


Cast iron radiator joining key




Size	Price [EUR]	Product Code
800 mm (10 sections, each 80 mm wide)	123	WRNGZ600

Straight handrail

Colour options: RAL colours
25% extra charge.




A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
80	555	100	Ø 25	41	53	WBPPX001 INSERT CODE	
80	655	100	Ø 25	41	54	WBPPX003 INSERT CODE	
80	755	100	Ø 25	42	56	WBPPX005 INSERT CODE	
80	855	100	Ø 25	43	58	WBPPX007 INSERT CODE	



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
70	550	100	38x20	43	57	WBPPX002 INSERT CODE	
70	650	100	38x20	45	60	WBPPX004 INSERT CODE	
70	750	100	38x20	46	63	WBPPX006 INSERT CODE	
70	850	100	38x20	46	66	WBPPX008 INSERT CODE	

Handrail with 90° bend


Colour options: RAL colours
25% extra charge.



• Drawing for the left hand side version.



A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225.
505	405	100	Ø 25	Left-handed	50	67	WBPSL003	INSERT CODE
705	505	100	Ø 25	Left-handed	56	72	WBPSL007	INSERT CODE
505	405	100	Ø 25	Right-handed	50	67	WBPSP003	INSERT CODE
705	505	100	Ø 25	Right-handed	56	72	WBPSP007	INSERT CODE




• Drawing for the left hand side version.



A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225.
500	400	100	38x20	Left-handed	61	82	WBPSL004	INSERT CODE
700	500	100	38x20	Left-handed	62	88	WBPSL008	INSERT CODE
500	400	100	38x20	Right-handed	61	82	WBPSP004	INSERT CODE
700	500	100	38x20	Right-handed	62	88	WBPSP008	INSERT CODE

Handrail with 125° bend


Colour options: RAL colours
25% extra charge.



• Drawing for the left hand side version.



A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
460	710	100	Ø 25	Left-handed	51	70	WBPSL001	INSERT CODE
624	925	100	Ø 25	Left-handed	56	76	WBPSL005	INSERT CODE
460	710	100	Ø 25	Right-handed	51	70	WBPSP001	INSERT CODE
624	925	100	Ø 25	Right-handed	56	76	WBPSP005	INSERT CODE




• Drawing for the left hand side version.




A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
475	742	100	38x20	Left-handed	62	80	WBPSL002	INSERT CODE
639	957	100	38x20	Left-handed	63	92	WBPSL006	INSERT CODE
475	742	100	38x20	Right-handed	62	80	WBPSP002	INSERT CODE
639	957	100	38x20	Right-handed	63	92	WBPSP006	INSERT CODE

Horizontal handrail

Colour options: RAL colours
25% extra charge.




A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
778	778	80	Ø 25	69	90	WBPLX001	INSERT CODE
778	978	80	Ø 25	71	93	WBPLX003	INSERT CODE



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
775	775	70	38x20	81	105	WBPLX002	INSERT CODE
775	975	70	38x20	83	110	WBPLX004	INSERT CODE

Vertical, floor support handrail


Colour options: RAL colours
25% extra charge.



• Drawing for the left hand side version.



A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
235	824	424	Ø 32	Left-handed	62	88	WBWIL001	INSERT CODE
235	824	824	Ø 32	Left-handed	70	93	WBWIL003	INSERT CODE
235	824	424	Ø 32	Right-handed	62	88	WBWIP001	INSERT CODE
235	824	824	Ø 32	Right-handed	70	93	WBWIP003	INSERT CODE




• Drawing for the left hand side version.



A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
210	825	425	38x20	Left-handed	63	91	WBWIL002	INSERT CODE
210	825	825	38x20	Left-handed	65	97	WBWIL004	INSERT CODE
210	825	425	38x20	Right-handed	63	91	WBWIP002	INSERT CODE
210	825	825	38x20	Right-handed	65	97	WBWIP004	INSERT CODE

Wall-mounted support handrail


Colour options: RAL colours
25% extra charge.



• Drawing for the left hand side version.



A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
180	240	600	Ø 32	Left-handed	62	81	WBWOL001	INSERT CODE
180	240	700	Ø 32	Left-handed	64	93	WBWOL003	INSERT CODE
180	240	600	Ø 32	Right-handed	62	81	WBWOP001	INSERT CODE
180	240	700	Ø 32	Right-handed	64	93	WBWOP003	INSERT CODE




• Drawing for the left hand side version.




A [mm]	B [mm]	C [mm]	Profil [mm]	Version	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
180	230	600	38x20	Left-handed	63	92	WBWOL002	INSERT CODE
180	230	700	38x20	Left-handed	65	97	WBWOL004	INSERT CODE
180	230	600	38x20	Right-handed	63	92	WBWOP002	INSERT CODE
180	230	700	38x20	Right-handed	65	97	WBWOP004	INSERT CODE

Free standing floor handrail

Colour options: RAL colours
25% extra charge.




A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
235	800	448	Ø 32	86	113	WBWWX001	INSERT CODE
235	800	748	Ø 32	88	118	WBWWX003	INSERT CODE




A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
210	800	450	38x20	91	132	WBWWX002	INSERT CODE
210	800	750	38x20	92	140	WBWWX004	INSERT CODE

Wall-mounted horizontal handrail


Colour options: RAL colours
25% extra charge.



- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	Ø 32	50	77	WBUSX001	INSERT CODE
90	600	275	Ø 32	51	80	WBUSX003	INSERT CODE
90	700	275	Ø 32	53	91	WBUSX005	INSERT CODE
90	800	275	Ø 32	54	94	WBUSX007	INSERT CODE




- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	38x20	52	84	WBUSX002	INSERT CODE
90	600	275	38x20	54	89	WBUSX004	INSERT CODE
90	700	275	38x20	53	91	WBUSX006	INSERT CODE
90	800	275	38x20	57	97	WBUSX008	INSERT CODE

Wall-mounted handrail with hanger


Colour options: RAL colours
25% extra charge.



- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	Ø 32	56	71	WBUSR001	INSERT CODE
90	600	275	Ø 32	57	79	WBUSR002	INSERT CODE
90	700	275	Ø 32	59	81	WBUSR003	INSERT CODE
90	800	275	Ø 32	60	85	WBUSR004	INSERT CODE




- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	38x20	58	83	WBUSR005	INSERT CODE
90	600	275	38x20	60	89	WBUSR006	INSERT CODE
90	700	275	38x20	62	94	WBUSR007	INSERT CODE
90	800	275	38x20	63	99	WBUSR008	INSERT CODE

Wall-mounted folding handrail


Colour options: RAL colours
25% extra charge.




- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	Ø 32	66	90	WBUPX001	INSERT CODE
90	600	275	Ø 32	67	94	WBUPX003	INSERT CODE
90	700	275	Ø 32	69	98	WBUPX005	INSERT CODE
90	800	275	Ø 32	70	102	WBUPX007	INSERT CODE




- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	38x20	68	89	WBUPX002	INSERT CODE
90	600	275	38x20	70	94	WBUPX004	INSERT CODE
90	700	275	38x20	71	109	WBUPX006	INSERT CODE
90	800	275	38x20	73	114	WBUPX008	INSERT CODE

Wall-mounted folding handrail with hanger


Colour options: RAL colours
25% extra charge.



- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	Ø 32	71	102	WBUPR001	INSERT CODE
90	600	275	Ø 32	72	107	WBUPR002	INSERT CODE
90	700	275	Ø 32	74	114	WBUPR003	INSERT CODE
90	800	275	Ø 32	74	113	WBUPR004	INSERT CODE



- Suitable for TECE front-wall frames with the plate Nr. 9,042,013



A [mm]	B [mm]	C [mm]	Profil [mm]	White Price [EUR]	Chrome Price [EUR]	Product code	Conf. code p. 225. ▶
90	500	275	38x20	73	102	WBUPR005	INSERT CODE
90	600	275	38x20	74	107	WBUPR006	INSERT CODE
90	700	275	38x20	76	112	WBUPR007	INSERT CODE
90	800	275	38x20	78	117	WBUPR008	INSERT CODE

Structure of configuration code for water and dual fuel radiators.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure


WGALE054030

Product code
(located in the table for the product)

K916SX

CONFIGURATION CODE
(supplemented by hand)

Configuration



Epoxy powder primer

E – Code of epoxy primer is an extra processes

WGALE054030 K916SX **E** — Extra processes or additions code

Configuration code structure. Radiators for dual fuel installations with built in (integrated) ONE heating element.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure


WZBNN076050

Product code
(located in the table for the product)

K916S1P

CONFIGURATION CODE
(supplemented by hand)

Configuration



Epoxy powder primer

E – Code of epoxy primer is an extra processes.

WZBNN076050 K916S1P **E** — Extra processes or additions code

Configuration code structure. Oil filled electric only radiators with built in (integrated) ONE heating element.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure


WWBNN076050

Product code
(located in the table for the product)

K916E1P

CONFIGURATION CODE
(supplemented by hand)

Configuration



Epoxy powder primer

E – Code of epoxy primer is an extra processes.

WWBNN076050 K916E1P **E** — Extra processes or additions code


Configuration code structure. Oil filled electric only radiators.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure

WLALE054030	K916E1DRYM
Product code (located in the table for the product)	CONFIGURATION CODE (supplemented by hand)

Configuration



Epoxy powder primer

E – Code of epoxy primer is an extra processes.

WLALE054030 K916E1DRYM **E** — Extra processes or additions code

Configuration code structure. Dry, electric only radiators with heating wire.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure


WSPER136050

Product code
(located in the table for the product)

K916E1W

CONFIGURATION CODE
(supplemented by hand)

Configuration



Epoxy powder primer

E – Code of epoxy primer is an extra processes.

WSPER136050 KCROE1U **E** — Extra processes or additions code

Configuration code structure for customizable accessories.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure

WRRCAS044

Product code
(located in the table for the product)

K916

CONFIGURATION CODE
(supplemented by hand)

Configuration

K916

Package code Colour code
K – carton box
*Colour code is
for products
available in
RAL palette and
special colours.
Page 8.*

Configuration code structure. Heating elements.

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, Product codes should include the fully completed configuration part. The configuration code part should be placed after the main Product code. The main product code and configuration part will appear as shown in the example below:

Code structure


WESIM04

Product code
(located in the table for the product)

TINXW

CONFIGURATION CODE
(supplemented by hand)

Configuration



Contact information.

Terma Sp. z o.o.

Czaple 100
80-298 Gdańsk
NIP: 583-10-18-844
www.termahat.com

We are open from Monday to Friday from 07:00am until 18:00pm.
You can contact us 24/7 by calling us on our mobile numbers.

Breakdown of sales regions.

Sales Team - Heating Products

United Kingdom, Ireland, Australia, Turkey

T: +48 607 451 959

T: +48 607 451 960

Email: sales@termagroup.co.uk

Sweden, Norway, Denmark, Finland

T: +48 607 451 984

France

T: +33 (0) 6 99 91 01 01

T: +48 607 451 035

Spain, Portugal, Belgium

T: +48 607 451 035

Italy

T: +39 347 786 386 0

Germany, Austria, Switzerland, Czech Republic, Slovakia,
Greece, Cyprus, Luxembourg, The Netherlands

T: + 48 607 451 306

Estonia, Latvia, Lithuania, Balcans

T: +48 607 779 066

Belarus, Moldova, Ukraine, Kazakhstan, Georgia, Armenia

T: +48 607 451 202

Terma Russia

МО, Ленинский район, ГП Видное,
д. Апаринки, стр.1, корпус 2, 2 этаж

T: +7 963 644 34 36

T: +7 963 644 34 37

T: +7 963 644 34 38

T: +7 963 644 34 39

Notes

All information provided in this brochure was valid until printing. In accordance with the motto of Terma Sp. z o.o. that expresses the necessity of constant development, some technical features of products as well as their detail descriptions may vary in the future from their state at the time of this publication.

Terma Sp. z o.o.

Czaple 100
80-298 Gdańsk
NIP: 583-10-18-844
www.termaheat.com

