

360° RESCUE CAMERA







High Luminosity Wide Angle LEDs Hot-SwappableProtected Li-ionBatteries

TelescopingCamera Boom&EyeHookMount

USAR KIT 1



- FL360 Camera + FL360 Speaker Microphone Battery Lid
- 2. FL360 Rechargeable Li-ion Battery with Protection Circuit x4 + FL360 Smart Battery Holder
- 3. FL360 Collapsible/Telescoping Camera
 Boom with sling attachment points
 FL360 Grip Handle with Camera
- Support + Rail Mount FL360 Headset (Behind Head/Double
- 5. Sided) FL360 Environmental Battery Lid
- 6. FL360 Battery Compartment Tool
- 7.

- 8. FL360DoubleSocketMountingArm+ FL360 Boom Mount with 1" Ball
- 9. FL360Multi-ChargerforBatteries/Tablet (with Vehicle Charging Adapter)
- 10. FL360 Power Bank Battery (10,050 mAh)
- 11. FL360Tablet9.7"SamsungS2withLTE
- 12. FL360 Tethering Cable with Connectors

- 13. FL360 Coiled Cable with Connectors
- 14. FL360 Rear Attachment Eye Hook
- 15. FL360TwoPointShoulderSling
- 16. FL360 CR123A Adapter Tube x2
- 17. FL360UtilityBag



FIRSTLOOK360
The First Wireless 360°
Technical Rescue Camera

- **EASY TO USE**
- **☑** RELIABLE
- **RUGGED**
- INT U ITIVE
- **NO MECHANICS**
- **SHAREABLE**
- MOBILE INTEGRATED



HD 360° VIDEO



WIRELESS AND WIRED



MULTI LEVEL LED LIGHTING



TWO-WAYAUDIO



POWERED BY FL360 APP



GPS / DATE STAMPED



MAP OVERLAY



RUN TIME - 5 HOURS*




| TECHNICAL SPECS | |
|-------------------------------|--|
| CAMERA | |
| Optical | |
| Object Distance | Approx. 1cm – ∞ from camera lens |
| Exposure Control | Individual AE per sensor |
| Image Sensor | 3.4 MP 1/3" CMOS sensor (2.2um pixels) |
| Lens | f/2.0 (9-Glass) |
| Field of View | 360° Effective Coverage 2x200° (HxVxD) |
| General | Coo Enecute coverage Exters (FixVXE) |
| Live Streaming Resolution | 960s HD - Dual 960p @ 30fps (1920x960) |
| Recording Medium | Tablet Storage (microSD Expandable to 256GB) |
| Batteries | 6800mAH Li-ion - Removable + Hot Swappable |
| Alternative Power Source | 4x CR123A Lithium (2 Battery Adapter Tubes include |
| Operating Temperature Range | -10°C >< 60°C |
| Audio | Speaker and microphone (2-way communication) |
| Wireless Connectivity | Wi-Fi 801.11n MIMO (Dual Antennas) 2.4GHz |
| Wired (Coiled Cable) | Expanded length 10ft |
| MECHANICAL | |
| Camera Diameter | 1,95" |
| Mechanical Dimensions | 10" x 1.95" Ø |
| Construction | , |
| Water & Dust Immersion Rating | Aircraft Grade Aluminum (6061) and Glass Reinforced Polymer |
| TABLET | IP68 (with Environmental Lid) |
| Display | |
| Processor | 9.7" 2048x1536 (QXGA) sAMOLED |
| Storage | 1.9GHz Quad + 1.3GHz Quad |
| Wireless Connectivity | 32GB tablet/64GB MicroSD (expand up to 256GB) |
| Rugged | Wi-Fi 802.11 a/b/g/n/ac MIMO 2.4GHz/5GHz |
| Battery | Ruggedized Case |
| OS | 5,870mAh |
| | Android 7.0 |
| | |

WARRANTY: FL360 is warranted to be from all defects Patent Pending in material and workmanship under operational use for period of 1 year. See website or user guide for more details.



AGILITY TECHNOLOGIES







Estonia Latvia Lithuania

