



© TEC / en / 2020/10/16 08:46:53 08:46:53 (ID: 2020/10/16 08:47:27 08:47:27)



Flat connectors in earthing area

Flat connector



Type	Material	Quality	Surface	Shipping box Piece	Pack Piece	Weight kg/100 pc.	Item no.
TS-FS 63-1	St	—	Copper-plated	6000	1000	0.078	4072170

St Steel

Cu Copper-plated

135 degrees with 6.3 mm connection, strip steel, 0.8 mm section

Flat connector



Type	Material	Quality	Surface	Shipping box Piece	Pack Piece	Weight kg/100 pc.	Item no.
TS-FS 63-1	St	—	Copper-plated	6000	1000	0.082	4072200

St Steel

Cu Copper-plated

90 degrees with 6.3 mm connection, strip steel, 0.8 mm section

Flat connector



Type	Material	Quality	Surface	Shipping box Piece	Pack Piece	Weight kg/100 pc.	Item no.
TS-FS 63-2	A2	1.4301	Pickled	6000	1000	0.110	4072065

A2 Stainless steel, rustproof 1.4301

GB Pickled

90 degrees with 6.3 mm connection, stainless steel strip, 0.8 mm section

Flat connector



Type	Material	Quality	Surface	Shipping box Piece	Pack Piece	Weight kg/100 pc.	Item no.
TS-FS 63-4	Alu	AlMg 3	—	6000	1000	0.050	4072030

Alu Aluminium

90 degrees with 6.3 mm connection, strip aluminium, 0.8 mm section

Flat connector



Type	Material	Quality	Surface	Shipping box Piece	Pack Piece	Weight kg/100 pc.	Item no.
TS-FS 63-6	CuZn	CuZn37	—	6000	1000	0.098	4072014

CuZn Brass

90 degrees with 6.3 mm connection, brass strip, 0.8 mm section

